RSC Advances



PAPER

View Article Online
View Journal | View Issue



Cite this: RSC Adv., 2017, 7, 2804

Theoretical investigation on the balance between large band gap and strong SHG response in BMO_4 (M = P and As) crystals†

Yanzhou Sun, Zhihua Yang,* Dianwei Hou and Shilie Pan*

Nonlinear optical (NLO) materials with outstanding performances are particularly important in laser science. To design an efficient NLO material with an optimal balance between the optical band gap and the NLO coefficient is still a huge challenge. In this paper, the electronic structures and optical properties of two isostructural non-centrosymmetric BMO₄ (M=P and As) crystals exclusively containing tetrahedral groups have been studied by the first-principles method. Our calculated results show the compounds exhibit excellent properties with a suitable balance of large band gap and large NLO coefficient for BPO₄ (10.4 eV and 0.64 pm V⁻¹) and BAsO₄ (7.8 eV and 1.58 pm V⁻¹). The unanticipated large second-harmonic generation (SHG) response can be understood by the relatively strong s-p hybridization in BMO₄ (M=P and As). It is found that substitution of PO₄ groups for AsO₄ groups can increase the SHG effect and the birefringence but decrease the band gap. Whether the redshift of bandgap will be responsible for the change of SHG effect between BMO₄ (M=P and As) is explored by energy correction method. The increased polarizability anisotropy of tetrahedral groups explained the enhanced birefringence.

Received 9th November 2016 Accepted 1st December 2016

DOI: 10.1039/c6ra26568e

www.rsc.org/advances

Introduction

Nonlinear optical (NLO) crystals have attracted much attention because they can be used to extend the working wavelength range of a solid state laser through frequency conversion. 1,2 For ultraviolet (UV) or deep-UV NLO applications, ideal NLO materials require a strict combination of properties that need to be satisfied simultaneously in a non-centrosymmetric crystal: a wide transparency window down to the deep-UV region, relatively strong effective second-harmonic generation (SHG) response, and suitable birefringence to realize phase matching. Borate and phosphate crystals have attracted much interest for their excellent performance as NLO crystals, such as, KH₂PO₄ (KDP),³ CsB₃O₅,⁴ LiB₃O₅ (LBO),⁵ SrB₄O₇,⁶ LiCs₂PO₄,⁷ Ba₃P₃O₁₀-Cl, Ba₅P₆O₂₀, and RbBa₂(PO₃)₅. The tetrahedral BO₄ or PO₄ groups existing in the above mentioned crystals enlarge the band gaps of the crystals shifting the cutoff edge to the deep-UV region. However, the crystals with BO₄ or PO₄ groups as building blocks are usually labeled by small NLO coefficients and/or small birefringence. The combination of the π -conjugated planar BO₃ groups into the structures is away to improve the birefringence

Key Laboratory of Functional Materials and Devices for Special Environments of CAS, Xinjiang Key Laboratory of Electronic Information Materials and Devices, Xinjiang Technical Institute of Physics & Chemistry of CAS, 40-1 South Beijing Road, Urumqi 830011, China. E-mail: zhyang@ms.xjb.ac.cn

† Electronic supplementary information (ESI) available. See DOI: 10.1039/c6ra26568e

and optical nonlinearities of these crystals.¹¹⁻¹⁶ Especially, $KBe_2BO_3F_2$ (KBBF) has a short deep-UV cutoff wavelength about 150 nm, a relatively large SHG tensor d_{11} about 0.47 pm V^{-1} , and a moderate birefringence of 0.077. And it is the sole NLO crystal, which can generate coherent light of wavelength below 200 nm by the direct SHG at room temperature.¹⁷ However, KBBF crystal is very difficult to grow in thickness due to its strong layering growth habit, which severely hinders its practical applications.¹⁸

In 1934, the cristobalite like forms of the ternary silica analogues BPO4 were first discovered by solid-state synthesis at high temperature.19 The theoretical or experimental researches of BPO₄ on its growth and optical properties have been in progress for many years.20-24 They measured BPO4 has a NLO coefficient $d_{36} = 0.76$ pm V⁻¹, which is larger than that of KBBF $(d_{11} = 0.47 \text{ pm V}^{-1})$. BPO₄ also has a short deep-UV cutoff wavelength ~134 nm, 16 nm shorter than that of KBBF.24 BPO4 should have a smaller NLO coefficient resulting from the larger band gap because the possibility of quantum transition between valence and conduction bands is ratio to the reciprocal of diverse energy at each momentum point. Until 2016, Li et al. explained the mechanism of its large NLO coefficient.25 Unsatisfactorily, BPO₄ has a smaller birefringence (approximately 0.007) than KBBF, which makes it non-phase matched in ultraviolet SHG progress, limiting its application in ultraviolet output. Therefore, the issue of how to improve the birefringence of the available frequency conversion material should be focused on. Previous studies have promised strain engineering and ion-doping methods could modulate or even enhance the

RSC Advances Paper

birefringence of relevant materials both theoretically and experimentally.26-30 Following this idea, we "look away" to arsenic, which is similar to phosphorus can coordinate with four oxygen atoms to form the tetrahedral groups. Curiously, does the combination of the BO₄ and AsO₄ groups result in an optimal balance between large band gap and strong SHG response? Does the value of birefringence also increase compared to BPO₄? To the best of our knowledge, theoretical or experimental reports about the optical properties of BAsO₄ are still absent after it was discovered due to the difficulty in growth.31-33

In this paper, in order to explore the influence on optical properties by the substitution of NLO-active PO4 groups for AsO₄ groups, BMO₄ (M = P and As) crystals exclusively containing tetrahedral groups are studied. We first introduced the optical properties obtained by ab initio method. Then, the gap-determination factor was discussed to explain the mechanism of large band gaps in BMO₄ (M = P and As) crystals. BAsO₄ has a stronger SHG response with 2.5 times than that of BPO₄. The origin and enhancement of the large SHG effect of BAsO₄ was explored by combining the band structures and the energy correction analysis. Finally, we systemically discussed the polarizability anisotropy of tetrahedral groups to explain why the birefringence of BAsO₄ is 2.6 times than that of BPO₄.

Calculation methods

The first-principles calculations for electronic structure employed the planewave pseudopotential method in the CASTEP. 34-36 The calculations was performed using the crystallographic information files BPO₄: ICSD-4132434; BAsO₄: ICSD-413438. During the calculation, geometry optimization was performed using the BFGS minimization technique. The converged criterions for the geometry optimization are that the residual forces on the atoms, the displacements of atoms and the energy change were less than, 5.0×10^{-6} eV per atom, 0.01 eV Å^{-1} and $5 \times 10^{-4} \text{ Å}$, respectively. Two exchange and correlation functionals, local density approximation/Ceperley-Alder-Perdew-Zunger (LDA/CA-PZ)^{37,38} and gradient approximation/Perdew-Burke-Ernzerhof (GGA/PBE)39 were adopted to calculate the electronic structures and NLO coefficients. After a series of successful tests, the LDA/CA-PZ functional with ultrasoft pseudopotentials (USP)40 was finally selected, giving the best agreement with the experimental data of BPO₄. The valence electrons were B-2s²2p¹, O-2s²2p⁴, P-3s²3p³ and As-4s²4p³, respectively. The number of plane waves was determined by a cutoff energy of 380 eV and the *k*-point sampling was set as $7 \times 7 \times 8$.

Based on the electronic structures, the imaginary part of the dielectric constant ε_2 (ω) can be obtained by

$$\varepsilon_{2} = \frac{2e^{2}\pi}{\Omega\varepsilon_{0}} \sum k, v, c \left\langle \varphi_{c}^{k} | u \cdot r | \varphi_{k}^{v} \right\rangle^{2} \delta \left(E_{k}^{c} - E_{k}^{c} - E \right)$$
 (1)

In which Ω is the volume of the elemental cell, v, and c represent the valence and conduction bands, respectively, and u is the vector defining the polarization of the electric field of the incident light. The real part of the dielectric constant, and then the refractive index n and birefringence $\Delta n = n_{\rm max} - n_{\rm min}$ can be obtained using the Kramers-Kronig transform.41 It is well known that although the LDA functional always underestimates the bandgap, after the scissors corrections were employed, reliable refractive indices and birefringence can still be got from the LDA calculations. 42-45 To get suitable scissors corrections of these two compounds, the modified Becke-Johnson (mBJ) exchange potential46,47 and implemented in WIEN2k48 was used to calculate the optical band gap because the mBJ method can get similar accuracy comparison with very expensive GW calculations49,50 and experimental values.22 Besides above methods, PBE0 hybridization functional has also been utilized to estimate the bandgaps in this work.

In addition, Becke three-parameter Lee-Yang-Parr (B3LYP) exchange correlation functional with the Lee-Yang-Parr correlation functional at the 6-31G basis set in Gaussian 09W program⁵¹ were employed to calculate the polarizability of the tetrahedra groups MO₄ (M = B, P and As). The anisotropic polarizabilities ($\Delta \alpha$) are defined by the following equation:

$$\Delta \alpha = (1/2)^{1/2} [(\alpha_{xx} - \alpha_{yy})^2 + (\alpha_{xx} - \alpha_{zz})^2 + (\alpha_{zz} - \alpha_{yy})^2]^{1/2}$$
 (2)

SHG coefficients were calculated at a zero frequency limit by the length-gauge formalism derived by Aversa and Sipe,52 and later developed by Zhang et al.27

$$\chi_{\alpha\beta\gamma}^{(2)} = \chi_{\alpha\beta\gamma}^{(2)}(VE) + \chi_{\alpha\beta\gamma}^{(2)}(VH)$$
 (3)

where.

$$\chi_{\alpha\beta\gamma}^{(2)}(VH) = \frac{e^3}{2\hbar^2 m^3} \sum_{vv'c} \int \frac{d^3k}{4\pi^3} P(\alpha\beta\gamma) Im \Big[p_{vv'}{}^{\alpha} p_{v'c}{}^{\beta} p_{cv}{}^{\gamma} \Big]$$

$$\times \left(\frac{1}{\omega_{cv}{}^3 \omega_{v'c}{}^2} + \frac{2}{\omega_{vc}{}^4 \omega_{cv'}} \right)$$
(4)

$$\chi_{\alpha\beta\gamma}^{(2)}(\text{VE}) = \frac{e^3}{2\hbar^2 m^3} \sum_{\text{vcc'}} \int \frac{d^3k}{4\pi^3} P(\alpha\beta\gamma) \text{Im} \left[p_{\text{vc}}{}^{\alpha} p_{\text{cc'}}{}^{\beta} p_{\text{c'}}{}^{\gamma} \right]$$

$$\times \left(\frac{1}{\omega_{\text{cv}}{}^3 \omega_{\text{vc'}}{}^2} + \frac{2}{\omega_{\text{vc}}{}^4 \omega_{\text{c'}}{}^{\gamma}} \right)$$
(5)

here, α , β , γ are Cartesian components, v and v' denote valence bands, c and c' denote conduction bands, and $P(\alpha\beta\gamma)$ denotes full permutation. The band energy difference and momentum matrix elements are denoted as ω_{ij} and $p_{ij}^{\ \alpha}$, respectively.

Results and discussion

Structure and optical properties

BPO₄ and BAsO₄ crystallize in the tetragonal space group $I\bar{4}$ (no. 82), with a = b = 4.3401 Å, c = 6.6470 Å, $Z = 2 \text{ for BPO}_4$, a = b = 6.6470 Å $4.4658 \text{ Å}, c = 6.8139 \text{ Å}, Z = 2 \text{ for BAsO}_4$, respectively. As sketched in Fig. 1, a continuous 3D framework of BMO₄ (M = P and As) crystals is built by sharing the corner of the BO₄ and MO₄ (M = P, As) tetrahedra.




Fig. 1 The crystal structure of BPO₄ (a) and BAsO₄ (b).

Table 1 The optical properties of BMO_4 (M = P and As)

	Gap (eV)	SHG (pm V^{-1})	Δn
BPO_4	10.4	0.64	0.011
BAsO_4	7.8	1.58	0.029

The band gaps, SHG coefficients in static limit and the birefringences for BMO₄ (M = P and As) were obtained (shown in Table 1). As compared with the experimental results, the PBE0 functional gives reliable values that are estimated of 10.4 eV and 7.8 eV, respectively. It is well known that although the LDA and GGA functional always underestimates the bandgap, after the scissors corrections were employed, reliable SHG coefficient and birefringence can still be got from the LDA calculations. It is clearly shown that the largest calculated NLO coefficient $d_{36}=1.58~{\rm pm~V}^{-1}$ of BAsO₄ also is larger than that $d_{36} = 0.64 \text{ pm V}^{-1} \text{ of BPO}_4$, which is very closed to the experimentally measured value of about two times of KDP.22 And the calculated birefringences are 0.011 for BPO4, and 0.029 for BAsO₄ at 589 nm. The calculated birefringence about 0.011 is consistent well with the experimental value 0.007 at 589 nm.²⁴ It should be noticed that the band gap and NLO coefficient of BAsO₄ are comparable to these of the commercial NLO crystals LBO (7.8 eV and 1.17 pm V⁻¹), β-BaB₂O₄ (6.6 eV and 2.26 pm V^{-1}) and KTiOPO₄ (3.2 eV and 3.24 pm V^{-1}).⁵³ A subtle balance is obtained between large band gap and strong SHG response in BAsO₄ crystal. It indicates that BAsO₄ may have a promising potential to be a NLO material in UV or even DUV region.

Role of AsO₄ in band gap

LDA and GGA functionals are performed to calculate the band gap of BMO_4 (M = P and As), as shown in Table 2. The LDA and GGA results are smaller than the experimental data 9.25 eV (corresponding to the measured optical cutoff edge of 134 nm). It is not strange at all because the Kohn–Sham schemes based on LDA and GGA usually underestimate the band gap of materials primarily owning to the discontinuity of exchange-correlation energy. For comparison, the experimental optical bandgaps, the PBE0 and mBJ methods are also employed. It is found that PBE0 result is close to the experimental one. The results clearly indicate the validity of the method used here, so the optical bandgaps of BMO_4 (M = P and As) are very large

Table 2 Band gaps (eV) based on various exchange and correlation functionals

	BPO_4	BAsO_4
LDA	7.62	5.32
GGA	7.22	4.75
PBE0	10.35	7.77
mBJ	10.62	7.55
Exp.	9.25 (ref. 22)	_

(10.4 eV and 7.8 eV), comparable to the crystals aimed in deep-UV region such as $Ba_3P_3O_{10}Cl$ (6.9 eV), Li₄Sr(BO_3)₂ (6.5 eV)¹⁴ and KBBF (8.3 eV), NaSr₃Be₃B₃O₉F₄ (7.2 eV)⁵⁴ and can be used in the UV region as NLO materials.

To explore the reason for the large band gaps, the partial density of states (PDOS) for BMO_4 (M=P and As) are plotted in Fig. 2a and b. For BPO_4 , the upper of the valence band (VB) is mainly occupied by the non-bonding 2p orbitals of O; the bottom of the conduction band (CB) mainly consists of the hybridization orbitals of B–O and P–O. Similar to BPO_4 , the contributions of O 2p orbitals primarily dominate the upper VB of $BAsO_4$. However, the bottom of CB of $BAsO_4$ mainly consists of As-s, B-p, O-p. To gain a deeper understanding of the electric structure features and check the band-gap determiner, we plotted slices of orbital density of CB minimum and VB maximum as shown in Fig. 2c–f. From Fig. 2c and e, it concludes that the VB maximum in BMO_4 (M=P and As) is




Fig. 2 The partial density of states (PDOS) for BPO_4 (a) and $BAsO_4$ (b). The energy range of the specific orbitals of the BPO_4 crystals (c), (d) and the $BAsO_4$ crystals (e), (f).

Table 3 HOMO and LUMO of MO_4 (M = B, P and As) groups and BO_3 groups

Units	HOMO (a.u.)	LUMO (a.u.)	Gap (a.u.)
BO_4	1.064	1.459	0.395
PO_4	0.443	0.775	0.332
AsO_4	0.424	0.729	0.305
BO_3	0.578	0.898	0.311

mainly occupied by the nonbonding oxygen orbitals. While CB minimum exhibits totally different characters for the title compounds. It is clearly shown that the orbitals from P atoms, O atoms and B atoms dominate VB maximum of BPO₄ (see Fig. 2d). However, for BAsO₄, the VB maximum is primarily only controlled by orbitals from As and O atoms without B atoms as shown in Fig. 2f. Therefore, one can make a conclusion that the band gap determiner is nonbonding 2p of O under Fermi level and hybridization orbitals of B/P–O in CB for BPO₄ crystal, and As–O in CB for BAsO₄ crystal. In addition, the orbital density also reveals a strong hybridization between As-s and O-p in Fig. 2e. Such strong sp hybridization in BAsO₄ leads to a slight red-shift of the deep-UV cutoff edge compared with BPO₄.

In the light of the frontier molecular orbitals theory, the HOMO (highest occupied molecular orbital) and LUMO (lowest unoccupied molecular orbital) of MO₄ (M = B, P and As) and BO₃ groups were also obtained (Table 3). Evidently, the band gaps $\Delta E_{\rm g}$ of the MO₄ (M = B, P and As) tetrahedral groups and BO₃ groups obey the following relative orders: $\Delta E_{\rm g}$ (BO₄) > $\Delta E_{\rm g}$ (PO₄) > $\Delta E_{\rm g}$ (AsO₄) $\approx \Delta E_{\rm g}$ (BO₃). It should pay attention to that the band gaps of AsO₄ groups is comparable with that of BO₃ groups revealing AsO₄ to be as a NLO active unit which is also beneficial to the large band gap.

Mechanism for strong and enhanced SHG response

SHG coefficients d_{ij} were estimated by the sum-over-states under the static limit within the length gauge. ²⁷ BMO₄ (M = P and As) both belong to $I\bar{4}$ space group, owing to the restriction of Kleinman's symmetry, there are two independent elements: d_{36} and d_{15} . The calculated results are listed in Table 4. It is clearly shown that the largest SHG tensor for BPO₄ is $d_{36}=0.64$ pm V⁻¹ which is comparable to the reported value $d_{36}=0.78$ pm V⁻¹. ²² As for BAsO₄, the SHG coefficients $d_{36}=1.58$ pm V⁻¹ and $d_{15}=1.04$ pm V⁻¹ are obtained, respectively.

As mentioned above, BMO_4 (M = P and As) should have a weaker NLO response resulting from the large band gap. Curiously, SHG response is $2 \times KDP$ for BPO_4 and $4 \times KDP$ for $BASO_4$, which is larger than many crystals with equivalent bang

Table 4 The SHG response of two SHG tensors (pm V^{-1}) of BMO₄ (M = P and As)

Compound	d_{36}	d_{15}
${\rm BPO_4} \\ {\rm BAsO_4}$	0.64 -1.58	-0.07 1.04




Fig. 3 The band structures of BPO₄ (a) and BAsO₄ (b)

gap like KBBF (1.2 \times KDP, 8.3 eV). To illuminate this question, we carefully check the band structures of BMO₄ (M = P and As) (shown in the Fig. 3). We mainly focused on the electric structure around the Fermi energy level because the optical properties of the crystal are particularly determined by the states close to the Fermi level. Evidently, the lowest conducting band is only dispersive around the G point (dyed by blue), and valence bands are clearly dispersive. It implies a relatively strong hybridization between the O 2p orbitals and the 4s orbitals from As which can enhance the interband Berry connection, and contribute a relatively large SHG effect in BAsO₄. The same situation (see the Fig. 3a) also occurs in the BPO₄ crystal.²⁵

To identify the contribution of each atom in the SHG processes in real space, the SHG-density method was analyzed for both compounds. The SHG process contains the two virtual transition processes, namely virtual electron (VE) and virtual hole (VH) processes. Here we will just show the SHG-density of the largest SHG tensors d_{36} to discuss the origin of the SHG effect. The obtained SHG-densities of the two compounds are shown in Fig. S1† and 4. More attention will be paid on that the SHG-density of BMO₄ (M = P and As) mainly distributes around the BO₄ and MO₄ groups (especially on O²⁻ anions) for unoccupied states and occupied states, illustrating their dominant contributions to the SHG.

It is worth to notice that $BAsO_4$ has SHG response about 2.5 \times BPO4. Curiously what is the origin of the largely enhanced




Fig. 4 SHG-density of $BAsO_4$: (a) VE occupied states; (b) VE unoccupied states; (c) VH occupied states; (d) VH unoccupied states.




Fig. 5 Calculated polarizability anisotropy $\Delta\alpha$ of tetrahedral groups in BMO4 (M = P and As).

SHG coefficients of BAsO₄? It is well known that band gap has a significant influence on SHG effect that the small gap can change the SHG response dramatically. To check the influence of the decrease of band gap in BAsO₄, we use the scissor operator corrections to the experimental band gaps of BPO₄. It turns out that the band-gap-corrected SHG coefficient d_{36} is 0.79 pm V⁻¹ for BAsO₄, which is close to that of BPO₄ ($d_{36} = 0.64$ pm V⁻¹). Compared with 1.58 pm V⁻¹, we found that the contribution induced by band gap reduction is around 85%. And we know from the electronic structure that the band gap reduction or the red-shift of UV-cutoff from BPO₄ to BAsO₄ attributes to the strong hybridization interaction between As and O. Therefore, the stronger covalent interaction of As–O is a significant factor to the enhanced SHG response in BAsO₄ compared that of BPO₄.

Origin of enhanced birefringence

The obtained birefringence of BAsO₄ is about 2.6 \times BPO₄. In order to figure out the enhancement, we calculate the polarizability anisotropy of BO₄, PO₄ and AsO₄ groups in BMO₄ (M = P and As) using the DFT implemented *via* the Gaussian09 package at the 6-31 G level. The polarizability anisotropy $\Delta\alpha$ of BO₄, PO₄ and AsO₄ groups are shown in the Fig. 5. It is clearly the $\Delta\alpha$ of tetrahedral groups of BAsO₄ are larger than those of BPO₄. The sequence of the calculated polarizability anisotropy is in good agreement with the sequence of birefringence.

Conclusion

In this paper, the electronic structures and optical properties of BMO₄ (M = P and As) were calculated by DFT method. The band gap of BAsO₄ is still large after a substitution of NLO active PO₄ groups for AsO₄ groups. The band gaps $\Delta E_{\rm g}$ of the groups MO₄ (M = B, P and As) and BO₃ groups obey the following relative orders: $\Delta E_{\rm g}$ (BO₄) > $\Delta E_{\rm g}$ (PO₄) > $\Delta E_{\rm g}$ (AsO₄) $\approx \Delta E_{\rm g}$ (BO₃). It implies AsO₄ groups to be as a NLO active unit which is also in favour of the large band gap. We also found BMO₄ (M = P, As) have large SHG responses. A relatively strong hybridization between the O 2p orbitals and the orbitals from B/P or As

contributes a relatively large SHG effect in BMO₄ (M = P, As). The strong s-p hybridization influence between As and O gives the band gap reduction and the 85% enhancement of SHG response from BPO₄ to BAsO₄. The calculated birefringence of BAsO₄ is about $2.6 \times BPO_4$ due to the stronger polarizability anisotropy of tetrahedral groups in BAsO₄ than those of BPO₄. The results show the replacing PO₄ tetrahedra by AsO₄ groups do not only achieve an optimal balance between large band gap and strong SHG response but also are helpful to increase birefringence. And one may be able to design new compounds with the adjustment effect of tetrahedral groups.

Acknowledgements

This work is supported by the National Key Basic Research Program of China (Grant No. 2014CB648400), the "National Natural Science Foundation of China" (Grant No. 51425206, 11474353), the Xinjiang International Science & Technology Cooperation Program (20146001).

References

- 1 D. Cyranoski, Nature, 2009, 457, 953-955.
- 2 P. Becker, Adv. Mater., 1998, 10, 979-992.
- 3 J. De Yoreo, A. Burnham and P. Whitman, *Int. Mater. Rev.*, 2002, 47, 113–152.
- 4 Y. C. Wu, T. Sasaki, S. Nakai, A. Yokotani, H. G. Tang and C. T. Chen, *Appl. Phys. Lett.*, 1993, **62**, 2614–2615.
- 5 C. T. Chen, Y. C. Wu, A. D. Jiang, B. C. Wu, G. M. You, R. K. Li and S. J. Lin, *J. Opt. Soc. Am. B*, 1989, **6**, 616–621.
- 6 A. I. Zaitsev, A. S. Aleksandrovskii, A. V. Zamkov and A. M. Sysoev, *Inorg. Mater.*, 2006, 42, 1360–1362.
- 7 L. Li, Y. Wang, B. H. Lei, S. J. Han, Z. H. Yang, K. R. Poeppelmeier and S. L. Pan, *J. Am. Chem. Soc.*, 2016, 138, 9101–9104.
- 8 S. G. Zhao, P. F. Gong, S. Y. Luo, L. Bai, Z. S. Lin, Y. Y. Tang, Y. L. Zhou, M. C. Hong and J. H. Luo, *Angew. Chem., Int. Ed.*, 2015, 54, 4217–4221.
- 9 S. G. Zhao, P. F. Gong, S. Y. Luo, L. Bai, Z. S. Lin, C. M. Ji, T. L. Chen, M. C. Hong and J. H. Luo, *J. Am. Chem. Soc.*, 2014, **136**, 8560–8563.
- 10 S. J. Clark, M. D. Segall, C. J. Pickard, P. J. Hasnip, M. J. Probert, K. Refson and M. C. Payne, *Z. Kristallogr.*, 2005, 220, 567–570.
- 11 C. T. Chen, G. L. Wang, X. Y. Wang and Z. Y. Xu, *Appl. Phys. B: Lasers Opt.*, 2009, **97**, 9–25.
- 12 C. T. Chen, Y. B. Wang, B. C. Wu, K. C. Wu, W. L. Zeng and L. H. Yu, *Nature*, 1995, 373, 322–324.
- 13 S. C. Wang, N. Ye, W. Li and D. Zhao, *J. Am. Chem. Soc.*, 2010, 132, 8779–8786.
- 14 S. G. Zhao, P. F. Gong, L. Bai, X. Xu, S. Q. Zhang, Z. H. Sun, Z. S. Lin, M. C. Hong, C. T. Chen and J. H. Luo, *Nat. Commun.*, 2014, 5, 4019.
- H. P. Wu, S. L. Pan, K. R. Poeppelmeier, H. Y. Li, D. Z. Jia,
 Z. H. Chen, X. Y. Fan, Y. Yang, J. M. Rondinelli and
 H. S. Luo, *J. Am. Chem. Soc.*, 2011, 133, 7786–7790.

Paper

16 S. G. Zhao, P. F. Gong, S. Y. Luo, S. J. Liu, L. Li, M. Adnan, T. Khan, M. C. Hong, Z. S. Lin and J. H. Luo, *J. Am. Chem.*

- *Soc.*, 2015, **137**, 2207–2210. 17 L. Kang, S. Luo, H. Huang, T. Zheng, Z. S. Lin and C. T. Chen,
- J. Phys.: Condens. Matter, 2012, 24, 335503.18 P. Yu, L. M. Wu, L. J. Zhou and L. Chen, J. Am. Chem. Soc., 2014, 136, 480-487.
- 19 G. E. R. Schulze, Z. Phys. Chem., Abt. B, 1934, 24, 215-218.
- 20 Z. H. Li, Y. C. Wu, P. Z. Fu, S. L. Pan and C. T. Chen, *J. Cryst. Growth*, 2004, 270, 486–490.
- 21 Z. H. Li, Z. S. Lin, Y. C. Wu, P. Z. Fu, Z. Z. Wang and C. T. Chen, *Chem. Mater.*, 2004, **16**, 2906–2908.
- 22 S. F. Zhang, E. P. Zhang, P. Z. Fu and Y. C. Wu, *J. Cryst. Growth*, 2009, 311, 2433–2436.
- 23 G. G. Xu, J. Li, S. J. Han, Y. J. Guo and J. Y. Wang, Kristallografiya, 2010, 55, 1242–1244.
- 24 X. Zhang, L. R. Wang, S. F. Zhang, G. L. Wang, S. G. Zhao, Y. Zhu, Y. C. Wu and C. T. Chen, *J. Opt. Soc. Am. B*, 2011, 28, 2236–2239.
- 25 Z. Li, Q. Liu, S. J. Han, T. Iitaka, H. B. Su, T. Tohyama, H. D. Jiang, Y. J. Dong, B. Yang, F. F. Zhang, Z. H. Yang and S. L. Pan, *Phys. Rev. B: Condens. Matter Mater. Phys.*, 2016, 93, 245125.
- 26 Z. J. Ma, K. C. Wu, R. J. Sa, K. N. Ding and Q. H. Li, *AIP Adv.*, 2012, 2, 032170.
- 27 B. B. Zhang, M.-H. Lee, Z. H. Yang, Q. Jing, S. L. Pan, M. Zhang, H. P. Wu, X. Su and C.-S. Li, *Appl. Phys. Lett.*, 2015, 106, 031906.
- 28 J. Li, Z. J. Ma, C. He, Q. H. Li and K. C. Wu, *J. Mater. Chem. C*, 2016, 4, 1926–1934.
- 29 J. Y. Hu, Z. J. Ma, J. Li, C. He, Q. H. Li and K. C. Wu, *J. Phys. D: Appl. Phys.*, 2016, **49**, 185103.
- 30 L. Yang, Y. C. Yue, F. Yang and Z. Y. Xu, *Opt. Lett.*, 2016, 41, 1598–1600.
- 31 J. Haines, C. Chateau, J. M. Leger and R. Marchand, *Ann. Chim. Sci. Mater.*, 2001, **26**, 209–215.
- 32 J. Haines, O. Cambon, R. Aster, P. Fertey and C. Chateau, *Z. Kristallogr.*, 2004, **219**, 32–38.
- 33 A. Baykal and A. Evren, Turk. J. Chem., 2006, 30, 723-730.
- 34 V. Vildosola, L. Pourovskii, R. Arita, S. Biermann and A. Georges, *Phys. Rev. B: Condens. Matter Mater. Phys.*, 2008, **78**, 064518.

- 35 S. J. Clark, M. D. Segall, C. J. Pickard, P. J. Hasnip, M. J. Probert, K. Refson and M. C. Payne, *Z. Kristallogr.*, 2005, 220, 567–570.
- 36 B. G. Pfrommer, M. Cote, S. G. Louie and M. L. Cohen, *J. Comput. Phys.*, 1997, **131**, 233–240.
- 37 D. M. Ceperley and B. J. Alder, *Phys. Rev. Lett.*, 1980, **45**, 566–569.
- 38 J. P. Perdew and A. Zunger, Phys. Rev. B: Condens. Matter Mater. Phys., 1981, 23, 5048–5079.
- 39 J. P. Perdew, K. Burke and M. Ernzerhof, *Phys. Rev. Lett.*, 1996, 77, 3865–3868.
- 40 J. S. Lin, A. Qteish, M. C. Payne and V. Heine, *Phys. Rev. B: Condens. Matter Mater. Phys.*, 1993, 47, 4174–4180.
- 41 F. Wooten, Optical properties of solids, Academic, New York, 1972.
- 42 L. J. Sham and M. Schluter, *Phys. Rev. Lett.*, 1983, **51**, 1888–1891.
- 43 A. J. Cohen, P. Mori-Sanchez and W. T. Yang, *Phys. Rev. B: Condens. Matter Mater. Phys.*, 2008, 77, 115123.
- 44 P. Mori-Sanchez, A. J. Cohen and W. T. Yang, *Phys. Rev. Lett.*, 2008, **100**, 146401.
- 45 R. He, H. W. Huang, L. Kang, W. J. Yao, X. X. Jiang, Z. S. Lin, J. G. Qin and C. T. Chen, *Appl. Phys. Lett.*, 2013, **102**, 231904.
- 46 A. D. Becke and E. R. Johnson, *J. Chem. Phys.*, 2006, **124**, 221101.
- 47 F. Tran and P. Blaha, Phys. Rev. Lett., 2009, 102, 226401.
- 48 P. Blaha, K. Schwarz, G. K. H. Madsen, D. Kvasnicka and J. Luitz, *WIEN2k, an Augmented Plane*.
- 49 D. Koller, F. Tran and P. Blaha, *Phys. Rev. B: Condens. Matter Mater. Phys.*, 2011, **83**, 195134.
- 50 D. Koller, F. Tran and P. Blaha, *Phys. Rev. B: Condens. Matter Mater. Phys.*, 2012, **85**, 55109.
- 51 M. J. Frisch, et al., Gaussian 09, Gaussian, Wallingford, CT, 2009.
- 52 C. Aversa and J. E. Sipe, *Phys. Rev. B: Condens. Matter Mater. Phys.*, 1995, **52**, 14636.
- 53 (a) A. H. Reshak, V. Kityk and S. Auluck, J. Phys. Chem. B, 2010, 114, 16705–16712; (b) I. I. Tordjman, R. Masse and J. C. Guitel, Z. Kristallogr., 1974, 139, 103–115.
- 54 (a) A. H. Reshak, H. W. Huang, H. Kamarudin and S. Auluck, J. Appl. Phys., 2015, 117, 085703; (b) X. S. Wang, L. J. Liu, X. Y. Wang, L. Bai and C. T. Chen, CrystEngComm, 2015, 17, 925–929.