



CrossMark
 click for updates

Cite this: *RSC Adv.*, 2017, 7, 3428

Correction: The biological *in vitro* effect and selectivity shown by a Co^{II} complex of 2-(2-hydroxyphenylazo)-indole-3'-acetic acid on three distinctly different cancer cells

Durba Ganguly,^a Chetan Kumar Jain,^{b,c} Ramesh Chandra Santra,^a Susanta Roychoudhury,^b Hemanta Kumar Majumder^c and Saurabh Das^{*a}

DOI: 10.1039/c6ra90136k

www.rsc.org/advances

Correction for 'The biological *in vitro* effect and selectivity shown by a Co^{II} complex of 2-(2-hydroxyphenylazo)-indole-3'-acetic acid on three distinctly different cancer cells' by Durba Ganguly *et al.*, *RSC Adv.*, 2016, 6, 114906–114915.

In the original article, the units of the IC₅₀ values were erroneously omitted from Table 2. To clarify this point, Table 2 is provided herein along with a modified table caption which states the units of the IC₅₀ values (μM).

Table 2 IC₅₀ values (μM) for the action of HPIA, Co^{II}(HPIA)₂ and cisplatin on chosen cell lines

Cell lines used	<i>cis</i> HPIA	<i>trans</i> HPIA	Co ^{II} (HPIA) ₂	Cisplatin
HEK293T	69.22 ± 5.80	53.98 ± 1.42	44.82 ± 1.45	2.6–8.3 (ref. 50 and 51)
HCT116	30.05 ± 3.64	29.94 ± 4.49	15.6 ± 2.08	5.4–7.4 (ref. 52 and 53)
MOLT-4	29.78 ± 1.10	24.92 ± 3.65	18.63 ± 1.08	0.3–1.3 (ref. 54 and 55)
MCF-7	37.66 ± 3.61	38.63 ± 4.01	23.61 ± 1.16	15.0–20.0 (ref. 56 and 57)

The Royal Society of Chemistry apologises for these errors and any consequent inconvenience to authors and readers.

^aDepartment of Chemistry (Inorganic Section), Jadavpur University, Kolkata-700 032, India. E-mail: sdas@chemistry.jdvu.ac.in; Tel: +91 89 02087756

^bCancer Biology & Inflammatory Disorder Division, Indian Institute of Chemical Biology, Kolkata-700 032, India

^cInfectious Diseases and Immunology Division, Indian Institute of Chemical Biology, Kolkata-700 032, India

