


 CrossMark
 click for updates

 Cite this: *RSC Adv.*, 2017, **7**, 13223

Three-dimensional TiO_2 nanotube arrays combined with $\text{g-C}_3\text{N}_4$ quantum dots for visible light-driven photocatalytic hydrogen production

 Qi Zhang,^a Hua Wang,^{*a} Shuo Chen,^{*b} Yan Su^b and Xie Quan^b

A three-dimensional (3D) nanostructured photocatalyst combined with $\text{g-C}_3\text{N}_4$ quantum dots (QDs) and a TiO_2 nanotube array (TNA) was fabricated to form a 3D $\text{g-C}_3\text{N}_4$ /TNA nanocomposite by a facile electro-deposition process. The photocatalytic ability of the 3D $\text{g-C}_3\text{N}_4$ /TNA was evaluated by measuring the amount of hydrogen generated from water splitting under visible light irradiation. Benefiting from an attractive heterostructure between $\text{g-C}_3\text{N}_4$ and TiO_2 leading to a unique photogenerated charge separation, as well as a distinctive 3D well-ordered nanotube structure, this 3D $\text{g-C}_3\text{N}_4$ /TNA exhibited an average H_2 production of approximately $243 \mu\text{mol h}^{-1} \text{ g}^{-1}$, which was approximately 4.7 times higher than that of sole $\text{g-C}_3\text{N}_4$ under the same experimental conditions. Therefore, this work could offer a prospective 3D nanostructure for visible light-driven photocatalytic applications.

Received 2nd January 2017

Accepted 14th February 2017

DOI: 10.1039/c7ra00039a

rsc.li/rsc-advances

1 Introduction

Hydrogen is one of the most promising fuels for the future.¹ Most hydrogen is produced from the steam reforming of natural gas, which requires an intense thermal energy input. Since Fujishima and Honda discovered the photocatalytic production of hydrogen from water on TiO_2 electrodes, the efficient photoconversion of water to hydrogen has been a long-term goal in the areas of energy science and engineering.² In general, the capability of a photocatalyst depends heavily on its structure because the structure can influence the three major steps of photocatalysis: photon absorption, charge carrier transfer, and catalytic surface reactions.³ Currently, photocatalysts with three-dimensional (3D) structures have been proposed, and the use of a 3D structure demonstrated a promising photocatalytic performance because of the interconnected open-framework, high specific surface area and more active sites for photocatalytic reactions.^{4–7}

In this regard, TiO_2 nanotube arrays (TNA) have a typical 3D framework with a high mechanical strength. Meanwhile, the excellent electron transport ability was observed for the 3D TNA because of the minimized grain boundaries.⁸ However, since TiO_2 could only be used under UV light irradiation due to its wide band gap, one of possible approaches has been made to combine narrow band gap photocatalyst with TiO_2 to induce the absorption into the visible light region.⁹ Recently, graphitic

carbon nitride ($\text{g-C}_3\text{N}_4$), an metal-free photocatalyst, has attracted increasing attention because of its narrow band gap.¹⁰ In particular, the $\text{g-C}_3\text{N}_4$ quantum dots (QDs) have a shorter transferring distance of photoinduced charge carriers and strong quantum confinement.¹¹ Most recently, Li and co-workers reported that size-controllable $\text{g-C}_3\text{N}_4$ QDs modified single-crystalline TNA could exhibit high activity in synergistic H_2 evolution and organic pollutant degradation.¹² Su and co-workers also reported that modification of TNA by the ultra-small $\text{g-C}_3\text{N}_4$ QDs could improve the photoelectrochemical activity significantly.¹³ However, until now, the TNA combined with $\text{g-C}_3\text{N}_4$ QDs has a Ti substrate, which restricted its photocatalytic application. Here, the 3D TNA without the Ti substrate was prepared by an electrochemical anodization, and then modified with $\text{g-C}_3\text{N}_4$ QDs to fabricate a 3D $\text{g-C}_3\text{N}_4$ /TNA by a facile electro-deposition. The performance of this 3D $\text{g-C}_3\text{N}_4$ /TNA photocatalyst was investigated for visible light-driven hydrogen production from water.

2 Experimental

2.1 Preparation of 3D $\text{g-C}_3\text{N}_4$ /TNA

The method for preparation of $\text{g-C}_3\text{N}_4$ QDs based on a previous report.¹¹ Meanwhile, 3D TNA with Ti substrate was fabricated by potentiostatic anodization as Liu's report.¹⁴ Then electro-deposition of $\text{g-C}_3\text{N}_4$ QDs on the 3D TNA was performed using an electrophoresis apparatus (DYY-6C) where the TNA and Pt plate were connected with the negative pole and positive pole, respectively. The electrolyte solution consisted of isopropyl alcohol (100 mL), magnesium nitrate (5 mg), and $\text{g-C}_3\text{N}_4$ QDs (0.14 g L^{-1} , 10 mL), and the electro-deposition was maintained

^aSchool of Fisheries and Life Science, Dalian Ocean University, Dalian 116023, China.
 E-mail: wanghua@dlou.edu.cn

^bFaculty of Chemical, Environmental and Biological Science and Technology, Dalian University of Technology, Dalian 116024, China. E-mail: shuochen@dlut.edu.cn



at 20 V for 3 h. Subsequently, the sample annealed at 500 °C for 2 h. Finally, the annealed sample was anodized again in the same stock electrolyte at 60 V for 4 h to remove Ti substrate. The obtained free-standing 3D g-C₃N₄/TNA was cleaned in ethanol. Fig. 1 shows a schematic of the 3D g-C₃N₄/TNA preparation.

2.2 Characterization

The morphology of the 3D g-C₃N₄/TNA was analyzed using scanning electron microscopy (SEM, Quanta 200 FEG) and transmission electron microscopy (TEM, JEM-2100F, JEOL, Japan). The chemical composition was determined using energy dispersive X-ray (EDX) spectroscopy, which was combined with SEM. The crystallinity of the samples was determined by X-ray diffraction (XRD) using a diffractometer with Cu K α radiation (Shimadzu LabX XRD-6000). X-ray photoelectron spectroscopy (XPS, ESCALAB250, Thermo-VG Scientific) was used to analyze the elementary composition of the samples. The UV-vis absorption spectra of the samples were investigated as a function of the incident wavelength using UV-vis diffuse reflectance spectroscopy (DRS, Shimadzu UV-2450 spectrophotometer). The Brunauer–Emmett–Teller (BET) surface area was analyzed using an automated surface area and pore size analyzer (Quantachrome Autosorb-1 MP).

2.3 Photocatalytic hydrogen production

The photocatalytic production of hydrogen was performed in a glass closed-gas circulation and evacuation system. A 300 W Xe lamp with an ultraviolet filter ($\lambda \geq 400$ nm) was used as the light source and was positioned 10 cm from the cylindrical quartz photoreactor (300 mL). The light source provided an

incident light with an intensity of 100 mW cm⁻², which was measured by a radiometer (model FZ-A, Photoelectric Instrument Factory Beijing Normal University, China). Photocatalytic hydrogen production was carried out in the water/methanol mixture (v/v, 9/1), where methanol acted as a sacrificial reagent to capture photogenerated holes. In a typical photocatalytic experiment, 0.1 g of the 3D g-C₃N₄/TNA catalyst was added to a mixed solution containing 90 mL of water and 10 mL of methanol. The loading of 1.2 wt% Pt co-catalyst was conducted by photoreduction of H₂PtCl₆. To remove the dissolved oxygen and to ensure the anaerobic conditions, the reaction system was purged with argon for 1 h at a flow rate of 70 sccm controlled by mass flow controller unit before irradiation. The reaction temperature was maintained at 10 °C by a flow of cooling water. The amount of evolved H₂ was detected using an on-line gas chromatograph (Shimadzu, GC-14C).

3 Results and discussion

Fig. 2 shows SEM images of the 3D g-C₃N₄/TNA. Fig. 2a shows a highly ordered 3D nanotube structure, and the diameter of the nanotubes was about 160 nm. All of the 3D g-C₃N₄/TNA nanocomposites were open at both ends. The length of the 3D g-C₃N₄/TNA was approximately 35 μ m (Fig. 2c). The BET surface areas of the 3D g-C₃N₄/TNA were analyzed using the automated surface area and pore size analyzer. The calculated specific surface area of the 3D g-C₃N₄/TNA was approximately 103.6 m² g⁻¹.

Fig. 3a shows a representative TEM image of the as-prepared 3D g-C₃N₄/TNA, in which the hollow structures with a smooth tube wall can be clearly seen. The high-resolution TEM image of the 3D g-C₃N₄/TNA nanocomposites exhibited that the material




Fig. 1 Schematic of the 3D g-C₃N₄/TNA preparation.




Fig. 2 SEM images of the 3D g-C₃N₄/TNA: (a) top view, (b) bottom view, and (c) cross-sectional view.




Fig. 3 TEM image of (a) the 3D $\text{g-C}_3\text{N}_4$ /TNA and (b) the $\text{g-C}_3\text{N}_4$ QDs in 3D $\text{g-C}_3\text{N}_4$ /TNA. (c) The size distribution of the $\text{g-C}_3\text{N}_4$ QDs. (d) EDX spectrum of the 3D $\text{g-C}_3\text{N}_4$ /TNA.




Fig. 4 XRD patterns for the 3D $\text{g-C}_3\text{N}_4$ /TNA.

was crystalline with interplanar spacing of 0.353 nm (inset of Fig. 3a), which corresponded to the (101) plane of anatase TiO_2 . Meanwhile, the lattice spacing for $\text{g-C}_3\text{N}_4$ was 0.336 nm (inset of Fig. 3b), which corresponded to the (002) plane of hexagonal $\text{g-C}_3\text{N}_4$ (JCPDS 87-1526).¹⁵ The size distribution of more than 90% of the $\text{g-C}_3\text{N}_4$ QDs fell in the range of 7–10 nm, and the mean particle diameter was about 7.6 nm (Fig. 3c). Fig. 3d presents the EDX spectrum of the 3D $\text{g-C}_3\text{N}_4$ /TNA; Ti, O, C, and N were observed in the 3D $\text{g-C}_3\text{N}_4$ /TNA.

Fig. 4 shows the XRD patterns of the 3D $\text{g-C}_3\text{N}_4$ /TNA. The diffraction peaks at 2θ values of 25.33° , 37.84° , 48.07° , 53.95° , and 55.11° were observed, which correspond to the plane diffractions of (101), (004), (200), (105), and (211), respectively. These results correspond to the reflections of the crystalline anatase- TiO_2 planes (JCPDS 21-1272). Meanwhile, the characteristic peak of $\text{g-C}_3\text{N}_4$ at 27.5° conforms to the (002) plane of $\text{g-C}_3\text{N}_4$.

The XPS spectra of the 3D $\text{g-C}_3\text{N}_4$ /TNA were recorded to analyze the chemical composition. The peaks corresponding to




Fig. 5 XPS spectra of the full scan for the 3D $\text{g-C}_3\text{N}_4$ /TNA (inset: (a) C 1s and (b) N 1s).

Ti, O, C, and N were observed for the 3D $\text{g-C}_3\text{N}_4$ /TNA from Fig. 5. The $\text{Ti} 2p_{3/2}$ and $\text{Ti} 2p_{1/2}$ binding energies were observed at 458.8 eV and 464.7 eV, respectively, which indicated that the Ti^{4+} species were present in the form of TiO_2 clusters.¹⁶ The position of the O 1s band at \sim 529.7 eV slightly deviated from the standard position at \sim 530.0 eV,¹⁷ which was probably caused by the chemical configuration, and it further confirms the Ti-O bond at TiO_2 .¹⁸ As shown in Fig. 5a, a high resolution C 1s spectrum was recorded for the 3D $\text{g-C}_3\text{N}_4$ /TNA and found to have three peaks. The peak located at 285.1 eV was due to C-C and/or adventitious carbon, and the following peaks at 286.4 and 288.4 eV could be accounted for by the C-N-C and C-(N)₃ groups of $\text{g-C}_3\text{N}_4$, respectively.¹⁸ No chemical interaction occurred between $\text{g-C}_3\text{N}_4$ and TNA. Fig. 5b shows the regional spectrum of N 1s for the 3D $\text{g-C}_3\text{N}_4$ /TNA. The spectrum could be deconvoluted into three peaks, *viz.* 398.9, 399.9, and 400.9 eV, which could account for the C-N=C, N-(C)₃, and -NH₂ or =NH of the uncondensed terminal amino groups of the material, respectively.¹⁹

UV-vis diffuse reflection spectra are shown in Fig. 6 to understand the optical absorption properties of the 3D $\text{g-C}_3\text{N}_4$ /TNA. The band gap of anatase TiO_2 is about 3.2 eV, so its




Fig. 6 UV-vis diffuse reflection spectra of the 3D $\text{g-C}_3\text{N}_4$ /TNA.




Fig. 7 (a) The time for H₂ production and (b) the corresponding rate for the 3D g-C₃N₄/TNA.

absorption onset is located at \sim 388 nm. The band gap for g-C₃N₄ is 2.71 eV, corresponding to the absorption onset of \sim 458 nm.¹⁵ In comparison with g-C₃N₄ and TNA, the 3D g-C₃N₄/TNA has an absorption in the visible range that accompanies a red shift in the absorption edge due to the synergistic effect between TiO₂ and g-C₃N₄.²⁰ These results indicate that the obtained 3D g-C₃N₄/TNA could be employed under visible light irradiation.

In this study, 3D g-C₃N₄/TNA as well as sole g-C₃N₄ was tested for photocatalytic H₂ production through water splitting under visible light irradiation. Time dependent production of H₂ and corresponding rate of H₂ production are given in Fig. 7. It can be seen that all the H₂ production increased with respect to the irradiation time (Fig. 7a). As shown in Fig. 7b, the average H₂ production observed by sole g-C₃N₄ was 52 $\mu\text{mol h}^{-1} \text{g}^{-1}$. However, the 3D g-C₃N₄/TNA produced 243 $\mu\text{mol h}^{-1} \text{g}^{-1}$, which are 4.7 times higher than that of sole g-C₃N₄. Such an improvement in H₂ production is attributed to the distinguish nanostructure of 3D g-C₃N₄/TNA. During photocatalytic reaction, benefiting from an attractive heterostructure between g-C₃N₄ and TiO₂ leading to a unique photogenerated charge separation. Meanwhile, the highly ordered 3D TNA nanostructures can promote better dispersion of g-C₃N₄ QDs and extend the number of active sites, which may be another factor to the increase in corresponding rate of H₂ production. In addition, the stability of the 3D g-C₃N₄/TNA was investigated in four consecutive runs of the accumulation of 64 h of irradiation. No deactivations occurred for the 3D g-C₃N₄/TNA, indicating a considerable photostability for H₂ production.

4 Conclusions

In summary, a novel 3D g-C₃N₄/TNA nanostructure was developed by a simple electro-deposition of g-C₃N₄ QDs on TNA. The 3D g-C₃N₄/TNA contributed to enhanced visible-light harvesting and reduced recombination of photogenerated electron-hole pairs due to the synergistic effect of heterojunction structure between g-C₃N₄ QDs and TNA, thereby leading to a high photocatalytic activity for H₂ production under visible light irradiation. Meanwhile, the well-ordered 3D TNA nanostructure was also beneficial to the H₂ production. Herein, compared with sole g-C₃N₄, the average H₂ production increased 4.7 times using the 3D g-C₃N₄/TNA nanocomposite. This simplified

strategy reported here can be applied to form other 3D nanostructures, and nanoscale heterojunction structure based on TiO₂ nanotube array.

Acknowledgements

This study was supported by the National Natural Science Foundation of China (51478075, 21590813) and the Natural Science Foundation of Liaoning Province of China (2014020149). We also appreciate the support of the Scientific research project of Liaoning Provincial Department of Education (L201603) and the Open Foundation of Fujian Provincial Key Laboratory of Ecology-Toxicological Effects & Control for Emerging Contaminants (PY16005).

References

- 1 S. J. Kim, K. J. Kim, A. M. Dayaghi and G. M. Choi, *Int. J. Hydrogen Energy*, 2016, **41**, 14498.
- 2 A. Fujishima and K. Honda, *Nature*, 1972, **238**, 37.
- 3 Z. Q. Sun, J. H. Kim, Y. Zhao, F. Bijarbooneh, V. Malgras, Y. Lee, Y. M. Kang and S. X. Dou, *J. Am. Chem. Soc.*, 2011, **133**, 19314.
- 4 D. Fattakhova-Rohlfing, A. Zaleska and T. Bein, *Chem. Rev.*, 2014, **114**, 9487.
- 5 H. Wang, X. Quan, H. Yu and S. Chen, *Carbon*, 2008, **46**, 1126.
- 6 S. H. Hwang, J. Yun and J. Jang, *Adv. Funct. Mater.*, 2014, **24**, 7619.
- 7 J. S. Zhang, M. W. Zhang, C. Yang and X. C. Wang, *Adv. Mater.*, 2014, **26**, 4121.
- 8 Z. Sun, J. H. Kim, Y. Zhao, D. Attard and S. X. Dou, *Chem. Commun.*, 2013, **49**, 966.
- 9 T. B. Nguyen and R. A. Doong, *RSC Adv.*, 2016, **6**, 103428.
- 10 X. Wang, K. Maeda, A. Thomas, K. Takanabe, G. Xin, J. M. Carlsson, K. Domen and M. Antonietti, *Nat. Mater.*, 2009, **8**, 76.
- 11 W. Wang, J. C. Yu, Z. Shen, D. K. L. Chan and T. Gu, *Chem. Commun.*, 2014, **50**, 10148.
- 12 G. Li, Z. Lian, W. Wang, D. Zhang and H. Li, *Nano Energy*, 2016, **19**, 446.
- 13 J. Su, L. Zhu and G. Chen, *Appl. Catal., B*, 2016, **186**, 127.



14 G. H. Liu, N. Hoivik, K. Y. Wang and H. Jakobsen, *J. Mater. Sci.*, 2011, **46**, 7931.

15 L. Ge, F. Zuo, J. Liu, Q. Ma, C. Wang, D. Sun, L. Bartels and P. Feng, *J. Phys. Chem. C*, 2012, **116**, 13708.

16 X. Lu, G. Wang, T. Zhai, M. Yu, J. Gan, Y. Tong and Y. Li, *Nano Lett.*, 2012, **12**, 1690.

17 J. Huang, X. Tan, T. Yu, L. Zhao and H. Liu, *J. Solid State Electrochem.*, 2015, **19**, 1151.

18 D. B. Hamal and K. J. Klabunde, *J. Phys. Chem. C*, 2011, **115**, 17359.

19 S. C. Yan, Z. S. Li and Z. G. Zou, *Langmuir*, 2010, **26**, 3894.

20 X. L. Wang, W. Y. Yang, F. T. Li, Y. B. Xue, R. H. Liu and Y. J. Hao, *Ind. Eng. Chem. Res.*, 2013, **52**, 17140.

