

Cite this: *RSC Adv.*, 2017, 7, 11191

## *Ex situ* Cu(0) nanoparticle mediated SET-LRP of methyl methacrylate/styrene-methyl methacrylate in a biphasic toluene–water system†

Ankushi Bansal,\* Nikita Singhal, Vineeta Panwar, Arvind Kumar,\* Umesh Kumar and Siddharth S. Ray

The present paper described the first successful use of *ex situ* copper(0) nanoparticles as an efficient catalyst *vis-a-vis* using toluene as an effective solvent when doped with water for SET-LRP. Copper(0) nanoparticles (Cu(0) nanoparticles) of ~5 nm were used as a catalyst with different nitrogen(N)-ligands for the single-electron transfer mediated LRP (SET-LRP) of methyl methacrylate (MMA) using a biphasic water–toluene system as the reaction media. The polymerization was studied by varying the catalyst concentration (0.15 ppm to 28.5 ppm) as well as by varying the mole ratios of monomer, initiator and N-ligands such as *N,N,N',N'',N'''*-pentamethyldiethylenetriamine (PMDETA), *N,N,N',N'*-tetramethyl-1,6-hexanediamine(TMEDA), *N,N,N',N'*-tetramethylethylenediamine (TMEDA) and *N,N*-dimethylhexadecylamine (DMHA). Among the various N-ligands studied PMDETA provided best control over molecular weight while TMEDA gave worst control resulting in a polydispersity of 1.15 and 2.11, respectively at high monomer conversion. The rate of polymerization ( $k_p^{app}$ ) of MMA using Cu(0) nanoparticles/PMDETA at 25 °C and 70 °C was found to be 0.00076 min<sup>-1</sup> and 0.0048 min<sup>-1</sup>, respectively. Under these polymerization conditions, the reactivity ratio of MMA and styrene (St) was found to be 0.41 and 0.23 at 70 °C, respectively.

Received 10th January 2017  
Accepted 7th February 2017

DOI: 10.1039/c7ra00368d

rsc.li/rsc-advances

## Introduction

The progress in controlled/living radical polymerization (LRP) is remarkably fuelled by researchers for its control over polymer architectures, compositions and functionalities.<sup>1–3</sup> The most widely used LRP techniques that are receiving the greatest attention are nitroxide-mediated radical polymerization (NMP),<sup>4</sup> atom transfer radical polymerization (ATRP)<sup>1,5</sup> and reversible addition-fragmentation chain transfer (RAFT).<sup>6</sup> Among these techniques, ATRP is a metal-catalyzed process which requires an alkyl halide initiator and transition metal catalyst in the lower oxidation state, *i.e.* Cu(I) that is relatively sensitive to air.<sup>7</sup> In recent years, increasing efforts have been made towards improvement in the ATRP process.<sup>1,5</sup> To date, activators regenerated by electron transfer (ARGET-ATRP) and initiators for continuous activator regeneration (ICAR-ATRP) are two promising techniques that involve the use of oxidatively stable transition metal catalyst *i.e.* CuBr<sub>2</sub> which *in situ* reduces to Cu(I) by using reducing agents, for example ascorbic acid in ARGET-ATRP and AIBN in ICAR-ATRP. These techniques are


advantageous as they provide a remarkable reduction in the amount of the metal catalyst which is required for the ATRP.<sup>8</sup>

Around the same time that ARGET and ICAR-ATRP were being developed, Percec *et al.* reported an another low copper concentration method of controlled/living polymerization named as “single-electron transfer living radical polymerization” (SET-LRP), which is based on the use of Cu(0) as the source of the transition metal in conjunction with N-ligands and initiators.<sup>9–15</sup> This technique has many attributes in common with ATRP, however, it uses Cu(0) in place of Cu(I) salts in the absence of an inherent oxidizing agent. Among the different methods of LRP,<sup>1,4–6</sup> SET-LRP: Percec's technique,<sup>9–15</sup> has several advantages, *i.e.*, it requires low catalyst concentration, ambient polymerization temperature and resulting in ultrafast rate of polymerization along with perfect control over molecular weight with narrow polydispersity.<sup>16</sup> There are technical merits of using Cu(0) as LRP catalyst over Cu(I) and Cu(II) complexes.<sup>17</sup> Furthermore, the polymerization rates are higher in comparison to ATRP systems, and polymerizations are often carried out at room temperature. This is due to faster activation ( $k_{act}$ ) through the outer sphere electron transfer (OSET) process mediated by Cu(0) as compared to the inner sphere electron transfer (ISET) process in conventional ATRP.

Percec *et al.*<sup>9</sup> reported that in SET-LRP, Cu(0) and Cu(II)X<sub>2</sub> species were formed *in situ* through the disproportionation of Cu(I)X in the presence of N-ligands in dipolar aprotic solvents such as DMSO, DMF, alcohols, ionic liquids, and *N*-methyl-2-

CSIR-Indian Institute of Petroleum, Dehradun-248005, India. E-mail: bansalankushi21@gmail.com; arvindchirawa@gmail.com

† Electronic supplementary information (ESI) available: Fig. S1: UV-Vis spectra, Fig. S2: FTIR spectra, Fig. S3 GPC curve of PMMA-co-PSt. See DOI: 10.1039/c7ra00368d



**Scheme 1** Synthesis of poly(methyl methacrylate) via SET-LRP using copper nanoparticles in water doped toluene solvent system.

pyrrolidone.<sup>18–21</sup> The extent of disproportionation of  $\text{Cu(I)X}$  is highly dependent on the type of ligands and solvent used.<sup>22</sup> SET-LRP of vinyl monomers at ambient temperature in DMSO, toluene and acetonitrile shows that DMSO accelerates the electron transfer activation as well as disproportionation, whereas, disproportionation is unfavourable in toluene<sup>23</sup> and acetonitrile.<sup>24</sup> SET-LRP can also be performed with good efficiency in binary solvent system like organic solvent– $\text{H}_2\text{O}$ .<sup>25</sup> Zhu *et al.*,<sup>26</sup> reported the use of toluene as solvent in SET-LRP using  $\text{Cu(0)}$  *in situ* generated from  $\text{CuSO}_4 \cdot 5\text{H}_2\text{O}/\text{N}_2\text{H}_4 \cdot \text{H}_2\text{O}$  as catalyst. They could not observe the designated limitation of toluene as improper solvent in SET-LRP and stated that presence of water in  $\text{CuSO}_4 \cdot 5\text{H}_2\text{O}/\text{N}_2\text{H}_4 \cdot \text{H}_2\text{O}$  might have played the role in making toluene as a proper solvent. It is also important to state that water has the highest intrinsic disproportionation constant for  $\text{Cu(I)X}$ .<sup>9,23,26–28</sup>

To bring the clarity of above finding, we herein report for the first time SET-LRP of MMA by using *ex situ* synthesized  $\text{Cu(0)}$  nanoparticles ( $\sim 5$  nm) as catalyst and PMDETA as ligand in a toluene/ $\text{H}_2\text{O}$  solvent system at different temperatures (Scheme 1). We have also minimized  $\text{Cu(0)}$  concentration up to 0.15 ppm with reasonable monomer conversion. To the best of our knowledge, no one has reported polymerization at this low concentration of  $\text{Cu(0)}$  as catalyst and toluene doped water as solvent. Copolymerization of MMA and St by SET-LRP was also investigated using this solvent and catalyst system.

## Experimental

### Materials

$\text{CuCl}_2 \cdot 2\text{H}_2\text{O}$  from Sigma Aldrich ( $>99.99\%$ ) was used as a precursor for the preparation of  $\text{Cu(0)}$  nanoparticles. L-Ascorbic acid was procured from Sigma Aldrich (AR grade,  $>99.5\%$ ) and HPLC grade deionized water was used. Methyl methacrylate (MMA) and styrene (St) were purchased from Sigma-Aldrich and were purified by passing through a neutral aluminium oxide column. Ethyl 2-bromoisobutyrate (EBriB) from Sigma-Aldrich was distilled over  $\text{CaH}_2$  under high vacuum and stored at  $-20^\circ\text{C}$  under  $\text{N}_2$  atmosphere. Dimethylformamide (DMF) from Sigma-Aldrich was dried with  $\text{CaH}_2$  and distilled under high vacuum for further purification. Tetrahydrofuran (THF, 99%) was refluxed over sodium and then distilled. Ligands  $N,N,N',N'',N'''$ -pentamethyldiethylene-triamine (PMDETA, 99%),  $N,N,N',N''$ -tetramethyl-1,6-hexanediamine (TMHDA, 99%),  $N,N,N',N''$ -tetramethylethylenediamine (TMEDA, 99.5%) and  $N,N$ -dimethyl-

hexadecylamine (DMHA, 95%) were obtained from Sigma-Aldrich and used as received. All the polymerization reactions were carried out in a glass ampoule ( $17 \times 2$  cm) fitted with a rubber septum and a detachable high vacuum stopcock containing Teflon coated magnetic stirrer.

### Synthesis of $\text{Cu(0)}$ nanoparticles

$\text{Cu(0)}$  nanoparticles were synthesized from  $\text{CuCl}_2 \cdot 2\text{H}_2\text{O}$  by following the literature procedure.<sup>29</sup> In a typical synthesis aqueous solution of  $\text{CuCl}_2 \cdot 2\text{H}_2\text{O}$  was prepared by dissolving  $\text{CuCl}_2 \cdot 2\text{H}_2\text{O}$  (10 mmol, 1.70 g) in 50 ml HPLC grade deionized water and heated to  $80^\circ\text{C}$  in an oil bath under stirring. Then, 50 ml of L-ascorbic acid (0.5 M) aqueous solution was added drop wise under constant stirring. The temperature was maintained until solution colour changed to dark brown. The resulting dispersed solution of copper particles was centrifuged at 8000 rpm for 15 min. Then supernatant was stored under ambient conditions, characterized by SEM, TEM and UV ( $\lambda_{\text{max}} = 400\text{--}650$  nm) and used for polymerization reactions. 200  $\mu\text{l}$  of supernatant has the concentration of  $\text{Cu(0)}$  28.5 ppm (ICP-AES). Hereafter, the concentration of  $\text{Cu(0)}$  nanoparticles will be described in ppm.

### SET-LRP of MMA by using $\text{Cu(0)}$ nanoparticles

In a typical polymerization procedure, MMA (0.018 mol) and  $\text{Cu(0)}$  nanoparticles (28.5 ppm) and water/toluene (2 ml, 1 : 0.1 (v/v)) was added into a dried and evacuated ampoule under stirring to provide a well-dispersed solution. After sealing with a rubber septum, the ampoule was evacuated and then purged with nitrogen (3 cycles) to remove oxygen. Degassed PMDETA (200  $\mu\text{l}$ , 0.95 mmol) was added into the ampoule and kept in thermostatic oil bath at the desired temperature to polymerize under stirring. Then the initiator, EBriB (100  $\mu\text{l}$ , 0.68 mmol) was added *via* a gas tight syringe to commence the polymerization. After the desired polymerization time, the reaction mixture was put in ice cold bath and diluted by THF and polymer was precipitated by adding excess of cold methanol. Obtained white colour polymer was dried under vacuum which is free of copper contamination. Mole ratio of  $[\text{MMA}]_0/[\text{EBriB}]_0/[\text{PMDETA}]_0$  is 100 : 4 : 5. FT-IR (ESI, Fig. S1†):  $\nu = 1731\text{ cm}^{-1}$  ( $\text{C}=\text{O}$ ), 2997–2846  $\text{cm}^{-1}$  (aliphatic  $-\text{CH}$ ) and peaks at 1263–1058  $\text{cm}^{-1}$  ( $-\text{C}-\text{O}-$  (ester) linkage).  $^1\text{H}$  NMR (500 MHz,  $\text{CDCl}_3$ ,  $\delta$ ): 3.57 ( $-\text{OCH}_3$ ), peaks at 1.20, 1.04 and 0.91 ppm corresponding to the  $\alpha\text{-CH}_3$  protons with tacticity, *i.e.*, mm, mr, rr, respectively, 1.4–2.1 ( $\text{CH}_2$ ).

### Chain extension reaction

A predetermined quantity of the resultant PMMA ( $M_n$ , GPC = 18 487  $\text{g mol}^{-1}$ ,  $M_w/M_n = 1.24$ ) synthesized by SET-LRP as discussed above, was used as initiator for chain extension reaction of MMA. The molar ratio of  $[\text{MMA}]_0/[\text{PMMA-Br}]_0/[\text{PMDETA}]_0$  was kept at 100 : 0.1 : 5. The chain extension experiment was carried out under the same condition as above. The GPC curve (Fig. 5) is monomodal and symmetrical in nature and there is a definitive shift towards higher molar mass region indicating the occurrence of chain extension process.



## Copolymerization of MMA and styrene by SET-LRP using Cu(0) nanoparticles

SET-LRP of MMA and styrene in the presence of Cu(0) nanoparticles was carried out in different feed ratio of  $[MMA]_0/[St]_0$ . In general, mole ratio of  $[St]_0/[MMA]_0/[EBriB]_0/[PMDTA]_0$  used is 100 : 100 : 3 : 2. In this process, monomers (MMA, 2.81 ml, 20 mmol; St, 2.61 ml, 20 mmol), initiator (EBriB, 100  $\mu$ l, 0.68 mmol), catalyst (Cu(0) nanoparticles, 100  $\mu$ l, 14.6 ppm), and ligand (PMDTA, 100  $\mu$ l, 47.5 mmol) were added to an ampoule in the following order: Cu(0) nanoparticles, monomers, ligand, and solvent. After sealing the ampoule with a rubber septum, the ampoule was evacuated, purged with nitrogen (3 cycles) to remove oxygen and transferred to a thermostat at 70  $^{\circ}$ C, and then initiator was added. After the desired polymerization time, the reaction was quenched by cooling and diluted with THF. The polymer was precipitated in a large excess of methanol, filtered and dried in vacuum overnight. FT-IR spectrum of PMMA-co-PSt shows characteristics peaks of both MMA and St (ESI, Fig. S1 $^{\dagger}$ ). In FT-IR spectrum vibrational peaks at 3058 and 3025  $cm^{-1}$  (aromatic = C-H of St), 1491, 1448, 1600  $cm^{-1}$  (phenyl stretching) of styrene and the peaks at 2921 and 2849  $cm^{-1}$  (aliphatic -C-H), 1731  $cm^{-1}$  (C=O) of MMA is observed.

### Characterization techniques

Molecular weight distribution and polydispersity index of synthesized polymers were determined by using Agilent HPLC/GPC system comprising of 1200 infinity series precision pump, 1200 Series Diode Array detector & 1260 infinity Evaporative Light Scattering Detector. Poly(methyl methacrylate) standards were used for calibration of the system. FT-IR spectra were collected on a Nicolet 8700 FT-IR spectrometer in the region of 4000–400  $cm^{-1}$ .  $^1H$  NMR spectra were recorded on a Bruker Avance III 500 MHz NMR spectrometer operating at 500.13 MHz resonance frequency for  $^1H$ . Approximately 5 (w/v%) of the polymer solution was prepared in  $CDCl_3$  (Merck, 99.8% containing 0.03 v% for  $^1H$  TMS) for acquiring  $^1H$  NMR spectra. SEM images were obtained on a FEI Quanta 200 F using tungsten filament doped with lanthanum hexaboride ( $LaB_6$ ) as an X-ray source, fitted with an ETD (Everhart Thornley Detector), which preferentially work as a secondary electron detector. The sample for SEM was prepared by dispersing the sample on an adhesive coated carbon paper followed by gold coating. TEM images were obtained on Tecnai G<sup>2</sup> 20 TEM with acceleration voltage of 20 kV to 200 kV, magnification of 25 $\times$  to 1100k $\times$ , having  $LaB_6$  cathode. UV spectra were recorded on a Perkin-Elmer Lambda-19 UV-Vis-NIR spectrometer. ICP-AES analysis was carried out by inductively coupled plasma atomic emission spectrometer (ICP-AES, DRE, PS-3000UV, Leeman Labs Inc., USA). Samples for ICP-AES were prepared by leaching out 0.01 g of sample with  $HNO_3$  (conc.), and then heated for 30 min and volume to 10 ml.

## Results and discussion

### Synthesis of Cu(0) nanoparticles

The UV-Vis spectrum of dispersed Cu(0) nanoparticles in aqueous medium matches well with the literature (ESI,

Fig. S2 $^{\dagger}$ ).<sup>29</sup> In UV-Vis spectrum, a wide shoulder in the range of 400–650 nm has been observed. The average particle size was determined by TEM and was found to be 5 nm (Fig. 1a). The SEM image of Cu(0) nanoparticles shows leaf like pattern (Fig. 1b and c), which is probably arisen due to the drying of copper solution on carbon tape.

### SET-LRP of MMA using Cu(0) nanoparticles

The synthesized copper(0) nanoparticles dispersed in water were used as catalyst for SET-LRP of MMA in the presence of various N-ligands. Among the different N-based ligands such as PMDETA, TMHDA, TMEDA, and DMHA, PMDETA has been considered for the detailed study.<sup>30</sup> The selection of a suitable solvent in SET-LRP is crucial since solvent exerts a strong influence on the polymerization kinetics. It is well known that dipolar aprotic solvents such as DMSO, DMF, NMP *etc.* are the preferred for SET-LRP.<sup>18–21</sup> In addition, binary solvent systems like 50 : 50 THF/ $H_2O$ ,<sup>20</sup> 50 : 50 DMF/ $H_2O$ ,<sup>31</sup> even beers, wine, ciders and spirits<sup>32</sup> are also found to be effective solvents for water soluble monomers. Even, toluene which is reported to be unsuitable solvent for SET-LRP is converted into suitable by combining with phenol.<sup>33</sup> With this background, in this work, a binary solvent system composed of toluene/ $H_2O$  (1 : 0.1 v/v, for Cu(0) nanoparticles dispersed in 200  $\mu$ l of water) and EBriB, an efficient initiator are used for polymerization.<sup>34</sup> SET-LRP with different N-ligands such as PMDETA, TMHDA, TMEDA and DMHA using different concentration of Cu(0) nanoparticles was carried out to check the effect of Cu(0) nanoparticles concentration on different ligands. The molar ratio of  $[M]_0/[I]_0/[L]_0$  was maintained at 200 : 0.2 : 0.3 and the time of polymerization was 3 h in all the reactions. Concentrations of copper nanoparticles were varied from 28.5 ppm to 0.15 ppm (Table 1(a–e)). It was observed that when the concentration of Cu(0) nanoparticles was 7.40 ppm, monomer conversion for ligand PMDETA and TMHDA was ~85–90 wt% in 180 min whereas for TMEDA and DMHA, conversion was ~28 wt% only after 180 min (entry 1–4, Table 1b). Similar trend was observed when concentration of Cu(0) nanoparticles reduced to 0.75 ppm (Table 1d). Cheng *et al.*<sup>30</sup> observed that there was no polymerization occurred when the concentration of Cu(0) decreases to 2.5 ppm but in the present study, polymerization with monomer conversion of 25 wt% and dispersity ( $\bar{D}$ ) 1.29 at 0.15 ppm of Cu(0) nanoparticles concentration (entry 1, Table 1e) was observed. Overall by using Cu(0) nanoparticles




Fig. 1 (a) TEM image of Cu(0) nanoparticles showing ca. 5 nm size of Cu(0) nanoparticles; (b and c) SEM image of Cu(0) nanoparticles at different magnification showing leaf like arrangement of Cu(0) nanoparticles.



**Table 1** (a–e) Effect of Cu(0) nanoparticle concentrations on various ligands with mole ratio of  $[M]_0/[I]_0/[L]_0$ . All SET-LRP reactions were carried out at 70 °C


S. No.	Ligand	Conv. (%)	$M_n$	$M_{n,theo}$	$\bar{D}$
<b>(a) M/I/L: 200/0.2/0.3, Cu nanoparticles: 28.5 ppm, time: 3 h</b>					
1	PMDETA	45	65 048	21 345	1.41
2	TMEDA	38	74 696	18 055	1.42
3	TMHDA	36	94 880	17 115	1.44
4	DMHD	21.1	17 889	10 112	1.45
<b>(b) M/I/L: 200/0.2/0.3, Cu nanoparticles: 7.40 ppm, time: 3 h</b>					
1	PMDETA	84.5	28 958	39 910	1.15
2	TMEDA	27.7	134 870	13 214	1.68
3	TMHDA	89.8	58 058	42 401	2.11
4	DMHD	25.6	41 159	12 227	1.55
<b>(c) M/I/L: 200/0.2/0.3, Cu nanoparticles: 1.50 ppm, time: 3 h</b>					
1	PMDETA	60	—	—	—
2	TMEDA	15	—	—	—
3	TMHDA	27.8	70 108	13 261	1.74
4	DMHD	35.1	88 830	16 692	1.48
<b>(d) M/I/L: 200/0.2/0.3, Cu nanoparticles: 0.75 ppm, time: 3 h</b>					
1	PMDETA	38	59 573	18 055	1.49
2	TMEDA	21.1	74 234	10 112	1.74
3	TMHDA	39.5	97 343	18 760	1.87
4	DMHD	No yield	—	—	—
<b>(e) M/I/L: 200/0.2/0.3, Cu nanoparticles: 0.15 ppm, time: 3 h</b>					
1	PMDETA	25	13 982	11 945	1.29
2	TMEDA	Negligible	—	—	—
3	TMHDA	No yield	—	—	—
4	DMHD	No yield	—	—	—

of 5 nm, polymerization is very fast with good conversion of monomer by using PMDETA and TMHDA as ligands. It is interesting to note that polymers with narrow polydispersity was obtained by using PMDETA as ligand at different concentration of Cu(0) nanoparticles. But with TMHDA, control over dispersity was very poor and high molecular weight of polymers was obtained. So among the different N-based ligands such as PMDETA, TMHDA, TMEDA and DMHA, PMDETA has been considered for the detailed study. The calculations of  $M_{n,theo}$  indicates that catalyst works well with PMDETA ligand only, while other ligands have lot of difference between  $M_{n,theo}$  and  $M_{n,GPC}$  values (Table 1a–e).

Fig. 2 shows the kinetic studies for the Cu(0) nanoparticles/PMDETA catalyzed SET-LRP of MMA initiated by EBriB in toluene/H<sub>2</sub>O solvent system at 25 °C and 70 °C. Plot of monomer conversion and  $\ln([M]_0/[M]_t)$  versus reaction time at 25 °C are shown in Fig. 2a which follows first order polymerization kinetics with  $k_p^{app} = 0.00076 \text{ min}^{-1}$  with an induction period of about 90 min.

Similarly, kinetic plot of SET-LRP of MMA at 70 °C under same reaction conditions shows first order reaction ( $k_p^{app} = 0.0048 \text{ min}^{-1}$ , Fig. 2b) indicating that polymerization was proceeded with an approximate constant concentration of active radicals with an induction period of about 23 min.

Fig. 3 describes the plot of number average molecular weight ( $M_n$ , GPC) and dispersity ( $M_w/M_n$ ) as a function of the monomer



**Fig. 2** Plots of time versus monomer conversion and  $\ln([M]_0/[M]_t)$  in the Cu(0) nanoparticles/PMDETA catalyzed SET-LRP of MMA initiated by EBriB at (a) 25 °C (b) 70 °C, using 5 nm particle size of Cu(0) nanoparticles. Polymerization conditions: MMA = 2 ml (1.88 g), MMA/toluene = 1 : 1 (v/v), Cu(0) nanoparticles = 28.5 ppm,  $[MMA]_0 = 4.7$ ,  $[MMA]_0/[EBriB]_0/[PMDETA]_0 = 100 : 4 : 5$ .

conversion at 25 °C and 70 °C with time using Cu(0) nanoparticles dispersed in water as catalyst.

The results shows that the molecular weight of PMMA increases linearly with conversion, whereas, polydispersity decreases from 1.6 to 1.4 with increasing conversion at 25 °C (Fig. 3a). Molecular weight of PMMA increases linearly with monomer conversion whereas, dispersity remains below 1.5 for SET-LRP at 70 °C as shown in Fig. 3b.

### Chain end functionality and chain extension

One of the most important criteria of “livingness” is the retention of chain end functionality in the polymer. The chain end of PMMA prepared by SET-LRP was analyzed by <sup>1</sup>H NMR spectroscopy (Fig. 4i). The observed signals at  $\delta = 4.08$ –4.2 ppm corresponds to  $-\text{OCH}_2$  and 1.12–1.19 ppm corresponds to terminal  $-\text{CH}_3$  attached to  $-\text{OCH}_2$  and two  $(-\text{CH}_3)$  adjacent to carbonyl group protons of ethyl 2-bromoisobutyrate respectively. The above NMR chemical shifts of these peaks along with the








Fig. 3 Plot of number average molecular weight ( $M_n$ , GPC) and  $\bar{D}$  ( $M_w/M_n$ ) as functions of the monomer conversion at (a) 25 °C, (b) 70 °C showing linear increase of molecular weight of PMMA with monomer conversion, whereas,  $\bar{D}$  decreases from 1.6 to 1.4 with increasing conversion at 25 °C and remains below 1.5 at 70 °C. Polymerization conditions: MMA = 2 ml (1.88 gm), MMA/toluene = 1 : 1 (v/v), Cu(0) nanoparticles = 28.5 ppm,  $[MMA]_0 = 4.7$ ,  $[MMA]_0/[EBriB]_0/[PMDTA]_0 = 100 : 4 : 5$ .

compared intensities with respect to PMMA peaks confirmed that the initiator moieties of ethyl 2-bromoisbutyrate are attached to the polymer chain ends. The chemical shifts at  $\delta = 0.8, 1.0$  and  $1.2$  ppm can be ascribed to syndiotactic (rr), atactic (mr) and isotactic (mm) methyl groups of PMMA, respectively. The  $M_n$  determined by  $^1H$  NMR was found to be  $M_n$ , NMR =  $20\,195\text{ g mol}^{-1}$  which is closer to  $M_n$  as determined by GPC ( $M_n$ , GPC =  $18\,487\text{ g mol}^{-1}$ ).

Further, the livingness of synthesized polymer can be investigated by the chain extension reaction. It is only possible when the retention of the chain end functionality happens to be in higher percentage of synthesized polymer.

Thus, the obtained PMMA can be used as a macro initiator to conduct a chain extension reaction to check the living character of polymer. Therefore, PMMA ( $M_n$ , GPC =  $18\,487\text{ g mol}^{-1}$ ,  $M_w/M_n = 1.24$ ) obtained from above reaction was used as predecessor in chain extension experiment with fresh MMA. As shown in GPC (Fig. 5), there is a peak shift to higher molecular weight after the extended chain of PMMA ( $M_n$ , GPC =  $76\,566\text{ g mol}^{-1}$




Fig. 4 (i)  $^1H$  NMR spectrum of PMMA synthesized by Cu(0) nanoparticles mediated SET-LRP. Reaction conditions:  $[MMA]_0/[EBriB]_0/[PMDTA]_0 = 100 : 4 : 5$ , Cu(0) nanoparticles = 28.5 ppm, MMA/toluene = 1 : 1 (v/v),  $[MMA]_0 = 4.70\text{ M}$ , Temp = 70 °C, reaction time = 45 min, monomer conversion ~11%; (ii)  $^1H$  NMR spectrum of copolymer of MMA and St synthesized by SET-LRP using Cu(0) nanoparticles as catalyst and PMDETA as ligand, initiated by EBriB. Reaction conditions:  $[St]_0/[MMA]_0/[EBriB]_0/[PMDTA]_0 = 100 : 100 : 3 : 2$ , Cu(0) nanoparticles = 14.3 ppm, Temp = 70 °C, reaction time = 3 h, monomer conversion ~11%.

$\text{mol}^{-1}$ ,  $M_w/M_n = 1.34$ ). It further confirms the features of controlled/living radical polymerization of MMA by SET-LRP.

#### Effect of catalyst concentration and variation of ligands in SET-LRP

We have carried out SET-LRP with different N-ligands such as PMDETA, TMHDA, TMEDA and DMHA using water dispersed Cu(0) nanoparticles as catalyst as described in experimental section. The molar ratio of  $[M]_0/[I]_0/[L]_0$  used was 200 : 1.2 : 2.3




Fig. 5 Monomodal GPC curves of PMMA-Br macro-initiator before (solid line) and after (dashed) chain extension with MMA. Reaction conditions: original PMMA:  $[MMA]_0/[EBriB]_0/[PMDTA]_0 = 100 : 4 : 5$ , Cu(0) nanoparticles = 28.5 ppm, MMA/toluene = 1 : 1 (v/v),  $[MMA]_0 = 4.70\text{ M}$ , Temp = 70 °C, reaction time = 45 min, monomer conversion = 11%; chain extended PMMA:  $[MMA]_0/[PMMA-Br]_0/[PMDTA]_0 = 100 : 0.1 : 5$ , Cu(0) nanoparticles = 28.5 ppm, reaction time = 48 h, monomer conversion = 29%.



and the concentration of Cu(0) nanoparticles was 7.40 ppm, where monomer conversion for ligand PMDETA and TMHDA was ~85–90 wt% in 90 min, whereas for TMEDA and DMHA, conversion was ~28 wt% only after 180 min (Table 1b). Similar trend was observed when concentration of Cu(0) nanoparticles reduced to 0.75 ppm and molar ratio of  $[M]_0/[I]_0/[L]_0$  was kept constant as 200 : 0.2 : 0.3 (Table 1d). Cheng *et al.*<sup>30</sup> observed that there was no polymerization occurred when the concentration of Cu(0) decreases to 2.5 ppm but in the present study, we observed polymerization with monomer conversion of 25 wt% and  $\bar{D}$  1.29 at 0.15 ppm of Cu(0) nanoparticles concentration (Table 1e). Overall by using Cu(0) nanoparticles of 5 nm, polymerization is very fast with good conversion of monomer by using PMDETA and TMHDA as ligands. It is interesting to note that polydispersity of polymers were narrow by using PMDETA ligand at different molar ratio of  $[M]_0/[I]_0/[L]_0$  and concentration of Cu(0) nanoparticles. But with TMHDA, control over  $\bar{D}$  was very poor and high molecular weight of polymers was obtained.

### MMA and styrene co-polymerization by SET-LRP using Cu(0) nanoparticles

The copolymerization of MMA and St using Cu(0) nanoparticles as catalyst mediated SET-LRP was carried out at 70 °C with EBriB as an initiator. The incorporation of MMA and St in copolymer has been determined from <sup>1</sup>H NMR spectra (Fig. 4(ii)). Further, the narrow molecular weight distribution with low dispersity ( $\bar{D}$ ) is also observed after co-polymerization (ESI, Fig. S3†). It is significantly different from the homopolymers or block copolymer of this monomers, indicating the formation of random copolymers.<sup>35</sup> The peak at 2.85 ppm was characteristic of the –OCH<sub>3</sub> groups of MMA moiety bonded to the St indicating the formation of random copolymer of MMA and St.<sup>36,37</sup> The aromatic protons (6.6–7.3 ppm, 5H) of St and –OCH<sub>3</sub> protons (2.4–3.6, 3H) of MMA repeat units were chosen to calculate the composition of monomers in copolymer by their intensity ratio.<sup>38</sup> Reactivity ratio of copolymers was determined by Fineman–Ross method<sup>39</sup> using their respective

Table 2 Parameters of MMA and St copolymer for calculation of reactivity ratio<sup>a</sup>

Entry	1	2	3	4	5
$M_{\text{MMA}}$	0.8	0.6	0.5	0.4	0.2
$M_{\text{St}}$	0.2	0.4	0.5	0.6	0.8
$m_{\text{MMA}}$	0.71	0.62	0.58	0.45	0.26
$m_{\text{St}}$	0.28	0.37	0.41	0.55	0.74
$f$	0.404	0.608	0.718	1.228	1.750
$F$	0.25	0.667	1	1.5	4
$f/F^2$	6.466	1.368	0.716	0.546	0.109
$f - 1/f$	–2.383	–0.588	–0.284	0.152	0.188

<sup>a</sup> Copolymers obtained at low conversion from different monomer feed compositions ( $[St]_0/[MMA]_0 = 1:3, 1:2, 1.75:1, 1:1, 3:1, 2:1$ ).  $m_{\text{St}}$  and  $m_{\text{MMA}}$  refer to the St and MMA composition in the copolymer, respectively.  $M_{\text{St}}$  and  $M_{\text{MMA}}$  refer to the feed compositions of St and MMA monomer, respectively.  $f = m_{\text{St}}/m_{\text{MMA}}$ ,  $F = M_{\text{St}}/M_{\text{MMA}}$ .




Fig. 6 Fineman–Ross plot of  $(f - 1)/F$  vs.  $f/F^2$  for St and MMA, Cu(0) nps-mediated SET-LRP.

NMR peak intensities. The parameters for calculating reactivity ratios by Fineman–Ross method are given in Table 2. The results were  $r_{\text{St}} = 0.23$  and  $r_{\text{MMA}} = 0.41$ , respectively (Fig. 6). However, in copolymer of MMA and St in free radical polymerization is  $r_{\text{St}} = 0.48$ –0.52 and  $r_{\text{MMA}} = 0.42$ –0.46.<sup>17,40–45</sup> In addition, the extended Kelen–Tüdös method also reported at high conversions.<sup>46</sup>

## Conclusions

We have demonstrated the first successful SET-LRP of MMA catalyzed by using *ex situ* Cu(0) nps (*ca.* 5 nm) as catalyst in biphasic water–toluene reaction system at 25 °C and 70 °C, to monitor the molecular weight, dispersity and kinetics of polymerization. The results provided conclusive evidences: (i) toluene is a favourable solvent for SET-LRP in the presence of small amount of water, (ii) *ex situ* Cu(0) nps even at a concentration of 0.15 ppm gives reasonably conversion with dispersity 1.29, and drastically reduces the contamination issue of copper. Furthermore, this work provides an efficient process for the copolymerization of MMA and St. Overall; it has been observed that polymerization kinetics follow first order at 25 °C and 70 °C with retention of higher percentage of chain end functionality for further facile chain extension reaction along with good control over molecular weight showing the features of living/controlled radical polymerization.

## Acknowledgements

We acknowledge Director, CSIR-Indian Institute of Petroleum (IIP) for his support and encouragement. A. Bansal, V. Panwar, N. Singhal thanks CSIR, India for providing research fellowship. A. Kumar acknowledges UGC, India for the fellowship grant. The authors thank K. L. N. Sivakumar, Raghuvir Singh, Siya Ram, C. D. Sharma and Piyush Gupta of CSIR-IIP for providing SEM, FTIR, UV-Vis, GPC and NMR results, respectively.



## Notes and references

- 1 K. Matyjaszewski, Y. Gnanou and L. Leibler, *Macromolecular Engineering*, Wiley-VCH, Weinheim, Germany, 2007.
- 2 W. A. Braunecker and K. Matyjaszewski, *Prog. Polym. Sci.*, 2007, **32**, 93.
- 3 G. Moad, E. Rizzardo and S. H. Thang, *Aust. J. Chem.*, 2006, **59**, 669.
- 4 C. J. Hawker, *Acc. Chem. Res.*, 1997, **30**, 373.
- 5 (a) K. Matyjaszewski and J. Xia, *Chem. Rev.*, 2001, **101**, 2921; (b) A. Bansal, A. Kumar, P. Kumar, S. Bojja, A. K. Chatterjee, S. S. Ray and S. L. Jain, *RSC Adv.*, 2015, **5**, 21189.
- 6 J. Chiefari, Y. K. Chong, F. Ercole, J. Kristina, J. Jeffery, T. P. T. Le, R. T. A. Mayadunne, G. F. Meijs, C. L. Moad, G. Moad, E. Rizzardo and S. H. Thang, *Macromolecules*, 1998, **31**, 5559.
- 7 M. Ouchi, T. Terashima and M. Sawamoto, *Chem. Rev.*, 2009, **109**, 4963.
- 8 W. Jakubowski and K. Matyjaszewski, *Angew. Chem. Int. Ed.*, 2006, **45**, 4482.
- 9 V. Percec, T. Guliashvili, J. S. Ladislav, A. Wistrand, A. Stjerndahl, M. J. Sienkowska, M. J. Monteiro and S. Sahoo, *J. Am. Chem. Soc.*, 2006, **128**, 14156.
- 10 B. M. Rosen and V. Percec, *Chem. Rev.*, 2009, **109**, 5069.
- 11 N. H. Nguyen, B. M. Rosen, G. Lligadas and V. Percec, *Macromolecules*, 2009, **42**, 2379.
- 12 S. Fleischmann and V. Percec, *J. Polym. Sci. Part A: Polym. Chem.*, 2010, **48**, 4884.
- 13 P. M. Wright, G. Mantovani and D. M. Haddleton, *J. Polym. Sci. Part A: Polym. Chem.*, 2008, **46**, 7376.
- 14 E. L. Martin, W. Ian, O. Stephen, D. C. Anne, J. G. Anthony, F. Christopher, C. Remzi Becer and M. H. David, *Polym. Chem.*, 2010, **1**, 1086.
- 15 (a) K. Matyjaszewski, S. Coca, S. G. Gaynor, M. L. Wei and B. E. Woodworth, *Macromolecules*, 1997, **30**, 7348; (b) K. Matyjaszewski, N. V. Tsarevsky, W. A. Braunecker, H. Dong, J. Huang, W. Jakubowski, Y. Kwak, R. Nicolay, W. Tang and J. A. Yoon, *Macromolecules*, 2007, **40**, 7795; (c) C. Y. Lin, M. L. Coote, A. Gennaro and K. Matyjaszewski, *J. Am. Chem. Soc.*, 2008, **130**, 12762.
- 16 Z. Zhang, W. Wang, H. Xia, J. Zhu, W. Zhang and X. Zhu, *Macromolecules*, 2009, **42**, 7360.
- 17 (a) J. Gao, Z. Zhang, N. Zhou, Z. Cheng, J. Zhu and X. Zhu, *Macromolecules*, 2011, **44**, 3227; (b) H. Zhang, K. Hong, M. Jablonsky and J. W. Mays, *Chem. Commun.*, 2003, 1356.
- 18 G. Lligadas and V. Percec, *J. Polym. Sci. Part A: Polym. Chem.*, 2008, **46**, 2745.
- 19 V. Percec and C. Grigoras, *J. Polym. Sci. Part A: Polym. Chem.*, 2005, **43**, 5609.
- 20 V. Percec, A. V. Popov, E. Ramirez-Castillo, M. Monteiro, B. Barboiu, O. Weichold, A. D. Asandei and C. M. Mitchell, *J. Am. Chem. Soc.*, 2002, **124**, 4940.
- 21 V. Percec, A. V. Popov, E. Ramirez-Castillo and O. Weichold, *J. Polym. Sci. Part A: Polym. Chem.*, 2003, **41**, 3283.
- 22 T. Jessica, H. Ben, W. Andrew, H. Simon and P. Sebastien, *Polym. Chem.*, 2010, **1**, 420.
- 23 G. Lligadas and V. Percec, *J. Polym. Sci. Part A: Polym. Chem.*, 2008, **46**, 6880.
- 24 G. Lligadas, B. M. Rosen, M. J. Monteiro and V. Percec, *Macromolecules*, 2008, **41**, 8360.
- 25 N. H. Nguyen, B. M. Rosen, X. Jiang, S. Fleischmann and V. Percec, *J. Polym. Sci. Part A: Polym. Chem.*, 2009, **47**, 5577.
- 26 Q. Zhang, Z. Zhang, W. Wang, Z. Cheng, J. Zhu, N. Zhou, W. Zhang, Z. Wu and X. Zhu, *J. Polym. Sci. Part A: Polym. Chem.*, 2011, **49**, 4694.
- 27 F. Fenwick, *J. Am. Chem. Soc.*, 1926, **48**, 860.
- 28 J. P. Desmarquest, C. Trinh-Dinh and O. Bloch, *J. Electroanal. Chem.*, 1970, **27**, 101.
- 29 Y. Xiong, Y. Wang, Q. Xue and X. Wu, *Green Chem.*, 2011, **13**, 900.
- 30 Y. H. Yu, X. H. Liu, D. Jia, B. W. Cheng, F. J. Zhang, H. N. Li, P. Chen and S. Xie, *J. Polym. Sci. Part A: Polym. Chem.*, 2013, **51**, 1468.
- 31 C. Feng, Z. Shen, Y. Li, Y. Zhang, G. Lu and X. Huang, *J. Polym. Sci. Part A: Polym. Chem.*, 2009, **47**, 1811–1824.
- 32 C. Waldron, Q. Zhang, Z. Li, V. Nikolaou, G. Nurumbetov, J. Godfrey, R. McHale, G. Yilmaz, R. K. Randev, M. Girault, K. McEwan, D. M. Haddleton, M. Driesbeke, A. J. Haddleton, P. Wilson, A. Simula, J. Collins, D. J. Lloyd, J. A. Burns, C. Summers, C. Houben, A. Anastasaki, M. Li, C. R. Becer, J. K. Kiviahio and N. Risangud, *Polym. Chem.*, 2014, **5**, 57.
- 33 P. M. Wright, G. Mantovani and D. M. Haddleton, *J. Polym. Sci. Part A: Polym. Chem.*, 2008, **46**, 7376.
- 34 N. H. Nguyen, B. M. Rosen and V. Percec, *J. Polym. Sci. Part A: Polym. Chem.*, 2011, **49**, 1235.
- 35 Y. Kotani, M. Kamigaito and M. Sawamoto, *Macromolecules*, 1998, **31**, 5582.
- 36 J. C. Randall, *Polymer Sequence Determination*, Academic, New York, 1977, p. 109.
- 37 M. Opresnik and A. Sebenik, *Polym. Int.*, 1995, **36**, 13.
- 38 P. Na Songkhla and J. Wootthikanokkhan, *J. Polym. Sci. Part B: Polym. Phys.*, 2002, **40**, 562.
- 39 M. Finema and S. D. Ross, *J. Polym. Sci.*, 1950, **5**, 259.
- 40 T. Fukuda, Y. D. Ma and H. Inagaki, *Macromolecules*, 1985, **18**, 17.
- 41 R. X. E. Willemse and V. A. Herk, *J. Am. Chem. Soc.*, 2006, **128**, 4471.
- 42 M. Johnson, T. S. Karmo and R. Smith, *Eur. Polym. J.*, 1978, **14**, 409.
- 43 I. A. Maxwell, A. M. Aerdt and A. L. German, *Macromolecules*, 1993, **26**, 1956.
- 44 J. J. Uebel and F. J. Dinan, *J. Polym. Sci. Part A: Polym. Chem.*, 1983, **21**, 2427.
- 45 S. Pal, B. Banoth, G. Rahithya, A. Dhawan and P. De, *Polymer*, 2012, **53**, 2583.
- 46 S. G. Roy, K. Bauri, S. Pal, A. Goswami, G. Madras and P. De, *Polym. Int.*, 2013, **62**, 463.

