




Cite this: *RSC Adv.*, 2017, 7, 23846

Received 23rd March 2017
 Accepted 25th April 2017

DOI: 10.1039/c7ra03389c

rsc.li/rsc-advances

Plasmonic $W_{18}O_{49}$ -photosensitized TiO_2 nanosheets with wide-range solar light harvesting†

Junfang Li, Wentao Li, Xinshi Li, Yahui Li, Hua Bai,* MengChen Li and Guangcheng Xi *

The search for photocatalytic materials that can harvest a wide spectrum of solar light, from ultraviolet (UV) to near infrared (NIR) regions remains one of the most challenging missions. Here, by *in situ* growing plasmonic $W_{18}O_{49}$ nanocrystals on TiO_2 nanosheets with exposed {001} facets, a hybrid photocatalyst with broad spectrum photocatalytic properties has been fabricated, which can harvest UV, visible, and NIR light to decompose organic contaminants. The results present a new concept that plasmonic transition-metal oxides with a high concentration of oxygen vacancies can be used as non-noble metal photosensitizers to design efficient photocatalysts with high activity.

Photocatalytic processes have attracted significant interest since the 1970s and are still very active area of research today.^{1–5} In view of solar energy utilization, the search for semiconductor photocatalysts that can harvest a wide spectrum of solar light, from ultraviolet (UV) to near infrared (NIR) regions, and achieve efficient solar energy conversion remains one of the most challenging missions.^{6–12} TiO_2 , as a very attractive semiconductor material for solar energy conversion, is intensively studied in photocatalysis for the removal of organic pollutants, water splitting, and reduction of carbon dioxide.^{13,14} However, the wide band gap (3.2 eV) requires high-energy UV light to activate it, leading to low-efficiency in utilization of solar irradiation concentrated in both visible and near infrared (NIR) regions.^{15,16} In order to utilize solar energy more efficiently, great efforts have been made to develop visible- and NIR-induced photocatalysts. Many strategies, including ion doping, heterojunction, and porous structure, have been proposed to extend the absorption of photocatalysts to visible and NIR spectrum.^{17–22}

Introduction of photosensitizers to the surface of semiconductors is another promising strategy to improve their photocatalytic efficiency. As a class of sensitizers, dye molecules have been early used to improve light absorption of photocatalysts.²³ However, stability of the photocatalysts sensitized by dye molecules is problematic in applications such as decomposition of organic pollutants because the dye sensitizers have

to bear self-degradation.²⁴ On the other hand, the rapid development of localized surface plasmon resonance (LSPR) photosensitization has also offered a effective means to overcome the limited efficiency of photocatalysts.²⁵ That is, semiconductors loaded with noble metal nanoparticles (such as Au and Ag), exhibit high absorption coefficients in a broad UV-visible-NIR spectral range due to their strong LSPR. As a result, plasmonic noble metal nanoparticles may serve as an alternative class of sensitizers in the visible region and the resulting composite catalysts can maintain stability as well.^{26–30} However, the prohibitive cost and scarcity of the noble metals pose tremendous limitations to widespread use. Therefore, finding robust and efficient alternative sensitizers that are geologically abundant and chemically stable is crucial.

Recently, O-vacancies (V_o) in oxide semiconductors have been reported to increase solar light harvesting through narrowing the band gap and also serve as the active sites to improve carrier separation efficiency.^{31,32} An elegant example is the disorder engineered TiO_2 nanocrystals, *i.e.*, hydrogenated TiO_2 nanocrystals, which exhibit remarkable activity in both photo-oxidation and photoreduction reactions.^{4,33} More interestingly, it has been revealed that some V_o -rich transition-metal oxides display remarkable LSPR due to their outer d electrons, such as MoO_{3-x} (ref. 34 and 35) and TiO_{2-x} (ref. 36) nanocrystals. $WO_{2.83}$ nanorods³⁷ and $W_{18}O_{49}$ nanowires³⁸ with tunable LSPR have also been successfully prepared. However, the plasmonic transition-metal oxide nanocrystals as sensitizers has not been studied.

Semiconductor hybrid nanostructures with a alternate permutation of band edges at the heterointerface can improve spatial charge separation of photogenerated carriers (electrons and holes) in different parts of the hybrid structures, which can greatly increase the photocatalytic activity.³⁹ Among all the hybrid nanostructured photocatalysts, 2D sheet-like materials

Institute of Industrial and Consumer Product Safety, Chinese Academy of Inspection and Quarantine (CAIQ), No. 11, Ronghua South Road, Beijing 100176, P. R. China. E-mail: baih@caiq.gov.cn; xiguangcheng@caiq.gov.cn

† Electronic supplementary information (ESI) available: Experimental procedure, computation details, band structures of WO_3 and $W_{18}O_{49}$, Raman spectrum and N_2 adsorption/desorption isotherms of the anatase phase TiO_2 nanosheet, XRD patterns of the samples of $TiO_2/W_{18}O_{49}$ -0.5 and $TiO_2/W_{18}O_{49}$ -1. See DOI: 10.1039/c7ra03389c



have received much attention because of their very small thickness, high specific surface area, and enhanced light harvesting.⁴⁰ Moreover, due to the gradient in the potentials of different facets, the photogenerated electrons and holes are driven to the different facets and a p–n junction can be formed at the nanosheet junctions, which accordingly greatly promote the charge-carriers separation and decreased chance of recombination of electron–hole pairs by the synergetic effect.⁴¹

Inspired by the pioneer work, herein, we report a facile route for the preparation of TiO₂/W₁₈O₄₉ hybrid nanosheets. Wide-range light harvesting from UV to NIR has been achieved by introducing the expensive W₁₈O₄₉ nanocrystals as a new photosensitizer. The W₁₈O₄₉ nanocoating remarkably improves the photocatalytic efficiency of the TiO₂ photocatalyst for the degradation of rhodamine B (RhB) under full-spectrum, UV, visible, and NIR light irradiation. Their strong responses toward full-spectrum, UV, visible, and NIR are ascribed to a comprehensive benefits of 2D heterogeneous structure, the exposed surface oxygen vacancies, and the strong LSPR of W₁₈O₄₉ components.

TiO₂/W₁₈O₄₉ hybrid nanosheets were prepared from tetrabutyl titanate and tungsten chloride *via* a two-step solvothermal procedure, consisting the fabrication of (001) crystal faces exposed TiO₂ nanosheets and then the introduction of W₁₈O₄₉ nanocrystals, as illustrated in Fig. 1a. Firstly, the precursor TiO₂ nanosheets were solvothermally prepared from tetrabutyl titanate, isopropanol (IPA), and hydrofluoric acid (see the ESI†). The crystallographic structure and phase purity of the as-

obtained sample are first examined by powder X-ray diffraction (XRD) analysis (Fig. 1b). All the diffraction peaks can be indexed as the anatase phase of TiO₂ (*I4₁/amd*) with lattice parameters of $a = 3.785$ and $c = 9.514$ Å (JCPDS no. 21-1272). Compared with that relative peak width of standard pattern, the apparently broadened (004) diffraction peak suggests that the as-synthesized product has a very small size along the [001] direction, while the sharp (200) diffraction peak suggests a large crystal size along the [100]/[010] directions. This result suggests that the as-synthesized sample possesses a sheet-like nanostructure. The micro-Raman spectrum (Fig. S1†) taken on the surfaces of the TiO₂ sample also shows the typical six Raman modes of anatase phase TiO₂. The morphology and structure of the as-synthesized phase-pure TiO₂ are characterized by scanning electron microscopy (SEM) and transmission electron microscopy (TEM), as shown in Fig. 1d–e. A panoramic SEM image shows that the TiO₂ precursor consists of uniform sheet-like structures with width of *ca.* 50–80 nm (Fig. 1d). These nanosheets possess smooth surface on the top, bottom, and lateral side. TEM image (Fig. 1e) further confirms the well-defined sheet-like construction of these TiO₂ particles. From the side view of the nanosheets, the thickness is estimated to be *ca.* 6 nm for the nanosheets. Fig. 1f shows a high-resolution (HR) TEM image of the nanosheets. The fringe spacing of 0.19 nm agrees well with the spacing of the (200) and (020) lattice planes of anatase TiO₂. The diffraction spots of the corresponding FFT pattern (indexed as the [001] zone) can be indexed as the 200 and 020 reflections (inset in Fig. 1f), demonstrating that the rectangular facets are characterized by (001) facets, in agreement with the HRTEM image. Combining the HRTEM images with the FFT and XRD pattern, it is clear that well-defined (001) facet exposed anatase TiO₂ nanosheets have been prepared. The TiO₂ sample exhibits large Brunauer–Emmett–Teller (BET) specific surface areas of 121 m² g^{−1} (Fig. S2†).

W₁₈O₄₉ nanocrystals have been synthesized by directly WCl₆ hydrolysis in IPA (see ESI†). XRD pattern (Fig. 1b) demonstrated that the navy-blue product (Fig. 1c) can be indexed to the monoclinic W₁₈O₄₉ with lattice parameters of $a = 18.318$, $b = 3.782$, and $c = 14.028$ Å (JCPDS no. 05-0392). TEM image show that the as-prepared W₁₈O₄₉ product is composed of many flower-like nanostructures (Fig. 1g). Higher-magnification TEM images (Fig. 1h) clearly reveal that the nanoflowers are composed of a lot of aggregated nanoparticles. The diameter of the nanoparticles is about 2–3 nm. The HRTEM image demonstrate that the small W₁₈O₄₉ nanoparticles are highly crystalline (Fig. 1i).

The hybrid TiO₂/W₁₈O₄₉ nanosheets are prepared by a facile tungsten chloride (WCl₆) hydrolysis procedure under solvothermal conditions using the TiO₂ nanosheets as the template. A series of samples were synthesized by adding different amounts of WCl₆. Specifically, 0.25, 0.5, and 1.0 g of WCl₆ were used, and the samples were named as TiO₂/W₁₈O₄₉-0.25, TiO₂/W₁₈O₄₉-0.5, and TiO₂/W₁₈O₄₉-1.0, respectively. As a representative sample of the hybrid materials, the crystallographic structure and morphology of the sample TiO₂/W₁₈O₄₉-0.25 was characterized by XRD, SEM, TEM, and HRTEM.




Fig. 1 (a) Schematic illustration of the TiO₂/W₁₈O₄₉ hybrid nanosheets. (b and c) The XRD patterns and corresponding photos of the TiO₂ nanosheets, W₁₈O₄₉ nanocrystals, and TiO₂/W₁₈O₄₉-0.25 hybrid nanosheets. (d–f) SEM, TEM, and HRTEM images of the TiO₂ nanosheets. (g–i) TEM and HRTEM images of the W₁₈O₄₉ nanocrystals. (j–l) SEM, TEM, and HRTEM images of the TiO₂/W₁₈O₄₉-0.25 hybrid nanosheets.



Visually, the pristine TiO_2 nanosheets appear as milky, which turn blue with the introduction of $\text{W}_{18}\text{O}_{49}$ nanocoating (Fig. 1c). The successful formation of $\text{TiO}_2/\text{W}_{18}\text{O}_{49}$ hybrid structures is confirmed by XRD analysis. Typical XRD pattern recorded from the sample of $\text{TiO}_2/\text{W}_{18}\text{O}_{49}$ -0.25 are shown in Fig. 1b. All of the diffraction peaks can be indexed to the anatase TiO_2 (JCPDS no. 21-1272) and monoclinic $\text{W}_{18}\text{O}_{49}$ (JCPDS no. 05-0392). With the increase of WCl_6 concentration, the diffraction intensity of the $\text{W}_{18}\text{O}_{49}$ phase becomes stronger (Fig. S3†), indicating the increasing content of $\text{W}_{18}\text{O}_{49}$ in the formed $\text{TiO}_2/\text{W}_{18}\text{O}_{49}$ hybrid structure. The morphology of the as-prepared sample $\text{TiO}_2/\text{W}_{18}\text{O}_{49}$ -0.25 was first characterized by SEM. As shown in Fig. 1j, the introduction of $\text{W}_{18}\text{O}_{49}$ does not bring about significant changes in the nanosheet morphology. However, the surface of the sheets becomes very rough. Fig. 1k shows the TEM image of the hybrid nanosheets. Compared with the morphology of pure TiO_2 nanosheets, the surface of the $\text{TiO}_2/\text{W}_{18}\text{O}_{49}$ -0.25 nanosheets is coated with a thin layer of $\text{W}_{18}\text{O}_{49}$ nanosheets or nanodots (Fig. 1k). From the HRTEM image of the hybrid nanosheets (Fig. 1l), there are two types of crystal structures in the hybrid nanosheets. The crystal lattice in part 1 shows an interplanar spacing of 0.19 nm, which corresponds to the (200) and (020) lattice planes of TiO_2 . The crystal lattice in part 2 reveals that a particle with a size of about 7 nm is a single crystal with an interplanar spacing of 0.37 nm, which corresponds to the (010) crystalline plane of $\text{W}_{18}\text{O}_{49}$. Such an observation strongly suggests that $\text{W}_{18}\text{O}_{49}$ nanoparticles are embedded in the TiO_2 nanosheets after the solvothermal reaction. The chemical composition of the sample was confirmed by EDS analysis (Fig. S4†), which showed strong Ti, W, and O signals. With increasing amount of WCl_6 to 0.5 g, more $\text{W}_{18}\text{O}_{49}$ nanosheets can be clearly observed on the TiO_2 nanosheets (Fig. S5a†). When the amount of WCl_6 was increased to 1 g, a more complex sheet-like hierarchical structure was formed (Fig. S5b†). On the basis of the above results, obviously, the TiO_2 nanosheet precursor plays an important template role in the growth of the hybrid 2D nanosheets.

The photocatalytic activity of the $\text{TiO}_2/\text{W}_{18}\text{O}_{49}$ hybrid nanosheets was evaluated for the degradation of RhB under full-spectrum, visible, and NIR light irradiation. Fig. 2a presents the full-spectrum-light photocatalytic degradation of RhB in the presence of different photocatalysts. Compared with pure TiO_2 nanosheets and $\text{W}_{18}\text{O}_{49}$ nanoparticles, the hybrid $\text{TiO}_2/\text{W}_{18}\text{O}_{49}$ nanosheet samples exhibit greatly enhanced photocatalytic efficiency. Among them, the sample of $\text{TiO}_2/\text{W}_{18}\text{O}_{49}$ -0.25 displays the highest photocatalytic activity. After irradiation for 50 min, the degradation fractions for different photocatalysts are 21.6% (TiO_2 nanosheets), 43.8% ($\text{W}_{18}\text{O}_{49}$), and 95.2% ($\text{TiO}_2/\text{W}_{18}\text{O}_{49}$ -0.25). Under visible light irradiation ($\lambda > 450$ nm), the $\text{TiO}_2/\text{W}_{18}\text{O}_{49}$ -0.25 hybrid nanosheets also show the highest photocatalytic activity, followed by $\text{W}_{18}\text{O}_{49}$ nanoparticles, TiO_2 nanosheets. As shown in Fig. 2b, after irradiation for 4 h, the degradation fractions for different photocatalysts are 18.5% (TiO_2 nanosheets), 65.7% ($\text{W}_{18}\text{O}_{49}$ nanoparticles), and 97.5% ($\text{TiO}_2/\text{W}_{18}\text{O}_{49}$ -0.25). Considering that visible light itself could not induce TiO_2 photoexcitation, the small quantity of degradation of RhB in the TiO_2 nanosheets should be attributed to




Fig. 2 Photodegradation of RhB in the presence of different photocatalysts under (a) full-spectrum light, (b) visible light, and (c) NIR light irradiation. Blank included for comparison (1), TiO_2 nanosheets (2), $\text{W}_{18}\text{O}_{49}$ nanocrystals (3), $\text{TiO}_2/\text{W}_{18}\text{O}_{49}$ -1.0 (4), $\text{TiO}_2/\text{W}_{18}\text{O}_{49}$ -0.5 (5), and $\text{TiO}_2/\text{W}_{18}\text{O}_{49}$ -0.25 (6). (d) Initial decomposition rates vs. $\text{W}_{18}\text{O}_{49}$ loading concentration. Four cycles of the photocatalytic degradation of RhB using sample of $\text{TiO}_2/\text{W}_{18}\text{O}_{49}$ -0.25 as photocatalyst under (d) full-spectrum light, (e) visible light, and (f) NIR light irradiation.

the adsorption and sensitization effect of the dye molecules. Moreover, $\text{TiO}_2/\text{W}_{18}\text{O}_{49}$ hybrid nanosheets also show noticeable photocatalytic activity under NIR light illumination, in great contrast to pristine TiO_2 nanosheets (Fig. 2c). After irradiation for 8 h, the degradation fractions for different photocatalysts are 12.1% (TiO_2 nanosheets), 23.7% ($\text{W}_{18}\text{O}_{49}$ nanoparticles), and 56.8% ($\text{TiO}_2/\text{W}_{18}\text{O}_{49}$ -0.25). It should be mentioned that the reduced concentration when use pure TiO_2 nanosheets as catalysts should be attributed to the adsorption of the nanosheets. In addition to efficiency, stability and recyclability of photocatalysts are also important features for applications. After the RhB molecules are completely decomposed, centrifugation of the solution enables the $\text{TiO}_2/\text{W}_{18}\text{O}_{49}$ -0.25 nanosheets to be easily collected to catalyze a new reaction. Fig. 2d-f plots the kinetic curves for degradation of RhB solution under full-spectrum light, visible light, and NIR light irradiation. The $\text{TiO}_2/\text{W}_{18}\text{O}_{49}$ -0.25 nanosheet photocatalyst can be effectively recycled at least four times without an apparent decrease in photocatalytic activity, which demonstrates their high stability.

The above results reveal that the $\text{W}_{18}\text{O}_{49}$ loading on the TiO_2 nanosheets remarkably improves the photocatalytic efficiency.



These enhanced photocatalytic activity might be caused by the following structural features. Firstly, the observed improved photocatalytic activity under visible and NIR light illumination should come from LSPR induced by the abundant oxygen vacancies contained in the $W_{18}O_{49}$ nanocrystals. UV/Vis/NIR absorption spectroscopy was employed to characterize the absorption properties of the TiO_2 nanosheets, $W_{18}O_{49}$ nanocrystals, and $TiO_2/W_{18}O_{49}$ hybrid nanosheets. The UV/Vis/NIR results acquired from the samples are presented in Fig. 3a. All of the spectra exhibit the almost same absorption band from the shorter wavelength side to around 370–385 nm, which corresponds to the band-gap absorption of TiO_2 and $W_{18}O_{49}$. Distinct absorption behaviors occur at the sub-band gap absorption range. Compared with the pristine TiO_2 nanosheets, the pure $W_{18}O_{49}$ nanocrystals displays a very strong LSPR from visible to NIR regions. As a result, the hybrid $TiO_2/W_{18}O_{49}$ correspondingly show greatly enhanced visible and NIR absorption compared with pristine TiO_2 nanosheets.

Studies on the electronic properties of the blue tungsten oxide have revealed that WO_{3-x} undergoes a transition from insulator to metal at $x = 0.1$, as the localized polaronic wave functions begin to overlap and form delocalized states.⁴² As a result, for $x > 0.1$ in WO_{3-x} , the electrical and optical properties are dominated by free electrons, that is to a half-metallicity.⁴³ Our theoretical calculation suggests that the introduction of the oxygen vacancy endows the $W_{18}O_{49}$ with metal-like property (calculation process see ESI†). Fig. S6† exhibits the electronic structures of monoclinic phase WO_3 and $W_{18}O_{49}$. Compared with the WO_3 , the band gap of $W_{18}O_{49}$ is clearly reduced and meanwhile the Fermi level (0 eV level) inserts into energy band, indicating that the $W_{18}O_{49}$ exhibits a metal-like character. The calculation results demonstrate that large quantity of free electrons exist in the $W_{18}O_{49}$, suggesting that it has a stronger ability to absorb light. Therefore, the $W_{18}O_{49}$ nanocrystals can be considered as a plasmonic photosensitizer, similar to the case of Au and Ag nanoparticles, charge transfer from photoexcited plasmonic $W_{18}O_{49}$ nanocrystals to the TiO_2 nanosheets under visible and NIR irradiation.

Secondly, the LSPR of samples may enhance the local electric field of tungsten oxide and titanium dioxide and accordingly promote the charge-carrier separation. As a evidence, an obvious reduction of the photoluminescence of the $TiO_2/W_{18}O_{49}$

$W_{18}O_{49}$ hybrid nanosheets can be observed as compared with that of TiO_2 nanosheets or $W_{18}O_{49}$ nanocrystals alone, indicating that the coupling of TiO_2 and $W_{18}O_{49}$ in the hybrid nanostructure effectively diminishes the recombination of photoinduced electron–hole pairs, which is beneficial to the photocatalytic performance (Fig. 3b).

At the same time, the photoelectrochemical properties of the $TiO_2/W_{18}O_{49}$ hybrid nanosheets are examined by means of photocurrent responses. We measured the photocurrent response in a three-electrode electrochemical cell with Ag/AgCl as the reference electrode and Pt wire as the counter electrode (see ESI†). The photocurrent responses for all samples under dark are very low, while obvious current responses could be discerned from 0.1 to 1.0 eV (vs. Ag/AgCl) under full-spectrum light (Fig. S7†). The $TiO_2/W_{18}O_{49}$ hybrid nanosheets show the higher photocurrent density compared with the pure TiO_2 nanosheets and $W_{18}O_{49}$ nanocrystals, indicating that $TiO_2/W_{18}O_{49}$ hybrid nanosheets have better carrier separation efficiency due to the heterojunction effect. In addition, the direct growth of $W_{18}O_{49}$ nanocrystals on the TiO_2 nanosheets could ensure good mechanical adhesion, and more importantly good electrical contact with the active (001) facets of TiO_2 that also serves as the reactive sites.

Conclusions

In summary, we have synthesized novel hybrid $TiO_2/W_{18}O_{49}$ nanosheets by a facile solvothermal method. Importantly, the hybrid nanosheets show strong and wide range of light absorption from UV to NIR. As expected, the as-prepared hybrid $TiO_2/W_{18}O_{49}$ nanosheets exhibit superior photocurrent response and photocatalytic activity for degradation of RhB under full-spectrum, visible, and NIR irradiation. This work will likely inspire further exploration for non-precious metal photosensitizing hybrid nanostructures with high potential for photocatalytic and optoelectronic applications.

Acknowledgements

This work received financial support from the Dean Fund of Chinese Academy of Inspection and Quarantine (2016JK025) and the National Natural Science Foundation of China (51472226).

References

- 1 A. Fujishima and K. Honda, *Nature*, 1972, **238**, 37–38.
- 2 Z. G. Zou, J. H. Ye, K. Sayama and H. Arakawa, *Nature*, 2001, **414**, 625–627.
- 3 D. L. Lu, T. Takata, N. Saito, Y. Inoue and K. Domen, *Nature*, 2006, **440**, 295.
- 4 X. B. Chen, L. Liu, P. Y. Yu and S. S. Mao, *Science*, 2011, **331**, 746–750.
- 5 J. Liu, Y. Liu, N. Y. Liu, Y. Z. Han, X. Zhang, H. Huang, Y. Lifshitz, S. T. Lee, J. Zhong and Z. H. Kang, *Science*, 2015, **347**, 970–974.




Fig. 3 UV-Vis-NIR adsorption spectra (a) and PL spectra (b) of the samples. Blue line: $TiO_2/W_{18}O_{49}$ -0.25 hybrid nanosheets; black line: $W_{18}O_{49}$ nanocrystals; red line: TiO_2 nanosheets.



- 6 Z. G. Yi, J. H. Ye, N. Kikugawa, T. Kako, S. X. Ouyang, H. S. Williams, H. Yang, J. J. Y. Cao, W. J. Luo, Z. S. Li, Y. Liu and R. L. Withers, *Nat. Mater.*, 2010, **9**, 559–564.
- 7 A. Kuto and Y. Miseki, *Chem. Soc. Rev.*, 2009, **38**, 253–278.
- 8 X. C. Wang, K. Maeda, A. Thomas, K. Takanabe, G. Xin, J. M. Carlsson, K. Domen and M. Antonietti, *Nat. Mater.*, 2009, **8**, 76.
- 9 S. S. K. Ma, K. Maeda, R. Abe and K. Domen, *Energy Environ. Sci.*, 2012, **5**, 8390.
- 10 J. Tian, Y. H. Sang, G. W. Yu, H. D. Jiang, X. N. Mu and H. Liu, *Adv. Mater.*, 2013, **25**, 5075.
- 11 Y. H. Sang, Z. H. Zhao, M. W. Zhao, P. Hao, Y. H. Leng and H. Liu, *Adv. Mater.*, 2015, **27**, 363.
- 12 G. Wang, B. B. Huang, X. C. Ma, Z. Y. Wang, X. Y. Qin, X. Y. Zhang, Y. Dai and M. Whangbo, *Angew. Chem., Int. Ed.*, 2013, **52**, 4810.
- 13 Q. J. Xiang, J. G. Yu and M. Jaroniec, *J. Am. Chem. Soc.*, 2012, **134**, 6575.
- 14 H. G. Yang, C. H. Sun, S. Z. Qiao, J. Zou, G. Liu, S. C. Smith, H. M. Cheng and G. Q. Lu, *Nature*, 2008, **453**, 638.
- 15 X. B. Chen and S. S. Mao, *Chem. Rev.*, 2007, **107**, 289.
- 16 Y. Ma, X. Wang, Y. Jia, X. Chen, H. Han and C. Li, *Chem. Rev.*, 2014, **114**, 9987.
- 17 R. Asahi, T. Morikawa, T. Ohwaki, K. Aoki and Y. Taga, *Science*, 2001, **293**, 269.
- 18 S. U. M. Khan, M. Al-Shahry and W. B. Ingler, *Science*, 2002, **297**, 2243.
- 19 S. Sakthivel and H. Kisch, *Angew. Chem., Int. Ed.*, 2003, **42**, 4908.
- 20 S. W. Liu, J. G. Yu and M. Jaroniec, *J. Am. Chem. Soc.*, 2010, **132**, 11914.
- 21 C. Han, N. Zhang and Y. J. Xu, *Nano Today*, 2016, **11**, 351–372.
- 22 L. Yuan, M. Q. Yang and Y. J. Xu, *Nanoscale*, 2014, **6**, 6335–6345.
- 23 E. Bae, W. Choi, J. Park, H. S. Shin, S. B. Kim and J. S. Lee, *J. Phys. Chem. B*, 2004, **108**, 14093.
- 24 X. B. Chen, S. H. Shen, L. J. Guo and S. S. Mao, *Chem. Rev.*, 2010, **110**, 6503.
- 25 P. Wang, B. B. Huang, X. Y. Qin, X. Y. Zhang, Y. Dai, J. Y. Wei and M. H. Whangbo, *Angew. Chem., Int. Ed.*, 2008, **47**, 7931.
- 26 A. Marimuthu, J. W. Zhang and S. Linic, *Science*, 2013, **339**, 1590.
- 27 Z. F. Bian, T. Tachikawa, P. Zhang, M. Fujitsuka and T. Majima, *J. Am. Chem. Soc.*, 2014, **136**, 458.
- 28 R. B. Jiang, B. X. Li, C. H. Fang and J. F. Wang, *Adv. Mater.*, 2014, **26**, 5274.
- 29 B. Weng, Q. Quan and Y. J. Xu, *J. Mater. Chem. A*, 2016, **4**, 18366–18377.
- 30 N. Zhang, C. Han, Y. J. Xu, J. J. Foley IV, D. T. Zhang, J. Codrington, S. K. Gray and Y. G. Sun, *Nat. Photonics*, 2016, **10**, 473–482.
- 31 F. C. Lei, Y. F. Sun, K. Liu, S. Gao, L. Liang, B. C. Pan and Y. Xie, *J. Am. Chem. Soc.*, 2014, **136**, 6826.
- 32 J. Q. Yan, T. Wang, G. J. Wu, W. L. Dai, N. J. Guan, L. D. Li and J. L. Gong, *Adv. Mater.*, 2015, **27**, 1580.
- 33 X. B. Chen, L. Liu and F. Q. Huang, *Chem. Soc. Rev.*, 2015, **44**, 1861.
- 34 Q. Q. Huang, S. Hu, J. Zhuang and X. Wang, *Chem.–Eur. J.*, 2012, **18**, 15283.
- 35 H. F. Cheng, T. Kamegawa, K. Mori and H. Yamashita, *Angew. Chem., Int. Ed.*, 2014, **53**, 2910.
- 36 T. R. Gordon, M. Cargnello, T. Paik, F. Mangolini, R. T. Weber, P. Fornasiero and C. B. Murray, *J. Am. Chem. Soc.*, 2012, **134**, 6751.
- 37 K. Manthiram and A. P. Alivisatos, *J. Am. Chem. Soc.*, 2012, **134**, 3995.
- 38 G. C. Xi, S. X. Ouyang, P. Li, J. H. Ye, Q. Ma, N. Su, H. Bai and C. Wang, *Angew. Chem., Int. Ed.*, 2012, **51**, 2395.
- 39 X. H. Gao, H. B. Wu, L. X. Zhang, Y. J. Zhong, Y. Hu and X. W. Lou, *Angew. Chem., Int. Ed.*, 2014, **126**, 6027.
- 40 J. X. Zhu, K. Sakaushi, G. Clavel, M. Shalom, M. Antonietti and T. P. Fellinger, *J. Am. Chem. Soc.*, 2015, **137**, 5480.
- 41 X. Y. Chen, Y. Zhou, Q. Liu, Z. D. Li, J. G. Liu and Z. G. Zou, *ACS Appl. Mater. Interfaces*, 2012, **4**, 1813.
- 42 E. Salje and B. Guttler, *Philos. Mag. B*, 1984, **50**, 607.
- 43 H. Bai, W. C. Yi, J. Y. Liu, Q. Lv, Q. Zhang, Q. Ma, H. F. Yang and G. C. Xi, *Nanoscale*, 2016, **8**, 13545.

