RSC Advances

PAPER

Check for updates

Cite this: RSC Adv., 2017, 7, 46589

Enhanced near room temperature magnetocaloric effect in $La_{0.6}Ca_{0.4}MnO_3$ for magnetic refrigeration application[†]

Melissa H. M. Tsui,^a Devon T. Dryer,^a Ahmed A. El-Gendy^b*^{abc} and Everett E. Carpenter^{*a}

Perovskite manganite La_{0.6}Ca_{0.4}MnO₃ (LCMO) nanomaterials were synthesized by a modified Pechini solgel process followed by high temperature sintering. Polyethylene glycol of various molecular weights was used to control the particle size and morphology of the materials. XRD and Scherrer analysis were used to confirm the crystal structure and crystallite size of the LCMO nanomaterials. The LCMO nanomaterials showed a paramagnetic to ferromagnetic transition at 277 K. The maximum change in entropy was calculated to be 19.3 J kg⁻¹ K⁻¹ for a field change of 0–3 T and 8.7 J kg⁻¹ K⁻¹ for a field change of 0–1 T, and the relative cooling power was determined to be 627 J kg⁻¹. The La_{0.6}Ca_{0.4}MnO₃ reported in this work demonstrated an enhanced magnetocaloric effect compared to the current literature. These results showed the LCMO nanomaterials to be an excellent candidate for magnetic refrigeration applications as they are less costly in comparison to Gd based compounds.

Received 13th June 2017 Accepted 26th September 2017

DOI: 10.1039/c7ra06619h

rsc.li/rsc-advances

1 Introduction

There has been growing interest in the development of materials for magnetic refrigeration applications as they provide an environmentally friendly option to replace chlorofluorocarbons and hydrochlorofluorocarbons as refrigerants.¹ Magnetic refrigeration (MR) technology is based on the magnetocaloric effect (MCE) where the cooling efficiency is dependent upon the relative cooling power (RCP) of the material.^{1,2} The MCE is a measure of thermal response to change in an external magnetic field.² It is based on the thermodynamic correlation of reversible change in magnetic entropy in an isothermal process defined using the Maxwell relationship³ shown in eqn (1):

$$\Delta S_{\rm M}(\Delta H) = \int_{H_1}^{H_2} \left(\frac{\partial M}{\partial T}\right)_H \mathrm{d}H \tag{1}$$

where $\Delta S_{\rm M}$ is the change in magnetic entropy, ΔH is the change in applied field, *M* is the magnetization, and *T* represent temperature. Near room temperature magnetocaloric materials with Curie temperature $T_{\rm C}$ near 300 K are of particular interest. Pecharsky *et al.* reported that GdSiGe based materials with entropy change of 36 J kg⁻¹ K⁻¹ at $T_{\rm C} = 272$ K for a field change of 0–5 T.⁴ However, perovskite manganites with La_{1-x}Ca_xMnO₃ (LCMO) have been gaining interest due to its near room temperature large entropy change of 8.3 J kg⁻¹ K⁻¹ at 270 K for a field change of 0–5 T.⁵

Lanthanum based perovskite manganites can be synthesized by ball milling, floating zone, pulsed laser deposition, and sol-gel methods.⁶⁻⁹ Major advantages in obtaining nanomaterials via a sol-gel process include the ability to control the nucleation and growth steps resulting in large scale production of monodispersed particles in comparison to other methods. The sol-gel method in the synthesis of perovskite manganites typically involve the dissolution of metal precursor along with citric acid and polyethylene glycol (PEG) in water.10 The presence of citric acid and PEG allow the formation of metal chelate complexes within the solution catalysing the polymerization of the gel.10 In the perovskite manganites system, Wang et al. suggested that PEG polymer encapsulate the La(NO₃)₃ in controlling the nucleation and growth of particles by creating steric hindrance between the neighbouring monomers.11 In this work, we modified PEG chain length in the synthesis of the LCMO nanocomposites. Through this method, we report a significant enhancement in the magnetocaloric properties of the existing La0.6Ca0.4MnO3 material by varying the chain length of the PEG polymer.

2 Experimental section

Materials and methods

All reagents, lanthanum(III) nitrate hydrate (Alfa Aesar, 99%), calcium carbonate (Aldrich), manganese(II) acetate hydrate



View Article Online

View Journal | View Issue

^aDepartment of Chemistry, Virginia Commonwealth University, 1001 W. Main St., Richmond, VA 23284-2006, USA. E-mail: ecarpenter2@vcu.edu

^bDepartment of Physics, University of Texas at El Paso, El Paso, TX 79968, USA. E-mail: aelgendy@utep.edu

^cNanotechnology and Nanometrology Lab., National Institute for Standards (NIS), 136 Tersa St., Haram, Giza 12211, Egypt

 $[\]dagger$ Electronic supplementary information (ESI) available: Additional calculation of $T_{\rm C_2}$ Far-IR spectra available. See DOI: 10.1039/c7ra06619h

La_{0.6}Ca_{0.4}MnO₃ nanomaterial was prepared by a modified Pechini sol–gel method. In a typical reaction, 2.6 g of La(NO₃)· *x*H₂O, 0.4 g of CaCO₃, and 2.5 g of Mn(CH₃COO)₂·4H₂O were used as the metal precursor. The metal precursor, 0.5 g citric acid, and 0.5 g of various molecular weight polyethylene glycol (PEG) were dissolved in a 4 M nitric acid solution. The solution was heated to 70 °C for 6 h for the polymerization of the gel. The solution turns golden yellow initially and lightens to a pale yellow gel after 6 h. The resulting gel was calcinated at 900 °C to obtain the final black product.

Characterization

Crystal phase identification was performed using PANalytical MPD X'Pert Pro X-ray diffractometer (Cu K $\alpha_1 = 1.54$ angstroms), and the X-ray diffraction (XRD) patterns were analysed using X'Pert HighScore Plus. Scanning electron microscopy (SEM) was completed on Hitachi SU-70 FE-SEM operating at 5 keV. Samples were prepared using colloidal graphite paste and sputtered with platinum. Transmission electron microscopy (TEM) was performed using Zeiss Libra 120 operating at 120 keV. Magnetic characterization was performed using Quantum Design Versalab physical property measurement system. Field cooled (FC) and zero field cooled (ZFC) magnetization (M-T) curve was measured from 50 to 400 K in 100 Oe external field. The temperature and field dependence of magnetization was measured from 50 to 300 K with a temperature increment of 5 K. Far-IR spectroscopy was performed using Nicolet Advanced iS50 FT-IR with an ATR attachment.

3 Results and discussion

As mentioned previously, LCMO nanomaterials were synthesized using a modified sol–gel method by changing the chain length of



Fig. 1 XRD patterns of the as-synthesized LCMO nanomaterials.

the PEG polymer. It is well known that the presence of PEG in the sol-gel process assists in the polymerization of the gel as well as acts as a stabilizer and capping agent in particle formation.¹¹ XRD phase characterization was performed for all LCMO samples as shown in Fig. 1. All samples yield 100% of orthorhombic perovskite crystalline crystal structure (reference PDF: 01-070-4067) as represented in Fig. 1 for the LCMO synthesized using the various PEG. The crystallite size of each sample was calculated using the Scherrer equation using the highest intensity peak at 32.9 2-theta. The crystallite sizes were determined to be 62.3, 33.8, and 57.1 nm for LCMO synthesized using PEG 600, 2000, and 4000 respectively. The LCMO synthesized using PEG 600 and 4000 resulted in larger crystallite size (~60 nm) in comparison of the sample synthesized using PEG 2000. The morphology of all LCMO nanocomposites were examined under SEM analysis demonstrated in Fig. 2. The LCMO synthesized with PEG 2000 shows a lack of distinct particles and appears to be agglomerated. However, the LCMO particles obtained using PEG 600 and 4000 shows well defined particles with less agglomeration. In addition, TEM images shows similar morphologies for the three samples. Particles synthesized using PEG 600 consist of 42 ± 16 nm particles, whereas particles synthesized using PEG 2000 and PEG 4000 result in similar size particles; 67 \pm 35 nm and 71.2 \pm 41 nm, respectively. The observed particle size and calculated crystallite size from XRD patterns are in disagreement, suggesting polydispersity or agglomeration in particle distribution within the samples. The particles synthesized using PEG 600 appears to be the smallest of the three samples. This is due to the shorter PEG chain length provide better encapsulation during the gelation process, resulting in smaller particles. Observations of the SEM and TEM micrographs suggests that 42 nm particles synthesized using PEG 600 give rise to higher performance as a magnetocaloric material.

The temperature and field dependence magnetization up to 3 T of the LCMO nanomaterials was measured using



Fig. 2 SEM and TEM micrographs of particles at different magnifications synthesized using (a–c) PEG 600, (d–f) PEG 2000, (g–i) PEG 4000.

Paper

a commercial VSM. In order to study the magnetic properties of the LCMO nanomaterials, *M*–*H* curves at 5 K interval were obtained in order to calculate the change in magnetic entropy with respect to the temperature. The isothermal magnetization (*M*–*H*) curves shown in Fig. 3 were measured by warming the sample from 100 to 300 K in 5 degree increments. Fig. 4 shows the change in magnetic entropy ($-\Delta S_M$) for the LCMO samples calculated using eqn (1) and data from Fig. 3. As indicated in Fig. 4, the overall maximum entropy increases as the external field increases. In addition, Fig. 4 reveals that the LCMO sample synthesized using PEG 600 and 4000 result in the high $-\Delta S_M$ values of 19.3 J kg⁻¹ K⁻¹ and 17.7 J kg⁻¹ K⁻¹ at 3 T. Banerjee

criterion plots were used to evaluate the order of magnetic transition. This was achieved by plotting H/M vs. M^2 near the transition region shown in Fig. 5. From the Banerjee criterion all three samples exhibit second order magnetic transition with broad temperature range shown in Fig. 4. In MCE materials, first order magnetic transition shows a narrow temperature range in comparison to second order magnetic transition, where the temperature range is typically broader.¹² Previous studies suggested that LCMO materials exhibit a change from first order magnetic transition to second order magnetic transition as the size of the particles decreases.^{13,14}



Fig. 3 Isothermal magnetization (M-H) measured from 100 to 300 K (a) PEG 600, (b) PEG 2000, (c) PEG 4000.



Fig. 4 Temperature dependence of change in magnetic entropy of the as-synthesized La_{0.6}Ca_{0.4}MnO₃ calculated at various external field (a) PEG 600, (b) PEG 2000, (c) PEG 4000.



Fig. 5 Banerjee plot of the LCMO sample synthesized using (a) PEG 600, (b) PEG 2000, (c) PEG 4000.

Relative cooling power (RCP) is used to measure the maximum entropy change in an ideal refrigeration cycle and is obtained by multiplying the maximum change in entropy $(-\Delta S_{\rm M})_{\rm max}$ by the change in temperature at full width half maximum ($\delta T_{\rm FWHM}$) of the $-\Delta S_{\rm M}$ -T curve.¹ The RCP calculated for each sample is demonstrated in Fig. 6b, revealing that the RCP values are size dependent.

The field dependence of ΔS for the LCMO manganite at a fixed temperature is accounted for in the N component of the power law $\Delta S_{\rm M}(H) \propto H^N$. The temperature variation of in the N component for the LCMO are shown in Fig. 7. Due to our instrument limitations, the magnetization isotherms were only measured up to 3 T. Therefore the N component of the power law is an approximation between 0 and 3 T. The minimum N values for PEG 600, 2000, and 4000 were found to be 0.66, 0.74 and 0.71, respectively. In all three samples, the N values showed significant differences between the ferromagnetic and paramagnetic phase of the material. The shape of the N(T) behaves similarly to the polycrystalline samples in the literature.¹⁵ The sample synthesized using PEG 600 have an N(T) value of 0.66, which was predicted at Curie temperature using the mean field approach.16

In LCMO materials, the PM-FM transition is due to double exchange between the Mn3+ and Mn4+ that causes a spin coupling interaction resulting in Jahn-Teller distortion.17 In addition, lattice distortions can be observed using Far-IR spectroscopy as phonon modes within the LCMO system are infrared active.18 Room temperature Far-IR spectroscopy results shown in Fig. S2[†] indicate two major maxima at 549 cm⁻¹ and 275 cm⁻¹ for the LCMO synthesized using PEG 600, these peaks are associated with the stretching and bending modes of



In comparison to the commonly used materials for magnetic refrigeration applications (Table 1), the La_{0.6}Ca_{0.4}MnO₃ in this work showed an enhancement in the magnetocaloric properties of current LCMO materials. Though the T_C of the LCMO nanocomposites are lower than that of Gd based material, the magnetic entropy is large enough to be used for magnetic refrigeration applications as the cost of LCMO production is significantly lower than Gd based materials.

Table 1 Comparison of magnetocaloric effects in selected materials

 $T_{\rm C}$ (K)

210

277

277

270

236

150

332

297

279

 $|(\Delta S_{\rm M})_{\rm max}|$

 $(J kg^{-1} K^{-1})$

1.2 (2 T)

8.7 (1 T)

19.3 (3 T

8.3 (5 T)

2.4 (5 T)

8.6 (4.5 T)

1.6 (1.5 T)

10.2 (5 T)

RCP

93

238

627

508

200

369

64

240

 $(J kg^{-1})$

Ref.

19

5

20

21

22

23

24

This work

This work



Fig. 6 (a) M-T curves for the as-synthesized LCMO at 100 Oe applied field for ZFC (solid line) and FC (dash), (b) calculated RCP values.



Sample

La_{0.5}Ca_{0.5}MnO₃

La_{0.6}Ca_{0.4}MnO₃

La_{0.6}Ca_{0.4}MnO₃

La_{0.6}Ca_{0.4}MnO₃

La_{0.8}Ca_{0.2}MnO₃

La0.75Sr0.25MnO3

LaMnO₃

Gd

T (K)

Temperature variation in the N exponent for the LCMO manganites. Fia. 7

T (K)

2.0

1.8

1.6

1.4

1.0

0.8

0.6

200

Z

T (K)

4 Conclusions

In summary, near room temperature magnetocaloric properties were obtained for La_{0.6}Ca_{0.4}MnO₃ via a modified sol-gel method. In this study, PEG was shown to control morphology and magnetocaloric properties of the LCMO nanomaterials. The structure and morphology were investigated using XRD, TEM and SEM. Magnetic measurements revealed that the nanoparticles undergo a second order magnetic transition with the PM-FM transition near room temperature. The maximum change in magnetic entropy $(-\Delta S_M)$ was found to be 19.3 J kg⁻¹ K⁻¹ at 278 K for a field change of 0–3 T and 8.7 J $kg^{-1} K^{-1}$ for a field change of 0-1 T. The relative cooling power (RCP) that is used to evaluate magnetic refrigeration properties was determined to be 627 J kg⁻¹. This synthesis method has demonstrated an enhanced magnetocaloric effect comparing to the current LCMO literature. In addition, these material are also comparable to that of Gd based magnetocaloric materials, suggesting that this can be a promising material for magnetic refrigeration application.

Conflicts of interest

There are no conflicts to declare.

Acknowledgements

Acknowledgment is made to VCU Nanomaterials Core Characterization Facility, and VCU Department of Chemistry Instrumentation Facility. Additional acknowledgement is made to Brent M. Williams and Sarah E. Smith for proofreading and suggestions.

Notes and references

- 1 M.-H. Phan and S.-C. Yu, J. Magn. Magn. Mater., 2007, 308, 325-340.
- 2 J. Romero Gómez, R. Ferreiro Garcia, A. De Miguel Catoira and M. Romero Gómez, *Renewable Sustainable Energy Rev.*, 2013, **17**, 74–82.
- 3 V. K. Pecharsky, K. A. Gschneidner, A. O. Pecharsky and A. M. Tishin, *Phys. Rev. B: Condens. Matter Mater. Phys.*, 2001, **64**, 144406.
- 4 A. O. Pecharsky, K. A. Gschneidner Jr and V. K. Pecharsky, *J. Appl. Phys.*, 2003, **93**(8), 4722–4728.

- 5 V. M. Andrade, R. J. C. Vivas, S. S. Pedro, J. C. G. Tedesco, A. L. Rossi, A. A. Coelho, D. L. Rocco and M. S. Reis, *Acta Mater.*, 2016, **102**, 49–55.
- 6 O. I. Lebedev, G. Van Tendeloo, S. Amelinckx, B. Leibold and H. U. Habermeier, *Phys. Rev. B: Condens. Matter Mater. Phys.*, 1998, 58, 8065–8074.
- 7 M. Pękała, V. Drozd, J. F. Fagnard, P. Vanderbemden and M. Ausloos, *Appl. Phys. A*, 2008, **90**, 237–241.
- 8 M.-H. Phan, S.-C. Yu, N. H. Hur and Y.-H. Jeong, J. Appl. Phys., 2004, 96, 1154–1158.
- 9 H. Gencer, N. E. Cengiz, V. S. Kolat, T. Izgi and S. Atalay, *Acta Phys. Pol., A*, 2014, **125**, 214–216.
- 10 A. E. Danks, S. R. Hall and Z. Schnepp, *Mater. Horiz.*, 2016, 3, 91–112.
- 11 X. Wang, M. Wang, H. Song and B. Ding, *Mater. Lett.*, 2006, 60, 2261–2265.
- 12 O. Tegus, E. Brück, L. Zhang, W. Dagula, K. H. J. Buschow and F. R. de Boer, *Phys. B*, 2002, **319**, 174–192.
- 13 L. E. Hueso, P. Sande, D. R. Miguéns, J. Rivas, F. Rivadulla and M. A. López-Quintela, *J. Appl. Phys.*, 2002, **91**, 9943–9947.
- 14 P. Lampen, N. S. Bingham, M. H. Phan, H. Kim, M. Osofsky,
 A. Piqué, T. L. Phan, S. C. Yu and H. Srikanth, *Appl. Phys. Lett.*, 2013, **102**, 062414.
- 15 M. Pękała, J. Appl. Phys., 2010, 108, 113913.
- 16 H. Oesterreicher and F. T. Parker, J. Appl. Phys., 1984, 55, 4334–4338.
- 17 P. Schiffer, A. Ramirez, W. Bao and S. Cheong, *Phys. Rev. Lett.*, 1995, **75**, 3336.
- 18 K. H. Kim, J. Y. Gu, H. S. Choi, G. W. Park and T. W. Noh, *Phys. Rev. Lett.*, 1996, 77, 1877–1880.
- 19 M. Pękała, V. Drozd, J. F. Fagnard and P. Vanderbemden, *J. Alloys Compd.*, 2010, **507**, 350–355.
- 20 S. Xi, W. Lu and Y. Sun, J. Appl. Phys., 2012, 111, 063922.
- 21 A. Biswas, S. Chandra, M.-H. Phan and H. Srikanth, J. Alloys Compd., 2012, 545, 157–161.
- 22 M. PękaŁa, K. PękaŁa, V. Drozd, J. F. Fagnard and P. Vanderbemden, *J. Magn. Magn. Mater.*, 2010, 322, 3460– 3463.
- 23 H. Zeng, J. Zhang, C. Kuang and M. Yue, *Appl. Nanosci.*, 2011, 1, 51–57.
- 24 L. Zhang, M. Bao, Q. Zheng, L. Tian and J. Du, *AIP Adv.*, 2016, 6, 035220.