

Cite this: *RSC Adv.*, 2017, 7, 40262

Origin of the efficient catalytic thermal decomposition of ammonium perchlorate over (2–1–10) facets of ZnO nanosheets: surface lattice oxygen†

Haitao Li,^{ab} Kun Zhao,^{ac} Shouqin Tian,^d Dawen Zeng,^{id}*^{ab} Aimin Pang,^e Xiaoxia Wang^a and Changsheng Xie^a

ZnO nanocrystals as catalysts have been widely employed in the catalytic thermal decomposition of ammonium perchlorate (AP). However, the catalytic mechanism is still controversial and the role of surface lattice oxygen is always ignored. Herein, a classical catalytic mechanism based on the surface lattice oxygen was proposed to reveal AP decomposition promoted by ZnO nanosheets. ZnO and ZnS nanosheets, both of which have the same wurtzite structure and the same (2–1–10) exposed facets, have been synthesized by the calcination of a ZnS(en)_{0.5} precursor in different conditions. ZnO nanosheets with a smaller surface area showed a better catalytic activity than ZnS nanosheets because the surface lattice oxygen of the ZnO nanosheets can react with NH₃ (an intermediate of AP thermal decomposition) to generate oxygen vacancies that can subsequently be recovered, while the surface lattice sulfur of the ZnS nanosheets did not react with NH₃. The generation and replenishment of oxygen vacancies on the (2–1–10) exposed facets of the ZnO nanosheets were confirmed by XPS and FTIR results, and thus revealed the origin of the efficient catalytic AP decomposition over (2–1–10) facets of ZnO nanosheets as surface lattice oxygen. Therefore, this work could provide a new insight into the catalytic mechanism of metal oxides to promote AP decomposition.

Received 18th July 2017
Accepted 11th August 2017

DOI: 10.1039/c7ra07906k

rsc.li/rsc-advances

Introduction

Ammonium perchlorate is a traditional oxidizer in composite solid propellant, and its thermal decomposition highly influences the combustion properties of rocket composite solid propellants.^{1,2} To enhance its thermal decomposition properties, various kinds of metal oxides, such as Fe₂O₃, CoO, Co₃O₄, CuO, NiO, and ZnO,^{3–12} have been used to catalyze its thermal decomposition. The catalytic mechanism has also been

investigated and two assumptions are proposed. The first one is the formation of easily melting eutectics between metal oxides and AP because of the transition from the solid state into liquid.⁵ The other assumption is attributed to V_O-related defects and the release of oxygen.⁸ However, the two assumptions lack solid and direct evidence, and thus it is difficult to further reveal the catalytic mechanism of metal oxides for AP decomposition. This is probably because that the surface atomic structure of metal oxides will play a critical role in the catalytic decomposition of AP. Therefore, it is of great significance to understand the catalytic mechanism of metal oxides in the AP decomposition from atomic insights.

Among these metal oxides, ZnO is considered as one of the best single metal oxide catalyst and thus used indispensably in the photochemical industry and chemical industry, due to its excellent reactivity, non-toxicity and stability.^{8,10} In addition, the morphology and structures of ZnO can be tuned more easily by simple methods.¹³ In this sense, ZnO is the best model material to investigate the underlying relationship between its surface structure and its catalytic performance for AP decomposition. In our previous work, the ZnO nanosheets exposed with more (0001) facets exhibited a better catalytic property than other structures.¹³ Also, it is found that HClO₄ gas (one intermediate of AP decomposition) is preferentially adsorbed on ZnO (0001)

^aState Key Laboratory of Materials Processing and Die & Mould Technology, Nanomaterials and Smart Sensors Research Lab (NSSRL), Department of Materials Science and Engineering, Huazhong University of Science and Technology (HUST), No. 1037, Luoyu Road, Wuhan 430074, People's Republic of China. E-mail: dwzeng@mail.hust.edu.cn

^bHubei Collaborative Innovation Center for Advanced Organic Chemical Materials, Hubei University, Wuhan 430062, People's Republic of China

^cCollege of Chemical Engineering and Food Science, Hubei Key Laboratory of Low Dimensional Optoelectronic Materials and Devices, Hubei University of Arts and Science, Xiang Yang 441053, People's Republic of China

^dState Key Laboratory of Silicate Materials for Architectures, Wuhan University of Technology, No. 122, Luoshu Road, Wuhan 430070, People's Republic of China

^eHubei Institute of Aerospace Chemotechnology, Xiangyang 441003, Hubei, People's Republic of China

† Electronic supplementary information (ESI) available. See DOI: 10.1039/c7ra07906k



facets and NH_3 gas (the other intermediate of AP decomposition) preferentially adsorbed on the non-polar facets,^{14–16} such as (2–1–10) and (10–10), with hydrogen bonds forming between H atoms and the adjacent O atoms as shown in Scheme 1(a). It is traditionally considered that NH_3 gas is oxidized by the active oxygen anions^{17–21} which are diffused from the (0001) facets as shown in Scheme 1(b). However, the oxidation path of the adsorbed NH_3 gas is still unclear. Here, two possible oxidation paths are proposed. On one hand, lattice oxygen and interstitial oxygen are possibly transformed to oxygen vacancies and release oxygen to oxidize NH_3 as shown in Scheme 1(c). On the other hand, the N atom is adsorbed on the Zn atom and a H atom can form a hydrogen bond with an O atom.¹⁵ And a N–H bond can break to form $-\text{NH}_2$.^{13,14,21} Thus, the released H atom will combine with adjacent lattice oxygen atoms or diffused active oxygen anions. That is shown in Scheme 1(d), and the remaining $-\text{NH}_2$ bond is faced with the same situation. It can be seen obviously that the two paths are deeply related with surface lattice oxygen. Therefore, a reasonable mechanism (either classical or novel) based on the surface lattice oxygen will be proposed to further reveal the oxidation path of NH_3 .

Herein, a classical catalytic mechanism was employed to further reveal AP decomposition in the presence of ZnO nanosheets exposed with (2–1–10) facets. ZnO and ZnS nanosheets, both of which had the same wurtzite structure and exposed (2–1–10) facets, were prepared by calcinations of $\text{ZnS}(\text{en})_{0.5}$ precursor with different conditions.^{20–23} The obtained ZnO nanosheets showed a better catalytic performance than the ZnS nanosheets in the AP decomposition. This indicates that the surface lattice oxygen on ZnO (2–1–10) facets plays a positive role in the catalyst, while the surface lattice sulfur on ZnS (2–1–10) facets cannot do the same. NH_3 could be possibly oxidized by the surface lattice oxygen. To prove this view, ZnO and ZnS nanosheets were reacted with NH_3 on the same

condition that they were used to promote AP decomposition. The concentration of surface lattice oxygen on ZnO (2–1–10) facets was highly decreased, while that of surface lattice sulfur was almost unchanged. Oxygen vacancies were formed due to the reaction and consumption of surface lattice oxygen. But after AP decomposition catalyzed by ZnO, the concentration of the surface lattice oxygen on ZnO was recovered to a normal extent, indicating that the formed oxygen vacancies were replenished subsequently. In this sense, NH_3 oxidation by surface lattice oxygen is another path of NH_3 oxidation during the catalytic decomposition of AP, compared to the NH_3 oxidation by active oxygen anions. This work shows a great significance in the introduction of a catalytic mechanism based on the surface lattice oxygen into the field of the catalytic decomposition of AP.

Experimental

Preparation


ZnS and ZnO nanosheets were prepared by heat treatment of the precursor $\text{ZnS}(\text{en})_{0.5}$. To prepare the $\text{ZnS}(\text{en})_{0.5}$ precursor, ZnCl_2 (2.5 mmol, 0.34 g), NH_2CSNH_2 (5 mmol, 0.38 g), and ethylenediamine (75 mL) were added to a commercial Teflon-lined autoclave with a capacity of 100 mL. Then it was put into an oven at 180 °C for 12 h. When this solvothermal reaction finished, it was cool down to room temperature naturally. The product was filtered, washed with deionized water and ethanol, and dried overnight in an oven at 80 °C. This $\text{ZnS}(\text{en})_{0.5}$ precursor was calcinated at 400 °C in air atmosphere for 2 h to obtain ZnS nanosheets and at 550 °C in air atmosphere for 1 h to obtain ZnO nanosheets.

Characterization

The phase identification was carried out on an X-ray diffractometer (X'pert PRO; PANalytical B.V.) using Cu K α 1 radiation in the range from 20° to 80°. The morphologies of samples were observed using a field emission scanning electron microscope (FSEM, FEI Sirion 200). Transmission electron microscopy (TEM) and high resolution transmission electron microscopy (HRTEM) were performed on a Tecnai G2F20 U-TWIN microscope operated at 200 kV. The specific surface area and the pore size were determined from N_2 adsorption–desorption isotherms at 77 K, obtained using a BRLSOP analyzer. The specific surface area was calculated from the multipoint adsorption data within the linear segment of the N_2 adsorption isotherms, using Brunauer–Emmett–Teller theory. The pore size distribution was determined from the isotherms by using nonlocal density functional theory. The surface compositions and the chemical state were examined by X-ray photoelectron spectroscopy (XPS, VG Multilab 2000X).

Catalytic activity

Their catalytic activities for thermal decomposition of AP (AR, d_{50} : 140 μm) were characterized by thermogravimetry–differential thermal analysis (TG-DTA) tests using Diamond TG/DTA test at various heating rates from 2 K min^{-1} to



Scheme 1 (a) HClO_4 and NH_3 adsorptions on ZnO surface, (b) NH_3 oxidized by active oxygen, (c) surface lattice oxygen atoms release O_2 to oxidize NH_3 , (d) N–H bond breaks to form H_2O and $-\text{NH}_2$ oxidized to be NO_x ($x = 1/2, 1, 2$) (atom colors: Zn: gray, O: red, N: blue, H: white, pink: active oxygen anions).



20 K min⁻¹ in N₂ atmosphere over the temperature range of 30–500 °C. The final products of AP thermal decomposition with and without ZnS and ZnO catalysts were characterized by thermogravimetry-infrared spectra-mass spectra (TG-IR-MS) tests using PerkinElmer TGA-FTIR-GCMS at 20 K min⁻¹. ZnO and ZnS nanosheets were heating at NH₃ atmosphere with 10 mL min⁻¹ in the flow rate from room temperature to 500 °C with heating rate of 10 K min⁻¹, respectively.

Results and discussion

Structure and morphology

ZnS(en)_{0.5} is orthorhombic structure with Zn atoms tetrahedrally coordinated by three sulfurs and one nitrogen of the

ethylenediamine (en) molecule²⁴ as shown in its XRD pattern in Fig. S1.† Fig. 1 shows the XRD patterns of ZnS and ZnO nanosheets. All the diffraction peaks of ZnS belonged to hexagonal




Fig. 1 XRD patterns of ZnS and ZnO nanosheets.




Fig. 3 (a) N₂ adsorption–desorption isotherms and (b) pore size distributions for ZnS (■) and ZnO (●).




Fig. 2 (a) SEM, (b) TEM, (c) HRTEM images and (d) SAED pattern of ZnS; (e) SEM, (f) TEM, (g) HRTEM images and (h) SAED pattern of ZnO.



wurtzite ZnS (JCPDS card no. 36-1450), indicating that the product obtained at 400 °C was pure ZnS. All the diffraction peaks of ZnO were indexed as hexagonal ZnO (JCPDS card no. 36-1451), indicating that the product obtained at 550 °C was pure ZnO. This result was in good agreement with the previous work.^{20–23}

Fig. 2 shows the SEM images, TEM images, HRTEM images and SAED patterns of ZnS and ZnO nanosheets, respectively. They were similar size about $0.1 \times 1 \times 2 \mu\text{m}$ like $\text{ZnS}(\text{en})_{0.5}$ precursor (as shown in Fig. S2†) with a little porous for ZnS and highly porous for ZnO. The facet spacing of 0.31 nm in Fig. 2(c) was the (001) facet of wurtzite ZnS, and that of 0.26 nm in Fig. 2(d) was the (001) facet of wurtzite ZnO. And their SAED patterns show their diffraction spots both were (010) and (002) facets. These results indicated that the facets perpendicular to the incident direction of electrons were (100) *i.e.* (2–1–10) facets as shown in Fig. 2(d) and (h), and this facet relationship had been demonstrated in the previous work.²⁵ Obviously, these (2–1–10) facets were the exposed facets which were facing us in

Fig. 2(a), (b), (e) and (f). Therefore, these ZnO and ZnS nanosheets showed the same exposed (2–1–10) facet, which agreed well with the previous work.²⁰

To further investigate the porous structures of ZnO and ZnS nanosheets, BET method was employed and the results are shown in Fig. 3. The N_2 adsorption–desorption isotherms were displayed in Fig. 3(a), indicating that the BET surface areas of ZnO and ZnS nanosheets were 8.1 and $43.7 \text{ m}^2 \text{ g}^{-1}$, respectively. It can be seen that ZnS nanosheets exhibited a larger surface area than ZnO nanosheets. In addition, ZnO nanosheets presented a wider pore size distribution and a larger average pore size than ZnS nanosheets in Fig. 3(b).

Catalytic activities

Due to their porous structures and large surface areas, ZnO and ZnS nanosheets were employed as catalysts to promote AP decomposition and investigated in parallel. Fig. 4(a) shows DTA curves of pure AP and AP with ZnS or ZnO nanosheets in mass ratio 4% at a heating rate of 10 K min^{-1} . They dramatically




Fig. 4 (a) DTA curves of pure AP, AP with ZnS and AP with ZnO at 10 K min^{-1} , (b) DTA curves at different heat rates of AP with ZnS, (c) DTA curves at different heat rates of AP with ZnO, (d) dependence of $\ln(\beta/T_p^2)$ on $1/T_p$ for pure AP, AP with ZnS and AP with ZnO. Scatter points were experimental data and lines denoted the liner fitting results.



Table 1 The specific catalytic activities of ZnO and ZnS nanosheets for AP thermal decomposition


	ZnO	ZnS
Surface area ($\text{m}^2 \text{g}^{-1}$)	8.1	43.7
$\Delta_s T$ (K min^{-1})	14.94	2.70
$\Delta_s H$ ($\text{J g}^{-1} \text{m}^{-1}$)	67.90	9.06
$\Delta_s E_a$ ($\text{kJ mol}^{-1} \text{m}^{-1}$)	4.94	0.31

decreased HTD of pure AP from 413 °C to 295 °C and 292 °C, and increased the heat release of pure AP from 584 J g^{-1} to 980 J g^{-1} and 1134 J g^{-1} , respectively. To investigate their kinetic process for AP decomposition, AP with ZnS or ZnO nanosheets were characterized by DTA measurement at different heating rates from 2 to 20 K min^{-1} as shown in Fig. 4(b) and (c), respectively. The decomposition temperatures of AP with the catalysts were increased slightly with increasing the heat rate. Their catalytic energy activations (E_a) were calculated by Kissinger correlation^{18,19} as follows:

$$\ln(\beta/T_p^2) = \ln(AR/E_a) - E_a/RT_p \quad (1)$$

In this correlation, β was the heating rate, T_p was the peak decomposition temperature, R was the ideal gas constant, E_a was the activation energy, and A is the pre-exponential factor. $\ln(\beta/T_p^2)$ varied linearly with $1/T_p$, and yielded the kinetic parameters of activation energy from the slope of the straight line and of pre-exponential factor from the intercept. As shown in Fig. 4(d), the E_a of AP decomposition was reduced from 151.1 kJ mol^{-1} to 137.6 kJ mol^{-1} with ZnS and 111.1 kJ mol^{-1} with ZnO, respectively. Their N-containing gaseous products, which were discussed in the ESI,[†] also reflected the differences in their catalytic properties.

Based on the above results, their specific catalytic activities are summarized in Table 1. $\Delta_s T$, $\Delta_s H$ and $\Delta_s E_a$ denote their HTD temperature decreases, heat release increases and activation energy decreases per unit of surface area of catalyst, respectively.²⁶ Obviously, ZnO nanosheets showed a better specific catalytic activity than ZnS nanosheets. It can be seen that the surface area cannot play a critical role in the catalytic activities because that ZnS nanosheets exhibited a larger surface area but a poorer catalytic performance. This was probably related with their other different structures. The obvious difference between ZnO nanosheets and ZnS nanosheets was the surface atoms which can put important effects on the catalytic properties.

**Fig. 5** XPS results of ZnO nanosheets reaction with NH_3 or AP.

Thus, the difference of their catalytic activities was probably caused by their different surface atoms (the surface lattice oxygen existed in ZnO nanosheets while the surface lattice sulfur existed in ZnS nanosheets). More experiments were needed to investigate this issue.

Catalytic mechanism based on the surface lattice oxygen

It is well known that AP was decomposed into HClO_4 and NH_3 in the first stage. In the presence of catalyst, HClO_4 and NH_3 can be adsorbed on the surface of catalyst and then be decomposed completely, thus promoting AP decomposition at lower temperatures. However, the underlying catalytic mechanism cannot be revealed clearly. Possibly, NH_3 can be oxidized completely by the active oxygen species which can be produced from the adsorbed HClO_4 on the surface of metal oxide nanoparticles. However, the adsorbed NH_3 can also be oxidized directly by the active surface lattice oxygen atoms of catalysts. The oxygen vacancies resulted from the consumed surface lattice oxygen atoms can be refilled by the adsorbed HClO_4 . In this work, the surface lattice oxygen atoms on (2–1–10) facets of ZnO nanosheets could oxidize adsorbed NH_3 in AP thermal

decomposition. Generally, the adsorbed NH_3 will be oxidized to form NO_x and H_2O products.^{13,17–19,27} Therefore, the experiments were designed to simulate the process of NH_3 oxidation on the surface of ZnO nanosheets as follows. ZnO and ZnS nanosheets were heated at NH_3 atmosphere with a flow rate of 10 mL min^{-1} from room temperature to 500°C with heating rate of 10 K min^{-1} , respectively. After heating, ZnO and ZnS nanosheets were noted as ZnO- NH_3 and ZnS- NH_3 , respectively. After catalyzing AP decomposition, ZnO and ZnS nanosheets were noted as ZnO-AP and ZnS-AP, respectively.

To investigate the surface structures of ZnO and ZnS nanosheets after the oxidation of NH_3 and decomposition of AP, XPS method was employed. Fig. 5 and 6 shows their XPS results. As shown in Fig. 5, the peak of surface lattice oxygen ($\text{O}_{\text{lattice}}$ noted as O_a) was at 530 eV, the peak at 531.4 eV was associated with the O^{2-} ions in the oxygen-deficient regions within the ZnO matrix (noted as O_b), and the peak at 532.3 eV was usually attributed to chemisorbed oxygen on the surface of the ZnO, such as $-\text{CO}_3$, adsorbed H_2O or adsorbed O_2 (noted as O_c).²⁸ And as shown in Fig. 6, the peak of $\text{S}_{\text{lattice}}$ can be divided in two peaks, $\text{S } 2p_{3/2}$ at 162.2 eV and $\text{S } 2p_{1/2}$ at 163.4 eV.²⁹ Their atomic concentrations of Zn, $\text{O}_{\text{lattice}}$ and $\text{S}_{\text{lattice}}$ were listed in Table 2. The Zn/ $\text{O}_{\text{lattice}}$ ratio of




Fig. 6 XPS results of ZnS nanosheets reaction with NH_3 or AP.



Table 2 Atomic concentrations of ZnO and ZnS nanosheets

Concentration	Zn	O _{lattice}	S _{lattice}	Zn/O _{lattice} (S _{lattice})
ZnO	57.92%	42.08%	N/A	1.38
ZnO-NH ₃	81.16%	18.84%	N/A	4.31
ZnO-AP	58.16%	41.84%	N/A	1.39
ZnS	59.39%	N/A	40.61%	1.46
ZnS-NH ₃	59.53%	N/A	40.47%	1.47
ZnS-AP	58.95%	N/A	41.05%	1.44





Fig. 7 XRD patterns of ZnS and ZnO nanosheets after the catalytic reactions.

ZnO-NH₃ was as high as 4.31, which indicated a lot of surface lattice oxygens indeed were consumed to oxidize the NH₃ as our assumption, leading to the formation of abundant surface oxygen vacancies. Whether these oxygen vacancies can exist until the total catalytic reaction or not? The Zn/O_{lattice} ratio of ZnO-AP was 1.39 which is close to that of ZnO before reaction (1.38). This result indicated that the formed oxygen vacancies were replenished to be surface lattice oxygen and ZnO (2-1-10) facets were recovered. As a comparison, Zn/S_{lattice} ratios of ZnS nanosheets were almost unchanged during the whole catalytic reaction. These results solidly suggested that the surface lattice oxygens on ZnO (2-1-10) facets can oxidize NH₃ to form oxygen vacancies and then they were replenished subsequently.

To further confirm the generation of oxygen vacancies on the ZnO (2-1-10) facets, ZnO and ZnS nanosheets were used to catalyze NH₃ or AP, respectively, and then subjected to the XRD characterization. The results were shown in Fig. 7. Obviously, it can be seen that the phase structure of ZnO and ZnS nanosheets cannot be changed, indicating that ZnO and ZnS nanosheets can be used as catalyst to promote AP decomposition and NH₃ oxidation. Interestingly, ZnO and ZnS nanosheets after NH₃ oxidation exhibited wider and lower diffraction peaks in the XRD patterns than that after AP decomposition. The change was more obvious for ZnO nanosheets. The wide and low diffraction peak usually means a lower crystallinity, also indicating that

Fig. 8 FTIR spectra of ZnO, ZnO-NH₃ and ZnO-AP.

more surface defects existed on the nanocrystals.³⁰⁻³³ In this sense, ZnO nanosheets after NH₃ oxidation showed more surface defects than that after AP decomposition and the surface defect here is probably oxygen vacancy. The result is in good agreement with the above XPS results.

FTIR spectra of ZnO, ZnO-NH₃ and ZnO-AP are shown in Fig. 8, in order to identify the generation of oxygen vacancies on the ZnO (2-1-10) facets further more. According to the previous work,^{34,35} there were several peaks in all the samples including the peaks at 437 cm⁻¹ associated to the E₂ mode of hexagonal ZnO (Raman active), the peaks at 1630 and 1384 cm⁻¹ due to the asymmetrical and symmetrical stretching of the zinc carboxylate, peaks between 2830 and 3000 cm⁻¹ due to C-H stretching vibration of alkane groups, a broad band at 3500 cm⁻¹ assigned to the O-H stretching mode of hydroxyl group. There was only one special peak in ZnO-NH₃ sample at 505 cm⁻¹ associated with oxygen deficiency and/or oxygen vacancy (V_O) defect complex in ZnO.^{34,35} This was another evidence for the generation of oxygen vacancies on the ZnO (2-1-10) facets.

Conclusions

A catalytic mechanism based on the surface lattice oxygen revealed a ZnO catalyst to promote AP thermal decomposition in this work. Herein, ZnO and ZnS nanosheets with the same wurtzite structure and exposed (2-1-10) facets were employed as catalysts to promote AP decomposition. ZnO nanosheets exhibited a better catalytic activity to promote AP decomposition than ZnS nanosheets because the surface lattice oxygen of ZnO (2-1-10) facets would oxidize NH₃ gas while the surface lattice sulfur would not. After the oxidation of NH₃ by the surface lattice oxygen, oxygen vacancies were produced on the ZnO (2-1-10) facets, which can be characterized by XPS results. Interestingly, these oxygen vacancies were replenished subsequently if ZnO was used to catalyze the decomposition of AP. This was confirmed by the FTIR results of ZnO nanosheets after the oxidation of NH₃ and promoting AP decomposition. Therefore, this work provided



a significant insight into the catalytic mechanism of metal oxides to promote AP decomposition.

Conflicts of interest

There are no conflicts to declare.

Acknowledgements

This work was supported by the Nature Science Foundation of China (No. 51572075). Authors also thanked the technology support including XRD, SEM and TEM carried out by the Analytic Testing Centre of HUST, and BET, TG-DTA and TG-IR-MS carried out by Material Analysis Lab C307 of State Key Laboratory of Materials Processing and Die & Mould Technology.

Notes and references

- 1 S. Chaturvedi and P. N. Dave, *J. Saudi Chem. Soc.*, 2013, **17**, 135–149.
- 2 V. V. Boldyrev, *Thermochim. Acta*, 2006, **443**, 1–36.
- 3 L.-N. Jin, Q. Liu and W.-Y. Sun, *CrystEngComm*, 2012, **14**, 7721.
- 4 L.-J. Chen, G.-S. Li, P. Qi and L.-P. Li, *J. Therm. Anal. Calorim.*, 2008, **92**, 765.
- 5 L. Li, X. Sun, X. Qiu, J. Xu and G. Li, *Inorg. Chem.*, 2008, **47**, 8839–8846.
- 6 Z. Ma, F. Li and H. Bai, *Propellants, Explos., Pyrotech.*, 2006, **31**, 447.
- 7 D. L. Reid, A. E. Russo, R. V. Carro, M. A. Stephens, A. R. LePage, T. C. Spalding, E. L. Petersen and S. Seal, *Nano Lett.*, 2007, **7**, 2157–2161.
- 8 X. Sun, X. Qiu, L. Li and G. Li, *Inorg. Chem.*, 2008, **47**, 4146–4152.
- 9 Y. Wang, J. Zhu, X. Yang, L. Lu and X. Wang, *Thermochim. Acta*, 2005, **437**, 106.
- 10 J. Yin, Q. Lu, Z. Yu, J. Wang, H. Pang and F. Gao, *Cryst. Growth Des.*, 2010, **10**, 40–43.
- 11 Y. Zhang, X. Liu, J. Nie, L. Yu, Y. Zhong and C. Huang, *J. Solid State Chem.*, 2011, **184**, 387.
- 12 J. Zhu, G. Zeng, F. Nie, X. Xu, S. Chen, Q. Han and X. Wang, *Nanoscale*, 2010, **2**, 988–994.
- 13 G. Tang, S. Tian, Z. Zhou, Y. Wen, A. Pang, Y. Zhang, D. Zeng, H. Li, B. Shan and C. Xie, *J. Phys. Chem. C*, 2014, **118**, 11833–11841.
- 14 T. Hasegawa, Y. Shirotori, K. Ozawa, K. Edamoto and K. Takahashi, *Appl. Surf. Sci.*, 2004, **237**, 352–357.
- 15 K. Ozawa, T. Hasegawa, K. Edamoto, K. Takahashi and M. Kamada, *J. Phys. Chem. B*, 2002, **106**, 9380–9386.
- 16 K. Ozawa and K. Edamoto, *Surf. Rev. Lett.*, 2002, **9**, 717–722.
- 17 Y. Yan, Q. Liu, J. Wang, L. Ji, X. Jing, R. Li and L. Liu, *Powder Technol.*, 2012, **232**, 134–140.
- 18 G. Tang, Y. Wen, A. Pang, D. Zeng, Y. Zhang, S. Tian, B. Shan and C. Xie, *CrystEngComm*, 2014, **16**, 570–574.
- 19 S. Tian, N. Li, D. Zeng, H. Li, G. Tang, A. Pang, C. Xie and X. Zhao, *CrystEngComm*, 2015, **17**, 8689–8696.
- 20 J. Jang, C. Yu, S. Choi, S. Ji, E. Kim and J. Lee, *J. Catal.*, 2008, **254**, 144–155.
- 21 J. Liu, Z. Guo, F. Meng, T. Luo, M. Li and J. Liu, *Nanotechnology*, 2009, **20**, 125501.
- 22 L. Nasi, D. Calestani, T. Besagni, P. Ferro, F. Fabbri, F. Licci and R. Mosca, *J. Phys. Chem. C*, 2012, **116**, 6960–6965.
- 23 Y. Ni, X. Cao, G. Hu, Z. Yang, X. Wei, Y. Chen and J. Xu, *Cryst. Growth Des.*, 2007, **7**, 280–285.
- 24 X. Ouyang, T.-Y. Tsai, D.-H. Chen, Q.-J. Huang, W.-H. Cheng and A. Clearfield, *Chem. Commun.*, 2003, 886–887.
- 25 S. Cho, J.-W. Jang, J. S. Lee and K.-H. Lee, *Langmuir*, 2010, **26**, 14255–14262.
- 26 L. Ren, Y. Li, J. Hou, X. Zhao and C. Pan, *ACS Appl. Mater. Interfaces*, 2014, **6**, 1608–1615.
- 27 Z.-u.-d. Babar and A. Q. Malik, *Combust. Sci. Technol.*, 2015, **187**, 1295–1315.
- 28 Q. Zhu, C. Xie, H. Li, C. Yang, S. Zhang and D. Zeng, *J. Mater. Chem. C*, 2014, **2**, 4566–4580.
- 29 N. Huo, Y. Li, J. Kang, R. Li, Q. Xia and J. Li, *Appl. Phys. Lett.*, 2014, **104**, 202406.
- 30 Z. Zhang, C. Bao, S. Ma and S. Hou, *Appl. Surf. Sci.*, 2011, **257**, 7893–7899.
- 31 J. C. Hughes, R. J. Gilkes and R. D. Hart, *Appl. Clay Sci.*, 2009, **45**, 24–35.
- 32 J. H. Ma, X. J. Meng, J. L. Sun, T. Lin, F. W. Shi, G. S. Wang and J. H. Chu, *Appl. Surf. Sci.*, 2005, **240**, 275–279.
- 33 W.-T. Jiang, D. R. Peacor, P. Arlai, M. Toth and J. W. Kim, *J. Metamorph. Geol.*, 1997, **15**, 267–281.
- 34 L. Li, X. Liu, S. Zhou, S. Liu and D. Jia, *Chin. J. Inorg. Chem.*, 2016, **32**, 241–249.
- 35 G. Xiong, U. Pal, J. G. Serrano, K. B. Ucer and R. T. Williams, *Phys. Status Solidi C*, 2006, **3**, 3577–3581.

