RSC Advances



View Article Online

View Journal | View Issue

PAPER

Check for updates

Cite this: RSC Adv., 2017, 7, 45369

Received 7th August 2017 Accepted 11th September 2017

DOI: 10.1039/c7ra08715b

rsc.li/rsc-advances

1. Introduction

The rapid development of modern industry using the consumption of non-renewable fossil fuels has caused a serious global energy shortage and environmental pollution.¹ As the largest renewable energy source, the exploitation of solar energy could mean less use of fossil fuels and thereby protect the environment. The utilization of solar energy using semiconductor-based photocatalysis has the capability of hydrogen (H₂) evolution and pollutant removal, and is considered as an economical, renewable, clean and safe technology. A variety of semiconductor photocatalysts have been developed over the past few decades.²⁻⁵ Because visible light energy accounts for more than 40% of the sunlight energy, people are committed to developing visible light driven photocatalysts. So far, various visible light responsive semiconductor photocatalysts have been developed,⁶⁻⁹ but the fast charge recombination and insufficient stability still make it impractical for general use.

Very recently, graphitic carbon nitride $(g-C_3N_4)$ was found to be a promising metal-free material with a large surface area, high thermal and chemical stability, fast charge transfer rate,

Superior photocatalytic performance of LaFeO $_3$ /g-C $_3N_4$ heterojunction nanocomposites under visible light irradiation

Ke Xu^{ab} and Jian Feng (1)*^b

New types of LaFeO₃/g-C₃N₄ heterostructures were successfully prepared and the enhanced photocatalytic hydrogen evolution and degradation activities under visible light irradiation were determined. They possessed the features of a Z-scheme photocatalysis system. The photoexcited electrons on the conduction band of LaFeO₃ were transferred to the valence band of g-C₃N₄ by the solid-solid intimately contacted interfaces, where the electrons and holes were recombined, and thus improved the separation of photogenerated electrons and holes of g-C₃N₄. The LaFeO₃/g-C₃N₄ heterostructures showed a higher hydrogen evolution rate and a higher amount of 'OH than pure LaFeO₃ and g-C₃N₄. The construction of the LaFeO₃/g-C₃N₄ heterostructures was used to demonstrate an effective strategy for improving the photocatalytic property. The 5%-LaFeO₃/g-C₃N₄ exhibited the highest photodegradation and water splitting rate. More than 95% of methylene blue (MB) was degraded after 15 min in the presence of 25 mg EDTA-2Na in 100 mL MB solution which was irradiated using a 3 W light-emitting diode. The 5%-LaFeO₃/g-C₃N₄ heterojunction nanocomposite had a maximum hydrogen evolution rate of 158 μ mol g⁻¹ h⁻¹.

and a suitable bandgap of approximately 2.7 eV.¹⁰⁻¹³ It is consequently regarded as the next generation photocatalyst for water splitting and degradation of pollutants under visible light irradiation. However, the low photocatalytic efficiency of g-C₃N₄ caused by its narrow response range to visible light, fast recombination of photogenerated electron–hole pairs and low quantum efficiency limits its further applications. Therefore, researchers have focussed on different modification methods to improve its photocatalytic activity, including copolymerization,¹⁴ morphology control¹⁵ and doping.¹⁶ The construction of the g-C₃N₄–semiconductor heterostructures is an effective strategy to promote the separation of a photogenerated electron and hole, and thus improve the photocatalytic property.

A variety of nanocomposites have been reported in the literature for dye degradation and H_2 evolution. Halogenides,^{17,18} sulfides^{19,20} and oxides^{21,22} have been developed to construct the heterojunction with g-C₃N₄. These g-C₃N₄-semiconductor heterostructures possess excellent photocatalytic performance in degradation of organic pollutants. Fu *et al.*¹⁷ reported novel heterojunctions of bismuth oxybromide–carbon nitride (BiOBr–C₃N₄) fabricated by depositing BiOBr nanoflakes onto the surface of C₃N₄. The optimum photocatalytic activity of the 0.5BiOBr–0.5C₃N₄ heterojunction was 4.9 and 17.2 times as high as those of individual BiOBr and C₃N₄, respectively, under visible light irradiation. Jiang *et al.*²⁰ synthesized calcium indium sulfide (CaIn₂S₄)/g-C₃N₄ heterojunction nano-composites using a two-step method. It exhibited a H₂ evolution rate of 102 µmol g⁻¹ h⁻¹, which was more than 3 times that of

[&]quot;Department of Biochemistry, Guizhou Education University, 115 Gaoxin Road, Guiyang, Guizhou, 550018, China

^bDepartment of Chemistry, School of Basic Medical Science, Guizhou Medical University, 9 Beijing Road, Guiyang, Guizhou, 550004, China. E-mail: jfeng@gmc. edu.cn

pristine CaIn₂S₄. The highest activity was obtained for a 30% CaIn₂S₄/g-C₃N₄ heterojunction nanocomposite, over which 90% of methyl orange was degraded after 120 min. Zhao et al.21 prepared novel g-C₃N₄/tz-Bi_{0.92}Gd_{0.08}VO₄ heterojunctions using a microwave hydrothermal method. The degradation rate of Rhodamine B was 94% after 20 min, which was 39.97% higher than that of g-C₃N₄. All the g-C₃N₄/tz-Bi_{0.92}Gd_{0.08}VO₄ heterojunctions exhibited a higher degradation rate than that of the pure one. These g-C₃N₄-semiconductor heterostructures possess excellent photocatalytic performance in degradation of organic pollutants. However, there are only a few reports in the literature involving g-C3N4-based heterostructures with simultaneously enhanced photocatalytic degradation and H₂ evolution performance.

Perovskite lanthanum ferric oxide (LaFeO₃) has been applied catalysts, sensors, environmental monitoring and to membranes in syngas production.23,24 LaFeO3 exhibits an interesting catalytic activity in the degradation of chlorinated volatile organic compounds.²⁵ LaFeO₃ has a band gap of about 2.0 eV, which is advantageous for absorbing visible light, for good thermal stability and for high catalytic activity.26 In this work, LaFeO₃/g-C₃N₄ Z-scheme photocatalysis system was constructed. The photoexcited electrons on the conduction band (CB) of LaFeO₃ were transferred to the valence band (VB) of g-C₃N₄ by the solid-solid intimately contacted interfaces, where the electrons and holes were recombined, and thus improved the separation of the photogenerated electron and hole of $g-C_3N_4$. Combining this with a sacrificial agent [triethanolamine (TEOA) or ethylenediaminetetraacetic acid disodium salt (EDTA-2Na)] which reacted with the holes on the VB of LaFeO₃, the photocatalytic efficiency was improved significantly. The LaFeO₃/g-C₃N₄ Z-scheme photocatalysis system showed a higher H₂ evolution rate and a higher amount of 'OH than pure LaFeO3 and g-C3N4. More than 95% of methylene blue (MB) was degraded after 15 min in the presence of 25 mg EDTA-2Na in 100 mL MB solution irradiated using a 3 W light-emitting diode (LED). The 5%-LaFeO₃/g-C₃N₄ heterojunction nanocomposite had a maximum H₂ evolution rate of 158 μ mol g⁻¹ h⁻¹.

Experimental 2.

2.1 Chemicals

Iron(III) nitrate nonahydrate (Fe(NO₃)₃), lanthanum(III) nitrate hexahydrate $(La(NO_3)_3)$ hexachloroplatinic acid (H_2PtCl_6) , terephthalic acid, MB and melamine were purchased from Shanghai Aladdin Biochemical Technology Co., Ltd. All the chemicals were used without further purification.

2.2 Preparation of LaFeO₃/g-C₃N₄

Graphitic carbon nitride was prepared by the polycondensation of melamine (6 g) at 500 °C for 4 h in a muffle furnace. The ramping rate was 2 °C min⁻¹. For a typical synthetic reaction of the LaFeO₃/g-C₃N₄ nanocomposites, 2 g of g-C₃N₄, 0.1700 g of $Fe(NO_3)_3$, and 0.1800 g of La(NO₃)₃ were dissolved in 50 mL of deionized water (H₂O) with stirring for 1 h. Then, the solution

was evaporated to generate a solid product which was then ground into powder. The powder was placed in a crucible with a cover and then heated for another 2 h at 450 °C in a muffle furnace. The LaFeO₃/g-C₃N₄ nanocomposites were obtained after cooling down the powder to room temperature. The as-prepared product was 5%-LaFeO₃/g-C₃N₄. Changing the amounts of Fe(NO₃)₃, and La(NO₃)₃ added, 10%, 20%, 40% and 60% nanocomposites were synthesized. The as-prepared LaFeO₃/g-C₃N₄ containing 5, 10, 20, 40, 60 wt% of LaFeO₃ were denoted as LF1-5 or 5%-LaFeO₃/g-C₃N₄ and so on.

2.3 Characterization

Transmission electron microscopy (TEM) and high-resolution-TEM (HRTEM) images were performed on a FEI Tecnai G2 F20 transmission electron microscope. X-ray diffraction patterns (XRD) patterns were carried out on a Rigaku D/Max 2500 X-ray diffractometer with Cu K α radiation ($\lambda = 1.5406$ Å). X-ray photoelectron spectroscopy (XPS) was carried out using an ESCA PHI500 spectrometer. Infrared spectra were obtained using a Nicolet NEXUS 470 Fourier-transform infrared spectroscopy (FTIR) instrument in the range of 4000-500 cm⁻¹. Ultraviolet-visible (UV-vis) spectra were recorded on a Varian Cary 50 spectrophotometer. UV-vis diffuse reflectance spectra (DRS) were measured on Shimadzu UV-2401 spectrophotometer equipped with a spherical diffuse reflectance accessory.

2.4 Photoelectrochemical measurement

A portion of photocatalyst (8 mg; g-C₃N₄, LaFeO₃ or LaFeO₃/g-C₃N₄), 2 mL of ethanol and 40 µL of 5 wt% Nafion were mixed to form a slurry. Then the suspension was dropped onto fluorine doped tin oxide (FTO) glass with an area of 1 cm² which performed as the working electrode in a three-electrode system. Platinum (Pt) foil was selected as auxiliary electrode, and silver/ silver chloride (Ag/AgCl) as reference electrode. A 3 W LED lamp was the light source. The photocurrent was measured in 0.2 M aqueous solution of sodium sulfate.

2.5 Photocatalytic degradation of MB

The photocatalytic activities of photocatalysts (g-C₃N₄, LaFeO₃ or LaFeO₃/g-C₃N₄) were determined in a 5 mg L^{-1} aqueous solution of MB. For a typical photodegradation process, 100 mg of photocatalyst was dispersed in 100 mL of MB solution with magnetic stirring in dark for 30 min to reach an adsorptiondesorption equilibrium. Then the photodegradation was tested under 3 W LED irradiation. A portion (5 mL) of reaction mixture was collected at the certain time intervals and centrifuged to remove the photocatalyst. The absorption peak at 664 nm was chose to determine the concentration of MB using a Varian Cary 50 spectrophotometer.

2.6 Measurement of hydroxyl radicals

A 0.5 mM solution of terephthalic acid (TA) was obtained by dissolving TA in 2.0 mM sodium hydroxide. Then 100 mg photocatalyst was suspended in 100 mL of TA solution. The mixture was then irradiated under 3 W LED irradiation. A

Paper

portion (5 mL) of reaction mixture was collected at the certain time intervals and then centrifuged. The fluorescence intensity of 2-hydroxyterephthalic acid (HTA) was measured on a PerkinElmer LS 55 luminescence spectrometer.

2.7 Photocatalytic hydrogen evolution

The photocatalytic H_2 evolution reactions were implemented in an irradiation reaction vessel with a Pyrex top connected to a glass closed gas circulation system. Photocatalyst (100 mg) (g-C₃N₄, LaFeO₃ or LaFeO₃/g-C₃N₄) was dispersed in 200 mL of an aqueous solution containing 10 vol% TEOA. Pt (3 wt%) as a cocatalyst was deposited on the photocatalysts using an *in situ* photodeposition approach using H₂PtCl₆. The reaction temperature was kept at 20 °C. The H₂ concentration was monitored using a Unisense microsensor monometer equipped with a Clark-type electrochemical H₂ microsensor. The light source was a 300 W xenon (Xe) lamp with a 400 nm longpass cutoff filter.

3. Results and discussion

The XRD patterns of g-C₃N₄, LaFeO₃ and LaFeO₃/g-C₃N₄ heterojunction nanocomposites are presented in Fig. 1. The g-C₃N₄ sample exhibited two diffraction peaks at 13.2° and 27.5°, corresponding to (100) and (002) diffraction planes, respectively. All the diffraction peaks of LaFeO₃ were indexed to an orthorhombic phase (PDF#37-1493), indicating the purity and high crystallinity of LaFeO₃. After forming the LaFeO₃/g-C₃N₄ heterojunction nanocomposites with g-C₃N₄, only the XRD pattern of 5%-LaFeO₃/g-C₃N₄ was similar to that of g-C₃N₄. Other LaFeO₃/ g-C₃N₄ nanocomposites simultaneously maintained the features of pure g-C₃N₄ and LaFeO₃. With the increase of LaFeO₃ content in the nanocomposites, diffraction peaks originating from g-C₃N₄ were gradually decreased. These XRD results proved the formation of the LaFeO₃/g-C₃N₄ composites.

TEM images of the 5%-LaFeO₃/g-C₃N₄ nanocomposites are shown in Fig. 2. The g-C₃N₄ exhibited a thin and irregular nanosheet structure with wrinkles (Fig. 2a).²⁰ The LaFeO₃



Fig. 1 XRD patterns of $g\text{-}C_3N_4$ (CN), LaFeO_3 (LF) and LaFeO_3/g-C_3N_4 (LF1–LF5).



Fig. 2 TEM images (a, b) and HRTEM micrograph (c) of the selected area image of 5%-LaFeO₃/g-C₃N₄, with the fast Fourier transform (FTT) pattern (d) and the corresponding inverse FFT pattern (e).

nanoparticles with a diameter of about 30 nm were distributed in g- C_3N_4 to form a heterostructure with interfacial contact. This heterostructure could effectively improve the photocatalytic activity by supplying plenty of reactive sites to adsorb reactant and capture charge carriers. The representative particle in the selected region displayed continuous lattice fringes with a *d*-spacing of 0.2480 nm, corresponding to the (201) planes of the orthorhombic phase of LaFeO₃ (Fig. 2c–e).

Fig. 3a displays the FTIR spectra of g-C₃N₄, LaFeO₃ and LaFeO₃/g-C₃N₄. The broad absorption peak centered at 3200 cm^{-1} and the peak at 1640 cm⁻¹ in the spectra of g-C₃N₄ and LaFeO₃/g-C₃N₄ were assigned to the stretching and bending vibrations of N-H. With the increase of LaFeO3 content in the LaFeO₃/g-C₃N₄ nanocomposites, the intensities of these two absorption peaks were gradually decreased and ultimately disappeared. Fig. 3b shows the corresponding magnification of FTIR spectra in the range of 650 cm^{-1} to 1800 cm^{-1} . The absorption at 810 cm⁻¹ was derived from the breathing vibration of s-triazine. The absorption peaks at 1575, 1413, 1326 and 1249 cm⁻¹ were ascribed to characteristic C-N stretching of the g-C₃N₄ heterocycles.^{20,27} The decrease of the intensities revealed the reduced content of g-C₃N₄. However, for 40%-LaFeO₃/g- C_3N_4 and 60%-LaFeO₃/g- C_3N_4 , these characteristic absorption peaks had disappeared in the same way as for LaFeO₃. Combined with the XRD results, these results suggested that the 5%-LaFeO₃/g-C₃N₄, 10%-LaFeO₃/g-C₃N₄ and 20%-LaFeO₃/g-C₃N₄ samples contained two components of LaFeO₃ and g-C₃N₄.



Fig. 3 (a) FTIR spectra of $g-C_3N_4$, LaFeO₃ and LaFeO₃/ $g-C_3N_4$ and (b) the corresponding magnification from 650 cm⁻¹ to 1800 cm⁻¹.

Fig. 4a shows the XPS survey spectra of 5%-LaFeO₃/g-C₃N₄, which proves the presence of carbon (C), iron (Fe), lanthanum (La), nitrogen (N), and oxygen (O), in the nanocomposite. Fig. 4b-f shows the corresponding high resolution spectra of the C 1s, N 1s, Fe 2p, La 3d and O 1s orbitals. The N 1s peak at 398.43 eV was a characteristic peak allocated to sp² hybridized nitrogen (C=N-C).17,22 The peak at 399.96 eV was attributed to the tertiary nitrogen and amino groups with an H atom. In the C 1s spectra, two peaks at 284.82 and 287.98 eV were derived from contaminated carbon on the surface of LaFeO₃/g-C₃N₄ sample and sp² C atoms bonded to amino groups in the triazine cycles. The N 1s and C 1s spectra confirmed the presence of the g-C₃N₄. The peak of Fe 2p3/2 and Fe 2p1/2 at 711.1 and 724.9 eV, respectively, were assigned to the core level spectra of Fe³⁺ in its oxide form.^{28,29} Two La 3d peaks at 836.2 and 852.3 eV were identified as spin-orbit splitting of 3d5/2 and 3d3/2 of La³⁺, respectively, in the oxide.³⁰ For O 1s spectra, only one peak at 531.6 eV was observed and was ascribed to the oxygen network in the perovskite lattice of LaFeO₃. The binding energy of O 1s, Fe 2p and La 3d for 5%-LaFeO₃/g-C₃N₄ shifted to higher values. However, the peaks of N 1s and C 1s shifted to lower binding energies. These shifts of binding energies demonstrated that g-C₃N₄ was covered closely on the surface of LaFeO₃, and showed a strong chemical interaction between g-C₃N₄ and LaFeO₃.²²

The UV-vis DRS of g-C₃N₄, LaFeO₃ and LaFeO₃/g-C₃N₄ with different LaFeO₃ contents are shown in Fig. 5a. Pure g-C₃N₄ displayed an absorption edge at 455 nm, corresponding to a band gap energy (E_g) of 2.73 eV (Fig. 5b), which was consistent



Fig. 4 (a) Survey XPS spectra and high resolution spectra of C (b), N (c), Fe (d), La (e) and O (f) of 5%-LaFeO₃/g-C₃N₄.



Fig. 5 (a) UV-vis DRS spectra and (b) band gap energies of pure $g-C_3N_4$, LaFeO₃ and LaFeO₃/ $g-C_3N_4$ heterojunctions.

with previous results found in the literature.³¹ LaFeO₃ showed a strong light absorption in the range of 200 to 800 nm. LaFeO₃/ g-C₃N₄ samples had broader absorptions and longer absorption edge wavelengths than that of g-C₃N₄, which was attributed to the strong interaction between LaFeO₃ and g-C₃N₄ in the heterostructures.

The band gap energies of g-C₃N₄, LaFeO₃ and LaFeO₃/g-C₃N₄ were calculated using the Tauc relationship. Fig. 5b shows the Tauc plots of $(ahv)^2$ versus $hv.^{32}$ The band gap energies of g-C₃N₄ and LaFeO₃ were 2.73 and 1.92 eV, respectively. The E_{g} of LaFeO3 was slightly smaller than the reported values found in the literature (2.0 eV).³³ The E_g values of LaFeO₃/g-C₃N₄ with different LaFeO₃ content from 5% to 60% were 2.69, 2.55, 2.45, 1.92 and 1.92 eV. These results indicated that the E_{g} reduced as the LaFeO₃ content increased from 5% to 20%. However, the 40%-LaFeO₃/g-C₃N₄ and 60%-LaFeO₃/g-C₃N₄ had the same E_{g} values as pure LaFeO₃. It was suggested that LaFeO₃ and g-C₃N₄ had not formed the heterostructures in 40%-LaFeO3/g-C3N4 and 60%-LaFeO₃/g-C₃N₄ samples efficiently, which was also demonstrated by the XRD and FTIR results. The most probable causes proposed are given next. In this work, 60% or 40% of g-C₃N₄ was heated with iron nitrate and lanthanum nitrate for 2 h at 450 °C to prepare the samples. This heat treatment procedure could give rise to volatilization of g-C₃N₄, which decreased the actual amounts of g-C₃N₄ in the samples. The relative higher LaFeO3 content and lack of g-C3N4 lead to selfagglomeration of LaFeO3, and consequently the heterostructures could not be formed efficiently.

The CB and VB edge positions of the $g-C_3N_4$ and $LaFeO_3$ were calculated using the following two equations:

$$E_{\rm VB} = X - E_{\rm e} + 0.5E_{\rm g}$$
$$E_{\rm CB} = E_{\rm VB} - E_{\rm g}$$

where $E_{\rm VB}$, *X*, $E_{\rm e}$, $E_{\rm CB}$ represented the VB edge potential, the absolute electronegativity, the energy of free electrons on the H₂ scale (4.5 eV) and the CB edge potential, respectively. The $E_{\rm g}$ was obtained from the UV-vis DRS. The $E_{\rm VB}$ and $E_{\rm CB}$ were 1.54 and -1.28 eV for g-C₃N₄, and 2.03 and 0.11 eV for LaFeO₃, which were similar to the reported $E_{\rm VB}$ and $E_{\rm CB}$ of +1.57 and -1.12 eV for g-C₃N₄ (ref. 32) and 2.115 and 0.025 eV for LaFeO₃.²³

To test the photocatalytic activity of the $LaFeO_3/g-C_3N_4$ heterojunctions, photocatalytic degradation of MB under 3 W LED irradiation was implemented. The absorption peak at 664 nm



Fig. 6 (a) Photocatalytic degradation of MB over $g-C_3N_4$, LaFeO₃ and LaFeO₃/ $g-C_3N_4$ under 3 W LED irradiation and (b) corresponding second-order kinetics plots.

was selected to monitor the degradation of MB. As shown in Fig. 6a, only 3–10% of MB was degraded over the g- C_3N_4 , LaFeO₃ and 60%-LaFeO₃/g- C_3N_4 under 3 W LED irradiation for 120 min. By comparison, the degradation rate of MB on the LaFeO₃/g- C_3N_4 samples with 5%, 10% and 20% LaFeO₃ was significantly enhanced. The 5%-LaFeO₃/g- C_3N_4 heterojunction exhibited the highest photocatalytic activity, over which more than 95% of MB was degraded after irradiation for 120 min.

The second-order kinetics model was used to fit the photocatalytic degradation data. The results are shown in Fig. 6b. The 5%-LaFeO₃/g-C₃N₄ heterojunction nanocomposite exhibited the highest photocatalytic activity. Its second-order reaction rate constant was around 49.7 and 86.9 times more than pure $g-C_3N_4$ and LaFeO₃ (Fig. 7), respectively. On the basis of the previous XRD, FTIR and DRS measurements, this photocatalytic degradation result demonstrated that LaFeO3 and g-C3N4 had effectively formed the heterojunction composites. The strong interfacial interaction between LaFeO3 and g-C3N4 in the composites could improve the transfer of the photoproduced charge and enhance their photocatalytic performances.¹⁷ This strong interfacial interaction between LaFeO3 and g-C3N4 in the composites was investigated using simple mechanical mixing of LaFeO₃ and g-C₃N₄ in the same ratio as the composites and then using it to degrade MB under 3 W LED irradiation (curve LF6 in Fig. 6a). The photocatalytic activity of the 5%-LaFeO₃/g-C₃N₄ heterojunction nanocomposite was much higher than that of a simple mechanical mixture. This result indicated the formation of intimately contacted interfaces in the heterojunction



Fig. 7 The second-order reaction rate constants of photocatalytic degradation of MB on $g-C_3N_4$, LaFeO_3 and LaFeO_3/g-C_3N_4 under 3 W LED irradiation.

nanocomposite, which is also displayed in the TEM images (Fig. 2).

The stability of the 5%-LaFeO₃/g-C₃N₄ heterojunction nanocomposite was studied by recycling 5%-LaFeO₃/g-C₃N₄ under the same photocatalytic degradation conditions for degrading MB. As shown in Fig. 8a, after four recycles, no significant changes were observed. This result proved that the LaFeO₃/g-C₃N₄ nanocomposites possessed a relatively high stability for photocatalytic degradation of MB.

These photocatalytic degradation results revealed that the intimately contacted interfaces between LaFeO₃ and g-C₃N₄ in the heterojunction nanocomposite resulted in the high transfer and separation of photoproduced charges at the interface of the heterostructures.¹⁷ This assumption was further confirmed by the transient photocurrent responses of the g-C₃N₄, LaFeO₃ and 5%-LaFeO₃/g-C₃N₄. The photocurrent-time (*I*-*t*) curves were obtained by intermittently cutting off the visible light irradiation (Fig. 8b). The photocurrent value of 5%-LaFeO₃/g-C₃N₄. This was about two times higher than pure LaFeO₃ and g-C₃N₄. This was attributed to the efficient separation of the photoproduced charges in space and consequently reduced the carrier recombination.

To investigate which type of reactive species, including hydrogen peroxide (H_2O_2) , h^+ , e^- , 'OH and 'O₂⁻, were involved in the photocatalytic degradation of MB over the 5%-LaFeO₃/g-C₃N₄, ammonium oxalate (AO), EDTA-2Na, isopropanol (IPA), NO₃⁻, catalase (CAT) and benzoquinone (BQ) were added to the degradation solutions.34 AO and EDTA-2Na were the scavenger of h⁺, IPA was the scavenger of 'OH radicals, NO₃⁻ acted as the e⁻ scavenger, CAT was the H₂O₂ scavenger, and BQ acted as the 'O₂⁻ radical scavenger. As shown in Fig. 9a, no obvious changes were found when NO₃⁻ and CAT were added to the solutions, indicating that e⁻ and H₂O₂ were not the active species in the photocatalytic degradation of MB. The addition of IPA significantly decreased the photodegradation rate. It was revealed that 'OH radicals were the dominant species for MB photodegradation. As shown in Fig. 9a, BQ also decreased the photodegradation rate slightly, demonstrating the minor role of O_2^{-} . However, in the presence of AO and EDTA-2Na, the photocatalytic degradation rate was remarkably increased. Only a few reports in the literature have reported the increase of photodegradation rate by the addition of EDTA-2Na in to the solution.35,36 It was considered that the addition of EDTA-2Na



Fig. 8 (a) Stability study of photocatalytic degradation of MB over the 5%-LaFeO₃/g-C₃N₄ heterojunction under 3 W LED irradiation, and (b) transient photocurrent responses of the g-C₃N₄, LaFeO₃ and 5%-LaFeO₃/g-C₃N₄ heterojunction.



Fig. 9 (a) C/C_0 variation of the photocatalytic degradation of MB over the 5%-LaFeO₃/g-C₃N₄ in the presence of different scavengers under 3 W LED irradiation, and (b) HTA fluorescence intensities over the 5%-LaFeO₃/g-C₃N₄ monitored at the peak of 424 nm under 3 W LED irradiation or under indoor light irradiation.

trapped the h^+ and promoted the separation rate of the e^-/h^+ pairs, and consequently more 'OH radicals were achieved. Therefore the photodegradation activity was improved.

To confirm the increase of 'OH radicals in the presence of EDTA-2Na, TA was used to react with 'OH to form 2-hydroxyterephthalic acid (HTA), which possessed strong fluorescence.17,37 The results of the HTA experiment are shown in Fig. 9b. It shows that the peak intensities of HTA were enhanced significantly when EDTA-2Na was added in to the degradation solution. Fig. 9b also revealed that more 'OH radicals were generated under 3 W LED irradiation than were produced under indoor light irradiation. Different dosages of EDTA-2Na were added to the degradation solution to test the influence of EDTA-2Na concentration on the photodegradation of MB over the 5%-LaFeO₃/g-C₃N₄. The results are shown in Fig. 10. It indicated that by increasing the amount of EDTA-2Na, the photocatalytic degradation rate was enhanced dramatically. More than 95% of MB was degraded by adding 25 mg EDTA-2Na to 100 mL MB solution and then irradiated with a 3 W LED for 15 min.

The photocatalytic H_2 evolution activity of g-C₃N₄, LaFeO₃ and LaFeO₃/g-C₃N₄ heterojunctions in aqueous solution containing 10 vol% TEOA under 300 W Xe lamp irradiation were studied. As shown in Fig. 11, the H_2 evolution rate was negligible over the pure LaFeO₃, g-C₃N₄, 40%-LaFeO₃/g-C₃N₄ and 60%-LaFeO₃/g-C₃N₄. The photocatalytic H_2 evolution activity of



Fig. 10 The influence of different dosages of EDTA-2Na on the photodegradation of MB over the 5%-LaFeO_3/g-C_3N_4 with 3 W LED irradiation.



Fig. 11 The photocatalytic hydrogen evolution activity under 300 W Xe lamp irradiation over $g-C_3N_4$, LaFeO₃ and LaFeO₃/ $g-C_3N_4$ nanocomposites.

LaFeO₃/g-C₃N₄ containing 5, 10 and 20 wt% of LaFeO₃ was remarkably enhanced. The 5%-LaFeO₃/g-C₃N₄ heterojunction nanocomposite in particular had a maximum H₂ evolution rate of 158 μ mol g⁻¹ h⁻¹.

The recyclability of 5%-LaFeO₃/g-C₃N₄ nanocomposites was tested using five cycles of photocatalytic H₂ evolution under identical reaction conditions. As shown in Fig. 12, 450 µmol of H₂ was generated after irradiation for 3 h under visible light in the first run. The amount of H₂ was finally reduced to 395 µmol in the fifth run. Only 12.2% H₂ production was lost after the fifth photocatalytic experiment. The results indicated that 5%-LaFeO₃/g-C₃N₄ was quite stable for photocatalytic H₂ production under visible light irradiation.

On the basis of the results of the 'OH trapping experiments, the potential route of chemical reactions responsible for the generation of 'OH was determined. The photocatalytic procedure over LaFeO₃/g-C₃N₄ was in accordance with the features of a Z-scheme photocatalysis system. Under visible light irradiation, both LaFeO₃ and g-C₃N₄ were excited to obtain photoinduced electron and hole pairs. The photoexcited electrons of LaFeO₃ and g-C₃N₄ transited from the VB to the CB and the holes were left on the VB. The electrons from the CB of LaFeO₃



Fig. 12 Recyclability of the H_2 evolution test over 5%-LaFeO_3/g-C_3N_4 nanocomposites under 300 W Xe lamp irradiation.

8

Paper

transferred to the VB of g-C₃N₄ using the solid–solid intimately contacted interfaces, where the electrons and holes were recombined and thus improved the separation of the photogenerated electrons and holes of g-C₃N₄. Then the excited electrons reduced O₂ adsorbed on the surface of g-C₃N₄ to produce 'O₂⁻. The 'O₂⁻ reacted with H₂O to achieve 'OH. Finally, MB was degraded by 'OH and 'O₂⁻. As shown in Fig. 13, the CB edge potential of LaFeO₃ was more positive than the standard redox potential of H⁺/H₂, which cannot reduce H⁺ to form H₂. H⁺ was subsequently reduced by the CB electrons of g-C₃N₄ to generate H₂. The holes on the VB of LaFeO₃ reacted with TEOA or EDTA-2Na (as the sacrificial agent) to promote the separation of the photogenerated electrons and holes, which resulted in the improvement of the photocatalytic performance.

The photocatalytic H₂ evolution activity was consistent with the photodegradation rate of MB. The excess LaFeO₃ (above 20 wt% in the nanocomposite) decreased the H_2 evolution rate. Fig. 13 clearly shows the correlation between the higher H_2 evolution rate and higher amount of 'OH generated over the LaFeO₃/g-C₃N₄ heterojunction nanocomposites. It possessed the features of a Z-scheme system. Under visible light irradiation, both LaFeO3 and g-C3N4 were excited to obtain photoinduced electron and hole pairs. The photoexcited electrons of LaFeO₃ and g-C₃N₄ transited from the VB to the CB and the holes were left on the VB. The electrons from the CB of LaFeO₃ were transferred to the VB of g-C₃N₄ by the solid-solid intimately contacted interfaces, where the electrons and holes were recombined and thus improved the separation of the photogenerated electrons and holes of g-C₃N₄. Then the excited electrons on the CB of g-C₃N₄ efficiently generated the 'OH. Meanwhile, the improved separation of the photogenerated electron and hole of g-C₃N₄ of this Z-scheme system also efficiently enhanced the H₂ evolution rate. The holes on the VB of LaFeO3 reacted with TEOA or EDTA-2Na (as the sacrificial agent) to promote the separation of photogenerated electrons and holes, which resulted in the improvement of the photocatalytic performance.

The results revealed that the optimum concentration of $LaFeO_3$ was 5 wt% for the maximum photocatalytic H₂ evolution and photodegradation rate. Too high a content of $LaFeO_3$ was



Fig. 13 Possible photocatalytic degradation of MB and H_2 evolution mechanism over LaFeO₃/g-C₃N₄ heterojunctions under visible light irradiation.

adverse for the efficacious formation of heterojunction nanocomposites and also gave reduced photocatalytic H₂ evolution and photodegradation rate. LaFeO₃ and g-C₃N₄ did not form efficiently the heterostructures in 40%-LaFeO₃/g-C₃N₄ and 60%-LaFeO₃/g-C₃N₄ samples, which was demonstrated by the XRD and FTIR results. This led to the 40%-LaFeO₃/g-C₃N₄ and 60%-LaFeO₃/g-C₃N₄ samples having a much lower degradation rate.

5%-LaFeO₃/g-C₃N₄, 10%-LaFeO₃/g-C₃N₄ and 20%-LaFeO₃/g-C₃N₄ formed intimately contacted interfaces in the nanocomposites, which had higher degradation rate. Among these nanocomposites, 5%-LaFeO₃/g-C₃N₄ gave the optimum results for MB degradation. The absorption edges of g-C₃N₄, LaFeO₃ and LaFeO₃/g-C₃N₄ are compared in Fig. 5a. This revealed that LaFeO₃/g-C₃N₄ samples had broader absorptions and longer absorption edge wavelengths than that of g-C₃N₄. The absorption intensity of 5%-LaFeO₃/g-C₃N₄ in the visible light region was much higher than that of 10%-LaFeO3/g-C3N4 and 20%-LaFeO3/g- C_3N_4 , which indicated that the 5%-LaFeO₃/g-C₃N₄ produced a greater amount of photogenerated electron-hole pairs.34 Based on the UV-vis DRS spectra, XRD and FTIR results, it could be deduced that the greater amount of photogenerated electronhole pairs and the efficient charge separation of the Z-scheme photocatalytic system gave the 5%-LaFeO3/g-C3N4 heterojunction, the highest MB degradation and H₂ evolution rate.

4. Conclusion

The new type of LaFeO₃/g-C₃N₄ heterostructures were successfully prepared using a two-step method. It possessed the features of a Z-scheme photocatalysis system. The photoexcited electrons on the CB of LaFeO3 were transferred to the VB of g-C₃N₄ by the solid-solid intimately contacted interfaces, where the electrons and holes were recombined and thus improved the separation of photogenerated electrons and holes of g-C3N4. LaFeO₃ and g-C₃N₄ also effectively formed intimately contacted interfaces. This strong interfacial interaction could improve the transfer photoproduced charge and enhance their photocatalytic performances. Thus, LaFeO₃/g-C₃N₄ heterostructures had a higher H₂ evolution rate and a higher amount of 'OH than pure LaFeO₃ and g-C₃N₄. The construction of LaFeO₃/g-C₃N₄ heterostructures was demonstrated to be the effective strategy to improve the photocatalytic property. The 5%-LaFeO₃/g-C₃N₄ exhibited the highest photodegradation and water splitting rate. More than 95% of MB was degraded after 15 min in the presence of 25 mg EDTA-2Na in 100 mL of MB solution with irradiation using a 3 W LED. The photogenerated 'OH radicals were the main oxidative species for the degradation of MB. Its second-order reaction rate constant was about 49.7 and it was 86.9 times more than that of pure g-C₃N₄ and LaFeO₃. The 5%-LaFeO₃/g-C₃N₄ heterojunction nanocomposite had a maximum H_2 evolution rate of 158 µmol $g^{-1} h^{-1}$. This research shows an easy approach to manufacturing LaFeO₃/g-C₃N₄ heterojunction nanocomposites to promote the exploitation of solar energy.

Conflicts of interest

There are no conflicts to declare.

View Article Online

Acknowledgements

This research was supported by the Science and Technology Foundation of Guizhou, China (No. [2013] 2044, No. [2015] 7338, No. [2016] 7366), and the Science and Technology Foundation of Guiyang, China (No. [20161001] 001).

Notes and references

- 1 S. Cao, J. Low, J. Yu and M. Jaroniec, *Adv. Mater.*, 2015, 27, 2150.
- 2 A. Fujishima and K. Honda, Nature, 1972, 238, 37.
- 3 J. Yu, J. Low, W. Xiao, P. Zhou and M. Jaroniec, *J. Am. Chem. Soc.*, 2014, **136**, 8839.
- 4 X. Wang, M. Liao, Y. Zhong, J. Y. Zheng, W. Tian, T. Zhai, C. Zhi, Y. Ma, J. Yao, Y. Bando and D. Golberg, *Adv. Mater.*, 2012, **24**, 3421.
- 5 W. C. Huang, L. M. Lyu, Y. C. Yang and M. H. Huang, J. Am. Chem. Soc., 2012, 134, 1261.
- 6 Z. Zou, J. Ye, K. Sayama and H. Arakawa, *Nature*, 2001, **414**, 625.
- 7 M. Liu, W. You, Z. Lei, G. Zhou, J. Yang, G. Wu, G. Ma, G. Luan, T. Takata, M. Hara, K. Domen and C. Li, *Chem. Commun.*, 2004, 2192.
- 8 Y. Hu, X. Gao, L. Yu, Y. Wang, J. Ning, S. Xu and X. W. Lou, *Angew. Chem., Int. Ed.*, 2013, **52**, 5636.
- 9 X. Zhou, Q. Xu, W. Lei, T. Zhang, X. Qi, G. Liu, K. Deng and J. Yu, *Small*, 2014, **10**, 674.
- 10 Y. Wang, X. Wang and M. Antonietti, *Angew. Chem., Int. Ed.*, 2012, **51**, 68.
- 11 E. Kroke, Angew. Chem., Int. Ed., 2014, 53, 11134.
- 12 A. Thomas, A. Fischer, F. Goettmann, M. Antonietti, J. Müller, R. Schlöglb and J. M. Carlssonc, *J. Mater. Chem.*, 2008, 18, 4893.
- 13 Y. Zheng, J. Liu, J. Liang, M. Jaroniecc and S. Z. Qiao, *Energy Environ. Sci.*, 2012, 5, 6717.
- 14 J. Zhang, X. Chen, K. Takanabe, K. Maeda, K. Domen, J. D. Epping, X. Fu, M. Antonietti and X. Wang, Angew. Chem., Int. Ed., 2010, 49, 441.
- 15 Y. Zheng, L. Lin, X. Ye, F. Guo and X. Wang, *Angew. Chem., Int. Ed.*, 2014, 53, 11926.
- 16 G. Liu, P. Niu, C. Sun, S. C. Smith, Z. Chen, G. Q. Lu and H. Cheng, J. Am. Chem. Soc., 2010, 132, 11642.

- 17 J. Fu, Y. Tian, B. Chang, F. Xi and X. Dong, *J. Mater. Chem.*, 2012, **22**, 21159.
- 18 S. Yang, W. Zhou, C. Ge, X. Liu, Y. Fang and Z. Li, RSC Adv., 2013, 3, 5631.
- 19 W. Tian, Q. Shen, N. Li and J. Zhou, RSC Adv., 2016, 6, 25568.
- 20 D. Jiang, J. Li, C. Xing, Z. Zhang, S. Meng and M. Chen, ACS Appl. Mater. Interfaces, 2015, 7, 19234.
- 21 C. Zhao, G. Tan, J. Huang, W. Yang, H. Ren and A. Xia, ACS Appl. Mater. Interfaces, 2015, 7, 23949.
- 22 F. Li, S. Liu, Y. Xue, X. Wang, Y. Hao, J. Zhao, R. Liu and D. Zhao, *Chem.-Eur. J.*, 2015, **21**, 10149.
- 23 J. Yang, R. Hu, W. Meng and Y. Du, *Chem. Commun.*, 2016, 52, 2620.
- 24 P. Li, X. Hu, L. Zhang, H. Dai and L. Zhang, *Nanoscale*, 2011, 3, 974.
- 25 X. Ren, H. Yang, S. Gen, J. Zhou, T. Yang, X. Zhang, Z. Cheng and S. Sun, *Nanoscale*, 2016, **8**, 752.
- 26 Q. Yu, X. Meng, T. Wang, P. Li, L. Liu, K. Chang, G. Liu and J. Ye, *Chem. Commun.*, 2015, **51**, 3630.
- 27 L. M. Sun, Y. Qi, C. J. Jia, Z. Jin and W. L. Fan, *Nanoscale*, 2014, 6, 2649.
- 28 M. Markova-Velichkova, T. Lazarova, V. Tumbalev, G. Ivanov,
 D. Kovacheva, P. Stefanov and A. Naydenov, *Chem. Eng. J.*,
 2013, 231, 236.
- 29 H. Wu, R. Hu, T. Zhou, C. Li, W. Meng and J. Yang, *CrystEngComm*, 2015, **17**, 3859.
- 30 S. Thirumalairajan, K. Girija, N. Y. Hebalkar, D. Mangalaraj, C. Viswanathan and N. Ponpandian, *RSC Adv.*, 2013, **3**, 7549.
- 31 H. Zhang, L. Guo, L. Zhao, B. Wan and Y. Yang, J. Phys. Chem. Lett., 2015, 6, 958.
- 32 H. Liu, Z. Jin, Z. Xu, Z. Zhang and D. Ao, *RSC Adv.*, 2015, 5, 97951.
- 33 L. Jing, Y. Qu, H. Su, C. Yao and H. Fu, *J. Phys. Chem. C*, 2011, 115, 12375.
- 34 H. Li, Y. Liu, X. Gao, C. Fu and X. Wang, *ChemSusChem*, 2015, **8**, 1189.
- 35 S. Hu, L. Ma, J. You, F. Li, Z. Fan, F. Wang, D. Liu and J. Gui, *RSC Adv.*, 2014, 4, 21657.
- 36 J. Zhang, S. Hu and Y. Wang, RSC Adv., 2014, 4, 62912.
- 37 R. Marschall, A. Mukherji, A. Tanksale, C. Sun, S. C. Smith,
 L. Wang and G. Q. Lu, *J. Mater. Chem.*, 2011, 21, 8871.