

Cite this: *RSC Adv.*, 2017, 7, 50701

Facile one-step hydrothermal synthesis of noble-metal-free hetero-structural ternary composites and their application in photocatalytic water purification†

Yuanyuan Zhang,^a Yongchao Ma,^a Lili Wang,^a Qinxing Sun,^a Fan Zhang^a and Jinsheng Shi^{id}*^{ab}

The development of heterostructured and metal decorated photocatalysts using a relatively simple, efficient and economical one-step strategy is crucial for commercial applications. However, these materials are usually synthesized through two- or multi-step approach. Herein, a facile one-step hydrothermal method was used to fabricate a noble-metal-free heterostructural BiOCl/Bi₂MoO₆/Bi ternary composite from BiOCl for the first time. First, BiOCl was dispersed in ethylene glycol (EG), H₂O and glycerol (GLY) and the BiOCl/Bi₂MoO₆/Bi ternary composite was formed after Na₂MoO₄ was introduced into BiOCl in EG. However, only binary BiOCl/Bi₂MoO₆ and BiOCl/Bi photocatalysts were obtained from BiOCl in H₂O and GLY, respectively. Using the same synthetic route, BiOCl/Bi₂WO₆, BiOCl/Bi₂WO₆/Bi and BiOCl/Bi were also synthesized in H₂O, EG and GLY, respectively. The photocatalytic activities of as-prepared three samples were investigated by applying them for the photocatalytic disinfection of bacteria and organic pollutant degradation. Under visible-light irradiation, the BiOCl/Bi₂MoO₆/Bi ternary composite presented the highest photocatalytic activity in comparison with the other two binary samples; the water disinfection with 100% inactivation of bacteria was realized within 4 h. The intermediates of RhB photodegradation were qualitatively identified by liquid chromatography tandem mass spectrometry (LC-MS/MS) and a possible mechanism and detailed degradation pathway were proposed.

Received 28th September 2017

Accepted 18th October 2017

DOI: 10.1039/c7ra10732c

rsc.li/rsc-advances

1. Introduction

In recent years, heterostructured and metal decorated materials have drawn considerable attention for applications in electrocatalysis,^{1,2} sensors,^{3,4} solar cells,^{5,6} light emitting devices^{7,8} and particularly photocatalysis.^{9–15} Bismuth oxyhalides have been considered to be promising photocatalyst candidates because of their excellent chemical inertness, outstanding photocatalytic activities and low-cost.^{16,17} In particular, BiOCl, which has a layered structure with [Bi₂O₂]²⁺ layers sandwiched between two sheets of Cl ions, has been proved to exhibit prominent photocatalytic ability under ultraviolet light irradiation.¹⁸ However, the photocatalytic performance of BiOCl suffers from limited visible-light absorption due to its wide band gap ($E_g = 3.5$ eV).^{18–20} Besides, the rapid recombination of electrons and

holes can also suppress its catalytic activity during photocatalysis.

In order to solve these problems, heterostructure construction and metal decoration could be effective strategies. Heterojunctions not only can enhance the light-harvesting performance but also significantly inhibit the recombination of photogenerated electron-hole pairs. To date, heterostructured photocatalysts such as BiOCl/Bi₂O₂CO₃,²¹ BiOCl/BiOBr,²² and BiOCl/Bi₂WO₆ (ref. 23) have been developed by compositing BiOCl with other semiconductors. Bismuth molybdate (Bi₂MoO₆), belonging to the Aurivillius family of oxides, exhibits outstanding photocatalytic activity in organic dye degradation and hydrogen energy production owing to its suitable band gap (2.5–2.8 eV).^{24–27} The band edge positions of the conduction band (CB) and valence band (VB) of BiOCl are approximately 0.26 and 3.56 V (vs. NHE) and for Bi₂MoO₆ are –0.34 and 2.20 V (vs. NHE), respectively.^{28,29} The overlapping band-structure of BiOCl and Bi₂MoO₆ can match well, hence BiOCl/Bi₂MoO₆ was considered to build heterostructures.

Previous studies have confirmed that the incorporation of noble metals with semiconductor oxides using surface modification is an effective way to enhance their photocatalytic

^aQingdao Agricultural University, Department of Chemistry and Pharmaceutical Science, Chengyang District, Qingdao, P. R. China. E-mail: jsshqn@aliyun.com; Fax: +86-0532-86080213; Tel: +86-0532-88030161

^bQingdao Bona Biomimetic Composite Research Institute Co. Ltd, P. R. China

† Electronic supplementary information (ESI) available. See DOI: 10.1039/c7ra10732c




activity.^{30,31} These particles act as electron acceptors and could accelerate interfacial electron transfer because of the high Schottky barrier at the metal–semiconductor interface.³² Considering the high cost of noble metals, semi-metal bismuth (Bi), as an abundant earth element with high carrier mobility and low effective electron mass, has attracted extensive attention in photocatalysis.^{33,34}

In general, heterostructured and metal decorated materials are synthesized through two- or multi-step process.^{35,36} It is a challenge to prepare these materials using a one-step procedure. In this paper, a noble-metal-free heterostructural BiOCl/Bi₂MoO₆/Bi ternary composite was fabricated using a facile one-step hydrothermal method for the first time. In addition, the same strategy was used to synthesize BiOCl/Bi₂WO₆/Bi ternary photocatalysts. The as-prepared ternary materials present the highest photocatalytic inactivation of bacteria and RhB degradation under visible-light irradiation when compared with other binary catalysts due to the synergistic effect of the heterostructure and metal decoration. Simultaneously, the intermediates of RhB generated during photocatalysis were qualitatively identified using LC-MS/MS and a detailed degradation pathway was proposed.

2. Experimental section

2.1 Materials synthesis

The entire synthesis procedure is presented in Scheme 1. The BiOCl precursor was obtained using a facile hydrothermal method (see ESI†). Initially, 3 mol of BiOCl was dispersed in 60 mL of three different solvents: H₂O, EG and GLY. After being stirred for 20 min, Na₂MoO₄ was added into the above solutions under vigorous stirring. After 30 min, the solutions were transferred into Teflon-lined stainless steel autoclaves and kept at 180 °C for 12 h and then cooled to room temperature. The



Scheme 1 Controlled fabrication of three different composites in different solutions.

precipitates were collected by filtration and washed several times with deionized water. Finally, the synthesized samples were dried at 60 °C for 12 h. Similarly, the BiOCl/Bi₂MoO₆/Bi series with different BiOCl/Na₂MoO₄ molar ratios, BiOCl/Bi₂WO₆, BiOCl/Bi₂WO₆/Bi and BiOCl/Bi were prepared using the same route.

3. Results and discussion

3.1 Electronic structure

The electronic structure was first analyzed by means of density functional theory. Fig. S1† presents the band structures and density of states of BiOCl and Bi₂MoO₆. As shown in Fig. S1a,† the VB of BiOCl primarily comprises O 2p and Cl 3p states, while the CB primarily comprises Bi 6p and O 2p orbitals. In case of Bi₂MoO₆ (Fig. S1b†), the VB is dominantly composed of the O 2p orbital, while the CB is composed of Mo 4d, Bi 6p and O 2p states. These results suggest that the visible-light response of Bi₂MoO₆ was due to transition from the hybridized Bi 6s and O 2p states in the VB to the Mo 4d state in the CB. The hybridization of the Bi 6s and O 2p states significantly enlarges the VB, which is beneficial to the mobility of photogenerated charges and thus enhances the photocatalytic efficiency.³⁷

3.2 Crystal structure and XPS analysis

The phase structure of BiOCl was examined through XRD patterns. As shown in Fig. 1a, all the diffraction peaks can be well indexed to tetragonal BiOCl (JCPDS 82-0485). No traces of other phases were discovered, indicating the high phase purity of the sample. Fig. 1b–d exhibit the XRD patterns of the different samples obtained from BiOCl in the three different solvents. It can be clearly seen that the phase composition of the as-synthesized photocatalysts was dependent on the solvent used. In H₂O and GLY, the BiOCl precursor converted to binary BiOCl/Bi₂MoO₆ and BiOCl/Bi composites, respectively. However, the BiOCl/Bi₂MoO₆/Bi ternary complex was generated when EG was used as the solvent. The diffraction peaks of these samples match well with tetragonal BiOCl (JCPDS 82-0485), orthogonal Bi₂MoO₆ (JCPDS 72-1524) and rhombohedral Bi (JCPDS 85-1329). In addition, XPS was applied to further determine the surface chemical composition of the samples. The full scan XPS spectra of BiOCl/Bi₂MoO₆ (H₂O) and BiOCl/Bi₂MoO₆/Bi (EG) (Fig. 2a and b) suggest that the main elements detected in the samples are Bi, Mo, O and Cl. The signals for Mo 3p and 3d at about 416.4 and 398.2 eV (Fig. 2c) could not be observed, suggesting the absence of Mo in the resultant composite when GLY was used as the solvent. Fig. S2† shows the high resolution Bi 4f XPS spectrum of the BiOCl/Bi₂MoO₆/Bi composite. The peaks at 164.9 eV and 159.5 eV can be attributed to Bi 4f_{5/2} and Bi 4f_{7/2}, respectively. These two peaks could be further deconvoluted into two sets of peaks: (i) 164.9 and 159.5 eV and (ii) 163.3 and 157.8 eV. Those at 164.9 and 159.5 eV are attributed to the Bi³⁺ species, while those at 163.3 and 157.8 eV were ascribed to Bi 4f_{5/2} and Bi 4f_{7/2}, respectively.³⁸






Fig. 1 XRD patterns of (a) BiOCl, (b) BiOCl/Bi₂MoO₆ (H₂O) (c) BiOCl/Bi₂MoO₆/Bi (EG), and (d) BiOCl/Bi (GLY).

3.3 Morphology characteristics

The morphology of the samples is shown in Fig. 3. As observed from the SEM images, the microstructures of the samples synthesized in the different solvents are quite different. It can be observed that the BiOCl/Bi₂MoO₆/Bi ternary composite (EG) (Fig. 3c and d) comprises numerous hierarchical microspheres as well as some irregular nanosheets distributed among them. The size of the microspheres was relatively uniform and ranged from 1 to 2 μm; the thickness of the nanosheets was about 30 nm. As shown in Fig. 3a, b, e and f, the morphologies of BiOCl/Bi₂MoO₆ (H₂O) and BiOCl/Bi (GLY) were similar, but very different to BiOCl/Bi₂MoO₆/Bi (EG). Both of them possess evident hierarchical structures; however, the microstructures of the BiOCl/Bi₂MoO₆ and BiOCl/Bi hierarchical aggregations were composed of smaller but thicker nanosheets as compared to BiOCl/Bi₂MoO₆/Bi. Both of the aggregations possess a relatively uniform size ranging from 1 to 2 μm and the thickness of nanosheets was about 50 nm.

Energy disperse spectroscopy (EDS) mapping was applied to further confirm the elemental distribution on the as-synthesized samples. Fig. 4a presents the hierarchical microspheres; the corresponding elemental mappings for the elements Bi, Mo, O and Cl are shown in Fig. 4c–f. These images show that the main elements, Bi, Mo, O and Cl, are almost




Fig. 2 XPS spectra of photocatalysts synthesized in different solvents: (a) BiOCl/Bi₂MoO₆ (H₂O), (b) BiOCl/Bi₂MoO₆/Bi (EG), and (c) BiOCl/Bi (GLY).

uniformly distributed throughout the surface of the as-prepared sample, which further confirmed that the BiOCl/Bi₂MoO₆/Bi composite was prepared successfully. Besides, the signals for Bi, Mo, O and Cl in the EDS pattern (Fig. 4b) also confirm the co-existence of these elements in the composite.




Fig. 3 SEM images of the samples formed in different solvents: H₂O (a, b), EG (c, d), and GLY (e, f).






Fig. 4 SEM image (a) and EDX spectra (b) of BiOCl/Bi₂MoO₆/Bi; elemental distribution mapping of (c) Bi, (d) Mo, (e) O and (f) Cl.

3.4 Determination of the metallic Bi sites

In order to determine the sites of Bi generated in the ternary composite, a verified experiment was carried out. First, the BiOCl and Bi₂MoO₆ samples were prepared and dispersed in EG, separately. Then, the suspension was subjected to the hydrothermal method. As shown in Fig. S3a,† all the diffraction peaks observed for the sample can be well indexed to tetragonal BiOCl (JCPDS 82-0485) and no trace of Bi was observed. However, the signals for Bi₂MoO₆ and metallic Bi were both observed in Fig. S3b,† confirming only Bi₂MoO₆ could be

reduced by EG. Therefore, the Bi sites could be located on the surface of Bi₂MoO₆.

3.5 Optical properties

The UV-vis absorption characteristics of the three photocatalysts are displayed in Fig. 5. As shown in Fig. 5a, BiOCl/Bi exhibits a significantly enhanced visible-light response range than that observed in the other two samples, which can be attributed to the surface plasmon resonance (SPR) of metallic Bi. This SPR phenomenon has been reported by other groups.^{38,39} In case of BiOCl/Bi₂MoO₆/Bi composite, the absorption from 450 to 800 nm was apparently stronger when compared with that observed for BiOCl/Bi₂MoO₆. The enhancement in the visible-light response can be attributed to the introduction of metallic Bi.^{33,38} The optical band gap of the three composites was calculated using the formula, $\alpha h\nu = A(h\nu - E_g)^{n/2}$, where E_g , h , A and α are the band gap, photonic energy, proportionality constant and optical absorption coefficient, respectively.⁴⁰ As shown in Fig. 5b, the band gaps for BiOCl/Bi₂MoO₆, BiOCl/Bi₂WO₆/Bi and BiOCl/Bi were determined to be 1.98, 2.48 and 3.04 eV, respectively.

3.6 Photocatalytic disinfection and organic dye degradation

Photocatalytic inactivation of bacteria using the as-prepared three samples was examined and the corresponding results are shown in Fig. 6. In Fig. 6a, it could be observed that the three catalysts show negligible disinfection efficiencies under dark environment, suggesting that the materials themselves show almost no disinfection ability toward *Staphylococcus aureus*. The results obtained for the photocatalytic disinfection of *Staphylococcus aureus* in the presence of the samples and visible-light irradiation are presented Fig. 6b. A light control experiment with only visible-light irradiation was also investigated and the result demonstrated that almost no bacteria are disinfected, while the photocatalytic inactivation efficiencies would largely improve under visible-light irradiation in comparison with those under dark conditions. As shown in Fig. 6b, the BiOCl/Bi₂MoO₆/Bi ternary composite displays the highest




Fig. 5 UV-vis diffuse reflectance spectra (a) and determination of optical band gap (b) of the as-prepared samples.






Fig. 6 (a), (b) Photocatalytic disinfection of different three samples under dark and visible-light irradiation; (c) photodegradation curves of RhB and (d) corresponding apparent rate constants of five different samples under visible-light irradiation; (e) bacterial colonies of re-cultured *Staphylococcus aureus* after in presence of $\text{BiOCl/Bi}_2\text{MoO}_6/\text{Bi}$ ternary composite at different times.



photocatalytic activity in comparison with the two binary samples owing to the synergistic effect of the heterostructure and metallic Bi decoration; the water disinfection with 100% inactivation of bacteria was achieved under visible-light irradiation within 4 h. The bacterial colonies of re-cultured *Staphylococcus aureus* after in presence of BiOCl/Bi₂MoO₆/Bi ternary composite at different times are presented in Fig. 6e.

Similar to the photocatalytic disinfection of bacteria, the ternary BiOCl/Bi₂MoO₆/Bi presents the highest RhB photodegradation efficiency when compared with the other two samples and RhB can be degraded completely within 60 min. However, only 80.7% and 72.8% of RhB could be eliminated by BiOCl/Bi₂MoO₆ (H₂O) and BiOCl/Bi (GLY), respectively. Fig. 6d shows the corresponding kinetic curves for RhB photodegradation catalyzed by the three samples. Under visible-light irradiation, the kinetic constant of RhB degradation was 0.0677 min⁻¹ for BiOCl/Bi₂MoO₆/Bi, approximately 3 times higher than those observed for BiOCl/Bi₂MoO₆ (0.0207 min⁻¹) and BiOCl/Bi (0.0236 min⁻¹).

In order to optimize the photocatalytic activity of BiOCl/Bi₂MoO₆/Bi, different concentrations of Na₂MoO₄ were added to BiOCl in EG during the fabrication process. From the XRD patterns recorded for the samples (Fig. S4†), it can be observed that only BiOCl and Bi phases were formed when molar ratio of BiOCl/Na₂MoO₄ was 30 : 1 and 10 : 1 (Fig. S4a and b†); no trace of Bi₂MoO₆ was observed. The intensity of the BiOCl diffraction peaks gradually decreased with the decrease in the molar ratio of BiOCl/Na₂MoO₄, while those of Bi and Bi₂MoO₆, marked with the symbols (◆) and (●), respectively, were strengthened (Fig. S4c–e†). The photocatalytic disinfection of bacteria and RhB photodegradation curves obtained for the BiOCl/Bi₂MoO₆/Bi composites with different BiOCl/Na₂MoO₄ molar ratios are shown in Fig. S5.† The photocatalytic activity of the BiOCl/Bi₂MoO₆/Bi composites first increases and then decreases with the decrease in the initial molar ratio of BiOCl/Na₂MoO₄. When the molar ratio of BiOCl/Na₂MoO₄ was 6 : 1, the as-synthesized sample presented the highest photocatalytic activity.

It is important to investigate the stability and recyclability of the photocatalysts. The recyclability of the BiOCl/Bi₂MoO₆/Bi ternary composite ($R = 6 : 1$) was examined over four cycles. As shown in Fig. S6,† the degradation efficiencies for the 4 cycles were 99.31%, 96.42%, 93.85% and 90.95% after 60 min of visible-light irradiation. This confirms that the BiOCl/Bi₂MoO₆/Bi ternary composite has good stability during the photocatalysis.

Furthermore, Na₂WO₄ was also introduced into the precursor dispersion of BiOCl. Similar to the composites obtained on addition of Na₂MoO₄, only binary BiOCl/Bi₂WO₆ and BiOCl/Bi were generated in H₂O and GLY, respectively. The BiOCl/Bi₂WO₆/Bi ternary composite was obtained when EG was used as the solvent (Fig. 7a–c). Besides, all the diffraction peaks of these catalysts can be well indexed to tetragonal BiOCl (JCPDS Card no. 82-0485), tetragonal Bi₂WO₆ (JCPDS Card no. 73-2020) and rhombic Bi (JCPDS Card no. 85-1329). The corresponding photocatalytic activities of the samples are presented in Fig. 7d. BiOCl/Bi₂WO₆/Bi formed in EG was noted to exhibit a much higher photodegradation when compared with the other two samples owing to the synergistic effect of the heterostructure and metal decoration.

3.7 Photocatalytic mechanism

The nitrogen adsorption–desorption isotherms and Barrett–Joyner–Halenda (BJH) pore-size distributions of the three samples are shown in Fig. S7.† All the photocatalysts formed in the three solvents possess type IV isotherms with a typical H3 hysteresis loop, implying the presence of mesopores according to the Brunauer–Dening–Dening–Teller (BDDT) classification.⁴¹ This was further demonstrated by the pore-size distributions of the samples, which was mainly distributed in the range of 3–20 nm (inset of Fig. S7†). The mesoporous structure is beneficial for the adsorption and transition of RhB or its intermediates during the degradation process. The Brunauer–Emmett–Teller (BET) specific surface area is a potential factor that influences the photocatalytic activity. A large surface area not only




Fig. 7 XRD patterns of (a) BiOCl/Bi₂WO₆ (H₂O), (b) BiOCl/Bi₂WO₆/Bi (EG), and (c) BiOCl/Bi (GLY) and their corresponding photocatalytic activity (d).



enhances the contact area between the photocatalyst and dye molecules but also provides more active sites during the reaction process.^{42,43} As shown in Table S1,[†] the specific surface area of BiOCl/Bi₂MoO₆/Bi formed in EG was 126.5 m² g⁻¹, which was much higher than that of BiOCl/Bi₂MoO₆ (62.8 m² g⁻¹) and BiOCl/Bi (77.0 m² g⁻¹). Based on these results, it can be reasonably deduced that the specific surface area and porosity are possible reasons for the enhanced photocatalytic activity of the materials.

Photoluminescence (PL) measurements are useful for examining the migration and recombination of photogenerated electron-hole pairs in semiconductors as PL emission primarily originates from the recombination of photogenerated charge carriers.⁴⁴ Fig. 8a presents the PL spectra of the photocatalysts in the range of 300–800 nm under excitation at 285 nm. It can be clearly seen that the introduction of Bi₂MoO₆ and Bi significantly quenches the excitonic emission when compared to that observed for the other samples. The weak PL peak intensity indicates that the heterostructure and decorated metal particles could effectively suppress the recombination of photogenerated electron-hole pairs, leading to an evident separation of the photogenerated charge carriers.

The interfacial charge transfer dynamics in the photocatalytic reaction can also be examined by photocurrent

measurements. Typically, the higher photocurrent intensity suggests the higher separation efficiency of photogenerated charges.^{17,45} Fig. 8b shows the photocurrent–time curves obtained for the three samples under several on/off visible-light irradiation cycles. BiOCl/Bi₂MoO₆/Bi possesses a significantly enhanced photocurrent response, suggesting that the photo-generated electron-hole pairs could be separated more effectively than that in the other two samples. This factor could contribute to strengthening the photocatalytic activity of BiOCl/Bi₂MoO₆/Bi.

To further investigate the charge separation and migration of the as-synthesized samples, electrochemical impedance spectroscopy (EIS) was performed before and after visible-light irradiation. Fig. 8c provides the typical Nyquist plots of the three photocatalysts formed in the different solvents. These plots were best fitted to the equivalent Randle circuit of $R_s(Q_1R_{ct})$ as shown in the inset of Fig. 8c; where, R_s , Q_1 and R_{ct} represent the electrolyte resistance, constant phase element and charge transfer resistance, respectively. The EIS results reveal that the diameter of the arc in the Nyquist plot of BiOCl/Bi₂MoO₆/Bi is significantly smaller than that of the other two samples. A lower R_{ct} value indicates more effective separation of photogenerated electron-hole pairs and faster interfacial charge-transfer occurred in the case of BiOCl/Bi₂MoO₆/Bi.




Fig. 8 (a) PL spectra of the as-prepared samples under 285 excitations. (b) Comparison of the transient photocurrent responses of the different samples under visible-light irradiation ($\lambda > 420$ nm, $[\text{Na}_2\text{SO}_4] = 0.1$ M). (c) EIS Nyquist plots of the photocatalysts with light on/off cycles under irradiation with visible light ($\lambda > 420$ nm, $[\text{Na}_2\text{SO}_4] = 0.1$ M) and the corresponding schematic (inset) of the equivalent circuit obtained by fitting the EIS results. (d) The PL decay curves of the materials excited at 228 nm and monitored at 395 nm.



Therefore, BiOCl/Bi₂MoO₆/Bi presents the best photocatalytic activity.

The PL decay curves obtained for the photocatalysts were examined with a 228 nm and 395 nm laser as excitation and monitored source, respectively. As shown in Fig. 8d, all the plots can be well fitted with a single exponential function, $I(t) = I_0 + A \exp(-t/\tau)$, where I and I_0 are the luminescence intensity at time t and 0, A is a constant, τ is the decay time for the exponential component. The lifetime of BiOCl/Bi₂MoO₆/Bi (5.72 ns) was the shortest when compared to those of BiOCl/Bi₂MoO₆ (8.97 ns) and BiOCl/Bi (5.85 ns). This was attributed to the photogenerated electron transfer from Bi₂MoO₆ to BiOCl and Bi. This result is consistent with the above discussions

including PL measurement, photocurrent response and EIS study.

In order to determine the major active species during the photodegradation process, various scavengers including p-BQ, EDTA-2Na and IPA were added. As shown in Fig. 9a, only a weak inhibition was observed during the disinfection of bacteria upon the addition of IPA. However, the photocatalytic inactivation efficiency was largely inhibited when EDTA-2Na and BQ were introduced, suggesting that $\cdot\text{OH}$ plays a minor role in the degradation process, while h^+ and O_2^- primarily govern the photocatalytic system. The results of the species trapping experiments for RhB degradation are similar to photocatalytic disinfection (Fig. 9b). In order to further confirm the




Fig. 9 Photocatalytic disinfection of bacteria (a) and RhB photodegradation (b) over BiOCl/Bi₂MoO₆/Bi under visible-light irradiation in the presence of different scavengers.




Fig. 10 DMPO spin-trapping ESR spectra measured in three samples suspensions under visible-light irradiation for DMPO- $\cdot\text{OH}$ in an aqueous dispersion (a) and for DMPO- $\cdot\text{O}_2^-$ in methanol dispersion (b).



active species during photodegradation under visible-light irradiation, electron spin resonance (ESR) spin-trap technique using 5,5-dimethyl-1-pyrroline-N-oxide (DMPO) was carried out. In Fig. 10a, four characteristic peaks for DMPO- $\cdot\text{OH}$ can be observed in an aqueous dispersion of BiOCl/Bi₂MoO₆/Bi, whereas six peaks were observed with the BiOCl/Bi₂MoO₆ and BiOCl/Bi composites. Furthermore, DMPO- $\cdot\text{O}_2^-$ adducts are also detected in methanol dispersions of the three samples, where six characteristic peaks can be observed in BiOCl/Bi₂MoO₆/Bi (Fig. 10b). However, only four signals were observed in the other dispersions. No such signals for the two active adducts were measured in the dark. This fact suggests that visible-light irradiation is a vital factor to the formation of the active species. Both the $\cdot\text{OH}$ and $\cdot\text{O}_2^-$ adducts were generated in the suspensions of the three samples, with $\cdot\text{O}_2^-$ radicals as the dominant species.

The high photocatalytic performance of BiOCl/Bi₂MoO₆/Bi could be attributed to the synergistic effect of the heterostructure construction and Bi decoration. The possible

photocatalytic disinfection mechanism is shown schematically in Fig. 11a. Furthermore, the band edge potentials of the CB and VB for Bi₂MoO₆ are -0.34 and 2.20 V (vs. NHE),⁴⁶ while those for BiOCl are 0.26 and 3.56 V (vs. NHE),⁴⁷ respectively. Based on these results, only Bi₂MoO₆, with a narrow band gap (2.54 eV), was photoexcited under visible-light irradiation to generate electron-hole pairs. Since the CB of Bi₂MoO₆ is more negative than that of BiOCl, the photogenerated electrons in the CB of Bi₂MoO₆ would easily inject into the CB edge of BiOCl. Moreover, the work function of Bi is -0.31 V (vs. NHE),⁴⁸ which is lower than that of Bi₂MoO₆ and higher than that of BiOCl. Therefore, the photogenerated electrons could be transferred from Bi₂MoO₆ to metallic Bi on its surface owing to the energy-levels matching.^{39,49} Furthermore, due to their Schottky barriers at the metal-semiconductor interface, few of the photoinduced electrons generated on the CB of Bi₂MoO₆ can also be transferred to Bi.⁵⁰ In this way, the photoinduced charge carriers could be separated efficiently. The electrons reserved in the metallic Bi are trapped by O₂ on the surface of the photocatalyst




Fig. 11 Possible mechanism for the photocatalytic disinfection of bacteria (a) and RhB photodegradation (b) using the ternary BiOCl/Bi₂MoO₆/Bi composite.






Fig. 12 Plausible degradation pathway for RhB dye in the BiOCl/Bi₂MoO₆/Bi suspension irradiated with visible-light.

to form reactive $\cdot\text{O}_2^-$, which was confirmed as one of the main active species in the photocatalytic disinfection of bacteria since the CB of BiOCl was 0.26 V (vs. NHE), while the $E^0(\text{O}_2/\cdot\text{O}_2^-)$ was -0.046 V (vs. NHE).⁵¹ Therefore, no $\cdot\text{O}_2^-$ could be generated in BiOCl. Simultaneously, holes, as another main active adduct left behind in the VB of Bi₂MoO₆, would also attack the bacteria of *Staphylococcus aureus*. As for RhB photodegradation (Fig. 11b), the dye-sensitized effect would be considered in this system. The lowest unoccupied molecular orbital (LUMO) was -1.42 eV,^{52,53} which was much more negative than the CB of Bi₂MoO₆ and Bi. The adsorbed RhB can be excited by visible-light irradiation and the photoinduced electrons could transfer to the CB of Bi₂MoO₆ and Bi, accelerating the RhB photodegradation.

Furthermore, the degradation intermediates of RhB were examined by LC-MS/MS (Fig. S8[†]). According to the results and previous studies,^{54–56} a plausible photodegradation pathway was reasonably proposed as depicted in Fig. 12. Two competitive processes appeared synchronously during the photocatalytic activity: *N*-de-ethylation and destruction of the chromophore structure. From the LC-MS/MS chromatogram, it can be observed that the *m/z* value of 443 belongs to RhB and the mass peaks at *m/z* 415, 387, 359 and 331 are ascribed to its intermediates, such as *N,N*-diethyl-*N'*-ethylrhodamine, *N,N*-diethylrhodamine, *N*-ethyl-*N'*-ethylrhodamine, *N*-ethylrhodamine,

respectively, suggesting a series of *N*-de-ethylated intermediates could be produced step by step. Furthermore, as shown in Fig. 12, the facile chromophore cleavage of the *N*-de-ethylated intermediates simultaneously occurred throughout the photocatalytic process, which can be oxidized into phthalic acid (*m/z* = 166), terephthalic acid (*m/z* = 166), 3,4-dihydroxybenzoic acid (*m/z* = 155), 4-hydroxybenzoic acid (*m/z* = 138), benzoic acid (*m/z* = 122), adipic acid (*m/z* = 146), glutaric acid (*m/z* = 132), succinic acid (*m/z* = 118) and pentanoic acid (*m/z* = 102) by $\cdot\text{O}_2^-$ and h^+ formed under visible-light irradiation. Finally, the generated intermediates were mineralized into CO₂ and H₂O when the duration of visible-light irradiation was prolonged.

4. Conclusions

In summary, a noble-metal-free heterostructural BiOCl/Bi₂MoO₆/Bi ternary composite was fabricated using a facile one-step hydrothermal method for the first time. The BiOCl/Bi₂MoO₆/Bi ternary composite was formed after Na₂MoO₄ was added to BiOCl in EG. Only binary BiOCl/Bi₂MoO₆ and BiOCl/Bi photocatalysts were obtained in the other two solvents, H₂O and GLY, respectively. Furthermore, Na₂WO₄ was also introduced into the precursor dispersion of BiOCl. Similarly, only binary BiOCl/Bi₂WO₆ and BiOCl/Bi were generated in H₂O and GLY, respectively. The BiOCl/Bi₂WO₆/Bi ternary composite was



obtained when EG was used as the solvent. Under visible-light irradiation, BiOCl/Bi₂MoO₆/Bi and BiOCl/Bi₂WO₆/Bi were noted to exhibit the highest photocatalytic activity when compared with the other two binary samples due to the synergistic effect of the heterostructure and metal decoration, and water disinfection with 100% inactivation of bacteria was realized within 4 h. By varying the initial ratio of BiOCl and Na₂MoO₄, the degradation performance of the BiOCl/Bi₂MoO₆/Bi ternary sample could be gradually tuned. The photocatalytic activity of BiOCl/Bi₂MoO₆/Bi first increased and then decreased with increase in the BiOCl/Na₂MoO₄ molar ratio. The effective separation and migration of charge carriers are the main reasons for the enhanced photocatalytic activity, which were confirmed by PL measurements, photocurrent measurements, EIS and PL decay measurements. The DMPO spin-trapping ESR spectra and active species trapping experiments demonstrated h⁺ and [•]O₂⁻ primarily govern the photocatalytic system and a possible mechanism was reasonably proposed. Finally, the RhB degradation intermediates were qualitatively identified using LC-MS/MS method and a detailed degradation pathway including N-de-ethylation, chromophore cleavage, opening-ring and mineralization has been proposed.

Conflicts of interest

There are no conflicts to declare.

Acknowledgements

This work was supported by the Doctoral Foundation of Natural Science Foundation of Shandong Province (ZR2017BEM013) and Primary Research & Development Plan of Shandong Province (2017GNC13110).

References

- J. Zhang, Z. Liu and Z. Liu, *ACS Appl. Mater. Interfaces*, 2016, **8**, 9684–9691.
- L. Guo, K. Liang, K. Marcus, Z. Li, L. Zhou, P. D. Mani, H. Chen, C. Shen, Y. Dong, L. Zhai, K. R. Coffey, N. Orlovskaya, Y.-H. Sohn and Y. Yang, *ACS Appl. Mater. Interfaces*, 2016, **8**, 34970–34977.
- L. A. Horsfall, D. C. Pugh, C. S. Blackman and I. P. Parkin, *J. Mater. Chem. A*, 2017, **5**, 2172–2179.
- E. M. Go, T. K. Lee, S. H. Min, W. C. Jeon, B.-S. Kim, M. S. Yeom and S. K. Kwak, *J. Phys. Chem. C*, 2016, **120**, 11068–11077.
- M. C. Scharber, *Adv. Mater.*, 2016, **28**, 1994–2001.
- T. Kollek, D. Wurmbrand, S. T. Birkhold, E. Zimmermann, J. Kalb, L. Schmidt-Mende and S. Polarz, *ACS Appl. Mater. Interfaces*, 2017, **9**, 1077–1085.
- D. Chen, G. Xie, X. Cai, M. Liu, Y. Cao and S.-J. Su, *Adv. Mater.*, 2016, **28**, 239–244.
- C. Cho, H. Kang, S.-W. Baek, T. Kim, C. Lee, B. J. Kim and J.-Y. Lee, *ACS Appl. Mater. Interfaces*, 2016, **8**, 27911–27919.
- A. L. Luna, E. Novoseltceva, E. Louarn, P. Beaunier, E. Kowalska, B. Ohtani, M. A. Valenzuela, H. Remita and C. Colbeau-Justin, *Appl. Catal., B*, 2016, **191**, 18–28.
- Y. Hong, Y. Jiang, C. Li, W. Fan, X. Yan, M. Yan and W. Shi, *Appl. Catal., B*, 2016, **180**, 663–673.
- X. Pu, D. Zhang, Y. Gao, X. Shao, G. Ding, S. Li and S. Zhao, *J. Alloys Compd.*, 2013, **551**, 382–388.
- J. Deng, H. Dai, H. Jiang, L. Zhang, G. Wang, H. He and C. T. Au, *Environ. Sci. Technol.*, 2010, **44**, 2618–2623.
- C. Yu, W. Zhou, J. C. Yu, H. Liu and L. Wei, *Chin. J. Catal.*, 2014, **35**, 1609–1618.
- C. Yu, W. Zhou, L. Zhu, G. Li, K. Yang and R. Jin, *Appl. Catal., B*, 2016, **184**, 1–11.
- H. He, S. Xue, Z. Wu, C. Yu, K. Yang, G. Peng, W. Zhou and D. Li, *Chin. J. Catal.*, 2016, **37**, 1841–1850.
- J. Di, J. Xia, S. Yin, H. Xu, L. Xu, Y. Xu, M. He and H. Li, *J. Mater. Chem. A*, 2014, **2**, 5340–5351.
- Y. Ma, Z. Chen, D. Qu and J. Shi, *Appl. Surf. Sci.*, 2016, **361**, 63–71.
- D. Yue, D. Chen, Z. Wang, H. Ding, R. Zong and Y. Zhu, *Phys. Chem. Chem. Phys.*, 2014, **16**, 26314–26321.
- L. Ye, L. Zan, L. Tian, T. Peng and J. Zhang, *Chem. Commun.*, 2011, **47**, 6951–6953.
- S. Shenawi-Khalil, V. Uvarov, E. Menes, I. Popov and Y. Sasson, *Appl. Catal., A*, 2012, **413–414**, 1–9.
- L. Yu, X. Zhang, G. Li, Y. Cao, Y. Shao and D. Li, *Appl. Catal., B*, 2016, **187**, 301–309.
- H. Gnyayem and Y. Sasson, *ACS Catal.*, 2013, **3**, 186–191.
- W. Yang, B. Ma, W. Wang, Y. Wen, D. Zeng and B. Shan, *Phys. Chem. Chem. Phys.*, 2013, **15**, 19387–19394.
- B. Jin, Z. Jiao and Y. Bi, *J. Mater. Chem. A*, 2015, **3**, 19702–19705.
- J. Di, J. Xia, M. Ji, H. Li, H. Xu, H. Li and R. Chen, *Nanoscale*, 2015, **7**, 11433–11443.
- C. Yu, Z. Wu, R. Liu, D. D. Dionysiou, K. Yang, C. Wang and H. Liu, *Appl. Catal., B*, 2017, **209**, 1–11.
- X. Ding, W. Ho, J. Shang and L. Zhang, *Appl. Catal., B*, 2016, **182**, 316–325.
- M. Long, W. Cai and H. Kisch, *Chem. Phys. Lett.*, 2008, **461**, 102–105.
- S. Wang, X. Yang, X. Zhang, X. Ding, Z. Yang, K. Dai and H. Chen, *Appl. Surf. Sci.*, 2017, **391**, 194–201.
- L. Zhang, D. A. Blom and H. Wang, *Chem. Mater.*, 2011, **23**, 4587–4598.
- Y. Sun, Y. Sun, T. Zhang, G. Chen, F. Zhang, D. Liu, W. Cai, Y. Li, X. Yang and C. Li, *Nanoscale*, 2016, **8**, 10774–10782.
- X. Z. Li and F. B. Li, *Environ. Sci. Technol.*, 2001, **35**, 2381–2387.
- X. Liu, H. Cao and J. Yin, *Nano Res.*, 2011, **4**, 470–482.
- F. Dong, T. Xiong, Y. Sun, Z. Zhao, Y. Zhou, X. Feng and Z. Wu, *Chem. Commun.*, 2014, **50**, 10386–10389.
- J.-D. Li, C.-I. Yu, W. Fang, L.-H. Zhu, W.-Q. Zhou and Q.-Z. Fan, *Chin. J. Catal.*, 2015, **36**, 987–993.
- F.-J. Zhang, S.-F. Zhu, F.-Z. Xie, J. Zhang and Z.-D. Meng, *Sep. Purif. Technol.*, 2013, **113**, 1–8.
- K. Lai, Y. Zhu, J. Lu, Y. Dai and B. Huang, *Comput. Mater. Sci.*, 2013, **67**, 88–92.



- 38 H. Gnayem and Y. Sasson, *J. Phys. Chem. C*, 2015, **119**, 19201–19209.
- 39 F. Dong, Q. Li, Y. Sun and W.-K. Ho, *ACS Catal.*, 2014, **4**, 4341–4350.
- 40 Y. Zhou, Y. Zhang, M. Lin, J. Long, Z. Zhang, H. Lin, J. C. S. Wu and X. Wang, *Nat. Commun.*, 2015, **6**, 8340.
- 41 K. S. W. Sing, *Pure Appl. Chem.*, 1985, **57**, 603.
- 42 G. Liu, L. Wang, H. G. Yang, H.-M. Cheng and G. Q. Lu, *J. Mater. Chem.*, 2010, **20**, 831–843.
- 43 Y. Zhang, Y. Ma, Q. Liu, H. Jiang, Q. Wang, D. Qu and J. Shi, *Ceram. Int.*, 2017, **43**, 2598–2605.
- 44 C. Li, G. Chen, J. Sun, J. Rao, Z. Han, Y. Hu, W. Xing and C. Zhang, *Appl. Catal., B*, 2016, **188**, 39–47.
- 45 H. Huang, Y. He, Z. Lin, L. Kang and Y. Zhang, *J. Phys. Chem. C*, 2013, **117**, 22986–22994.
- 46 L. Zhou, M. Yu, J. Yang, Y. Wang and C. Yu, *J. Phys. Chem. C*, 2010, **114**, 18812–18818.
- 47 J. Ren, W. Wang, M. Shang, S. Sun and E. Gao, *ACS Appl. Mater. Interfaces*, 2011, **3**, 2529–2533.
- 48 H. B. Michaelson, *J. Appl. Phys.*, 1977, **48**, 4729–4733.
- 49 A. Furube, L. Du, K. Hara, R. Katoh and M. Tachiya, *J. Am. Chem. Soc.*, 2007, **129**, 14852–14853.
- 50 L. Sun, R. Zhang, Y. Wang and W. Chen, *ACS Appl. Mater. Interfaces*, 2014, **6**, 14819–14826.
- 51 Y. Ma, Y. Guo, H. Jiang, D. Qu, J. Liu, W. Kang, Y. Yi, W. Zhang, J. Shi and Z. Han, *New J. Chem.*, 2015, **39**, 5612–5620.
- 52 L. Pan, J.-J. Zou, X.-Y. Liu, X.-J. Liu, S. Wang, X. Zhang and L. Wang, *Ind. Eng. Chem. Res.*, 2012, **51**, 12782–12786.
- 53 S. Kumar, T. Surendar, A. Baruah and V. Shanker, *J. Mater. Chem. A*, 2013, **1**, 5333–5340.
- 54 T. S. Natarajan, K. Natarajan, H. C. Bajaj and R. J. Tayade, *J. Nanopart. Res.*, 2013, **15**, 1669.
- 55 Z. He, C. Sun, S. Yang, Y. Ding, H. He and Z. Wang, *J. Hazard. Mater.*, 2009, **162**, 1477–1486.
- 56 S. Rajoriya, S. Bargole and V. K. Saharan, *Ultrason. Sonochem.*, 2017, **34**, 183–194.

