



Cite this: *RSC Adv.*, 2018, 8, 11935

Stabilized fabrication of anatase-TiO₂/FeS₂ (pyrite) semiconductor composite nanocrystals for enhanced solar light-mediated photocatalytic degradation of methylene blue

Jamshaid Rashid,¹ Sahar Saleem,^a Saif Ullah Awan,^b A. Iqbal,^c Rajeev Kumar,^d M. A. Barakat,^{de} Muhammad Arshad,^f Muhammad Zaheer,^g Mohsin Rafique^h and M. Awadⁱ

A novel visible light active TiO₂/FeS₂ semiconductor photocatalyst was synthesized by a simple wet chemical process. X-ray diffraction (XRD) was used to analyze the anatase TiO₂ and pyrite structures in FeS₂/TiO₂ nanocrystals. Scanning electron microscopy (SEM) confirmed the spherical morphology of composite nanocrystals. X-ray photoelectron spectroscopy (XPS) identified the Fe²⁺, S¹⁻, Ti⁴⁺, and O²⁻ oxidation states of relevant species. Energy dispersive X-ray (EDX) analysis was performed for compositional analysis. The measured band gap of the TiO₂/FeS₂ nanocomposite system was 2.67 eV, which is smaller than un-doped TiO₂ (3.10 eV) and larger than FeS₂ (1.94 eV). The photocatalytic activity of TiO₂/FeS₂ was significantly higher than pure FeS₂ for degrading methylene blue (MB) under solar light irradiation due to the increase in visible light absorption, reduction in band gap energy, and better electron-hole pair separation. The photocatalytic degradation of MB was investigated under the influence of solution pH, dye concentrations, and varied catalyst dosage. The optimum degradation (100%) of MB was observed in 180 min and the photocatalysis of MB reduced as the dye concentrations in the solution increased from 15 to 75 mg L⁻¹. These results prove that the TiO₂/FeS₂ nanocomposite has the stability, recycling, and adaptability for its practical application as a visible light photocatalyst for wastewater treatment. TiO₂/FeS₂ showed increased degradation of the organic pollutant; which is confirmed by the increased rate of chemical reaction following pseudo first-order reaction kinetics with the highest rate constant value of 0.0408 m⁻¹ having highest R² value of 0.9981.

Received 9th March 2018
 Accepted 20th March 2018

DOI: 10.1039/c8ra02077a

rsc.li/rsc-advances

1. Introduction

Photocatalytic treatments have been extensively recommended for environmental remediation under benign conditions.¹ In the presence of a photocatalyst and a beam source of suitable energy, this process can mineralize natural contaminants to nontoxic items such as H₂O and CO₂.² Although different physiochemical methods such as adsorption ultrafiltration, reverse osmosis, and biodegradation have been used to remove

dyes, all these methods have certain shortcomings. For instance, chemical methods are expensive, require a large dosage of chemicals, and produce hazardous sludge.³ Physical methods, on the other hand, transfer pollutants from a liquid phase to solid waste. Biological degradation of dyes has been found to be ineffective and inefficient as they produce aromatic amines. Photocatalytic degradation has been frequently used in wastewater treatment due to its high photoactivity, non-toxicity, low cost, photochemical stability, and unusual capability to

^aCatalysis for Environment and Energy Laboratory, Department of Environmental Science, Faculty of Biological Sciences, Quaid-i-Azam University, Islamabad 45320, Pakistan. E-mail: jrashid@qau.edu.pk; jamshaidrashid@gmail.com

^bDepartment of Electrical Engineering, NUST College of Electrical and Mechanical Engineering, National University of Science and Technology (NUST), Islamabad, Pakistan

^cInstitute of Environmental Sciences and Engineering, School of Civil and Environmental Engineering, National University of Sciences and Technology, Sector H-12, Islamabad 44000, Pakistan

^dDepartment of Environmental Sciences, Faculty of Meteorology, Environment and Arid Land Agriculture, King Abdulaziz University, Jeddah 21589, Saudi Arabia

^eCentral Metallurgical R&D Institute, Helwan 11421, Cairo, Egypt

^fNational Centre for Physics, Nano-Science and Technology Department, Quaid-i-Azam University Islamabad, Pakistan

^gDepartment of Chemistry, SBA School of Science and Engineering, Lahore University of Management Sciences (LUMS), Lahore 54792, Pakistan

^hCenter for Micro and Nano Devices (CMND), COMSATS Institute of Information Technology, Islamabad 45550, Pakistan

ⁱUNEP-TONGJI Institute of Environment for Sustainable Development, College of Environmental Sciences and Engineering, State Key Laboratory of Pollution Control and Resource Reuse, Tongji University, Shanghai, China 200092



degrade pollutants.⁴ Among the semiconductor photocatalysts, titanium dioxide (TiO₂) nanocrystals are a highly efficient photocatalyst and have been the leading conventional substance for degrading natural impurities.^{5,6} Augmenting to its non-toxicity, abundance, and moderately little cost, TiO₂ also demonstrates excellent photocatalytic activity in numerous degradation responses. To develop the consumption of solar energy, many investigative attempts have focused on exploring the photocatalytic hydrogen generating potential of TiO₂ in the visible spectrum ($\lambda > 400$ nm) which accounts for $\sim 42\%$ of solar power.⁷

Despite the fact that the photocatalytic properties of TiO₂ nanocrystals are predominantly controlled by particle dimension, poorer photocatalytic degradation rates are experienced on the exterior surface of TiO₂ nanoparticles due to their extensive band gap and rapid recombination rate of photo-generated electron-hole pairs.⁸ Consequently, the alteration of TiO₂ to decrease such recombination remains as a serious assignment.⁹ A significant contribution in this regard can be made by using an environmentally benign and sustainable material as a modifier for TiO₂ as one of the preeminent modifiers. Employing a co-catalyst has been a predictable way to advance the photocatalytic performances of semiconductor photocatalysts because it enhances charge separation and minimizes photo-corrosion of the semiconductor photocatalyst.¹⁰ Metal doping,¹¹ non-metal doping,¹² and composites with other semiconductors¹³ also are a few of the potential approaches used to improve the capability of TiO₂ based materials to utilize solar energy. In recent years, much research has been focused on TiO₂ composites with chalcogenides because their narrow bandgaps allow absorption of longer wavelengths than pure TiO₂.^{14,15} Research on metal sulfide photocatalysts has shown growth from the analytical to the application phase, and their short band gaps permit absorption at longer wavelengths than TiO₂.¹⁰ Usually, CdS, ZnS, FeS₂, and MoS₂ are the most studied sulfide photocatalysts due to their band gap energy, which matches well with the solar spectrum.^{16,17} Among them FeS₂, also known as pyrite, displays interesting electronic and optical properties as it is an additional constructive applicant for the photosensitization of materials in addition to its environmental compatibilities and high stability toward photo-corrosion as well as high absorption in the visible section of the solar spectrum. In our study, one of the possible co-catalyst modifiers was iron(II) sulfide (FeS₂), which is nontoxic, stable, inexpensive, and found in abundance in the world. It can efficiently adsorb and photocatalytically degrade organic dyes¹⁸ due to its surface chemical properties, high optical absorption coefficient ($6 \times 10^5 \text{ cm}^{-1}$),¹⁹ a high capacity (exceeding 890 mA h g^{-1}), and suitable band gap *i.e.*, $1.00 \pm 0.15 \text{ eV}$ ²⁰ compared to other sulphides. Due to these interesting properties, FeS₂ has been investigated for applications in photovoltaic devices²¹ and lithium-ion batteries.²² FeS₂ has been prepared by a variety of techniques, including hydrothermal, solvothermal, metal organic chemical vapor deposition, and sulfurization of iron or iron oxide films as reported earlier.²³

The benefits of integrating two dissimilar metal oxides/sulfide not only progresses photocatalytic activity but also exhibits different physical and chemical properties when evaluated in comparison to constituent metal oxides.²⁴ The formation of composites of nanocrystals is a widely explored idea in order to obtain a hybrid which could simultaneously combine the properties of TiO₂ as a fascinating semiconducting material with the features of single nano-sized metal sulfide particles. The addition of FeS₂ to TiO₂ produces a red shift in the absorption edge resulting in a band gap of 2.94–2.84 eV for the composite.²⁵ It has been reported²⁶ that photocatalytic degradation of MB in the presence of TiO₂/MoS₂ composite was increased up to 65% compared to pure TiO₂ (15%). Similarly,²⁷ the spindle-like TiO₂/CdS composite had a 3.5 times higher photocatalytic efficiency compared to pure CdS. Lee and co-workers²⁵ synthesized a FeS₂/TiO₂ composite using a solvothermal method; which exhibited 5 times higher hydrogen production compared to pure TiO₂. Recently, a FeS₂/TiO₂ photoanode was investigated²⁸ which exhibited enhanced photo-response from visible light to an extended near IR range (400–900 nm). Few reports of the composites TiO₂/FeS₂ quantum dots,²⁹ nanotubes,³⁰ core shell,²⁵ thin films,³¹ and spheres³² are reported earlier for applications with solar cells. In this report, we focused on the nanocrystals of composites of the TiO₂/FeS₂ system for solar photocatalysis. The present research is focused on developing a photocatalytic system that can effectively utilize sunlight or visible light to degrade commonly used MB dye (a known environmental contaminant). To the best of our information, no study has been conducted to determine the efficiency of composite (TiO₂/FeS₂) as a photocatalyst for treatment of MB. We believe the proposed novel FeS₂/TiO₂ nanocrystals composite has the prospective to tackle the low efficiency problems of photoelectrochemical (PEC) water splitting in visible and infrared light regions, and therefore can build a noteworthy contribution in the field of energy exchange.

2. Materials and methods

2.1 Materials

FeSO₄·7H₂O and Na₂S₂O₃ were supplied by BDH chemical Ltd and Sigma-Aldrich (USA); TiCl₄ was purchased from Sigma-Aldrich (USA); Methylene Blue was supplied by BDH chemical Ltd (USA) and standard grade was utilized as the test pollutant. Deionized water was used for solution preparations. All other chemicals were also analytical grade.

2.2 Synthesis of TiO₂/FeS₂ nanocrystals

In a typical procedure, 3.58 g of FeSO₄ and 8.5 g of Na₂S₂O₃ were added to 175 mL ethanol and sonicated for 1 h. Then, 2 mL of TiCl₄ was added to the solution and refluxed at 156 °C for 5 h. A brownish material was filtered and thoroughly washed with deionized water followed by acetone and dried at 80 °C for 12 h. FeS₂ nanoparticles were synthesized using the same procedure in the absence of TiCl₄.



2.3 Characterization

The crystalline structures of as-prepared composites were characterized using a D8 Bruker X-ray diffractometer by scanning 2θ angle ranging from 20 to 80° at a scanning rate of 0.50° per minute using Cu K α 1.5418 radiation. A Hitachi S-4800 microscope at an operating voltage of 15 kV was used to obtain scanning electron microscope (SEM) images to determine size and shape of the composite. The sample was coated with platinum and copper for effective imaging before being charged. Energy dispersive X-ray (EDAX) was used to determine the elemental composition of particles (EDX, Oxford Instruments, INCA x-sight) with 10 keV electron beam energy. X-ray photoelectron spectroscopy (XPS) measurements were performed for chemical analysis of the TiO₂/FeS₂ nanocomposite. XPS data acquisition was performed in ultra-high vacuum conditions using a standard omicron system equipped with monochromatic Al K α 1486.7 eV X-ray source. The source was operated at 15 keV at constant analyzer energy (CAE) of 100 eV for survey scans and 20 eV for detailed scans. Data acquisition was performed with Matrix software and data analysis was performed with Igor Pro along with XPS fit procedures. Curve fitting of spectra was achieved using Gaussian–Lorentzian line shape after performing Shirley background corrections. The C 1s binding energy at 284.8 eV was used for calibration. DRS data were recorded using a UV-Vis spectrophotometer (Shimadzu UV-2550) using standard 1 cm quartz cuvettes. A GC (QP2010 ultra, Shimadzu) having a DB-5ms capillary column (30.00 m \times 0.25 mm, 0.25 μ m film thickness) was coupled to a QP2010 ultra Shimadzu mass selective detector which was used to detect the degradation products. The initial oven temperature (60 °C for 10 min initially) was raised at a rate of 10 °C min⁻¹, while injection temperature was 250 °C, and the injection mode was split. Helium was used as a carrier gas. To prepare samples for GC-MS injection, a MB dye solution containing TiO₂/FeS₂ composite was filtered, organic compounds were extracted using 5 mL dichloromethane, and analyzed by GC-MS.

2.4 Photocatalytic experiments

The photocatalytic activity of the synthesized FeS₂/TiO₂ nanocomposite was evaluated under visible and direct sunlight conditions. A Luzchem photochemical reactor (LZC4) was used for visible light investigations with irradiation of 104 W Slovenia cool white lamps ($\lambda = 390\text{--}700$ nm) and spectral irradiance of 17.45 mW cm⁻² monitored by a Luzchem power monitor at a distance of 12 cm from the light source. Photocatalytic experiments were performed with 250 mL of MB solution at normal solution pH of 5.5 in a Pyrex® glass reactor under continuous stirring and aeration conditions. In typical experiments, duplicate solutions containing 25 mg L⁻¹ of MB and 1 g L⁻¹ TiO₂/FeS₂ nanocomposite (except in case of photolytic studies) were taken and one of the identical solutions was exposed to direct sunlight and the other to visible light. To establish adsorption–desorption equilibrium of MB over the surface of TiO₂/FeS₂ nanoparticles, all experiments were carried out for an initial 30 min under dark conditions followed by irradiation with visible/sunlight for 180 min. Aliquots of 3 mL

samples were taken at 30 min intervals and filtered through 0.22 μ m syringe filters to remove catalyst particles. The residual concentrations of MB in supernatant solutions were determined using a UV-visible spectrophotometer (Hitachi U3000) at 665 nm. To assess the impact of dye concentration on photocatalytic efficiency of TiO₂/FeS₂, experiments were performed at initial dye concentrations ranging from 15–75 mg L⁻¹. After determination of the optimum dye concentration, additional parameters, including the solution pH and catalyst dose were determined. Comparative studies for direct sunlight photocatalytic degradation of MB were carried out during the months of May and June with average sunlight illumination intensity of 10 000–12 000 lx. The remaining procedure was the same as for visible light studies.

3. Results and analysis

3.1 X-ray diffraction

Fig. 1(a–c) shows the Bragg diffraction spectrum of polycrystalline FeS₂, TiO₂, and composite as synthesized samples, respectively. The diffracted peaks for FeS₂ (Fig. 1(a)) reflect the single homogeneous phase of FeS₂ corresponding to cubic phase (JCPDS 00-042-1340) and exhibiting pyrite crystal structure. No extra peaks related to sulfur or any impurity phase such as marcasite, pyrrhotite, or troilite were obtained. Lattice parameters for the cubic structure were measured as: $a = b = c = 5.418$ Å. The presence of broad peaks in the XRD pattern confirmed the nano-crystalline nature. The average crystallite sizes of pyrite nanocrystals using the Debye–Scherrer equation were estimated to be about 15 nm. Fig. 1(b) demonstrated good crystalline single phase anatase-TiO₂ structures with prominent phase stability along (101) axis. The lattice parameters of anatase TiO₂ nanocrystals are $a = 3.7835$ Å and $c = 9.2371$ Å. The crystallite size of the anatase TiO₂ sample is 12 nm.

XRD patterns (Fig. 1(c)) for the TiO₂/FeS₂ composite showed mixed pyrite and anatase phases of constituent nanocrystals. The composite sample has a dominant peak which represents




Fig. 1 Bragg-diffraction spectrum of (a) FeS₂, (b) TiO₂, and (c) TiO₂/FeS₂ composite.



a (110) peak of TiO₂ (anatase) phase. The anatase phase was stable in the presence of FeS₂ nanocrystals. In the XRD pattern of the composite system, peaks corresponding to a rutile phase were not observed. The pyrite FeS₂ phase could be clearly observed in the XRD patterns of the composite. The composite sample has another significant peak at ~48° which corresponds to the (121) peak of the FeS₂ phase. The intensity of the peak at $2\theta = 25.85$ degree of anatase TiO₂ NPs (JCPDS card no. #84-1286) decreased as the FeS₂ content was added into the composite systems. The composite sample has another significant peak at ~48° corresponding to the (121) peak of the FeS₂ phase.

3.2 Microstructural measurements

Scanning electron microscope images of FeS₂ nanocrystals and TiO₂/FeS₂ composite nanocrystals are presented in Fig. 2(a and b) respectively. Nanocrystals of FeS₂ are uniformly spherical shapes while composite nanocrystals are mostly spherical with a few being elongated with increasing grain size. Micrographs confirmed that the grain size of FeS₂ is smaller than the TiO₂/FeS₂ nanocomposite system. These observations correspond with XRD findings, as discussed in the above section. Compositional analysis was confirmed from energy dispersive X-ray spectroscopy (EDXS) measurements as demonstrated in Fig. 3. The spectra of a composite sample confirmed the presence of Ti, O, Fe, and S from constituents, while the Cu and C signal originated due to carbon tape and Cu grids. The weight percentage (wt%) of each element obtained from EDXS are presented in Table 1.

3.3 Chemical properties

XPS analysis of the TiO₂/FeS₂ nanocomposite is shown in Fig. 3. The wide scan spectra of TiO₂/FeS₂ (Fig. 3(a)) consists of the peaks for S, Ti, Fe, and O as major elements. High resolution spectra of S 2p (Fig. 3(b)) shows two peaks centered at 163.8 eV and 165.0 eV corresponding to the S 2p_{3/2} and S 2p_{1/2} of the sulfur binding energy in FeS₂. A high intensity peak (Fig. 3(c)) appeared at 707.7 eV and is the characteristic of pyrite (Fe 2p_{3/2}).^{33,34} The O 1s peak located at binding energies of 529.0 eV (due to oxygen bonding with Ti species), 529.7 eV (due to oxygen vacancies) and 531.0 eV (due to O₂⁻, OH⁻, and H₂O) are presented in Fig. 3(d), respectively. Doublet peaks appearing at binding energies of 458.1 and 463.9 eV belong to Ti 2p_{3/2} and Ti 2p_{1/2} in the TiO₂ (Fig. 3(e))³⁵ nano-composite system indicating the presence of Ti⁴⁺ species.

3.4 Optical spectroscopy

UV-Vis absorption spectra of nanocrystals TiO₂, FeS₂, and composite TiO₂/FeS₂ are plotted in Fig. 4. The maximum absorbance of the TiO₂ sample is 80% while the TiO₂ and nanocomposite sample has maximum 100% absorbance at a lower wavelength range. The band gap energy of all samples was calculated using the following equation:

$$E_g = hc/\lambda_g \quad (1)$$

where λ_g is the absorption onset wavelength (nm) of the exciting light, c is velocity of light and h is Planck's constant. The band gap energy values of TiO₂ and FeS₂ nanocrystals calculated using the above equation were found to be 3.10 eV and 1.94 eV,




Fig. 2 SEM images of synthesized (a) TiO₂/FeS₂, (b) FeS₂ nanoparticles, and (c) EDAX of TiO₂/FeS₂.






Fig. 3 (a) XPS survey scan of FeS₂/TiO₂. (b–e) high resolution XPS spectra of S 2p, Fe 2p, O 1s, and Ti 2p.

respectively. Interestingly, we observed that the TiO₂/FeS₂ nanocomposite sample band gap energy lies in a range around 2.68 eV. These results are very close to our prediction because the thrust of our study was to reduce the bandgap energy of a TiO₂ un-doped system by combining with the FeS₂ nanocrystals. Similarly, a polymer solar cell based on P₃HT = FeS₂-NCs was reported²¹ and the results showed that a combination of polymer (P₃HT) and FeS₂ can contribute to an extended photovoltaic response in the red light region similar to literature^{36,37} reports that FeS₂ is a narrow bandgap semiconductor (0.95–1.2 eV) showing absorbance across the entire visible region, and presence of sulfur in composite and pure FeS₂ is indicated by a tail broadening of the peak.²⁵

3.5 Photocatalytic degradation

The complete UV-Vis scanning spectra of a MB solution before (contact time zero) and after addition of TiO₂/FeS₂ catalyst recorded at regular intervals after direct sunlight and visible light ($\lambda = 390\text{--}700\text{ nm}$) exposure are presented in Fig. 5(a) and (b), respectively. From the UV-visible absorption scans rapid decrease in absorbance peaks can be noticed after addition of the nanocatalyst in both cases indicating high catalyst activity under varied irradiation sources. No new peaks were formed apart from two major peaks at 665 and 275 nm indicating lack of mineralization products and complete degradation of MB after 180 min of exposure. Absorption peaks in the UV region can be ascribed to the presence of aromatic rings such as benzene; naphthalene, *etc.* while the presence of chromophores

Table 1 Effect of catalyst dose, solution pH, and MB concentration on photocatalytic reaction rate

| Catalyst dose ^a (g L ⁻¹) | k_{app} (min ⁻¹) | R^2 | Solution ^b (pH) | k_{app} (min ⁻¹) | R^2 | Initial concentration ^c (mg L ⁻¹) | | |
|---|--------------------------------|--------|----------------------------|--------------------------------|--------|--|--------|--------|
| | | | | | | k_{app} (min ⁻¹) | R^2 | R^2 |
| 0.25 | 0.0377 | 0.9793 | 2 | 0.0045 | 0.9216 | 15 | 0.0402 | 0.9981 |
| 0.5 | 0.0316 | 0.9876 | 5 | 0.0297 | 0.9444 | 25 | 0.0316 | 0.9834 |
| 1 | 0.0409 | 0.9346 | 7 | 0.0377 | 0.9793 | 50 | 0.0215 | 0.9974 |
| | | | 9 | 0.0408 | 0.9334 | 75 | 0.0017 | 0.9445 |

^a MB = 25 mg L⁻¹, pH = 5, light source = sunlight. ^b MB = 25 mg L⁻¹, catalyst = 1 g L⁻¹, light source = sunlight. ^c pH = 7, catalyst = 1 g L⁻¹, light source = sunlight.






Fig. 4 UV-Vis absorption spectra of nanocrystals TiO_2 , FeS_2 , and composite $\text{TiO}_2/\text{FeS}_2$.

containing a long conjugated π system are responsible for absorption in the visible region.^{38,39} Seemingly straight line spectra achieved after 180 min irradiation in the case of direct sunlight irradiation indicates increased photocatalytic efficiency in natural sunlight more than in visible irradiation attributed to the presence of UV in natural sunlight. Therefore, higher degradation was achieved in case of direct sunlight.⁴⁰

Comparison of photocatalytic activities of $\text{TiO}_2/\text{FeS}_2$, pristine TiO_2 , and FeS_2 are illustrated in Fig. 6. This experiment was carried out to check catalyst activity of the $\text{TiO}_2/\text{FeS}_2$ nanocomposite and as synthesized TiO_2 and FeS_2 at $\text{pH} = 7$ and MB concentration of 50 mg L^{-1} showing degradation of MB is in a decreasing order *i.e.*, $\text{TiO}_2/\text{FeS}_2$ (97.2%) > TiO_2 (48.64%) > FeS_2 (45%). These results indicate that $\text{TiO}_2/\text{FeS}_2$ has degraded nearly double the amount of MB in 180 min as compared to the individual constituents. This is because FeS_2 has a band gap of 1.00 eV; thus, it can be easily excited using visible light. However, decreased photoactivity of pure FeS_2 rather than the nanocomposite was due to an elevated electron-hole recombination rate.⁴¹ The higher MB degradation by $\text{TiO}_2/\text{FeS}_2$




Fig. 6 Effect of initial dye concentration and catalyst on photocatalytic degradation of MB ($\text{pH} = 7$, catalyst dose = 1 g L^{-1} , light source = sunlight).

compared to TiO_2 and FeS_2 alone was due to efficient electron-hole separation,²⁸ resulting in an increased number of charges participating in the photocatalytic degradation of MB. Another possible reason for enhanced photocatalytic degradation might be an increased oxidation-reduction potential of the composite *i.e.*, $\text{TiO}_2/\text{FeS}_2$.²⁵ The above results confirmed that $\text{TiO}_2/\text{FeS}_2$ exhibited enhanced degradation of MB compared to pristine TiO_2 or FeS_2 ; therefore, remaining experiments were conducted using the $\text{TiO}_2/\text{FeS}_2$ nanocomposite under solar light irradiation.

3.6 Effect of initial dye concentration

The initial pollutant concentration plays a very important role in photocatalytic reactions from both application and mechanistic points of view. Fig. 6 illustrates that complete degradation was achieved for an initial pollutant concentration of 25 mg L^{-1} ; however, there was significant decline in the MB degradation to 25.3% with an increase in initial dye concentration to 75 mg L^{-1} within 180 min of irradiation. This decline in catalytic activity




Fig. 5 UV-Vis spectra of MB degradation in solutions containing $\text{TiO}_2/\text{FeS}_2$ in (a) sunlight and (b) visible light (dye concentration = 25 mg L^{-1} , catalyst dose = 1 g L^{-1}).






Fig. 7 Effect of pH on photocatalytic degradation of MB (MB = 25 mg L⁻¹, catalyst = 1 g L⁻¹, light source = sunlight).

with increasing pollutant concentration in the solution may be attributed to lower transparency of the solution to light with increasing pollutant molecules and a longer path length for light to reach the catalyst's surface which, in turn, triggers lesser photocatalytic reactions.⁴²

3.7 Effect of solution pH

Solution pH is an important parameter that can affect efficiency of the photocatalytic process. Fig. 7 demonstrates the effect of solution pH on degradation of MB over a TiO₂/FeS₂ nanocomposite. Drastic changes in catalytic activity were observed with solution pH change from normal solution pH of 5 to acidic pH 2 with corresponding degradation of 25 mg L⁻¹ MB from 42.8% at pH 2 to 100% at pH 5 within 180 min of irradiation. Further increases in pH from 5 to 7 and 9 achieved complete degradation at 150 and 120 min, respectively showing increased catalytic activity in alkaline conditions. These results could be explained with the help of point of zero charge of TiO₂/FeS₂ (pH_{ZPC} = 3.8) determined by the salt addition method using 0.1 M KCl.⁴³ Consequently, the surface of the composite is positively charged at pH lower than 3.8 and electrostatic repulsion between the cationic dye molecule and positively charged catalyst surface in acidic pH would result in lower adsorption of the MB dye over the catalyst's surface resulting in lower degradation efficiency. On the contrary, at pH higher than the pH_{ZPC} the electrostatic attraction between the dye molecules and negatively charged surface of TiO₂/FeS₂ results in higher photocatalytic degradation at pH 5. Also, basic conditions favor production of hydroxyl radicals⁴³ which would further increase the catalytic degradation of MB.

3.8 Effect of catalyst dose

Another important factor influencing photocatalytic degradation rate is catalyst dose. A set of experiments was carried out to find the optimum catalyst concentration by increasing the TiO₂/FeS₂ nanocomposite dose from 0.25–1 g L⁻¹ at normal solution pH = 5 and MB concentration of 25 mg L⁻¹. A characteristic behavior observed in heterogeneous photocatalysis is that with




Fig. 8 Effect of catalyst loading on photocatalytic degradation of MB (MB = 25 mg L⁻¹, pH = 5, light source = sunlight).

an increase in catalyst dose, the degradation percentage is also increased.⁴⁴ Fig. 8 illustrates a similar pattern for the photocatalytic degradation of MB with increments in catalyst dose from 0.25–1 g L⁻¹ having a maximum of 100% degradation for 25 mg L⁻¹ MB at 1 g L⁻¹ catalyst dose within 120 min while 98.56% and 74.04% degradation efficiency was achieved at 120 min solar irradiation over 0.5 g L⁻¹ and 0.25 g L⁻¹ of TiO₂/FeS₂, respectively. Increased catalyst dose refers to an increased number of catalyst active sites per unit volume with more available surface area, which leads to the production of more OH⁻ radicals and higher degradation rates.^{45,46}

3.9 Reusability

Catalyst stability is a key factor for large scale applicability of any photocatalyst. To determine the photocatalyst's stability, the TiO₂/FeS₂ nanocomposite was recovered and used multiple times to degrade fresh MB solutions. After each reuse experiment the catalyst was simply filtered, dried in an oven at 80 °C,




Fig. 9 Photocatalytic efficiency of TiO₂/FeS₂ upon recycled application (MB = 25 mg L⁻¹, pH = 5, light source = sunlight).



and reused without any further modification. Fig. 9 depicts that the $\text{TiO}_2/\text{FeS}_2$ nanocomposite upon reuse retained high catalytic activity (100% to 97.2% and 90.72% by fresh, 2nd use, and 3rd use, respectively) with only about 9% loss in photocatalytic efficiency after the third cycle. This slight decrease in the rate of MB degradation upon reuse may be due to accumulation of organic intermediates, as detected by GCMS on the surface of a catalyst sample, thus affecting the adsorption of pollutant and, in turn, decreasing degradation.^{47,48} Apart from catalyst agglomeration, photo-dissolution, oxidative decomposition, and photo-corrosion, there are different processes in a photocatalytic reaction that negatively affect the surface of the catalyst, thus reducing its reusability and stability.⁴⁹

3.10 GCMS analysis

For detailed insight into the degradation mechanism of methylene blue by the $\text{TiO}_2/\text{FeS}_2$ nanocomposite, GCMS analysis was carried out on selective samples under optimized photocatalytic conditions. Based on mass spectra of the intermediate products formed before complete mineralization, it can be proposed that the MB degradation reaction occurs *via* high-energy electron impact. The MB degradation mechanism is proposed, and their respective mass spectra are shown in Fig. 10(a) and (b). High energy electrons generated as $\text{TiO}_2/\text{FeS}_2$ when irradiated with

solar light are able to dissociate the chemical bonds in MB. By far the most susceptible point for electron dissociation is the bond between $\text{H}_3\text{C}-\text{N}$ atoms having a bond energy of 3.07 eV.⁵⁰ The results appear in a successive demethylation reaction pathway leading to MB degradation. Due to degradation of MB, presence of demethylated molecules such as Azure A, Azure B and C, and thionine having mass to charge ratios of 270, 256, and 228, respectively are reported in literature.^{51,52} In the degradation of MB, the S-Cl bond broke first due to low bond disassociation energy, leading to the detection of Cl^- at the beginning of the reaction. The structure of the $m/z = 284$ ion corresponds to the MB cation which is due to $[\text{MB} + \text{H}]^+$. Due to bonds broken between $\text{S}\cdots\text{Cl}$, $\text{C}\cdots\text{SO}_3\text{H}$, and $\text{C}\cdots\text{NH}_2$ during degradation of the MB process Cl^- , SO_4^{2-} , and NO_3^- were detected.⁵³ Phenyl thiophene present in the form of protonated phenyl thiophene having $m/z = 138$ was also detected in this study.⁵⁴

Langmuir-Hinshelwood kinetics generally fit well with photocatalytic degradation reactions at the solid-liquid interface.⁵⁵ Kinetic parameters involved in MB degradation were evaluated by fitting this equation to the experimental data. Basic L-H relationship is given in eqn (2).




Fig. 10 (a) Mass spectra of MB solution treated with $\text{TiO}_2/\text{FeS}_2$, (b) possible degradation mechanism of MB based on MS spectra.






Fig. 11 The kinetic curve of degradation catalyzed by $\text{TiO}_2/\text{FeS}_2$ under (a) different MB concentration, (b) different pH conditions, and (c) catalyst dose.








$$\ln\left(\frac{C_0}{C}\right) = k_{\text{app}} \cdot t \quad (2)$$

where ' C_0 ' represents initial dye concentration, ' C ' represents the concentration in solution of MB at time ' t ' (min), and k_{app} is

the rate constant (min^{-1}). Increase in MB concentration decreased rate constant from 0.0402 to 0.0017 (min^{-1}) as shown in Table 1. A similar trend was observed in the case of pH with a maximum rate constant value obtained at pH 9 (*i.e.*, 0.0408 (min^{-1})). However, the rate constant increased with increase in catalyst dose as shown in Table 1. The kinetic plot between ' $\ln(C_0/C)$ ' and time ' t ' for operational parameters (*i.e.*, increasing dye concentration, solution pH, and catalyst dose) are shown in Fig. 11(a)–(c).

3.11 Reaction mechanism

Three stages on which complete photocatalytic process is generally reliant are light harvesting, separation of photo-generated charges, and interfacial reactions.⁵⁰ For an efficient photocatalyst, implementation at each stage is necessary. Here we present the reaction mechanism of $\text{TiO}_2/\text{FeS}_2$ nano-composite which can efficiently separate photogenerated charge carriers (h^+ & e^-) due to formation of a heterojunction between TiO_2 and FeS_2 and satisfied energy level position of $\text{TiO}_2/\text{FeS}_2$ composite *versus* vacuum energy.²⁸ FeS_2 with narrower band gap is easily excited by visible and sunlight, which initiates the generation of photoelectrons and holes. Photoelectrons in the conduction band of FeS_2 can be transferred to CB of TiO_2 , leaving holes in VB of FeS_2 ; as a result, the recombination rate of charge carriers was decreased successfully, and the photocatalytic activity was improved. Meanwhile, the generated VB hole can react with water to form H^+ and an OH^\cdot radical and then superoxide radical anions are generated by reaction of CB electrons with dissolved oxygen molecules, (O_2^\cdot) which undergo a series of reactions forming OH^\cdot , ultimately reacting with target pollutant (MB) and forming nonhazardous end product as depicted in eqn (3) through (11).



4. Conclusions

The aim of this study was to synthesize a solar/visible light active nanocomposite for the degradation of a commonly used hazardous textile dye *i.e.*, MB. A $\text{TiO}_2/\text{FeS}_2$ nanocomposite was



synthesized successfully and exhibited good crystallinity. FeS₂ nanoparticles were uniformly dispersed on TiO₂. The band gap of TiO₂ exhibited a red shift after addition of FeS₂. The obtained TiO₂/FeS₂ nanocomposite showed excellent catalytic activity in degradation of MB. Furthermore, a repeatability test showed that TiO₂/FeS₂ had good stability and reusability. In comparison, TiO₂/FeS₂ showed a higher catalytic activity than FeS₂, thereby proving the advantage of FeS₂ addition in the composite showing the highest degradation of MB under both direct sunlight and visible light *i.e.*, 100% and 97.2%, respectively in the case of TiO₂/FeS₂. The nanocomposite TiO₂/FeS₂ showed increased degradation of the organic pollutant; which was confirmed by the increased rate of chemical reaction following pseudo first-order reaction kinetics with the highest rate constant value of 0.0408 m⁻¹ and having R² 0.9981.

Conflicts of interest

There are no conflicts to declare.

Acknowledgements

The authors gratefully acknowledge Higher Education Commission Pakistan for funding the research through startup grant program # 21-921/SRGP/R&D/HEC/2016.

References

- M. A. Lazar, S. Varghese and S. S. Nair, *Catalysts*, 2012, **2**, 572–601.
- S. M. Gupta and M. Tripathi, *Chin. Sci. Bull.*, 2011, **56**, 1639–1657.
- P. Yang, W. Shi, H. Wang and H. Liu, *Braz. J. Microbiol.*, 2016, **47**, 828–834.
- T. Sreethawong and S. Yoshikawa, *Chem. Eng. J.*, 2012, **197**, 272–282.
- Q. Wu, H. Zhang, L. Zhou, C. Bao, H. Zhu and Y. Zhang, *J. Taiwan Inst. Chem. Eng.*, 2016, **67**, 484–494.
- K. P. Shinde and P. R. Thorat, *Review of Research*, 2013, **2**, 1–7.
- M. Molaei, E. SaievarIranizad, M. Marandi, N. Taghavinia and R. Amrollahi, *Appl. Surf. Sci.*, 2011, **257**, 9796–9801.
- T. M. Wandre, P. N. Gaikwad, A. S. Tapase, K. Garadkar, S. Vanalakar, P. Lokhande, R. P. Sasikala and P. Hankare, *J. Mater. Sci.: Mater. Electron.*, 2016, **27**, 825–833.
- S. C. Lee, H. O. Lintang and L. Yuliati, *Beilstein J. Nanotechnol.*, 2017, **8**, 915–926.
- J. Ran, J. Zhang, J. Yu, M. Jaroniec and S. Z. Qiao, *Chem. Soc. Rev.*, 2014, **43**, 7787–7812.
- M. K. Seery, R. George, P. Floris and S. C. Pillai, *J. Photochem. Photobiol., A*, 2007, **189**, 258–263.
- G. C. Collazzo, E. L. Foletto, S. L. Jahn and M. A. Villetti, *J. Environ. Manage.*, 2012, **98**, 107–111.
- H. Liu, T. Lv, C. Zhu and Z. Zhu, *Sol. Energy Mater. Sol. Cells*, 2016, **153**, 1–8.
- L. Yu, D. Wang and D. Ye, *Sep. Purif. Technol.*, 2015, **156**, 708–714.
- D. Rajamanickam and M. Shanthi, *Toxicol. Environ. Chem.*, 2013, **95**, 1484–1498.
- K. Zhang and L. Guo, *Catal. Sci. Technol.*, 2013, **3**, 1672–1690.
- Y. Li, Y. Hu, S. Peng, G. Lu and S. Li, *J. Phys. Chem. C*, 2009, **113**, 9352–9358.
- S. Liu, M. Li, S. Li, H. Li and L. Yan, *Appl. Surf. Sci.*, 2013, **268**, 213–217.
- J. Puthussery, S. Seefeld, N. Berry, M. Gibbs and M. Law, *J. Am. Chem. Soc.*, 2010, **133**, 716–719.
- M. Wang, C. Xing, K. Cao, L. Zhang, J. Liu and L. Meng, *J. Mater. Chem. A*, 2014, **2**, 9496–9505.
- Y. Y. Lin, D. Y. Wang, H. C. Yen, H. L. Chen, C. C. Chen, C. M. Chen, C. Y. Tang and C. W. Chen, *Nanotechnology*, 2009, **20**, 405207.
- H. Siyu, L. Xinyu, L. Q. Yu and C. Jun, *J. Alloys Compd.*, 2009, **472**, 9–12.
- A. M. Golsheikh, N. M. Huang, H. N. Lim, C. H. Chia, I. Harrison and M. R. Muhamad, *Chem. Eng. J.*, 2013, **218**, 276–284.
- M. J. M. Batista, M. N. G. Cerezo, A. Kubacka, D. Tudela and M. F. García, *ACS Catal.*, 2014, **4**, 63–72.
- G. Lee and M. Kang, *Curr. Appl. Phys.*, 2013, **13**, 1482–1489.
- I. Tacchini, E. Terrado, A. Anson and M. Martinez, *Micro Nano Lett.*, 2011, **6**, 932–936.
- P. Gao, J. Liu, T. Zhang, D. D. Sun and W. Ng, *J. Hazard. Mater.*, 2012, **229**, 209–216.
- D. Y. Wang, C. H. Li, S. S. Li, T. R. Kuo, C. M. Tsai, T. R. Chen, Y. C. Wang, C. W. Chen and C. C. Chen, *Sci. Rep.*, 2016, **6**(20397), 1–7.
- I. Bedja, *Mater. Sci.-Pol.*, 2011, **29**, 171–176.
- Y. Xin, Z. Li, W. Wu, B. Fu and Z. Zhang, *ACS Sustainable Chem. Eng.*, 2016, **4**, 6659–6667.
- B. Kilic, S. Turkdogan, A. Astam, O. C. Ozer, M. Asgin, H. Cebeci, D. Urk and S. P. Mucur, *Sci. Rep.*, 2016, **6**(27052), 1–9.
- S. Ding, X. Yin, X. Lu, Y. Wang, F. Huang and D. Wan, *ACS Appl. Mater. Interfaces*, 2012, **4**, 306–311.
- Y. Bai, J. Yeom, M. Yang, S. H. Cha, K. Sun and N. A. Kotov, *J. Phys. Chem. C*, 2013, **117**, 2567–2573.
- R. K. Rath, S. Subramanian and T. Pradeepy, *J. Colloid Interface Sci.*, 2000, **229**, 82–91.
- K. Kowal, K. W. K. M. Kopaczynska, E. Dworniczek, R. Franciczek, M. Wawrzynska, M. Vargova, M. Zahoran, E. Rakovsky, P. Kus, G. Plesch, A. Plecenik, F. Laffir, S. A. M. Tofail and H. Podbielska, *J. Colloid Interface Sci.*, 2011, **362**, 50–57.
- M. C. Acevedo, M. S. Faber, Y. Tan, R. J. Hamers and S. Jin, *Nano Lett.*, 2012, **12**, 1977–1982.
- W. Li, M. Döblinger, A. Vaneski, A. L. Rogach, F. Jäckel and J. Feldmann, *J. Mater. Chem.*, 2011, **21**, 17946–17952.
- K. Sahel, N. Perol, H. Chermette, C. Bordes, Z. Derriche and C. Guillard, *Appl. Catal., B*, 2007, **77**, 100–109.
- B. Wawrzyniak and A. W. Morawski, *Appl. Catal., B*, 2006, **62**, 150–158.
- J. Sun, L. Qiao, S. Sun and G. Wang, *J. Hazard. Mater.*, 2008, **155**, 312–319.



- 41 R. Rusdi, A. A. Rahman, N. S. Mohamed, N. Kamarudin and N. Kamarulzaman, *Powder Technol.*, 2011, **210**, 18–22.
- 42 F. Han, V. S. R. Kambala, M. Srinivasan, D. Rajarathnam and R. Naidu, *Appl. Catal., A*, 2009, **359**, 25–40.
- 43 R. Kumar, M. O. Ansari, N. Parveen, M. Oves, M. Barakat, A. Alshahri, M. Y. Khan and M. H. Cho, *RSC Adv.*, 2016, **6**, 111308–111317.
- 44 T. M. Elmorsi, Y. M. Riyad, Z. H. Mohamed and H. M. H. Abd El Bary, *J. Hazard. Mater.*, 2010, **174**, 352–358.
- 45 P. Bansal and D. Sud, *Desalination*, 2011, **267**, 244–249.
- 46 A. N. Rao, B. Sivasankar and V. Sadasivam, *J. Mol. Catal. A: Chem.*, 2009, **306**, 77–81.
- 47 Z. Jin, W. Duan, W. Duan, B. Liu, X. Chen, F. Yang and J. Guo, *Appl. Catal., A*, 2016, **517**, 129–140.
- 48 M. Vautier, C. Guillard and J.-M. Herrmann, *J. Catal.*, 2001, **201**, 46–59.
- 49 Q. S. Wu, Y. Feng, G.-Y. Zhang, Y.-Q. Sun, Y.-Y. Xu and D.-Z. Gao, *Mater. Res. Bull.*, 2014, **49**, 440–447.
- 50 L. O. B. Benetoli, B. M. Cadorin, V. Z. Baldissarelli, R. Geremias, I. G. de Souza and N. A. Debacher, *J. Hazard. Mater.*, 2012, **237**, 55–62.
- 51 M. A. Rauf, M. A. Meetani, A. Khaleel and A. Ahmed, *Chem. Eng. J.*, 2010, **157**, 373–378.
- 52 H. Gnaser, M. R. Savina, W. F. Calaway, C. E. Tripa, I. V. Veryovkin and M. J. Pellin, *Int. J. Mass Spectrom.*, 2005, **245**, 61–67.
- 53 F. Huang, L. Chen, H. Wang and Z. Yan, *Chem. Eng. J.*, 2010, **162**, 250–256.
- 54 N. G. Asenjo, R. Santamaría, C. Blanco, M. Granda, P. Álvarez and R. Menéndez, *Carbon*, 2013, **55**, 62–69.
- 55 G. Liao, S. Chen, X. Quan, Y. Zhang and H. Zhao, *Appl. Catal., B*, 2011, **102**, 126–131.

