RSC Advances

PAPER

Cite this: RSC Adv., 2018, 8, 20277

Received 22nd April 2018 Accepted 28th May 2018 DOI: 10.1039/c8ra03117g

rsc.li/rsc-advances

1. Introduction

Organic dyes are widely used in various industrial processes and discharged into the environment, resulting in them being common contaminants in wastewater. Most of the dyes are stable, recalcitrant, colorant, and even potentially carcinogenic and toxic. The deleterious effects of dyes on human health and ecosystems have driven researchers to develop facile and effective methods to treat dye wastewater.¹ Semiconductor metal oxides have been utilized as photocatalysts due to their high photosensitivity and stability.^{2,3} Among the various semiconductor materials, titanium dioxide $(TiO₂)$ is the most widely used photocatalyst for the decomposition of organic pollutants.⁴ However, its limited activity under visible light and fast recombination of photoinduced charge carriers limit its practical application.^{5,6} There are mainly two approaches to promote the visible-light responsive capability of these metal oxide photocatalysts.⁷ One is to dope with other elements to modify their physical and chemical properties.⁸⁻¹¹ Doong et al. prepared Cu, N-codoped titanate nanotubes and the surface normalized reaction rate constants for bisphenol A degradation were 4.3 and 1.5 times higher than those of Degussa P25 TiO₂ under UV and visible light irradiation, respectively.¹²

Fast photocatalytic degradation of dyes using lowpower laser-fabricated Cu₂O–Cu nanocomposites

Shengling Li, †^a Qingxia Lin, †^a Xianhua Liu, D^{*a} Li Yang,^a Jie Ding,^a Feng Dong,^a Yang Li,^a Muhammad Irfan^a and Pingping Zhang^{*b}

In this study, we report a simple method to controllably synthesize $Cu₂O-Cu$ nanocomposites by using a low-power $CO₂$ laser, and application of these nanomaterials for photocatalytic degradation of methylene blue (MB). Our experiments demonstrate that efficient tailoring of the $Cu₂O-Cu$ nanocomposites can be realized by accurate control and optimization of the ambient parameters, such as laser energy and NaOH concentration. Compared to hydrothermally fabricated Cu₂O–Cu catalysts, the laser-reduced composites exhibit better visible-light photocatalytic activity for MB degradation, which could be attributed to the formation of special catalytically active structures on the nanocomposite surface. Under the conditions of 10 mA laser irradiation and 5 M NaOH addition, the fabricated Cu₂O–Cu composites had the highest catalytic activity. The degradation rate of MB is 90.10% after visible-light irradiation for 50 min under the optimum conditions. The as-synthesized $Cu₂O-Cu$ composites showed selective dye degradation, and exhibit relatively higher photocatalytic efficiency for positively charged dyes. This work could lead to facile synthesis of high-performance photocatalysts for fast removal of environmentally hazardous dyes from aqueous solution. PAPER
 EXERCT AND ACCOUNT CONSTANT SUPPOSE THE CARR AND A 2022 CHO POWER LATER THAN A 2022 CHO POWER SUPPOSE THE CARR AND A 2023 F

Belver *et al.* synthesized Zr-doped TiO₂ supported on delaminated clay materials which exhibited higher degradation rates than the undoped TiO₂, and this work demonstrated the potential application of metal-doped anatase and delaminated clay photocatalysts.¹³ The other method is to develop new types of semiconductors with narrower band gap for visible-light-driven. Tai et al. reported the introduction of oxygen excess defects into the TiO₂ lattice led to an upshift of VB maximum, causing the band gap to be reduced to 2.95 eV.¹⁴ Nur'aeni et al. produced a novel hybrid photocatalyst by attempting the mussel-inspired linking of β -FeOOH (akaganeite) on core Fe₃O₄ nanoparticles which with narrow band gap of 1.79 eV.¹⁵ H. Al-Kandari shown that the band gap energy for TiO₂ was lowered from 3.11 to 2.96 eV when it was composited with rGO to form the rGOTi.¹⁶

Cuprous oxide $(Cu₂O)$ is a promising low-cost, narrow bandgap material in visible-light photocatalytic field. As a typical metal-deficient p-type semiconductor with a bandgap between 2.0–2.2 eV, the spectral absorptance of the naturally occurring copper oxide has a bulge at 600 nm and a plateau that falls off at about 700–800 nm, so $Cu₂O$ can absorb most of the visible light and the theoretical photoelectric conversion efficiency can reach 18%.17,18 Because of its wonderful absorbance, it has obtained wide application for photoelectrolytic cells and solar energy conversion with great performance.¹⁹⁻²¹ Alami et al. synthesized crystalline $Cu₂O$, the relative directional spectral absorptance of all samples exhibit a wide inverted U-curve spanning the visible range and into near-IR which indicating a obviously enhancement of optical absorptance.²²

a Tianjin Key Lab. of Indoor Air Environmental Quality Control, School of Environmental Science and Engineering, Tianjin University, Tianjin, 300354, PR China. E-mail: lxh@tju.edu.cn

b College of Food Science and Engineering, Tianjin Agricultural University, Tianjin, 300384, PR China. E-mail: zpp@tjau.edu.cn

[†] Both authors contributed equally to this work.

There are many approaches to fabricate $Cu₂O$ micro- and nanocrystals, such as hydrothermal route, aqueous colloidal solution method, and chemical vapour deposition method.²³⁻²⁶ Cheng et al. prepared $Cu₂O-Cu$ composites with different coverage of Cu NPs, and the highest degradation rate of methyl blue (MB) was about 88% after visible-light irradiation for 60 min.⁴ Hong et al. fabricated Cu₂O/Cu hollow microsphere with controllable shape by the one-pot solvothermal redox method. The degradation rate of methyl orange was about 90% after Xe arc lamp irradiation for 60 min.²⁷ Deng et al. prepared $Cu₂O$ spherical crystals by hydrothermal method. The degradation rate of methyl orange was about 85% after visible-light irradiation for 90 min.²⁸ All these results demonstrate that $Cu₂O$ catalyst fabricated by traditional chemistry route have well photocatalytic activity, but it always needs several hours to finish the reduced process by heated in stainless steel autoclave or ordinary beaker, and needs to keep stirring throughout this process. **EXAMENTES ARTIFY ARTIFY CONTINUES ARTIFY ARTIFY ARTIFY ARTIFY ARTIFICIAL CONSULTS ARTIFICIAL CONSULT**

In this study, we try to replace the heat process in traditional chemistry route by low energy laser irradiation with several minutes to gain the more efficient $Cu₂O$ photocatalyst.

The main objectives of this study are (1) to facilely and rapidly fabrication of $Cu₂O$ –Cu nanocomposites by using a lowpower $CO₂$ laser without any template and surfactant and (2) to evaluate the catalytic capabilities of $Cu₂O-Cu$ nanocomposites under visible light irradiation. Methylene blue (MB) was selected as the target compound in this work due to its wide applications in industry.

There have been many studies using high-power pulsed laser etching to synthesis nanomaterials. To the best of our knowledge, this is the first work that fabricates $Cu₂O-Cu$ nanocomposite with assistance of a low-energy $CO₂$ laser which is more energy saving and environmental friendly. Our results will

be beneficial to the application of laser-fabricated nanocomposites in photocatalysis of hazardous materials.

2. Materials and methods

2.1 Materials

Cupric sulfate $(CuSO_4·5H_2O)$, ethylene glycol, sodium hydroxide, H_2O_2 , p-glucose, benzoquinone (BQN) and isopropanol (IPA) were obtained from Yuanli Technology Co., Ltd. (Tianjin, China). All chemicals were of analytical grade and used without further purification. Aqueous solutions were prepared using deionized water.

2.2 Synthesis of $Cu₂O$ –Cu composites

The fabrication setup for $Cu₂O$ –Cu composites is depicted in Fig. 1a. It mainly consists of a $CO₂$ laser and a beam controller (Xinbang 3020, China). The Cu₂O–Cu composites were synthesized following a simple laser redox procedure as follows:⁴ 0.5 g of $CuSO_4 \cdot 5H_2O$, 20 mL of ethylene glycol, and 10 mL of deionized water were added into a cylindrical beaker, and then the beaker was immersed in a 60° C water bath with vigorously stir for 10 min till the mixture dissolved completely. Afterwards, 10 mL of NaOH solution (5 M) was added dropwise. After 5 min, 10 mL of p -glucose solution (1.1 M) was added into the mixture rapidly. The color of the suspension changed from blue to yellow immediately, and finally to orange. After the reaction, 30 mL of the suspension was transferred into a Petri dish (diameter: 10 cm, height: 1.5 cm) and irradiated by the $CO₂$ laser with different energy. The position of the laser head was controlled by a laser controller to allow the laser beam irradiate onto the samples. The precipitate was collected by centrifugation at 11 000 rpm for 5 min and washed by ethanol and

Fig. 1 Schematic diagram of the experimental setup for (a) Cu₂O-Cu fabrication with different laser energy (10 mA, 20 mA, 30 mA) and different concentration of NaOH (5 M and 7 M) and (b) photocatalytic dye degradation.

deionized water for several times. The precipitate was dried in vacuum at 60 \degree C for 1 h.

2.3 Characterization

The as-prepared samples were determined by X-ray powder diffraction (XRD, D/max-2500, Rigaku co., Japan), using Cu Ka radiation ($\lambda = 0.15406$ nm, 18 kW). The morphology and microstructure of the samples were characterized by a scanning electron microscopy (SEM, S-4800, Hitachi Co., Japan). X-ray photoelectron spectroscopy (XPS) measurements were performed on a Thermo Escalib spectrometer (Thermo Electron Co, America) with Al Ka X-ray radiation as the X-ray source for excitation. UV-vis absorption spectra of organic dyes were measured by a Unico UV-Vis scanning spectrometer (Shanghai, China).

2.4 Photocatalytic degradation of MB

The photocatalytic activity experiments were conducted in a simple photocatalytic reactor equipped with a cooling water circulator to maintain the temperature of liquid at about 25 $\mathrm{^{\circ}C}$ during the experiment. The light irradiation was performed using a halogen lamp $(0.314 \, \text{W cm}^{-2})$ (Fig. 1b). In a typical procedure, 9 mg of $Cu₂O-Cu$ composites were well dispersed into 30 mL of MB solution (10 mg L^{-1}) and stirred for 1 h in dark to reach adsorption–desorption equilibrium between the dye and the catalyst. A certain amount of H_2O_2 solution (30 wt%) was added into the suspension before turning on the halogen lamp. The samples were drawn from the reactor periodically to record their UV-vis spectra on the spectrophotometer. The degradation performance of catalyst with different MB initial concentrations (from 5 -25 mg L^{-1}) and H_2O_2 addition were also investigated. The degradation rate of MB was calculated using the following equation (eqn (1)): Paper

Operation of 60 °C for 11. The specifical on the specifical on 0. The specifical on 1. The specifical serves Article is licensed under the specifical on 2018. The specifical serves are determined by Xray powder for

$$
D = \frac{C_0 - C}{C_0} \times 100\% = \frac{A_0 - A}{A_0} \times 100\% \tag{1}
$$

where A is the value of absorbency of MB solution at 664 nm in different intervals and C is the concentration of the dyes in different intervals.

The kinetics of the photocatalytic degradation rate of MB was determined using the Langmuir–Hinshelwood kinetics model, $29,30$ as given in the following (eqn (2)):

$$
\ln\left(\frac{C_0}{C}\right) = k_{\text{app}}t + \text{contant}
$$
 (2)

where C_0 is the initial concentration of MB at $t = 0$, and C is the remained concentration of MB at any irradiation time t (min). k_{app} is the apparent first-order rate constant $(\mathrm{min}^{-1}),$ which can be calculated from the slope $ln(C_0/C)$ versus irradiation time t.

2.5 Effect of irradiation light wavelength

The light source was a 50 W halogen tungsten lamp which was vertically placed above a filter (450 nm, 600 nm) with a distance of 1 cm and the reaction beaker was placed under the filter with a distance of 0.5 cm. The cooling water was circulating during the reaction to maintain a constant temperature of the solution. 3 mg of $Cu₂O-Cu$ composites was dispersed into 10 mL of MB solution (10 mg L^{-1}) and stirred for 1 h in dark to reach adsorption–desorption equilibrium. Then 0.01 mL of H_2O_2 solution (30 wt%) was added into the mixture solution, and the solution was irradiated for 50 min. The samples were drawn from the reactor to record their UV-vis spectra on the spectrophotometer.

2.6 Radical trapping experiment

To detect the mechanism of the photocatalytic degradation, the radical trapping experiments were performed. For testing $\cdot O^{2-}$, 0.023 mM BQN $({}^{\cdot}O^{2-}$ scavenger) was added in the typical degradation process. And for testing \cdot OH, 2 mM IPA (\cdot OH scavenger) was added in the typical degradation process. The samples were drawn from the reactor to record their UV-vis spectra on the spectrophotometer.

3. Results and discussion

3.1 Characterization

The morphologies of $Cu₂O-Cu$ composites synthesized under different laser power (10 mA, 20 mA, 30 mA) were characterized by SEM (Fig. 2). It can be seen the particles of all the samples are sphere-like in shape with distinct surface protrusions. The diameter of microspheres rises from about 1 μ m to 3 μ m with

Fig. 2 SEM images of the $Cu₂O-Cu$ photocatalysts synthesized by (a) 10 mA laser, (b) 20 mA laser, (c) 30 mA laser.

RSC Advances **RSC Advances** Paper **RSC Advances** Paper **Paper Paper Paper Paper** Paper Pap

the increase of laser energy, and there are many small spherical particles on the surface of microspheres. In addition, with the increase of irradiation energy, the $Cu₂O$ –Cu spheres demonstrate typical core–shell structure. For the samples synthesized by laser irradiation with 10 mA, the diameters of the large particles and small spherical particles are about $1 \mu m$ and 50 nm, respectively. The corresponding energy-dispersive X-ray (EDX) spectrums suggest all the samples are composed of $Cu₂O$ and Cu crystals together. And the photocatalytic efficiency of particles fabricated by 10 mA laser irradiation present the best performance.

Fig. 3a shows the XRD patterns of $Cu₂O$ –Cu composites fabricated with different concentrations of NaOH solution. The diffraction peaks centered at 29.632, 36.502, 42.401, 52.579, 61.518 and 77.565 can be ascribed to those of primitive cubic $Cu₂O$ (JCPDS No.77-0199) and other peak at 43.341, 50.478, 74.172 are the typical diffraction from cubic Cu (JCPDS no.70- 3039), which demonstrate that the as-prepared products are the composite of $Cu₂O$ and $Cu₃O$ is dominant according to the relative intensities of both phase. The calculated adsorption energies for H_2O_2 on the Cu₂O (111), Cu₂O (110) surfaces are 4.27 and 0.60 eV, respectively. And, the (111) surface of $Cu₂O$ is generally regarded as a highly reactive facet.³¹ The presence of these two cubes makes the $Cu₂O-Cu$ composite exhibits well catalytic performance. The result also indicated both the samples had the same XRD patterns and the only difference between them is the intensity of cube peak. The contents of $Cu₂O$ and Cu compositions for S-5M NaOH (synthesized by using 5 M NaOH) are about 89.77 wt% and 10.23 wt%, respectively. For S-7 M NaOH (synthesized by using 7 M NaOH), these values are about 91.21 wt% and 8.79 wt%, respectively. It can be supposed that the better photocatalytic performance of sample S-5M NaOH may result from its higher Cu composition, producing stronger electronic conduction effect. In addition, the diffraction peaks of all cubes are sharp and have low noise, implying that it has high degree of crystallinity.

XPS measurement was carried out to investigate the element composition and the chemical valence of the prepared composites. The results are shown in Fig. 3b–d, the binding energies for C $(1s)$, O $(1s)$ and Cu $(2p)$ are 284.8 eV, 531.0 eV, 932.6 eV, respectively, indicating the existence of Cu and O in the composites. In Fig. 3c, the peaks at 932.4 eV and 952.28 eV can be attributed to Cu 2p_{3/2} and Cu 2p_{1/2} of Cu₂O or Cu⁰, respectively. It is difficult to identify the $Cu⁺$ or $Cu⁰$ in this spectrum for the overlap of its binding energy.³² Thus, the Cu LMM Auger spectra were collected to effectively distinguish the states of Cu. As shown in Fig. 3d, the peak located at 918.2 eV

Fig. 3 XRD patterns of the Cu₂O–Cu catalysts synthesized by using 5 M and 7 M NaOH, respectively (a); XPS spectra of the Cu₂O–Cu catalyst synthesized under the optimum condition (5 M NaOH, 10 mA laser energy), including XPS full spectrum (b), Cu 2p spectrum (c), and Cu LMM Auger spectrum (d), respectively.

can be assigned to $Cu⁰$ state and the weak signal at about 916.32 eV comes from Cu⁺ state. Besides, the peak of Cu $2p_{3/2}$ and Cu $2p_{1/2}$ also related to Cu²⁺. It is inevitably appearing a small amount of CuO in the composites.³³ We can deduce that the nano-sized $Cu₂O$ and Cu are distributed in mosaic form on the surface of big spheres. Based on the aforementioned results, we can propose the growth mechanism of $Cu₂O$ –Cu composites as follows:

$$
OHCH_2CH_2OH \rightarrow CH_3COH + H_2O \tag{3}
$$

$$
OH-CH_2-CH_2-OH + Cu^{2+} \rightarrow [Cu(C_2H_6O)]^{2+}
$$
 (4)

 $[Cu(C₂H₆O)]²⁺ + OH⁻ \rightarrow Cu(OH)₂ + HOCH₂CH₂OH$ (5)

 $Cu(OH)$ ₂ + $C_6H_{12}O_6$ $\xrightarrow{h\nu}$ Cu_2O + CHO(CHOH)₄COOH +

$$
H_2O \t\t(6)
$$

 $Cu(OH)₂ + C₆H₁₂O₆$ $\xrightarrow{hw} Cu + HOOC(CHOH)₄COOH +$

$$
H_2O \t\t(7)
$$

$$
\begin{array}{c}\text{Cu}_2\text{O}+\text{CHO}(\text{CHOH})_4\text{COOH} + \text{O}_2 \rightarrow \\ \text{Cu}[\text{HO}(\text{CHOH})_4\text{COO}]_2 + \text{H}_2\text{O} \quad (8)\end{array}
$$

$$
Cu + CHO(CHOH)_{4}COOH + O_{2} \rightarrow
$$

Cu[HO(CHOH)_{4}COO]₂ + H₂ (9)

As mentioned in previous reports,^{34,35} spheres are easier to be formed according to the coordinate adsorption, oriented attachment and Oswald ripening route. In the presence of chelating reagent ethylene glycol (EG), Cu^{2+} can easily be converted into a relatively stable complex $\left[\text{Cu}(C_2H_6O)\right]^{2+}$ (Reaction (4)). In the following nucleation separation and growth steps, the complex is slowly transformed into $Cu(OH)_2$ precursors (Reaction (5)) due to the different stability constants and the sharp decrease of free Cu^{2+} ion concentration. Under the condition of laser radiation and the presence of glucose, $Cu(OH)_{2}$ can be reduced to $Cu_{2}O$ and Cu (Reaction (6) and (7)). Driven by the minimization of interfacial energy, the freshly generated $Cu₂O$ and Cu irregularities are unstable and tend to assemble into oriented large spheres. As the laser energy increases, some inner $Cu₂O$ and Cu crystals will be dissolved again and generate Cu[HO(CHOH)₄COO]₂ (Reaction (8) and (9)), which can be used as a new copper source for forming small $Cu₂O-Cu$ composites spheres redeposited on the surface of sphere (Fig. 4a). Furthermore, the laser light can release a lot of heat to promote the above reactions. Therefore, the laser energy plays an important role in the control of compositions of products, and the concentration of NaOH also influence the morphology of products. Paper

On the access Article Commercial Article Commercial Article Commercial Article Commercial Article Commercial Article

2013 Occurs Article 2018. Depend on Creative Commercial Article 2018. The Commercial Article is

3.2 Photocatalytic performance of $Cu₂O$ –Cu catalyst

3.2.1 catalytic performance of $Cu₂O-Cu$ fabricated by different methods. $Cu₂O-Cu$ catalysts fabricated by laser reduced method and hydrothermal method were compared (Fig. 4b). In laser reduction method, the reaction was irradiated

Fig. 4 (a) Proposed formation scheme of the Cu₂O–Cu composite microspheres under the irradiation of different laser energy (10 mA, 20 mA, 30 mA); (b) photocatalytic degradation of MB in the presence of catalysts fabricated by laser-reduced reduction method and hydrothermal method, respectively; (c) typical absorbance spectra of MB dye after irradiation by 450 nm, 600 nm and full spectrum light; (d) UV-vis spectra of halogen lamp and catalysts fabricated by laser-reduced reduction method.

by $CO₂$ laser for about 5 min. While in hydrothermal method, the entire reaction was treated by 60 \degree C water bath for 40 min (the best reaction condition which is confirmed by previously report).

The photocatalytic performance of the products was compared in a typical photocatalysis experiments. As shown in Fig. 4b, the catalyst fabricated by hydrothermal method demonstrated well catalytic efficiency in the first 10 minutes, but the catalytic ability decreased significantly after 10 minutes, and the degradation rate was only 51.12% after irradiating for 50 min. While the catalyst fabricated by laser reduced method can degrade 90.10% of MB under the same reaction condition. According to previous reports,²⁸ the catalysts prepared by different methods can have great differences in the structure and morphology including shape, size and exposed crystalline facet, and the photocatalytic activities could be strongly affected by these factors. The photocatalytic activity of $Cu₂O$ (111) facet is better than that of its (110) and (100) facets, which is due to $Cu₂O$ (111) has more Cu dangling keys than (110) and (100) facets.³⁶ The XRD results illustrated that the Cu₂O fabricated by laser reduced method exposed more (111) facet, thus showed superior catalytic performance. BSC Advances Articles. This will be the published on 10 GeV and the supplet three potocolarity is determined to the supplet of the

3.2.2 Effect of irradiation light wavelength. To gain further insights into the light response of laser reduced $Cu₂O-Cu$ catalysts, the comparative experiments were carried out under irradiation of lights with different wavelength (Fig. 4c). It was found that the sample irradiated with 600 nm light exhibited the best photocatalytic efficiency and the sample irradiated with full spectrum light had the lowest performance. Thus, the as-

prepared $Cu₂O-Cu$ catalysts is significantly enhancing the redlight-driven photocatalytic performance, indicating its potential application in wastewater treatment. As is known, the optical absorption property of photocatalyst is recognized as the key factor in determining its photocatalytic activity, which is relevant to its electronic structure feature. To see the effectiveness of $Cu₂O-Cu$ composite on the adsorption of light emitted from halogen tungsten lamp, UV-vis absorption spectra of catalysts and tungsten-halogen lamp spectrum are compared in Fig. 4d. The laser reduced photocatalyst exhibits two strong adsorption peaks around 500 nm and 610 nm, which enhance the visible-light adsorption. These results indicated the prepared $Cu₂O-Cu$ composite is an appropriate catalyst candidate for visible light photocatalysis.

3.2.3 Effect of initial dye concentration. The effect of initial dye concentration under irradiation with a 300 W halogen tungsten lamp was investigated by varying the initial MB concentration from 5 mg L⁻¹ to 25 mg L⁻¹ with 9 mg catalyst. Fig. 5a indicates that the lower concentration of MB solutions have the higher degradation rates. After irradiation for 50 min, the degradation efficiency of 5 mg L⁻¹, 10 mg L⁻¹, 15 mg L⁻¹, 20 mg L⁻¹ and 25 mg L⁻¹ MB reached 92.55%, 90.10%, 66.85%, 58.08% and 28.33%, respectively.

The explanation of this phenomenon is as follows. Firstly, the MB molecules can adsorb light and decrease the light transmittance, which is unfavourable for the catalysts to absorb light energy. Secondly, excessive MB molecules will adsorb on the surface of the catalyst. Their adsorption will suppress other

Fig. 5 (a) Photocatalytic activity and (b) In(C₀/C) vs. time plot for photodegradation of MB with different concentration from 5–25 mg L⁻¹; (c) photocatalytic degradation percentage of MB with different amount of H₂O₂ (1#, 0.03 mL H₂O₂; 2#-7#, 9 mg Cu₂O–Cu with 0, 0.01 mL, 0.02 mL, 0.03 mL, 0.04 mL, 0.05 mL H₂O₂, respectively); (d) ln(C₀/C) vs. time plot for MB photodegradation with 30 µL H₂O₂ only, 30 uL H₂O₂ and photocatalyst.

substrates, such as H_2O_2 , OH^- and H_2O , to react with the catalyst, and the production of highly reactive species is inhibited. In the low concentration range (less than 20 mg L^{-1} MB), the degradation process was in accord with L-H mode (Fig. 5b), informing that laser reduced $Cu₂O-Cu$ catalysts' photocatalytic process follow pseudo-first-order. However, when the MB solution is too low (5 mg L^{-1}), the high degradation efficiency of the catalyst will make 80% MB molecules removed in initial 20 min. Hence, its degradation performance wasn't in accord with L-H model in the whole 50 min process.

3.2.4 Effect of H_2O_2 amount. H_2O_2 is another crucial factor that determine the photocatalytic performance of $Cu₂O-Cu$ catalyst. The influence of H_2O_2 amount was systematically studied through series of comparative tests. As shown in Fig. 5c and d, the degradation efficiency of MB was increased when the amount of H_2O_2 were increased from 0 mL to 0.03 mL. However, when the amount of H_2O_2 increased further, the photocatalytic activities were inhibited. The highest degradation rate of 90.10% was obtained with 0.03 mL H_2O_2 . The degradation rates were 55.16% and 17.34% for samples that only using H_2O_2 or Cu₂O–Cu, respectively. The high degradation rate may be attributed to the fact that H_2O_2 molecules can act as electronic trap to react with photo-generated electrons, and the generated \cdot OH radicals can further react with MB and enhanced the dye degradation. Previous experiment³⁷ reported that H_2O_2 molecule is only dissociated on the $Cu₂O(111)$ surface and the main dissociation products of H_2O_2 on the Cu₂O(111) surface are 'OH radicals which is in good agreement with our degradation and XRD results. Paper

Mass ratios Article on 1970, 0.01 and 1470, to mean with the Toruma European Access Article on 1970, the production paper and the common of Creative Published Data are the common attention paper in the production p

For the photoexcited Cu₂O-Cu system without H_2O_2 , the top valance band of $Cu₂O$ is higher than the oxidation potential of $H₂O$, so the photo-generated electron cannot react with H⁺ (from H₂O) and h⁺ can't react with OH⁻ (from H₂O) to form **'OH** which is crucial for degradation process. In addition, the composite structure of $Cu₂O$ –Cu raise the valance band of $Cu₂O$ because the work function of Cu is smaller than $Cu₂O$. For the photoexcited system of $Cu₂O-H₂O₂$, positive $Cu₂O$ with holes cannot provide electrons for H_2O_2 dissociation to generate 'OH.³⁰ For the system of Cu₂O–Cu–H₂O₂, the photo-generate electron is captured by Cu to generate 'OH with H_2O_2 molecules on the surface of Cu. Meanwhile, H_2O_2 molecules can also be dissociated by holes to generate 'OOH. However, if the amount of H_2O_2 exceeds the optimum value, it may result in the photochemical reaction between $Cu₂O$ and $H₂O₂$ as follows (eqn (10) and (11)):

$$
H_2O_2 \xrightarrow{Cu_2O} H_2O + O_2 \tag{10}
$$

$$
Cu2O + H2O2 \rightarrow CuO + H2O
$$
 (11)

These reactions will lead to the degradation of $Cu₂O$ and $H₂O₂$.

3.2.5 Radical trapping experiment. In this study, IPA and BQN were used as scavengers for hydroxyl and peroxy radicals in order to investigate the photocatalytic mechanism of the degradation of MB.

As shown in Fig. 6a, the degradation process of MB is similar to the typical degradation process without BQN, implying that

Fig. 6 Typical absorbance spectra of MB dye after addition of (a) BQN, (b) IPA; (c) selective degradation for different dyes; (d) cycling degradation of MB by Cu₂O–Cu fabricated by laser reduced method.

Table 1 Comparison of degradation efficiency for different photocatalysts

 \cdot O₂⁻ contributes less to the MB photodegradation process. However, when IPA was added to quench the \cdot OH radicals, the photocatalytic degradation was inhibited remarkably (Fig. 6b), indicating that the $·$ OH radicals plays a crucial role for MB photocatalytic degradation.

3.2.6 Selective degradation for different dyes. Different types of dyes including positively charged RhB, MB and negatively charged MO were adopted as target dyes to assess the photocatalytic performance of the as-prepared $Cu₂O-Cu$ composition, as shown in Fig. 6c. Under the same reaction conditions, the removal efficiency of MB, RhB and MO is 90.10% 80.30% and 48.65% after irradiation of 50 min, respectively. The experiment results indicate that the assynthesized $Cu₂O-Cu$ has selective dye degradation, which exhibit relatively higher photocatalytic efficiency for RhB and MB. It is supposed that the surface charge of $Cu₂O-Cu$ make them preferentially photodegrade RhB and MB, which are positively charged molecules.

3.2.7 Stability of the catalyst. The stability and recyclability of the photocatalysts were also investigated through the degradation of MB under visible light. Each cycle lasted for 50 min with fresh MB solution. The catalyst was recycled by centrifugation and then washed with ethanol and deionized water, followed by drying at 60 \degree C for 1 h without any further treatment. As shown in Fig. 6d, the photocatalytic efficiency of $Cu₂O-Cu$ presents only a slight decline in the recycle experiments, which may be attributed to the little loss and the deactivation of the catalyst in the cycling experiment, indicating its high stability and durability.

3.2.8 Mechanism of photocatalytic activity for $Cu₂O-Cu$ composites. Table 1 lists recently published performance parameters obtained with $Cu₂O$ photocatalysts. For comparison, results obtained from present work are also shown. The results shows that our work has excellent performance compared with other catalysts, especially in the range of visible light. Furthermore, the simple and easy control process, and low cost of raw materials justify an effort to conduct further research for practical applications.

The excellent photocatalytic activity of the $Cu₂O-Cu$ composites for MB degradation can be summarized by the following equations, schematically shown in Fig. 7.

$$
Cu2O + hv \rightarrow e^{-}(CBCu2O) + h^{+}(VBCu2O)
$$
 (12)

$$
H_2O_2 + e^- \rightarrow \text{'}OH \tag{13}
$$

$$
H_2O_2 + h^+ \to \text{'}OOH \tag{14}
$$

$$
MB + 'OH (or 'OOH) \rightarrow degradation products
$$
 (15)

According to the previous reports, the conduction band (CB) and the valence band (VB) potentials of Cu₂O are -1.79 V_{sce} and 0.33 V_{sce}, respectively, exhibiting indirect band gap transition of 2.12 eV.⁴⁴ Under visible-light irradiation (the incident energy is greater than 2.12 eV), $Cu₂O$ can absorb photons and the electrons are excited from VB to CB.⁴⁵ In the Cu₂O-Cu composites, the hole-electron pairs are separated by the electric field developed across the depletion layer. The presence of Cu

Fig. 7 Proposed photocatalytic mechanism of $Cu₂O-Cu$ photocatalyst under visible light.

Paper RSC Advances

promotes the photocatalysis due to its low work function and good conductive ability. The photogenerated electrons can easily transfer to the Cu to decrease the recombination of the photogenerated electrons and holes. During the photocatalysis, since the top of VB is higher than the oxidation potential of the $H₂O$, the forming of the 'OH through $H₂O$ directly is forbidden. Therefore, the adding of H_2O_2 is necessary because it can react with photogenerated electrons directly to form 'OH. H_2O_2 can also reacted with holes to produce 'OOH. Finally, the MB molecule were oxidized into inorganic or nontoxic products by OH and 'OOH. The quenching experiments confirmed that the 'OH radicals contribute to the MB photodegradation.

4. Conclusions

We have successfully fabricated $Cu₂O-Cu$ composite photocatalyst by using a low-power laser reduction approach. The particle size of composites can be tailored by accurate controlling laser energy and NaOH concentration. Compared to hydrothermally fabricated Cu₂O–Cu catalysts, the laser-reduced composites exhibit better visible-light photocatalytic activity for MB degradation, which could be attributed to the formation of special catalytically active structures on the nanocomposite surface. Our experiments showed that $Cu₂O-Cu$ composites prepared under the conditions of 10 mA laser irradiation and 5 M NaOH addition had the highest catalytic activity. The possible mechanism of photocatalysis over $Cu₂O-Cu$ catalyst was proposed. It was demonstrated that mainly 'OH radicals contribute to the degradation during the photocatalytic process. Overall, on the basis of widely used commercial low-energy $CO₂$ laser, the laser-reduced fabrication method has great potential to improve the manufacturing process of high-performance photocatalyst for various occasions. Paper

Published on 04 Society. The photographical electrons contribution and \sim 32. Dr and J, Y. Dr, Augus. Chem., 2004, 43, 4464-

good conduction and boths, During the photographical electrons controls. Nonce 2011, 2

Conflicts of interest

There are no conflicts of interest to declare.

Acknowledgements

This study was founded by the Natural Science Foundation of Tianjin City [Grant No. 15JCYBJC21400].

Notes and references

- 1 S.-M. Lam, J.-C. Sin, A. Z. Abdullah and A. R. Mohamed, Desalin. Water Treat., 2012, 41, 131–169.
- 2 S. Ahmed, M. G. Rasul, W. N. Martens, R. Brown and M. A. Hashib, Desalination, 2010, 261, 3–18.
- 3 X. Zhao, H. Yang, Z. Cui, R. Li and W. Feng, Mater. Technol., 2017, 32, 870–880.
- 4 Y. Cheng, Y. Lin, J. Xu, J. He, T. Wang, G. Yu, D. Shao, W. H. Wang, F. Lu and L. Li, Appl. Surf. Sci., 2016, 366, 120–128.
- 5 L. Di, H. Yang, T. Xian and X. Chen, Materials, 2017, 10, 1118.
- 6 F. Wang, H. Yang and Y. Zhang, Mater. Sci. Semicond. Process., 2018, 73, 58–66.
- 7 J. T. Dr, Z. Z. Dr and J. Y. Dr, Angew. Chem., 2004, 43, 4463– 4466.
- 8 R. Asahi, T. Morikawa, T. Ohwaki, K. Aoki and Y. Taga, Science, 2001, 293, 269–271.
- 9 X. Chen and S. S. Mao, Cheminform, 2007, 38, 2891.
- 10 L. Xiao, P. Liu, M. Yu, M. Xing and J. Zhang, Appl. Catal., B, 2015, 164, 352–359.
- 11 Z. Zhao, H. Tan, H. Zhao, Y. Lv, L. J. Zhou, Y. Song and Z. Sun, Chem. Commun., 2014, 50, 2755–2757.
- 12 R. A. Doong and C. Y. Liao, J. Hazard. Mater., 2017, 322, 254– 262.
- 13 C. Belver, J. Bedia and J. J. Rodriguez, J. Hazard. Mater., 2017, 322, 233–242.
- 14 J. Y. Tai, K. H. Leong, P. Saravanan, A. A. Aziz and C. S. Lan, J. Mater. Sci., 2017, 52, 1–13.
- 15 Nur'aeni, A. Chae, S. Jo, Y. Choi, B. Park, S. Y. Park and I. In, J. Mater. Sci., 2017, 52, 8493–8501.
- 16 H. Al-Kandari, A. M. Abdullah, A. M. Mohamed and S. Al-Kandari, J. Mater. Sci., 2016, 51, 8331–8345.
- 17 M. Hara, T. Kondo, M. Komoda, S. Ikeda, J. N. Kondo, K. Domen, M. Hara, K. Shinohara and A. Tanaka, Chem. Commun., 1998, 3, 357–358.
- 18 A. Roos, T. Chibuye and B. Karlsson, Sol. Energy Mater., 1983, 7, 467–480.
- 19 F. Gao, X. Wang and D. Wu, Sol. Energy Mater. Sol. Cells, 2017, 168, 146–164.
- 20 M. Rokhmat, E. Wibowo, Sutisna, Khairurrijal and M. Abdullah, Procedia Eng., 2017, 170, 72–77.
- 21 R. P. Wijesundera, L. K. A. D. D. S. Gunawardhana and W. Siripala, Sol. Energy Mater. Sol. Cells, 2016, 157, 881–886.
- 22 A. H. Alami, A. Allagui and H. Alawadhi, Renewable Energy, 2015, 82, 21–25.
- 23 H. S. Jang, S. J. Kim and K. S. Choi, Small, 2010, 6, 2183– 2190.
- 24 G. Liu, F. He, X. Li, S. Wang, L. Li, G. Zuo, Y. Huang and Y. Wan, J. Mater. Chem., 2011, 21, 10637–10640.
- 25 K. Suzuki, N. Tanaka, A. Ando and H. Takagi, J. Am. Ceram. Soc., 2011, 94, 2379–2385.
- 26 Y. Zhao, W. Wang, Y. Li, Y. Zhang, Z. Yan and Z. Huo, Nanoscale, 2013, 6, 195–198.
- 27 T. Hong, F. Tao, J. Lin, W. Ding and M. Lan, J. Solid State Chem., 2015, 228, 174–182.
- 28 X. Deng, Q. Zhang, Q. Zhao, L. Ma, M. Ding and X. Xu, Nanoscale Res. Lett., 2015, 10, 8.
- 29 I. M. Arabatzis, T. Stergiopoulos, D. Andreeva, S. Kitova, S. G. Neophytides and P. Falaras, J. Catal., 2003, 220, 127– 135.
- 30 J. Li, D. Luo, C. Yang, S. He, S. Chen, J. Lin, L. Zhu and X. Li, J. Solid State Chem., 2013, 203, 154–159.
- 31 Y. Zhang, B. Deng, T. Zhang, D. Gao and A. W. Xu, J. Phys. Chem. C, 2010, 114, 5073–5079.
- 32 Q. Wei, Y. Wang and H. Qin, Appl. Catal., B, 2018, 227, 132– 144.
- 33 J. He, D. W. Shao, L. C. Zheng, L. J. Zheng, D. Q. Feng, J. P. Xu, X. H. Zhang, W. C. Wang, W. H. Wang and F. Lu, Appl. Catal., B, 2017, 203, 917–926.
- 34 S. K. Li, C. H. Li, F. Z. Huang, Y. Wang, Y. H. Shen, A. J. Xie and Q. Wu, J. Nanopart. Res., 2011, 13, 2865–2874.
- 35 X. Liu, R. Hu, S. Xiong, Y. Liu, L. Chai, K. Bao and Y. Qian, Mater. Chem. Phys., 2009, 114, 213–216.
- 36 W. Zhang, L. Shi, K. Tang and S. Dou, Eur. J. Inorg. Chem., 2010, 2010, 1103–1109.
- 37 F. Diao, F. Tian, W. Liang, H. Feng and Y. Wang, Phys. Chem. Chem. Phys., 2016, 18, 27967–27975.
- 38 Y. Shang, Acta Phys.-Chim. Sin., 2013, 29(8), 1819–1826.
- 39 L. Xu, C. Srinivasakannan, J. Peng, M. Yan, D. Zhang and L. Zhang, Appl. Surf. Sci., 2015, 331, 449–454.
- 40 S. Kumar, C. M. A. Parlett, M. A. Isaacs, D. V. Jowett, R. E. Douthwaite, M. C. R. Cockett and A. F. Lee, Appl. Catal., B, 2016, 189, 226–232. **Society.** Articles. Published on 04 June 2018. Downloaded on 04 June 2018. Downloaded on 2018. Downloaded on 4. For the Commons Article. Art
	- 41 W. Zou, Z. Lei, L. Liu, X. Wang, J. Sun, S. Wu, D. Yu, C. Tang, G. Fei and D. Lin, Appl. Catal., B, 2016, 181, 495–503.
	- 42 Y. Sun, L. Cai, X. Liu, Z. Cui and P. Rao, J. Phys. Chem. Solids, 2017, 111, 75–81.
	- 43 L. Tian, Y. Rui, K. Sun, W. Cui and W. An, Nanomaterials, 2018, 8, 33.
	- 44 N. Helaïli, Y. Bessekhouad, A. Bouguelia and M. Trari, J. Hazard. Mater., 2009, 168, 484–492.
	- 45 Z. Cui, H. Yang and X. Zhao, J. Mater. Sci. Eng. B, 2018, 229, 160–172.