RSC Advances



View Article Online

View Journal | View Issue

PAPER

Check for updates

Cite this: RSC Adv., 2018, 8, 41317

Received 16th August 2018

Accepted 5th December 2018

Highly intense room-temperature photoluminescence in V₂O₅ nanospheres

Top Khac Le,^a Manil Kang, ^[]*^b Sang Wook Han^a and Sok Won Kim*^a

Room-temperature photoluminescence (PL) in V₂O₅ nanospheres with zero-like dimensional structure was investigated. A large number of V^{4+} oxidation states in the nanospheres were observed by X-ray photoelectron spectroscopy (XPS) measurements. The nanospheres revealed high PL intensity compared with previous studies. In particular, they showed intense ultraviolet (UV) PL near a wavelength of 396 nm (3.13 eV). The intense UV PL was attributed to the enhanced transition probability due to the large number of V^{4+} (3d¹) oxidation states. The PL properties showed strong dependencies on the oxidation states and their distribution.

Introduction

Vanadium pentoxide (V₂O₅) is very stable and has notable applications in chemical sensing, catalysis, Li-ion intercalation, and visible photoluminescence (PL).1-4 Much effort has been devoted to improving these promising properties, and the synthesis of nanostructures has drawn much attention. Thin-film V₂O₅ shows visible PL due to band-edge transitions and defects, but its emission intensity is very weak at room temperature. To enhance the PL intensity, various nanostructures have been grown, such as nanorods, nanowires, and nanoparticles.5-7 Previous studies have reported the synthesis of V₂O₅ nanostructures and enhanced visible PL. The reported V₂O₅ nanostructures show a weak and broad emission centred at \sim 530 nm (2.34 eV) due to the band edge transition and centred at \sim 710 nm (1.74 eV), which is attributed to mid-gap states (~1.84 eV) formed by oxygen defects that occurred during growth.8-10 This result may be due to their growth structure. Most nanoparticles and nanorods are attached to each other, and their growth length is also short. The attachment and small growth size of the nanoparticles and nanorods allows them to form many interfaces between them, and the interfaces can promote the separation of photogenerated carrier pairs, which reduces the radiative recombination rate. However, Hu et al. reported intense room-temperature PL near 700 nm in V_2O_5 nanorods with a length of $\sim 2 \mu m$.⁹ This result may indicate that intense room-temperature PL can be obtained in micro-length nanorods. Therefore, The PL intensity in V_2O_5 nanostructures strongly depends on the synthesis method and microstructure. Enhanced PL properties could make V₂O₅ a promising material for applications in indicators and light sources.

Micro- and nano-sized V2O5 spheres have also been studied as cathode materials for Li-ion batteries to achieve high capacity and high output voltage.11,12 However, other properties have

received less attention, including catalysis, photochromism, and visible PL in V₂O₅ with spherical structures. Onedimensional structures such as nanorods and nanowires show superior PL properties to two-dimensional structures (thin films). The investigation of nanospheres (which have zero-like dimensional structure) is very important for the development of optical devices.

We report on the synthesis of V2O5 nanospheres and their PL properties at room temperature. The microstructure and oxidation state of the nanospheres were investigated, and PL measurements were performed at room temperature. Also, the PL mechanism in the nanospheres was discussed.

Experimental section 2.

Preparation of V₂O₅ nanospheres

V₂O₅ nanospheres were synthesized by a chemical reaction method.11 NH₄VO₃ of 0.234 g was dissolved in distilled water of 90 mL and stirred for 1 h. Then, 1 M HCl solution of 1 mL was dropped into the solution and stirred for 30 min before adding hydrazine NH₄·H₂O of 3 mL, followed by stirring for 10 min at room temperature. The resulting V(OH)₂NH₂ nanospheres were filtered and washed several times with deionized water and then dried at 80 °C for 6 h. The precursor was dispersed in deionized water and then spin-coated on a quartz substrate at a speed of 3000 rpm for 1 minute. Finally, to obtain V₂O₅ nanospheres, the coated precursor was calcined using a tubular furnace at 350 °C in air for 2 h.

Structure characterization

The morphology of the nanospheres was investigated using high-resolution scanning electron microscopy (HR FE-SEM, Mira LMH, Tescan) and transmission electron microscopy

^aDepartment of Physics, University of Ulsan, Ulsan 44610, Republic of Korea. E-mail: sokkim@ulsan.ac.krb

^bDepartment of Physics, Kongju National University, Kongju 32588, Republic of Korea. E-mail: ifriver@kongju.ac.kr



Fig. 1 (a) SEM image and (b) histogram of V_2O_5 nanospheres. (c) TEM image of the nanospheres showing the solid sphere structure. (d) High-resolution TEM image with atomic array of V_2O_5 observed at center of the nanosphere.

(TEM, H-8100, Hitachi). The crystal structure was characterized using an X-ray diffractometer (XRD, DMax 2000, Rigaku) with Cu K α radiation, as well as a Raman/PL spectrometer (Horiba-Jobin Yvon, LabRAM HR) equipped with a He–Ar laser at a wavelength of 514.5 nm.

Characterization

X-ray photoelectron spectroscopy (XPS) measurements were performed to investigate the oxidation states of the nanospheres. The XPS spectra were recorded with a Thermo-Scientific MultiLab ESCA 2000 system equipped with a 300 W Mg K α source. The C1s, O1s, and V2p core levels were measured. When fitting the V2p and O1s core-level spectra, the Gaussian width was fixed at the instrumental resolution of 0.75 eV. For curve-fitting of the V2p peaks, the values of the spin–orbit splitting and the branching ratios [$I(2p_{3/2})/I(2p_{1/2})$] were fixed at 7.6 eV and 0.5, respectively.

PL measurements were performed at room temperature using a Raman/PL spectrometer (Horiba-Jobin Yvon, LabRAM HR) equipped with a He–Cd laser with a wavelength of 325 nm and a maximum power of 200 mW. Time-resolved PL (TRPL) measurements were performed using an inverted scanning confocal microscope (MicroTime-200, Picoquant). A single-

mode pulsed diode laser (LDH-P-C-375, Picoquant) with a pulse width of ~30 ps was used as an excitation source. The time-correlated single-photon counting (TCSPC) technique was used to count the PL photons. TRPL images with dimensions of 200×200 pixels were recorded using the time-tagged timeresolved (TTTR) data acquisition method. The acquisition time of each pixel was 1 ms.

3. Results and discussion

Fig. 1(a) and (b) show the morphology and a histogram of V_2O_5 nanospheres obtained from SEM measurements. The size distribution of the nanospheres was evaluated using the histogram, which has a Gaussian profile. To obtain the size distribution, we used the ImageJ program. The size of individual nanosphere in SEM image was calculated by using the program. The SEM image and histogram reveal that the nanospheres have a diameter of 284 ± 22 nm, spherical morphology, and numerous defects on their surfaces. These defects are due to the growth feature of α -V₂O₅ with a layer-by-layer (plate-like) structure. V₂O₅ nanospheres grown in this study have a crystal structure of α -V₂O₅. Initially, V₂O₅ is grown to a layer (or plate) structure. As time passes, the number of layer increases. Simultaneously, edges of the plate structure are etched by



Fig. 2 (a) XRD pattern and (b) Raman spectrum of V_2O_5 nanospheres. (c) XPS spectrum of the nanospheres. The V2p and O1s core-level spectra shift toward lower binding energy, and the peak at 532.2 eV originated from the SiO₂ substrate.

solution. Due to the process, the layer-by-layer structure changes to sphere structure, and numerous defects are formed on surface of sphere.^{13,14}

A TEM image of the nanospheres is shown in Fig. 1(c). The image shows solid sphere structures. Fig. 1(d) shows a high-resolution TEM image. An atomic array of V_2O_5 is observed at the center of the sphere, indicating high crystallinity. On the surface, the atomic array becomes disordered due to the etching, implying poor crystallinity and the formation of numerous defects. In the observed region, a lattice parameter of b = 3.39 Å for α -V₂O₅ was obtained from the TEM image (Fig. 1(d)). The center of the sphere shows a preferential [010] orientation.

Fig. 2(a) shows the XRD pattern of the nanospheres, where there is a diffraction peak corresponding to the (001) plane of α -V₂O₅ at 20.3° (JCPDS 01-077-2418).⁸⁻¹⁰ Additional peaks corresponding to the (200), (101), (110), and (301) planes are also observed. This result indicates that the nanosphere has polycrystalline structure. Furthermore, the pattern shows unidentified peaks. The existence of unidentified peaks implies that the V₂O₅ nanosphere includes other phases of vanadium oxide. The measured Raman spectra are presented in Fig. 2(b). The spectra reveal the typical Raman-active mode of α -V₂O₅.^{15,16} The results in Fig. 2(a) and (b) indicate that the nanospheres contain the α -V₂O₅ phase.

Fig. 2(c) shows the XPS spectra of the nanospheres. The V2p and O1s core-level spectra of the nanospheres shift toward lower binding energy with the appearance of an additional oxygen peak at higher binding energy, which are attributed to the SiO₂ substrate. A deconvolution fit indicates that the V2p peak $(p_{3/2})$ of the nanospheres mainly consists of the V⁴⁺ oxidation state (516.1 eV). The energy of the peak is very small (0.8 eV) compared with the V^{5+} oxidation state (516.9 eV) corresponding to the α -V₂O₅ phase.¹⁷⁻¹⁹ This result implies that the states are oxidized into a lower oxidation state. Furthermore, the peak maxima of the O1s core-level spectra shifts to lower energy for the nanospheres. The stoichiometry ratios (S_{ii}) of the nanospheres are calculated from the XPS spectra using the following formula: $S_{ii} = C_i/C_i = (I_i/ASF_i)/(I_i/ASF_i)$, where, C_i and C_i are the concentrations of the elements, I_i and I_i the background corrected intensities of the photoelectron emission lines and ASF_i and ASF_i the atomic sensitivity factors for photoionization of the $i_{\rm th}$ and $j_{\rm th}$ elements. For example, ASF₀ and ASF_v are 2.93 and 9.66, which are supplied with the instrument.²⁰ The O/V rate of the nanospheres is 3.04, while the amount of V^{4+} in the V2p peak is 84%.

Fig. 3(a) presents the PL spectra of phase nanospheres measured at room temperature. The nanospheres exhibit highly intense PL with three main peaks. The PL peak centered at \sim 530 nm (2.34 eV) is due to the band edge transition in V₂O₅ with a bandgap energy of 2.3-2.4 eV.21,22 Another PL peak centered at ~710 nm (1.74 eV) is attributed to mid-gap states (~1.84 eV) formed by oxygen defects that occurred during growth.9,10 The nanospheres show an intense UV PL peak centered at \sim 396 nm (3.13 eV), which has not been reported previously. This peak is considered to be due to strong UV absorption resulting from the large amount of V4+ oxidation states in the nanospheres (Fig. 2(c)), which can be strongly excited by UV light with wavelength in the range of 250-350 nm.²³ Meyn et al. investigated the PL properties of V⁴⁺doped oxides such as Al₂O₃ and YAlO₃ and reported that the UV light absorption in the oxides can be enhanced by V^{4+} .

The V⁵⁺ and V⁴⁺ oxidation states have valence-electron configurations of V 3d⁰ and V 3d¹ in the valence band,^{24,25} respectively. The binding energy (516.1 eV) of the nanospheres with a dominant V⁴⁺ oxidation state decreases to 0.8 eV, which is small compared with that of α -V₂O₅ (516.9 eV) with a dominant V⁵⁺ oxidation state. The 3d¹ valence-electron configuration and the lower binding energy of the V⁴⁺ oxidation state can significantly increase the probability of transition from the valance band to the V3d t_{2g} and V3d e_g conduction bands *via* UV light absorption (Fig. 4(h)).^{24,26} The enhanced transition leads to intense PL in the nanospheres. Thus, it is considered that the PL properties of V₂O₅ nanospheres strongly depend on the oxidation state.



Fig. 3 (a) Room-temperature PL spectrum in V_2O_5 nanospheres. (b) PL spectra with distribution of the nanospheres and (Inset) SEM image. (c) SEM images and (d) PL spectra with respect to spin-coating frequency of the nanospheres.

Fig. 3(b) reveals the PL spectra with the distribution of the nanospheres. As shown in the inset of Fig. 3(b), the distribution of V_2O_5 nanospheres is not uniform. Therefore, we measured the PL spectra with different distributions of the nanospheres. The PL intensities in locations 1 and 2 with an individual distribution do not change much. However, the intensity at location 3, which has a cluster distribution, significantly decreases over the entire spectral range without variation of the emission shape. This result is attributed to the reduction of the absorption due to light scattering in the nanospheres with a cluster distribution. The result in Fig. 3(b) is confirmed in Fig. 3(c) and (d). As the spin-coating frequency increases, the nanosphere distribution changes from clusters to many stacks, and the PL intensity decreases considerably without variation of the emission shape.

The TRPL spectra for the three PL peaks of the V₂O₅ nanospheres are shown in Fig. 4(a)–(d). An exponential fit was performed using Symphotime-64 software (Ver. 2.2) with a biexponential decay model, $I(t) = \sum A_i e^{-t/\tau_i}$, where I(t) is the time-dependent PL intensity, *A* is the amplitude, τ is the PL lifetime, and the ordinal *i* is 1 or 2 in this study. The lifetimes for the PL peaks at 396, 530, and 710 nm were obtained from the biexponential decay fit. As shown in Fig. 4(b)–(d), the TRPL spectra of the three PL peaks reveal fast decay with a lifetime of less than 1 ns. The fast component (τ_1) and slow component (τ_1) of the lifetimes for the three PL peaks are 0.6 and 1.90 ns at 396 nm, while they are 0.54 and 3.00 ns at 530 nm and 0.59 and 1.79 ns at 710 nm. This decay feature of the nanospheres may indicate a lack of non-radiative channels. Fig. 4(e)–(g) show the TRPL images obtained using the TTTR data acquisition method. The images of the PL peaks at 396 and 710 nm reveal similar aspects, whereas the image of the PL peak at 530 nm shows a slow decay feature compared with those at 396 and 710 nm. The increase of the red spot in Fig. 4(f) indicates an increase of the slow component in lifetime.

Fig. 4(h) shows a band diagram for the PL process in the V_2O_5 nanospheres. The electronic band structure of V_2O_5 is formed by the associated hybridization of the O 2p orbitals with V 3d orbitals (p–d hybridization) involved in chemical bonding.²⁴⁻²⁶ The V 3d state in the conduction band is split into a low t_{2g} state and a high e_g state. In the case of the V⁴⁺ (3d¹)-dominant nanospheres, carriers are strongly excited due to the V⁴⁺, and the PL peaks originating from the t_{2g} state and mid-gap state are highly enhanced. Furthermore, the highly intense UV PL (~396 nm) is due to carrier recombination in the e_g state.



Fig. 4 (a) TRPL spectra in V_2O_5 nanospheres. The lifetimes for the PL peaks at (b) 396, (c) 530, and (d) 710 nm were obtained from the biexponential decay fit. (e)–(g) TRPL images obtained using the time-tagged time-resolved (TTTR) data acquisition method. (h) Band diagram of the PL process of V_2O_5 nanospheres.

4. Conclusion

The V_2O_5 nanospheres prepared by a chemical reaction method showed a large amount of V^{4+} oxidation states (84%). Furthermore, the nanospheres revealed very high PL intensity. In particular, the nanospheres showed intense UV PL near 396 nm (3.13 eV), which was attributed to the enhanced transition probability in terms of the large amount of the V^{4+} (3d¹) oxidation states. The PL properties of the nanospheres showed strong dependencies on the oxidation state and their distribution on the substrate.

Conflicts of interest

There are no conflicts to declare.

Acknowledgements

This work was supported by the Basic Science Research Program through the National Research Foundation of Korea (NRF), with funding by the Ministry of Education (2018R1D1A1B07050201) and by the Priority Research Centers Program through the NRF, which is funded by the Ministry of Education, Science and Technology (2009-0093818).

References

- 1 A. Z. Moshfegh and A. Ignatiev, *Thin Solid Films*, 1991, **198**, 251.
- 2 A. Legrouri, T. Baird and J. R. Fryer, J. Catal., 1993, 140, 173.
- 3 S. L. Chou, J. Z. Wang, J. Z. Sun, D. Wexler, M. Forsyth, H. K. Liu, D. R. MacFarlane and S. X. Dou, *Chem. Mater.*, 2008, **20**, 7044.
- 4 M. Kang, S. W. Kim, Y. Hwang, Y. Um and J. W. Ryu, *AIP Adv.*, 2013, **3**, 052129.
- 5 Y. Wang, Z. Li, X. Sheng and Z. Zhang, *J. Chem. Phys.*, 2007, **126**, 164701.
- 6 A. Othonos, C. Christofides and M. Zervos, *Appl. Phys. Lett.*, 2013, **103**, 133112.
- 7 D. W. Su, S. X. Dou and G. X. Wang, *J. Mater. Chem. A*, 2014, 2, 11185.
- 8 C. W. Zou, X. D. Yan, J. M. Bian and W. Gao, *Opt. Lett.*, 2010, 35, 1145.
- 9 Y. Hu, Z. Li, Z. Zhang and D. Meng, *Appl. Phys. Lett.*, 2009, **94**, 103107.
- 10 M. Kang, M. Chu, S. W. Kim and J. W. Ryu, *Thin Solid Films*, 2013, **547**, 198.
- 11 J. Shao, X. Li, Z. Wan, L. Zhang, Y. Ding, L. Zhang, Q. Qu and H. Zheng, *ACS Appl. Mater. Interfaces*, 2013, 5, 7671.

- 12 X. F. Zhang, K. X. Wang, X. Wei and J. S. Chen, *Chem. Mater.*, 2011, **23**, 5290.
- 13 L. Abello, E. Husson, Y. Repelin and G. Lucazeau, *Spectrochim. Acta, Part A*, 1983, **39**, 641.
- 14 D. W. Murphy, P. A. Christian, F. J. DiSalvo and J. V. Waszczak, *Inorg. Chem.*, 1979, **18**, 2800.
- 15 C. V. Ramana, R. J. Smith, O. M. Hussian, M. Massor and C. M. Julien, *Surf. Interface Anal.*, 2005, **37**, 406.
- 16 L. J. Meng, R. A. Silva, H. N. Cui, V. Teixeira, M. P. Dos Santos and Z. Xu, *Thin Solid Films*, 2006, **515**, 195.
- 17 C. A. Sawatzky and D. Post, Phys. Rev. B, 1979, 20, 1546.
- 18 M. Demeter, M. Neumann and W. Reichelt, Surf. Sci., 2000, 41, 454.
- 19 G. Silversmit, D. Depla, H. Poelman, G. B. Marin and R. De Gryse, J. Electron Spectrosc. Relat. Phenom., 2004, 135, 167.

- 20 Q. H. Wu, A. Thissen, W. Jaegermann and M. Liu, *Appl. Surf. Sci.*, 2004, **236**, 473.
- 21 N. Kenny, J. Phys. Chem. Solids, 1996, 27, 1237.
- 22 C. Lamsal and N. M. Ravindra, J. Mater. Sci., 2013, 48, 6341.
- 23 J. P. Meyn, T. Danger, K. Petermann and G. Huber, *J. Lumin.*, 1993, **55**, 55.
- 24 T. M. Tolhurst, B. Leedahl, J. L. Andrews, P. M. Marley, S. BanerJee and A. Moewes, *Phys. Chem. Chem. Phys.*, 2016, 18, 15798.
- 25 R. J. O. Mossanek, A. Mocellin, M. Abbate, B. G. Searle,
 P. T. Fonseca and E. Morikawa, *Phys. Rev. B: Condens. Matter Mater. Phys.*, 2008, 77, 075118.
- 26 A. Chakrabarti, K. Hermann, R. Druzinic, M. Witko, F. Wagner and M. Petersen, *Phys. Rev. B*, 1999, **59**, 10583.