

Cite this: *RSC Adv.*, 2018, 8, 36056

# Color-tunable photoluminescence and energy transfer of $(\text{Tb}_{1-x}\text{Mn}_x)_3\text{Al}_2(\text{Al}_{1-x}\text{Si}_x)_3\text{O}_{12}:\text{Ce}^{3+}$ solid solutions for white light emitting diodes

Tianchun Lang,<sup>ab</sup> Tao Han,<sup>id</sup>\*<sup>a</sup> Cong Zhao,<sup>a</sup> Shixiu Cao,<sup>a</sup> Shuangqiang Fang,<sup>b</sup> Shuai Li,<sup>b</sup> Lei Zhao,<sup>c</sup> Vladimir I. Korepanov<sup>b</sup> and Alexey N. Yakovlev<sup>b</sup>

$(\text{Tb}_{1-x}\text{Mn}_x)_3\text{Al}_2(\text{Al}_{1-x}\text{Si}_x)_3\text{O}_{12}:\text{Ce}^{3+}$  solid solution phosphors were synthesized by introducing the isostructural  $\text{Mn}_3\text{Al}_2(\text{SiO}_4)_3$  (MAS) into  $\text{Tb}_3\text{Al}_5\text{O}_{12}:\text{Ce}^{3+}$  (TBAG). Under 456 nm excitation,  $(\text{Tb}_{1-x}\text{Mn}_x)_3\text{Al}_2(\text{Al}_{1-x}\text{Si}_x)_3\text{O}_{12}:\text{Ce}^{3+}$  shows energy transfers (ET) in the host, which can be obtained from the red emission components to enhance color rendering. Moreover,  $(\text{Tb}_{1-x}\text{Mn}_x)_3\text{Al}_2(\text{Al}_{1-x}\text{Si}_x)_3\text{O}_{12}:\text{Ce}^{3+}$  ( $x = 0-0.2$ ) exhibits substantial spectral broadening (68  $\rightarrow$  86 nm) due to the 5d  $\rightarrow$  4f transition of  $\text{Ce}^{3+}$  and the  $^4\text{T}_1 \rightarrow ^6\text{A}_1$  transition of  $\text{Mn}^{2+}$ . The efficiency of energy transfer ( $\eta_T$ ,  $\text{Ce}^{3+} \rightarrow \text{Mn}^{2+}$ ) gradually increases with increasing  $\text{Mn}^{2+}$  content, and the value reach approximately 32% at  $x = 0.2$ . Namely, the different characteristics of luminescence evolution based on the effect of structural variation by substituting the  $(\text{MnSi})^{6+}$  pair for the larger  $(\text{TbAl})^{6+}$  pair. Therefore, with structural evolution, the luminescence of the solid solution phosphors could be tuned from yellow to orange-red, tunable by increasing the content of MAS for the applications of white light emitting diodes (wLED).

Received 26th September 2018

Accepted 18th October 2018

DOI: 10.1039/c8ra07994c

rsc.li/rsc-advances

## Introduction

Nowadays, white light emitting diodes (wLEDs), as new solid state light sources, are currently undergoing rapid development in the field of lighting. They are fabricated with single garnet phosphors ( $\text{Y}_3\text{Al}_5\text{O}_{12}:\text{Ce}^{3+}$ ) and a blue or near-UV LED chip.<sup>1-3</sup> Rare earth (RE)-activated luminescent materials are of sizable interest due to their high efficiency and abundant emissions based on level transitions.<sup>4-8</sup> Although yellow phosphors are commercially available, the lack of a sufficient red component in the spectra leads to a low color rendering index ( $R_a < 0$ ) and high color temperature (7750 K), restricting their wide application in high-quality general lighting, such as indoor lighting.<sup>9,10</sup> Hence, to resolve the issue, several promising red-emitting phosphors have been applied to effectively increase the color rendering index. There are red-emitting phosphors with single doped activator ions in the host, such as  $\text{M}_2\text{Si}_5\text{N}_8:\text{Eu}^{2+}$  ( $\text{M} = \text{Ca}, \text{Sr}, \text{Ba}$ ),  $\text{MALSiN}_3:\text{Eu}^{2+}$  ( $\text{M} = \text{Ca}, \text{Sr}$ ),  $(\text{Na}, \text{K}, \text{NH}_4)_2\text{MF}_6:\text{Mn}^{4+}$  ( $\text{M} = \text{Ti}, \text{Ge}, \text{Si}, \text{Sn}, \text{Ga}, \text{Y}$ ) and  $(\text{Ca}, \text{Ba}, \text{Sr})\text{MF}_6:\text{Mn}^{4+}$  ( $\text{M} = \text{Ti}, \text{Ge}, \text{Si}$ ).<sup>11-17</sup> Moreover, with the co-doped activator ions and the energy transfer among them, most single-phase white light phosphors can be obtained, such as the

familiar double-doped  $\text{Eu}^{2+}-\text{Sm}^{3+}$ ,  $\text{Eu}^{2+}-\text{Mn}^{2+}$ ,  $\text{Ce}^{3+}-\text{Mn}^{2+}$ , and triple-doped  $\text{Tb}^{3+}-\text{Ce}^{3+}-\text{Mn}^{3+}$ ,  $\text{Eu}^{2+}-\text{Tb}^{3+}-\text{Mn}^{2+}$ , and so on.<sup>18-24</sup> However, such a method in the single host system full-color emission can be realized by designing the activator ions entering different crystallographic sites.

Recently, solid solution phosphors have been widely studied for broadband, color-tunable photoluminescence, which indicates that the regular luminescence can be achieved by changing components of the solid-solution,<sup>25,26</sup> including color-tunable, broadband solid solution phosphors  $\text{Ca}_{1-x}\text{Li}_x\text{Al}_{1-x}\text{Si}_{1+x}\text{N}_3:\text{Eu}^{2+}$ ,  $(\text{Na}_{1-x}\text{Ca}_x)(\text{Sc}_{1-x}\text{Mg}_x)\text{Si}_2\text{O}_6$ ,  $\text{Ca}_{2+x}\text{La}_{8-x}(\text{SiO}_4)_{6-x}(\text{PO}_4)_x\text{O}_2:\text{Eu}^{2+}$  and  $\text{MgGa}_2\text{O}_4-\text{ZnGa}_2\text{O}_4:\text{Mn}^{2+}, \text{Eu}^{3+}$  and so on.<sup>9,27-29</sup> Namely, the solid solution phosphors, showing gradually controlled blue-yellow zone emission, are obtained by a conventional high-temperature solid-state reaction. However, researchers rarely reported the solid solution phosphors of garnet. Therefore, in the present work, we systematically report synthesis and luminescence properties of color-tunable, broadband  $(\text{Lu}_{1-x}\text{Mn}_x)_3\text{Al}_2(\text{Al}_{1-x}\text{Si}_x)_3\text{O}_{12}$  new garnet solid solution phosphors doped with 0.06 mol%  $\text{Ce}^{3+}$ . The emissions of the solid solution phosphors can be tuned continuously from yellow to orange-red. We researched phase structure and luminescence properties of solid solution phosphors  $(\text{Tb}_{1-x}\text{Mn}_x)_3\text{Al}_2(\text{Al}_{1-x}\text{Si}_x)_3\text{O}_{12}:\text{Ce}^{3+}$  ( $x = 0-0.2$ ), and observed that the width at half maximum (FWHM) of the emission band broadens with the increase of the MAS. Meanwhile, the PL spectra of the  $(\text{Tb}_{1-x}\text{Mn}_x)_3\text{Al}_2(\text{Al}_{1-x}\text{Si}_x)_3\text{O}_{12}:\text{Ce}^{3+}$  phosphors upon blue excitation can yield orange-red emission.

<sup>a</sup>Research Institute for New Materials Technology, Chongqing University of Arts and Sciences, Chongqing, 402160, China. E-mail: danbaiht@126.com

<sup>b</sup>Institute of High Technology Physics, National Research Tomsk Polytechnic University, Tomsk, 634050, Russia

<sup>c</sup>School of Physics and Opto-Electronic Technology, Baoji University of Arts and Sciences, Baoji, Shaanxi 721016, P. R. China



## Experimental

### Synthetic procedures

The main text of the article should appear here with headings as appropriate.  $(\text{Tb}_{1-x}\text{Mn}_x)_3\text{Al}_2(\text{Al}_{1-x}\text{Si}_x)_3\text{O}_{12}:\text{Ce}^{3+}$  solid solution phosphors were prepared by conventional solid state reaction method. The raw materials consisted of  $\text{Tb}_4\text{O}_7$  (99.99%),  $\text{CeO}_2$  (99.99%),  $\text{Al}_2\text{O}_3$  (A. R.),  $\text{SiO}_2$  (A. R.) and  $\text{MnO}_2$  (A. R.) powders. The  $x$  value was varied in the range of 0–0.2. The stoichiometric raw materials were mixed and preheated at 1000 °C for 2 h in air, and then the pre-fired products were calcined at 1600 °C for 6 h in a reductive atmosphere ( $\text{H}_2$  10% +  $\text{N}_2$  90%). Finally, a series of  $(\text{Tb}_{1-x}\text{Mn}_x)_3\text{Al}_2(\text{Al}_{1-x}\text{Si}_x)_3\text{O}_{12}:\text{Ce}^{3+}$  solid solutions were obtained with the different percentage of MAS after cooling down to room temperature.

### Characterization

The crystal structure of samples were analyzed by X-ray diffractometer (XRD, TD-3500, Dandong, China) with Cu K $\alpha$  radiation ( $\lambda = 1.5406 \text{ \AA}$ ). The cathode voltage and tube current were 30 kV and 20 mA, respectively. The Rietveld refinement of the structure of samples was completed by using the General Structure Analysis System (GSAS) package within the CMPR and EXPGUI interface. The photoluminescence emission (PL) and photoluminescence excitation (PLE) spectra were measured by using a fluorescent spectrophotometer (F-7000, Hitachi, Japan) with a 150 W Xe lamp as the excitation light source. The excitation and emission spectra were scanned in a range of 290–530 nm and 480–680 nm, respectively. The morphology of sample was observed using a transmission electron microscopy (TEM) and high-resolution TEM (HRTEM) analyses (JEM-21000, JEOL, Japan). The room temperature fluorescence decay curves were obtained from a spectrofluorometer (Horiba, Jobin-Yvon Tokyo, Japan) using a tunable pulse laser radiation (nano-LED-450 nm) for the excitation.

## Results and discussion

### Crystallization behavior and structure

The XRD patterns of  $(\text{Tb}_{1-x}\text{Mn}_x)_3\text{Al}_2(\text{Al}_{1-x}\text{Si}_x)_3\text{O}_{12}:\text{Ce}^{3+}$  ( $x = 0-0.2$ ) are showed in Fig. 1a. All the diffraction peaks of samples match well with single-phase TbAG (JCPDF Card no. 17-0735). It is observed that the solid solutions have been synthesized successfully. With an increase of  $x$  in  $(\text{Tb}_{1-x}\text{Mn}_x)_3\text{Al}_2(\text{Al}_{1-x}\text{Si}_x)_3\text{O}_{12}:\text{Ce}^{3+}$ , the diffraction peaks shift to larger angles (Fig. 1b). In order to acquire the quantitatively structural evolution of solid solution, the crystallographic data was analyzed by Rietveld refinement. Fig. 2 shows the X-ray Rietveld refinement of  $(\text{Tb}_{0.9}\text{Mn}_{0.1})_3\text{Al}_2(\text{Al}_{0.9}\text{Si}_{0.1})_3\text{O}_{12}:\text{Ce}^{3+}$  and the refined results of  $(\text{Tb}_{1-x}\text{Mn}_x)_3\text{Al}_2(\text{Al}_{1-x}\text{Si}_x)_3\text{O}_{12}:\text{Ce}^{3+}$  ( $x = 0, 0.1, 0.2$ ) were shown in Table 1. The results support that the obtained solid solutions are single-phase structures and belong to the same symmetry and space group  $Ia\bar{3}d$  (230). When  $x$  rise from 0 to 0.2, the cell parameters ( $a/c$ ) decrease from 12.074 Å to 12.034 Å, and the cell volume ( $V$ ) shrinks from 1760.17 Å<sup>3</sup> to 1742.8 Å<sup>3</sup>.




Fig. 1 (a) XRD patterns of  $(\text{Tb}_{1-x}\text{Mn}_x)_3\text{Al}_2(\text{Al}_{1-x}\text{Si}_x)_3\text{O}_{12}:\text{Ce}^{3+}$  ( $x = 0-0.2$ ) and (b) enlarged XRD patterns within the range of 32.4–34.0°.




Fig. 2 X-ray Rietveld refinement of  $(\text{Tb}_{0.9}\text{Mn}_{0.1})_3\text{Al}_2(\text{Al}_{0.9}\text{Si}_{0.1})_3\text{O}_{12}:\text{Ce}^{3+}$ .

Table 1 Refinement results of  $(\text{Tb}_{1-x}\text{Mn}_x)_3\text{Al}_2(\text{Al}_{1-x}\text{Si}_x)_3\text{O}_{12}:\text{Ce}^{3+}$  ( $x = 0, 0.1, 0.2$ )

	$X = 0$	$X = 0.1$	$X = 0.2$
Crystal system	Cubic	Cubic	Cubic
Space group	$Ia\bar{3}d$ (230)	$Ia\bar{3}d$ (230)	$Ia\bar{3}d$ (230)
Z	8	8	8
Cell parameters/Å	$a/c = 12.074$	$a/c = 12.051$	$a/c = 12.034$
$\alpha/\beta/\gamma$ (°)	90	90	90
Cell volume (Å <sup>3</sup> )	1760.17	1751.72	1742.8
$2\theta$ interval, deg	10–120	10–120	10–120
Profile factor $R_p$	7.49%	7.25%	8.13%
Weighted profile factor $R_{wp}$	10.12%	10.03%	12.51%

The crystal structural evolution by introducing MAS into TbAG is shown in Fig. 3. According to Bragg's equation ( $2d \sin \theta = n\lambda$ , where  $d$  is the spacing between the planes,  $\lambda$  is the wavelength of the X-ray, and  $\theta$  is the diffraction angle). Here,  $\text{Mn}^{2+}$  (0.67 Å, CN = 8) and  $\text{Si}^{4+}$  (0.26 Å, CN = 4) ions have a smaller radius than  $\text{Tb}^{3+}$  (0.92 Å, CN = 8) and  $\text{Al}^{3+}$  (0.39 Å, CN = 4) ions. When MAS (cubic,  $V = 1573.04 \text{ \AA}^3$ ) is dissolved in






Fig. 3 Crystal structural evolution by introducing MAS (left) into TbAG (right).

TbAG (cubic,  $V = 1760.17 \text{ \AA}^3$ ), the  $(\text{MnSi})^{6+}$  pair will partially substitute the larger  $(\text{TbAl})^{6+}$  pair, leading to a decline of the spacing between the planes and a shrink of lattice cell. Additionally, with increasing the content of MAS in solid solution, the lattice symmetry will be lowered and the crystalline cell will distort. These changes of crystal structure will have important effects on the photoluminescence of the obtained solid solutions.

The TEM and HRTEM images of  $(\text{Tb}_{0.9}\text{Mn}_{0.1})_3\text{Al}_2(\text{Al}_{0.9}\text{Si}_{0.1})_3\text{O}_{12}:\text{Ce}^{3+}$  was shown in Fig. 4. The  $d$ -spacings of 0.32 nm and 0.49 nm could be assigned to the (321) and (211) planes. The selected-area electron diffraction (SAED) pattern shows the single crystal character of  $(\text{Tb}_{0.9}\text{Mn}_{0.1})_3\text{Al}_2(\text{Al}_{0.9}\text{Si}_{0.1})_3\text{O}_{12}:\text{Ce}^{3+}$  grain. The EDS elemental analysis (in Fig. 4d) and mappings (in Fig. 5) exhibit that Tb, Mn, Al, Si, and O are very homogeneously distributed within a single crystal particle of the solid solutions.

### Photoluminescence characteristics

Under 456 nm excitation, the emission spectra of  $(\text{Tb}_{1-x}\text{Mn}_x)_3\text{Al}_2(\text{Al}_{1-x}\text{Si}_x)_3\text{O}_{12}:\text{Ce}^{3+}$  ( $x = 0-0.2$ ) at room temperature, exhibit an obvious broadening trend with a maximum at 544 nm as shown in Fig. 6a. FWHM increases gradually from 68 nm ( $x = 0$ ) to 86 nm ( $x = 0.2$ ) with increasing  $x$ , whereas the




Fig. 4 (a) TEM image and (b and c) HRTEM images of  $(\text{Tb}_{0.9}\text{Mn}_{0.1})_3\text{Al}_2(\text{Al}_{0.9}\text{Si}_{0.1})_3\text{O}_{12}:\text{Ce}^{3+}$ , (d) EDS pattern detected in (a), and (e) SAED image of (b). Insets are the fast Fourier transforms (FFT) of the relevant HRTEM image sections.





Fig. 5 TEM image and EDS elemental mapping of a  $(\text{Tb}_{0.9}\text{Mn}_{0.1})_3\text{Al}_2(\text{Al}_{0.9}\text{Si}_{0.1})_3\text{O}_{12}:\text{Ce}^{3+}$  particle.








Fig. 7 Schematic energy-level diagram of  $\text{Ce}^{3+}$ ,  $\text{Tb}^{3+}$  and  $\text{Mn}^{2+}$ .

solid solution productions  $(\text{Tb}_{1-x}\text{Mn}_x)_3\text{Al}_2(\text{Al}_{1-x}\text{Si}_x)_3\text{O}_{12}$  can be changed, which can affect the spectral tuning. Energy transfer is another reason, which plays an important role in the  $(\text{Tb}_{1-x}\text{Mn}_x)_3\text{Al}_2(\text{Al}_{1-x}\text{Si}_x)_3\text{O}_{12}$  host.

The Fig. 7 shows the schematic energy level for the energy transfer processes of  $\text{Ce}^{3+}$ ,  $\text{Tb}^{3+} \rightarrow \text{Mn}^{2+}$  in the  $(\text{Tb}_{1-x}\text{Mn}_x)_3\text{Al}_2(\text{Al}_{1-x}\text{Si}_x)_3\text{O}_{12}$  host. As a sensitizer, the  $\text{Ce}^{3+}$  ions can transfer their energy to the activator  $\text{Mn}^{2+}$  ions, including between the  $5d^1 \rightarrow 4f$  ( $^2F_{5/2,7/2}$ ) of  $\text{Ce}^{3+}$  and  $^7F_6 \rightarrow ^5D_4$  of  $\text{Tb}^{3+}$  transitions. When the solid solution phosphors  $(\text{Tb}_{1-x}\text{Mn}_x)_3\text{Al}_2(\text{Al}_{1-x}\text{Si}_x)_3\text{O}_{12}:\text{Ce}^{3+}$  are excited within the  $\text{Ce}^{3+}$  absorptions for instance at 456 nm blue light, the electrons of  $\text{Ce}^{3+}$  ions are firstly lifted from the ground state  $4f$  to the excited state of the  $5d$ . Then, the electrons relax from highest excited state ( $5d$ ) to lowest excited state ( $5d$ ) orbitals and release energy in form of yellow lights and eventually return to the ground state  $4f$  ( $^2F_{5/2,7/2}$ ). When the  $\text{Mn}^{2+}$  dopants are built into, partial energy which is absorbed by  $\text{Ce}^{3+}$  groups can be transferred to  $\text{Mn}^{2+}$  in non-radiative process as well as transfer the lowest activation energy ( $^5D_4$ ) of  $\text{Tb}^{3+}$  ions to the  $3d$  level of  $\text{Mn}^{2+}$ , and then release energy in form of orange-red lights and eventually return to the ground state  $^6A_1$ .

In our work,  $\text{TbAG}:\text{Ce}$  phosphors emit bright yellow light due to the  $5d^1 \rightarrow 4f$  ( $^2F_{5/2,7/2}$ ) transition of  $\text{Ce}^{3+}$ ; moreover, the  $(\text{Tb}_{1-x}\text{Mn}_x)_3\text{Al}_2(\text{Al}_{1-x}\text{Si}_x)_3\text{O}_{12}:\text{Ce}^{3+}$  solid solution phosphors can emit orange-red light via energy transfer of  $\text{Ce}^{3+} \rightarrow \text{Mn}^{2+}$  in the pictorial diagram Fig. 11b. Thus, it can be realized that the color-tunable emissions shift from yellow light to orange-red light in the solid solution garnets. The Gaussian curve fittings of  $(\text{Tb}_{1-x}\text{Mn}_x)_3\text{Al}_2(\text{Al}_{1-x}\text{Si}_x)_3\text{O}_{12}:\text{Ce}^{3+}$  ( $x = 0, 0.2$ ) phosphors are shown in Fig. 6b–d. The curve fittings exhibit that the emission bands consist of two broad bands peaking at 541 nm, 542 nm, 543 nm (Fit Peak 1, green curve) and 577 nm, 586 nm 594 nm (Fit Peak 2, blue curve), respectively. The Fit Peak 1 exhibits that the shift is not obvious; however, the Fit Peak 2 shows obvious red-shift from 577 nm to 594 nm. The luminescence of  $\text{Mn}^{2+}$  ( $3d^5$ ) ions in solids typical exhibits broad band emission with the maxima around 590 nm due to the  $^4T_1(t_2^4e) \rightarrow ^6A_1(t_3^3e^2)$  transition of  $\text{Mn}^{2+}$ .<sup>32,33</sup> Therefore, this is attributed to the

significant spectral overlap between the emission of  $5d^1 \rightarrow 4f$  ( $^2F_{5/2,7/2}$ ) transition of  $\text{Ce}^{3+}$  and the d–d spin-forbidden transition of  $\text{Mn}^{2+}$ . It is almost in agreement with the spectral broadening.

The excitation spectrum of  $\text{Tb}_3\text{Al}_2\text{Al}_3\text{O}_{12}:\text{Ce}^{3+}$  ( $x = 0$ ) in the range of 290 to 530 nm (in Fig. 8, black curve) consist of broad band peaked at 327, 375, and 456 nm. Of these, the two stronger bands with peaks at 327 and 456 nm are related correspondingly to the  $4f \rightarrow 5d$  transition of  $\text{Ce}^{3+}$  ions, and the two weak peaks around 375 nm are ascribed to the  $f \rightarrow f$  allowing transition of  $\text{Tb}^{3+}$  ion. Moreover, the excitation spectrum of  $(\text{Tb}_{0.8}\text{Mn}_{0.2})_3\text{Al}_2(\text{Al}_{0.2}\text{Si}_{0.8})_3\text{O}_{12}:\text{Ce}^{3+}$  ( $x = 0.2$ ) (in Fig. 8, red curve) indicates three bands peaked at 305, 338, and 466 nm in the range of 290 to 530 nm. As the MAS concentration increases to  $x = 0.2$ , the excitation peak has two bands with the maxima at 466 and 338 nm due to the  $4f(^2F_{5/2}) \rightarrow 5d^1$  transitions of  $\text{Ce}^{3+}$  as well as the excitation peak around 305 nm is attributed to the spin-forbidden ( $E_g$ ) transitions of  $\text{Tb}^{3+}$  cations. In addition, the relative intensity of the two weak peaks around 375 nm distinctly reduces due to the  $\text{Tb}^{3+}$  to  $\text{Mn}^{2+}$  energy transfer. Meanwhile, the results can indicate a good indicator of the energy transfer from  $\text{Ce}^{3+}$ ,  $\text{Tb}^{3+}$  to  $\text{Mn}^{2+}$  in  $(\text{Tb}_{1-x}\text{Mn}_x)_3\text{Al}_2(\text{Al}_{1-x}\text{Si}_x)_3\text{O}_{12}$  host.

The temperature dependence experiment of phosphors illustrated that the thermal quenching is one of the most important parameters applied in wLEDs because it directly affects light output and CRI, and the peak relative emission intensity under 456 nm excitation of  $(\text{Tb}_{1-x}\text{Mn}_x)_3\text{Al}_2(\text{Al}_{1-x}\text{Si}_x)_3\text{O}_{12}:\text{Ce}^{3+}$  ( $x = 0, 0.1, 0.2$ ) was depicted in Fig. 9. As shown in Fig. 9, as the temperature increases, the emission intensity of phosphors decreases. In addition, with increasing  $x$  values the thermal stability gradually decreases, which can be explained by the neighboring-cation effect.<sup>34</sup> While the temperature was increased to 150 °C ( $\sim 423$  K), the peak emission intensities are decreased to 73%, 67% and 61% of the initial value (25 °C).

The real quenching temperature ( $T_{50\%}$ ) is defined as the temperature at which the emission intensity is 50% of its original value. The phosphors have a  $T_{50}$  of over 250 °C,




Fig. 8 PLE spectra of  $(\text{Tb}_{1-x}\text{Mn}_x)_3\text{Al}_2(\text{Al}_{1-x}\text{Si}_x)_3\text{O}_{12}:\text{Ce}^{3+}$  ( $x = 0, 0.2$ ).






Fig. 9 Temperature-dependent emission intensity of  $(\text{Tb}_{1-x}\text{Mn}_x)_3\text{Al}_2(\text{Al}_{1-x}\text{Si}_x)_3\text{O}_{12}:\text{Ce}^{3+}$  ( $x = 0, 0.1, 0.2$ ) phosphors.

suggesting their superior thermal stability as luminescent materials for use in WLEDs. The activation energy ( $\Delta E$ ) of thermal quenching was calculated by the Arrhenius equation:<sup>35</sup>

$$I(T) \approx \frac{I_0}{1 + A \exp\left(-\frac{\Delta E}{kT}\right)} \quad (1)$$

where  $I_0$  is the initial intensity of the emission at room temperature;  $I$  is the testing temperature;  $A$  is constant and does not influence the calculation;  $k$  is the Boltzmann's constant ( $8.617 \times 10^{-5} \text{ eV K}^{-1}$ ). The inset of Fig. 9 shows the plot of  $\ln(I_0/I - 1)$  against  $1/kT$  of the synthesized  $(\text{Tb}_{1-x}\text{Mn}_x)_3\text{Al}_2(\text{Al}_{1-x}\text{Si}_x)_3\text{O}_{12}:\text{Ce}^{3+}$  ( $x = 0.1$ ), fitted to the thermal quenching data. The estimated value of  $\Delta E$  was 0.248 eV, which close to value of  $\text{Y}_3\text{Al}_5\text{O}_{12}:\text{Ce}^{3+}$  (0.25 eV), showing a better thermal stability.<sup>36</sup>

In addition, in order to further expound the energy transfer process, the decay curves of the  $\text{Ce}^{3+}$  ion emission in the  $(\text{Tb}_{1-x}\text{Mn}_x)_3\text{Al}_2(\text{Al}_{1-x}\text{Si}_x)_3\text{O}_{12}:\text{Ce}^{3+}$  solid solution phosphors

under 456 nm excitation and monitored at 544 nm are shown in Fig. 10. In principle, the lifetime of  $\text{Ce}^{3+}$  can be shortened by the  $\text{Ce}^{3+} \rightarrow \text{Mn}^{2+}$  energy transfer. All of the decay curves can be fitted well with the second exponential equation:

$$I(t) = A_1 \exp(-t/\tau_1) + A_2 \exp(-t/\tau_2) \quad (2)$$

where  $I$  is the luminescence intensity,  $A_1$  and  $A_2$  are all constants,  $\tau$  is the time, and  $\tau_1$ , and  $\tau_2$  represent lifetimes for exponential components, respectively. Namely, the fluorescent dynamics of  $\text{Ce}^{3+}$  were altered *via* energy transfer between  $\text{Ce}^{3+}$  and  $\text{Mn}^{2+}$ . Furthermore, the effective lifetime constant ( $\tau^*$ ) can be defined as:

$$\tau^* = (A_1\tau_1^2 + A_2\tau_2^2)/(A_1\tau_1 + A_2\tau_2) \quad (3)$$

so the effective decay time values ( $\tau^*$ ) were calculated to be 46.7 ns, 37.8 ns and 31.9 ns for  $(\text{Tb}_{1-x}\text{Mn}_x)_3\text{Al}_2(\text{Al}_{1-x}\text{Si}_x)_3\text{O}_{12}:\text{Ce}^{3+}$  ( $x = 0, 0.1, 0.2$ ), respectively. The efficiency of energy transfer ( $\eta_T$ ) in the  $(\text{Tb}_{1-x}\text{Mn}_x)_3\text{Al}_2(\text{Al}_{1-x}\text{Si}_x)_3\text{O}_{12}$  host can be calculated following:<sup>37</sup>

$$\eta_T = 1 - \tau_s/\tau_{s_0} \quad (4)$$

here  $\tau_s$  is the decay lifetime of  $\text{Ce}^{3+}$  in the presence of  $\text{Mn}^{2+}$ , and  $\tau_{s_0}$  is the decay lifetime of  $\text{Ce}^{3+}$  in the absence of  $\text{Mn}^{2+}$ , respectively. As shown in the inset of Fig. 10, It can be seen that the efficiency of energy transfer ( $\eta_T$ ) gradually increases with the rising  $\text{Mn}^{2+}$  content, and the value reach approximately 32% at  $x = 0.2$ . The obtained results confirm the typical effect of the  $\text{Ce}^{3+} \rightarrow \text{Mn}^{2+}$  energy transfer.

The CIE coordinates of  $(\text{Tb}_{1-x}\text{Mn}_x)_3\text{Al}_2(\text{Al}_{1-x}\text{Si}_x)_3\text{O}_{12}:\text{Ce}^{3+}$  ( $x = 0, 0.1, 0.2$ ) phosphors were shown in Fig. 11a. The calculated CIE coordinates are (0.4485, 0.5073) for  $x = 0$ , (0.4803, 0.4618) for  $x = 0.1$  and (0.5011, 0.4102) for  $x = 0.2$ , respectively. We can clearly see that the color shifts red zone conducive to improve the CRIs with increasing  $x$ . The digital photos of the




Fig. 10 Room temperature decay curves of  $(\text{Tb}_{1-x}\text{Mn}_x)_3\text{Al}_2(\text{Al}_{1-x}\text{Si}_x)_3\text{O}_{12}:\text{Ce}^{3+}$  ( $x = 0, 0.1, 0.2$ ) under excitation at 456 nm and emission at 544 nm. The inset shows the energy transfer efficiency  $\eta_T$ .




Fig. 11 (a) CIE chromaticity coordinates and (b) digital photos under 365 nm excitation of  $(\text{Tb}_{1-x}\text{Mn}_x)_3\text{Al}_2(\text{Al}_{1-x}\text{Si}_x)_3\text{O}_{12}:\text{Ce}^{3+}$  ( $x = 0, 0.1, 0.2$ ).



(Tb<sub>1-x</sub>Mn<sub>x</sub>)<sub>3</sub>Al<sub>2</sub>(Al<sub>1-x</sub>Si<sub>x</sub>)<sub>3</sub>O<sub>12</sub>:Ce<sup>3+</sup> ( $x = 0, 0.1, 0.2$ ) solid solution phosphors at 365 nm excitation are demonstrated in Fig. 11b. The color of phosphors gradually shifts from yellow light to orange-red light with increase of the MAS content. Then, it can be obviously observed that the luminescence of (Tb<sub>1-x</sub>Mn<sub>x</sub>)<sub>3</sub>Al<sub>2</sub>(Al<sub>1-x</sub>Si<sub>x</sub>)<sub>3</sub>O<sub>12</sub>:Ce<sup>3+</sup> ( $x = 0.2$ ) has high CRI, and is redder than TbAG:Ce.

## Conclusions

In summary, a series of color-tunable (Tb<sub>1-x</sub>Mn<sub>x</sub>)<sub>3</sub>-Al<sub>2</sub>(Al<sub>1-x</sub>Si<sub>x</sub>)<sub>3</sub>O<sub>12</sub>:Ce<sup>3+</sup> garnet solid solution phosphors were successfully synthesized by a solid-state reaction method. With the increase of MAS content, there is no other special impurity phase, which can be compared with values of the cell parameters *via* the suggested formula. The right wing of PL spectra under the 456 nm excitation exhibit spectral broadening and the FWHM increases gradually from 68 nm to 86 nm. Furthermore, the PLE spectra show spectral shift and new absorption band, which is attributed to change of crystal structure and energy transfer Ce<sup>3+</sup> → Mn<sup>2+</sup> and Tb<sup>3+</sup> → Mn<sup>2+</sup>. Meanwhile, *via* fluorescence decay analyses the energy transfer of activators can be proved further. The CIE coordinates shift from (0.4485, 0.5073) to (0.5011, 0.4102), which can obtain high CRI. These results indicate that (Tb<sub>1-x</sub>Mn<sub>x</sub>)<sub>3</sub>Al<sub>2</sub>(Al<sub>1-x</sub>Si<sub>x</sub>)<sub>3</sub>O<sub>12</sub>:Ce<sup>3+</sup> garnet solid solution phosphors may be promising for general lighting in future.

## Conflicts of interest

There are no conflicts to declare.

## Acknowledgements

This work is financially supported by the Natural Science Foundation of Chongqing (cstc2018jcyjAX0339, cstc2016jcyjA0567, cstc2017jcyjAX0393), Chongqing Youth Science and Technology Talent Cultivation Project (cstc2014kjrc-qncr40006) and Chongqing International Science & Technology Cooperation Program (cstc2015gjhz0003).

## Notes and references

- 1 N. C. George, K. A. Denault and R. Seshadri, *Annu. Rev. Mater. Res.*, 2013, **43**, 481–501.
- 2 H. Daicho, T. Iwasaki, K. Enomoto, Y. Sasaki, Y. Maeno, Y. Shinomiya, S. Aoyagi, E. Nishibori, M. Sakata, H. Sawa, S. Matsuishi and H. Hosono, *Nat. Commun.*, 2012, **3**, 1132–1139.
- 3 S. Nakamura, T. Mukai and M. Senoh, *Appl. Phys. Lett.*, 1994, **64**, 1687–1689.
- 4 Z. G. Xia and A. Meijerink, *Chem. Soc. Rev.*, 2017, **46**, 275–299.
- 5 Z. G. Xia and Q. L. Liu, *Prog. Mater. Sci.*, 2016, **8**, 59–117.
- 6 R. T. Wegh, H. Donker, K. D. Oskam and A. Meijerink, *Science*, 1999, **283**, 663–666.
- 7 K. Li, D. L. Geng, M. M. Shang, Y. Zhang, H. Z. Lian and J. Lin, *J. Phys. Chem. C*, 2014, **118**, 11026–11034.
- 8 J. Ueda, P. Dorenbos, A. J. J. Bos, A. Meijerink and S. Tanabe, *J. Phys. Chem. C*, 2005, **119**, 25003–25008.
- 9 L. Wang, R. J. Xie, Y. Q. Li, X. J. Wang, C. G. Ma, D. Luo, T. Takeda, Y. T. Tsai, R. S. Liu and N. Hiroaki, *Light: Sci. Appl.*, 2016, **5**, 1–9.
- 10 Z. G. Xia, Y. Y. Zhang, M. S. Molokeev and V. V. Atuchin, *J. Phys. Chem. C*, 2013, **117**, 20847–20854.
- 11 A. A. Setlur, E. V. Radkov, C. S. Henderson, J. H. Her, A. M. Srivastava, N. Karkada, M. S. Kishore, N. P. Kumar, D. Aesram, A. Deshpande, B. Kolodin, L. S. Grigorov and U. Happek, *Chem. Mater.*, 2010, **22**, 4076–4082.
- 12 Y. Q. Li, J. E. J. van Steen, J. W. H. van Krevel, G. Botty, A. C. A. Delsing, F. J. Disalvo, G. de With and H. T. Hintzen, *J. Alloys Compd.*, 2006, **417**, 273–279.
- 13 K. Uheda, N. Hiroaki, Y. Yamamoto, A. Naito, T. Nakajima and H. Yamamoto, *Electrochem. Solid-State Lett.*, 2006, **9**, 22–25.
- 14 H. Watanabe and N. Kijima, *J. Alloys Compd.*, 2009, **475**, 434–439.
- 15 P. Pust, V. Weiler, C. Hecht, A. Tucks, A. S. Wochnik, A. K. Hen, D. Wiechert, C. Scheu, P. J. Schmidt and W. Schnick, *Nat. Mater.*, 2014, **13**, 891–896.
- 16 H. M. Zhu, C. C. Lin, W. Q. Luo, S. T. Shu, Z. G. Liu, Y. S. Liu, J. T. Kong, E. Ma, Y. G. Cao, R. S. Liu and X. Y. Chen, *Nat. Commun.*, 2014, **5**, 4312–4321.
- 17 T. Han, T. C. Lang, J. Wang, M. J. Tu and L. L. Peng, *RSC Adv.*, 2015, **5**, 100054–100059.
- 18 C. H. Huang, T. M. Chen, W. R. Liu, Y. C. Chiu, Y. T. Yeh and S. M. Jang, *ACS Appl. Mater. Interfaces*, 2010, **2**, 259–264.
- 19 G. G. Li, D. L. Geng, M. M. Shang, C. Peng, Z. Y. Cheng and J. Lin, *J. Mater. Chem.*, 2011, **21**, 13334–13344.
- 20 W. Lu, Z. D. Hao, X. Zhang, Y. S. Luo, X. J. Wang and J. H. Zhang, *Inorg. Chem.*, 2011, **50**, 7846–7851.
- 21 R. Martinez-Martinez, E. Alvarez, A. Speghini, C. Falcony and U. Caldino, *Thin Solid Films*, 2010, **518**, 5724–5730.
- 22 L. Cheng, W. T. Zhang, Y. H. Li, S. Y. Dai, X. F. Chen and K. H. Qiu, *Ceram. Int.*, 2017, **43**, 11244–11249.
- 23 K. A. Denault, J. Brgoch, M. W. Gaultois, A. Mikhailovsky, R. Petry, H. Winkler, S. P. DenBaars and R. Seshadri, *Chem. Mater.*, 2014, **26**, 2275–2282.
- 24 V. Bachmann, C. Ronda and A. Meijerink, *Chem. Mater.*, 2009, **21**, 2077–2084.
- 25 H. W. Fang, X. T. Wei, Z. Z. Wang, J. Cheng, M. Yin and Y. H. Chen, *J. Lumin.*, 2016, **191**, 46–50.
- 26 F. R. Cheng, Z. G. Xia, M. S. Molokeev and X. P. Jing, *Dalton Trans.*, 2015, **44**, 18078–18089.
- 27 Z. G. Xia, Y. Y. Zhang, M. S. Molokeev, V. V. Atuchin and Y. Luo, *Sci. Rep.*, 2013, **3**, 3310–3316.
- 28 Y. F. Xia, J. Chen, Y. G. Liu, M. S. Molokeev, M. Guan, Z. H. Huang and M. H. Fang, *Dalton Trans.*, 2016, **44**, 1007–1015.
- 29 A. Luchechko and O. Kravets, *J. Lumin.*, 2017, **192**, 11–16.
- 30 F. W. Kang, M. Y. Peng, X. B. Yang, G. P. Dong, G. C. Nie, W. J. Liang, S. H. Xu and J. R. Qiu, *J. Mater. Chem. C*, 2014, **2**, 6068–6076.
- 31 D. Mocatta, G. Cohen, J. Schattner, O. Millo, E. Rabani and U. Banin, *Science*, 2011, **332**, 77–81.



- 32 T. Han, S. X. Cao, L. L. Peng, D. C. Zhu, C. Zhao, M. J. Tu and J. Zhang, *Opt. Mater.*, 2012, **34**, 1618–1621.
- 33 Y. Zorenko, V. Gorbenko, T. Voznyak, M. Batentschuk, A. Osvet and A. Winnacker, *J. Lumin.*, 2010, **130**, 380–386.
- 34 Y. F. Liu, X. Zhang, Z. D. Hao, Y. S. Luo, X. J. Wang, L. Ma and J. H. Zhang, *J. Lumin.*, 2013, **133**, 21–24.
- 35 S. Bhushan and M. V. Chukichev, *J. Mater. Sci. Lett.*, 1988, **7**, 319–321.
- 36 C. C. Lin, Y. S. Zheng, H. Y. Chen, C. H. Ruan, G. W. Xiao and R. S. Liu, *J. Electrochem. Soc.*, 2010, **157**, H900–H903.
- 37 J. Zhou and Z. G. Xia, *J. Mater. Chem. C*, 2014, **2**, 6978–6984.

