
Chemical Science

rsc.li/chemical-science



ISSN 2041-6539



EDGE ARTICLE

Chemical Science



EDGE ARTICLE


View Article Online
View Journal | View Issue



Cite this: Chem. Sci., 2018, 9, 1439

Solar H₂ generation in water with a CuCrO₂ photocathode modified with an organic dye and molecular Ni catalyst†

Charles E. Creissen, Julien Warnan and Erwin Reisner **D**



Received 16th October 2017 Accepted 26th November 2017

DOI: 10.1039/c7sc04476c

rsc.li/chemical-science

Introduction

Artificial photosynthesis offers a platform to produce a storable energy supply from fossil fuel-free resources.1-4 This sustainable, carbon-neutral approach can produce a 'solar fuel' such as H₂ or carbon-based molecules from water or CO₂ using solar light. This process can be realised using semiconductor electrodes modified with suitable electrocatalysts in a photoelectrochemical (PEC) cell.5-9 Electrodes featuring a molecular catalyst have advantages over 'conventional' heterogeneous systems as their 'single site catalysis' is atom-efficient, 10,11 they offer tunability and selectivity for challenging chemical transformations,12-15 and can be rationally designed to enhance activity.16-19 Their molecular nature also enables kinetic and mechanistic studies to reveal how they operate under various conditions, outlining routes to improvement.^{20–23} Despite these advantages, the development of molecular-based photocathodes is held back by severe material limitations as state-of-theart electrodes currently lack the requirements of visible light absorption, mesoporosity, p-type conductivity, and/or stability in aqueous solution.5,24-27

To bypass these limitations, a modular approach can be adopted where a visible light-absorbing dye and a molecular

Christian Doppler Laboratory for Sustainable SynGas Chemistry, Department of Chemistry, Lensfield Road, Cambridge CB2 1EW, UK. E-mail: reisner@ch.cam.ac.uk † Electronic supplementary information (ESI) available. See DOI: 10.1039/c7sc04476c. Additional data related to this publication is available at the University of Cambridge data repository (https://doi.org/10.17863/CAM.16678).

catalyst are co-anchored to a stable wide bandgap semiconductor platform.^{7,28-30} In this dye-sensitised photoelectrochemical (DSPEC) system, the p-type semiconductor serves as the anchor site for the dye, which typically permits ultra-fast hole extraction following visible light excitation of the dye and minimises energy loss. The photoreduced dye is subsequently responsible for electron transfer to the co-immobilised electrocatalyst, where the reduction half-reaction takes place. The separation of light harvesting, charge transport, and catalysis allows the components to be individually tuned for optimal performance, where the rate of each transfer step influences the overall device efficiency.³⁰ A suitable pair of photoelectrodes in a tandem DSPEC cell could provide an efficient and inexpensive means of solar fuel production, exploiting simple and adaptable preparation techniques.³¹⁻³⁵

The requirements for a robust DSPEC photocathode material are high p-type conductivity, propensity to anchor molecular moieties, high surface area, and a valence band position capable of readily accepting a hole from the photoexcited dye. ^{29,30,36} Several DSPEC photocathodes have already been reported with the majority relying on NiO, ^{18,37-43} and the only other examples being modified ITO⁴⁴ and CuGaO₂. ³⁴ NiO is stable and easily synthesised in mesoporous form, ⁴⁵⁻⁴⁷ but suffers from the drawbacks of low charge carrier mobility and fast charge recombination between valence band holes and the reduced dye. ^{28,48-50} Despite many efforts and different approaches to enhance the PEC properties of dye-sensitised NiO photoelectrodes, ⁵¹⁻⁵³ improvements in performance are




Fig. 1 (a) Dye (DPP-P) and catalyst (NiP) co-immobilised on the CuCrO₂ electrode with their molecular structures. (b) Energy diagram showing movement of electrons with black and holes with red arrows. S represents the dye sensitiser where $E_{(S/S^-)}$ is the ground state reduction potential and $E_{(S^+/S^-)}$ is the reduction potential in the excited state. $E_{NiP(H^+/H_2)}$ is the catalytic onset potential for NiP and E_{Vb} is the CuCrO₂ valence band potential.

hindered by these limitations and there is a crucial need for better alternatives.

Wide bandgap Cu(i)-based mixed metal oxides such as $Cu^IM^{III}O_2$ delafossites (M = Co, B, In, Sc, Cr, Al, Ga) have been employed in p-type dye-sensitised solar cells (p-DSSCs), 54,55 but their incorporation in solar fuel devices is limited. $^{56-58}$ The sole example of their use with a co-immobilised dye and molecular catalyst in solar fuel generation was reported for CO_2 reduction to CO with an anchored precious metal-based **Ru–Re** dyad on a $CuGaO_2$ delafossite electrode. 34 Delafossite $CuCrO_2$ has shown promise in p-DSSCs but application has yet to be extended to DSPEC cells despite it showing clear benefits such as a low-lying valence band, high hole mobility, and simple and scalable synthesis. $^{59-63}$

In this study, we report solar H_2 generation with dyesensitised $CuCrO_2$ and demonstrate the feasibility of solar fuel synthesis with a $CuMO_2$ delafossite using precious metalfree dye/catalyst molecules. This was achieved by first modifying $CuCrO_2$ with a phosphonic acid-bearing diketopyrrolopyrrole-based organic dye (**DPP-P**) and characterising the PEC reduction of a soluble electron acceptor in aqueous conditions. Then, a tetraphosphonated Ni-bis(diphosphine), $[Ni(P_2N_2)_2]^{2+}$, molecular catalyst (**NiP**) was co-immobilised to determine the PEC activity for the reduction of aqueous protons (Fig. 1a). The resulting hybrid DSPEC photocathode produces H_2 at moderate applied voltages with good photocurrents. Direct comparison with a corresponding NiO photocathode highlights the benefits of $CuCrO_2$ and encourages the search for new DSPEC cathode materials.

Results and discussion

Synthesis and characterisation of CuCrO₂

Scalable and straightforward procedures for preparation of CuCrO₂ make it a highly accessible material, and its metal oxide

character ensures that molecular species can be easily attached to the surface using anchoring groups such as phosphonic acids or carboxylic acids. $^{59-63}$ In this study, CuCrO $_2$ films were grown directly on ITO-coated glass following a previously established sol–gel route. 59,60 In brief, a mixture of Cu(acetate) $_2 \cdot H_2O$ (0.2 M), Cr(NO $_3$) $_3 \cdot 9H_2O$ (0.2 M), and triethanolamine (0.4 M) in absolute ethanol was spin-coated on an ITO-coated glass substrate. These samples were annealed in air at 400 $^{\circ}$ C for 45 min before repeating the spin-coating and annealing steps to obtain a total of 6 layers. Post-annealing was carried out under N $_2$ at 600 $^{\circ}$ C for 45 min to form the delafossite structure. NiO films (2 μm thick) were prepared for comparison using a previously reported hydrothermal growth method. 37

CuCrO $_2$ crystallises in a rhombohedral unit cell (space group $R\bar{3}m$) and is a wide bandgap p-type semiconductor ($E_g=3.1~{\rm eV}$) exhibiting a low-lying valence band and high hole mobility. ^{63,64} The structure consists of 'infinite' [CrO $_2$] layers of edge-sharing [CrO $_6$] octahedra linked by linear O–Cu–O dumbbells and the p-type conductivity stems predominantly from Cu $^+$ vacancies in the crystal lattice. ^{65,66} Favourable mixing of Cr 3d states with O 2p states increases the covalent nature of this interaction in the valence band, hence holes are more delocalised than in other corresponding delafossite structures, accounting for the intrinsic high hole mobility. ^{64,66}

X-ray diffraction (XRD) analysis confirmed the rhombohedral delafossite structure for $CuCrO_2$ (Fig. S1†) and scanning electron microscopy (SEM) images showed individual rods with a length of 73.3 \pm 16.5 nm and thickness of 20.7 \pm 3.7 nm, leaving a pore diameter of 16.7 \pm 4.8 nm (Fig. 2a). The $CuCrO_2$ film (resulting from 6 layers) was approximately 500 nm thick. N_2 gas adsorption isotherms showed type IV behaviour consistent with a mesoporous material and gave a BET surface area of 25 m² g⁻¹ (Fig. S2†), which is similar to that obtained with other mesoporous structures. The direct bandgap of $CuCrO_2$ was estimated from a Tauc plot as 3.1 eV (Fig. S3†) and the flatband

Edge Article

(a) 535 nm 500 nm




Fig. 2 (a) Top-down and cross-sectional (inset) images of a 6-layer $CuCrO_2$ electrode, (b) transmission UV-Vis spectrum of $CuCrO_2$ and $CuCrO_2|DPP-P$ electrodes (ITO-glass background subtracted), (c) photographs of the as-prepared $CuCrO_2$ and $CuCrO_2|DPP-P/NiP$ electrodes.

potential, $E_{\rm fb}$, of +1.0 V vs. RHE with Mott–Schottky analysis from consecutive impedance scans (Fig. S4†). This is 0.25 V more positive than the $E_{\rm fb}$ of our NiO electrodes.³⁷ See Experimental section for more details about synthesis and characterisation of the electrodes.

Components of the molecule-loaded CuCrO₂ photoelectrode

As dye and catalyst species, we selected DPP-P and NiP respectively, both recently synthesised in our group (Fig. 1a). 67,68 For the most suitable light absorber, a dye with sufficient driving force to reduce the H2 evolution catalyst as well as a thermodynamically accessible reduction potential for the extraction of holes by CuCrO₂ is required. Diketopyrrolopyrrole (DPP) chromophores have recently displayed high activity with NiO in p-DSSCs and are considered suitable candidates due to their high photostability, simple synthesis and modification, and lack of precious metal elements. $^{\bf 36}$ DPP-P absorbs strongly in the visible range ($\varepsilon_{496~\mathrm{nm}} = 2.6 \times 10^4~\mathrm{M}^{-1}~\mathrm{cm}^{-1}$, DMF)⁶⁷ and is expected to undergo reductive quenching when immobilised on a p-type semiconductor due to fast hole injection originating from the proximity and good electrical communication between the dye and semiconductor. 69-74 In this pathway, the first step upon dye excitation is the reduction of DPP-P* by hole injection into the valence band of CuCrO2, followed by oxidation of DPP-

P by the catalyst, which ultimately performs the chemical reaction. NiP, a Dubois-type Ni-catalyst75,76 featuring four phosphonic acid anchoring groups, has previously demonstrated reduction of aqueous protons both in solution and when immobilised on a semiconductor surface whilst maintaining molecular integrity during photocatalysis. 5,6,67,68 DPP-P has a reduction potential in the excited state of +1.57 V vs. RHE and the reduced dye has an oxidation potential of -0.7 V vs. RHE, thus DPP-P can provide sufficient driving force for the reduction of NiP to a catalytically active state (onset of catalytic current for $NiP = -0.21 \text{ V } \nu s$. RHE).⁶⁸ The respective electrochemical potential of each component and the hole and electron transfer pathways for the fully assembled DPP-P/NiPmodified CuCrO2 electrode is shown in Fig. 1b and the corresponding energy diagram with possible recombination routes in Fig. S5.†

Photoelectrochemistry of CuCrO₂|DPP-P

To evaluate the compatibility of DPP-P with CuCrO2 and to ensure this interface could function without the kinetic limitations imposed by immobilisation of a molecular catalyst, PEC measurements were conducted on dye-sensitised electrodes in the presence of a soluble electron acceptor. These photocathodes were prepared by soaking CuCrO2 electrodes in a DPP-P solution (1 mM, DMF) for 15 h. The UV-Vis spectrum of the electrodes with immobilised DPP-P displays an absorption maximum at approximately 500 nm, consistent with the electronic transition of the free dye (Fig. 2b and c).67 Linear sweep voltammetry (LSV) and chronoamperometry experiments were carried out in an aqueous Na₂SO₄ electrolyte solution (0.1 M, pH 3) at room temperature in a N2-purged one-compartment threeelectrode electrochemical cell using a Pt counter electrode and a Ag/AgCl/KCl_{sat} reference electrode. UV-filtered simulated solar light was used for all PEC measurements (100 mW cm⁻², AM 1.5G, $\lambda > 420$ nm). In control experiments without the acceptor, the bare CuCrO₂ electrodes displayed a small cathodic dark current, which has previously been attributed to the reduction of Cu²⁺ impurities to Cu⁺ with oxygen deintercalation (Fig. 3a).⁷⁷ Irradiation of the unmodified and DPP-P modified electrodes resulted in only minor photocurrents without a soluble acceptor $(|j| < 3 \,\mu\text{A cm}^{-2}, \, 0.0 \,\text{V} \,\nu\text{s. RHE}) \,(\text{Fig. 3a}).$

Addition of the electron acceptor 4,4'-dithiodipyridine (DTDP, 5 mM) in the electrolyte solution allows for estimation of a maximal attainable photocurrent as DTDP is known to be easily reduced in solution ($E_{\rm red,DTDP} = -0.06~\rm V$ νs . RHE).³⁷ The electron acceptor allows the photoreduced dye to dispose of photo-electrons and to regenerate the ground state, thereby limiting the effects of reductive dye decomposition and charge recombination, and dramatically enhancing the photocathodic response for CuCrO₂|DPP-P. An absolute photocurrent response of $\approx 160~\mu A~\rm cm^{-2}$ (0.0 V νs . RHE, Fig. 3a) was observed, which indicates efficient light-induced hole injection from the dye to the valence band of CuCrO₂ with reduction of the acceptor by DPP-P⁻. For comparison, a NiO electrode sensitised in the same manner displayed a lower maximum photocurrent ($|j| \approx 80~\mu A~\rm cm^{-2},~0.0~\rm V~\nu s$. RHE), suggesting lower

Light on

Scan direction

Light off

CuCrO₂

CuCrO₂IDPP-P

CuCrO₂IDPP-P + acceptor

Chemical Science




Fig. 3 Linear sweep voltammograms under chopped light illumination of (a) CuCrO $_2$ (black) and CuCrO $_2$ |DPP-P (red) electrodes, and a CuCrO $_2$ |DPP-P electrode with 5 mM DTDP acceptor in solution (magenta), (b) LSV scans of CuCrO $_2$ |DPP-P/NiP (blue) and NiO|DPP-P/NiP (green) electrodes along with chronoamperograms (inset) of all relevant electrode compositions. The dark chops are shown with grey lines for the chronoamperograms. All experiments were performed in aqueous Na $_2$ SO $_4$ electrolyte solution (0.1 M) adjusted to pH 3. Illumination with 100 mW cm $^{-2}$, AM 1.5G, with a 420 nm cutoff filter at room temperature. An active electrode area of 0.25 cm 2 was used with a scan rate of 5 mV s $^{-1}$ for voltammograms.

susceptibility to recombination between the reduced dye and holes in CuCrO_2 (Fig. S6†). Thus, **DPP-P** displays excellent electronic communication with CuCrO_2 , which suggests that coanchoring of a catalyst could be a viable approach to exploit the reductive power of **DPP-P** $^-$ for solar H_2 production.

Photoelectrochemistry with CuCrO₂ | DPP-P/NiP

Catalyst and dye molecules were co-immobilised on $CuCrO_2$ electrodes through soaking in a solution of NiP (0.5 mM) and DPP-P (1 mM), in DMF for 15 h. The loading of DPP-P was quantified by UV-Vis spectroscopy following desorption in alkaline solution and the amount of immobilised NiP determined using inductively coupled plasma optical emission spectroscopy (ICP-OES) measurements. This resulted in a 2:1

ratio of dye to catalyst on the electrodes (Table S1†). Coimmobilisation of **NiP** and **DPP-P** on CuCrO₂ resulted in a five-fold enhancement in photocurrent compared to the bare electrode ($|j|=15.1~\mu A~cm^{-2}$, 0.0 V vs. RHE) (Fig. 3b). This increased response is attributed to the ability of **DPP-P**⁻ to reduce **NiP** and ultimately protons.⁶⁷ This is supported by the incident photon-to-current efficiency (IPCE) spectrum, which displays a maximum photocurrent at the same wavelength as the absorption maximum of **DPP-P** ($\lambda_{max}=500~nm$, Fig. S7†). For comparison, CuCrO₂ electrodes showed low efficiency and no peak at this wavelength, demonstrating the essential role of the sensitiser.

H₂ generation was studied using controlled potential photoelectrolysis (CPPE) under constant light illumination with an applied potential of 0.0 V vs. RHE. The CPPE trace of the CuCrO₂|DPP-P/NiP electrode showed high stability over a 2 hour period (Fig. S8†) with 94 \pm 10 nmol of H₂ generated, corresponding to a turnover number of the NiP catalyst (TON_{cat}) of 126 \pm 13 and a faradaic efficiency (FE) of 34 \pm 8%. Possible explanations for the modest FE are the dark current originating from Cu2+ reduction and oxygen deintercalation,77 as well as capacitive currents due to the mesoporous structure or from electrons trapped in surface states. 56,78-80 The FE is lowered by probable photobleaching/decomposition and desorption of the dye species, and is overall comparable to previously reported dye-sensitised photocathodes (Table 1). Control experiments without dye (CuCrO₂|NiP) or catalyst (CuCrO₂|DPP-P) produced no detectable hydrogen, confirming that the full assembly is required for catalysis. A comparable NiO|DPP-P/NiP electrode modified in the same manner only yielded 35 \pm 2 nmol of H₂ after 2 hours, with a FE of 31 \pm 8%, demonstrating the superior performance (2-3 times) of CuCrO₂ (Table 1). Accurate quantification of the Ni-catalyst loading on NiO was not possible by ICP-OES (same element in catalyst and substrate) or by UV-Vis spectroscopy following desorption (low molar absorption of NiP).

Post-electrolysis characterisation of CuCrO₂|**DPP/NiP** electrodes using ICP-OES showed that the amount of **NiP** retained on the surface after 2 h of CPPE was 54% of the initial loading (Table S1 \dagger). This is in part due to the relatively low surface area exhibited by the delafossite particulates (25 m² g⁻¹), which accounts for low loadings of catalyst and dye, and allows for their easy desorption into the media. Nanostructuring of the surface would ensure higher loadings of dye and catalyst species, enhancing both stability and activity in the future. Alternate methods such as atomic layer deposition (ALD)^{52,81–83} or polymeric assembly^{84–87} could also be employed as additional stabilisation methods.

Comparison with state-of-the-art

Limited improvements in photocathode development for DSPEC proton reduction are largely due to p-type materials with low performance. Since the first report in 1999 towards p-type DSSC, dye-sensitised NiO electrodes have generated a range of beneficial research on dye architecture and electrolyte composition. ^{48,88,89} Despite this, their performance remains significantly lower than their n-type counterparts, highlighting the limitations of NiO and

Edge Article Chemical Science

Open Access Article. Published on 27 November 2017. Downloaded on 7/3/2025 8:54:02 AM.

This article is licensed under a Creative Commons Attribution 3.0 Unported Licence.

Table 1 Dye-sensitised photocathodes with immobilised molecular catalysts for proton reduction in aqueous solution

Substrate	Dye	Catalyst	Hd	Electrolyte solution	$ j /\mu A~{ m cm}^{-2}$ (${ m BE}_{ m app}/$ V $ u s$. RHE	Faradaic efficiency	${ m TON_{cat}}$	Reference
$CuCrO_2$	DPP-P	NiP	33	$\mathrm{Na}_2\mathrm{SO}_4$	15@0.00	$34 \pm 8\%$	$126 \pm 13.3 \ (2 \ h)$	This work
NiO	DPP-P	NiP	3	$\mathrm{Na}_2\mathrm{SO}_4$	5.8@0.00	$31\pm8\%$	n. r.ª	This work
NiO	Ru complex (RuP3)	NiP	3	$\mathrm{Na}_2\mathrm{SO}_4$	${\sim}10@0.30$	$8.6\pm2.3\%$	$\approx 1 (2 \text{ h})^b$	37
NiO	Dyad organic dye-cobalt diimine-dioxime	lt diimine-dioxime	5.5	MES/NaCl	15@0.14	9.5%	$\approx 4 (2 h)^b$	18
NiO	Supramolecular Ru complex-cobaloxime	nplex-cobaloxime	_	Phosphate	8@0.51	%89	n. r.ª	40
NiO	Organic dye (P1)	Cobaloxime	7	Phosphate	$\sim \! 5 @0.21$	%89	n. r. ^a	39
NiO	Ru complex (RuP)	Cobaloxime (CoHEC)	7	Phosphate	13@0.21	n. r. ^a	n. r.ª	41
NiO	Coumarine C343	$\mathrm{Fe}_2(\mathrm{CO})_6(\mathrm{bdt})$	4.5	Acetate	${\sim}10@0.16$	20%	≤3 (18 min)	38
NiO	CdSe	Cobaloxime	8.9	$\mathrm{Na}_2\mathrm{SO}_4$	100@0.40	81%	n. r.ª	42
ITO	Supramolecular Ru complex-(RuP2)-NiP	mplex-(RuP2)- NiP	5.1	MES	56@0.05	$53\pm5\%$	$\approx 16 (3 \text{ h})^b$	43
NiKO NiCuO ioITO	assembly Supramolecular Ru complex (RuP2)-NiP assembly	nplex (RuP2)- NiP	5.0	MES/KCI	$\sim\!59@0.05$	%06∼	$\approx 20 (2 h)$	44

the need for a better alternative. Table 1 highlights relevant examples as a comparison for our system.

The TON_{cat} is a good measure of catalytic activity for a molecular catalyst-based system but remains unreported in most cases. A $TON_{cat} > 125$ after 2 h for our $CuCrO_2$ system in water compares favourably with the currently highest reported value of ≈ 20 for a NiO DSPEC photocathode.⁴³

With **NiP** as the catalyst, an ITO electrode produced higher photocurrents and more H_2 ,⁴⁴ but PEC activity has only been demonstrated for an applied potential of +0.05 V νs . RHE. CuCrO₂ allows for a much higher working voltage due to the onset potential being situated at +0.75 V νs . RHE and therefore shows greater suitability for energy storage and implementation in tandem DSPEC cells. This photocurrent onset is also more favourable than other commonly used narrow bandgap p-type semiconductors such as GaP,^{90,91} and p-Si,^{5,92} highlighting the benefits of moving to dye-sensitised systems for H_2 generation.

CdSe-sensitised NiO produces the highest amount of $\rm H_2$ of these electrodes over the duration of 2 hours of CPPE, ⁴² but a large portion of the photocurrent stems from the bare quantum dots. Despite this, sensitisation with quantum dot species is a viable approach to further enhance the $\rm H_2$ producing capability of a CuCrO₂-based photocathode in the future. In comparing these properties, it is clear that material alteration can have a great influence on activity, and that transferring from NiO to CuCrO₂ has advantages for DSPEC applications.

Conclusions

n. r.: not reported. b Calculated from the reference.

We have introduced CuCrO₂ co-sensitised with an organic dye (DPP-P) and molecular catalyst (NiP) for DSPEC H₂ generation under aqueous conditions. CuCrO2|DPP-P/NiP showed a photocurrent onset at +0.75 V vs. RHE and a photocurrent density of 15 μA cm $^{-2}$ at 0.0 V νs . RHE with a TON_{cat} of 126 \pm 13 achieved in controlled potential photoelectrolysis under UVfiltered simulated solar light irradiation. The molecule-loaded delafossite electrode therefore surpasses the performance of benchmark NiO electrodes in side-by-side comparison. We also show that the phosphonated organic DPP dye allows for high performance in aqueous conditions on an electrode and is able to electronically cooperate with NiP, which enabled us to assemble a fully precious metal-free DSPEC photocathode. The photocathode displays a higher photovoltage than other current state-of-the-art materials such as p-Si and GaP, making it well suited for coupling with a photoanode in tandem water splitting. Co-immobilisation of a dye and a CO2 reduction catalyst on this p-type semiconductor may allow photocathodic production of carbon based fuels and chemical feedstocks.

The synthesis of CuCrO₂ by sol–gel techniques is straightforward and scalable. Nanostructuring would enhance the molecular loading and provide another avenue to increase photocurrents and the H₂ producing capability of the photocathode. Material alteration, for example through Mg²⁺ doping,⁶² could also improve the activity by further enhancing conductivity and therefore charge extraction through the film. Other methods to improve the separation between catalyst and the delafossite surface would also

Chemical Science

enhance the efficiency by reducing charge recombination.³⁷ This work demonstrates the benefit of adopting new delafossite structures as p-type semiconductors for solar fuel generation.

Experimental section

Materials and methods

NiP⁶⁸ and DPP-P⁶⁷ were synthesised according to previously reported methods. Cu(acetate)₂·H₂O (ACROS Organics, ACS reagent), $Cr(NO_3)_3 \cdot 9H_2O$ (Sigma-Aldrich, $\geq 99\%$), and triethanolamine (Sigma-Aldrich, ≥99.5%) were used to prepare CuCrO₂. ITO-coated glass substrates (Vision Tek Systems Ltd., R = 12 Ω cm⁻², thickness = 1.1 mm) were cut into 3 \times 3 cm² squares and scored into 1×1.5 cm² divisions before cleaning. Milli-Q® H_2O ($R > 18.2 \text{ M}\Omega$ cm) was used for all electrochemical and analytical measurements. DTDP (Sigma-Aldrich, 98%) was used as an electron acceptor at a concentration of 5 mM. Addition of DTDP resulted in a change in pH of the electrolyte solution from 3 to 4.6.

Preparation of CuCrO2 electrodes

ITO-coated glass was cleaned through successive sonication in isopropanol, ethanol, and acetone for 15 min each, followed by drying at 100 °C in air before use. A mixture of Cu(acetate)₂·H₂O (0.2 M), and triethanolamine (0.4 M) in absolute ethanol was stirred for 1 h before addition of $Cr(NO_3)_3 \cdot 9H_2O$ (0.2 M). This solution was kept stirring for 15 h before being spin-coated on the ITO-glass slides (Laurell WS-650MZ spin coater, 1500 rpm, 15 s, 3000 rpm s^{-1} acceleration, 0.4 mL volume). The slides were annealed in air to 400 °C for 45 min with a ramp rate of 10 °C min⁻¹ in a chamber furnace (Carbolite Gero). These steps were repeated to form 6 layers. The final annealing step involved heating in a N2 atmosphere to 600 °C for 45 min with a ramp rate of 5 °C min⁻¹ using a tube furnace fitted with a quartz tube, end seals, and insulation plugs (Carbolite Gero). The electrodes were left to cool to room temperature and used as-prepared without any additional treatment.

Material characterisation

XRD measurements were conducted using a PANalytical BV X'Pert Pro X-ray diffractometer. SEM images were taken using a FEI Phillips XL30 sFEG microscope. UV-Vis absorption spectra were obtained using a Varian Cary 50 spectrophotometer in transmission mode.

N₂ gas adsorption measurements

Adsorption isotherms were carried out using a Micromerities 3 Flex (Micromiretics, Norcross, GA, USA) with N2 as the adsorbate. Samples were prepared on glass slides then scraped from the surface. Degassing for 10 h at 110 °C was required prior to measurements, which were carried out in liquid N2. The BET specific surface area was obtained by fitting N2 isotherms using the Microactive software.

Mott-Schottky analysis

Electrochemical impedance spectroscopy (EIS) measurements were conducted using an IviumStat potentiostat at 25 °C using a 3-necked round-bottomed flask under dark conditions. A three-electrode setup using a Pt mesh counter, Ag/AgCl/KCl_{sat} reference, and a CuCrO₂ working electrode (0.25 cm² active area) was used with an electrolyte solution of Na₂SO₄ (0.1 M, pH 3). The frequency range was 10 kHz to 0.01 Hz, with an excitation voltage of 10 mV. Nyquist plots obtained in the potential range 1.1 V to 0.3 V vs. RHE (15 mV step) were fitted using ZView® (Scribner Associates Inc.) to a Randles circuit (inset Fig. S4 \dagger) to obtain interfacial capacitance (C_{sc}) values. The Mott–Schottky equation, $\frac{1}{C_{\rm sc}^2} = \frac{2}{\varepsilon \varepsilon_0 A^2 e N} \left(E - E_{\rm fb} - \frac{k_{\rm B} T}{e} \right)$, was

used to obtain an estimate of the flatband potential through a plot of $1/C_{\rm sc}^2$ against the applied potential. A negative slope indicated p-type character and the x-intercept is equal to $E_{\rm fb}$ + $k_{\rm B}T/e.^{37}$

Electrochemical measurements

Cyclic voltammetry was used to determine the reduction potential of the **DPP-P** dye, $E_{(S/S^-)}$, from the half-wave potential. This was performed in a 3-electrode setup with a glassy carbon working electrode, Pt-mesh counter electrode, and a Ag/AgCl/ KCl_{sat} reference electrode with a scan rate of 50 mV s⁻¹. The electrolyte solution consisted of tetrabutylammonium tetrafluoroborate (0.1 M) in dry DMF with the addition of DPP-P (around 0.1 M). Addition of the E_{00} to $E_{(S/S^{-})}$ provides an estimate for the excited state reduction potential, $E_{(S^*/S^-)}$.

Modification of electrodes with dye and catalyst species

Molecular species were co-immobilised through soaking in a bath consisting of DPP-P (1 mM) and NiP (0.5 mM) in DMF for 15 h. For CuCrO₂|DPP-P and CuCrO₂|NiP electrodes the concentration was 1 mM but all other conditions kept the same. All electrodes were rinsed with DMF and H2O then dried in air and stored in the dark before use.

Quantification of loaded DPP-P and NiP

DPP-P was desorbed from CuCrO₂|**DPP-P/NiP** electrodes using a solution of 0.1 M tetrabutylammonium hydroxide 30-hydrate in DMF (1 mL) and the absorption at 500 nm was determined using UV-Vis spectroscopy. A calibration curve was used to fit values and determine the loading for 4 different electrodes. NiP was quantified by ICP-OES after digestion of CuCrO2 | DPP-P/NiP electrodes (1 cm² film area) in aqueous HNO₃ (70%, 1 mL) overnight and dilution to 10% v/v with MilliQ® water. CuCrO₂|DPP-P/NiP electrodes pre- and post-electrolysis were analysed along with blanks for nitric acid, CuCrO2, and CuCrO₂ | DPP-P in triplicate. Errors represent standard deviation from the mean.37

PEC measurements

Photoelectrochemical measurements were carried out using an Ivium CompactStat potentiostat in a one-compartment threenecked custom made cell equipped with a flat borosilicate glass window. A three-electrode setup was used with a Pt-counter electrode, a Ag/AgCl/KCl_{sat} reference, and the working electrode consisted of the CuCrO₂ platform with an illuminated area of 0.25 cm² confined using electrical tape. All measurements were conducted using aqueous Na₂SO₄ electrolyte solution (0.1 M, pH 3) and the cell was purged with N₂ for 15 min prior to experiments. Frontside illumination was used for all experiments using a calibrated Newport Oriel solar light simulator (150 W, 100 mW cm⁻², AM 1.5G) fitted with a UQG Optics UV Filter (λ > 420 nm) and IR water filter.

CPPE experiments were carried out in a custom twocompartment airtight electrochemical cell separated by a Nafion membrane and featuring a flat quartz glass window. The volume of electrolyte solution in the working compartment was 12 mL with a gas headspace of 5 mL while the counter compartment consisted of 4.5 mL solution and a 3.5 mL headspace. Prior to electrolysis, the gas headspace was purged for 30 min with 2% CH₄ in N₂. An Agilent 7890A series gas chromatograph with a 5 Å molecular sieve column and a thermal conductivity detector was used to quantify the amount of H₂ produced. The oven temperature was kept constant at 45 °C and the flow rate was 3 mL min⁻¹. The partial pressure of H2 was calculated to account for dissolved H2 and this was added to the overall amount of hydrogen generated to obtain the faradaic efficiency. All CPPE experiments were carried out in triplicate with an applied potential of 0.0 V vs. RHE.

IPCE measurements

Edge Article

IPCE spectra were recorded in a N_2 -purged three-necked one-compartment custom cell with a flat borosilicate glass window. A three-electrode setup with Pt counter, $Ag/AgCl/KCl_{sat}$ reference, and working electrode was used with pH 3 Na_2SO_4 electrolyte solution (0.1 M). Monochromatic light was provided using a 300 W Xenon lamp solar light simulator coupled to a monochromator (MSH300, LOT Quantum design) and the intensity calibrated to 0.8 mW cm $^{-2}$ for each wavelength. The potential was maintained at 0.0 V νs . RHE for all wavelengths and photocurrents were recorded in triplicate with different electrodes (0.25 cm 2 active area) for both CuCrO $_2$ and CuCrO $_2$ -|DPP-P/NiP arrangements.

Conflicts of interest

There are no conflicts to declare.

Acknowledgements

This work was supported by the Christian Doppler Research Association (Austrian Federal Ministry of Science, Research, and Economy and the National Foundation for Research, Technology and Development), the OMV Group (E. R. and J. W.), and the EPSRC NanoDTC in Cambridge (EP/L015978/1; E. R. and C. E. C.). Thanks to Dr Benjamin Martindale (Department of Chemistry, University of Cambridge) for providing NiP, Mr

Alan Dickerson (Department of Chemistry, University of Cambridge) for ICP-OES measurements, and Mohammad Hadi Modarres and Dr Michael de Volder (Department of Engineering, University of Cambridge) for help with BET measurements. We appreciate the help of Dr Bertrand Reuillard and Miss Jane J. Leung for their suggestions and comments on the manuscript.

References

- 1 Y. Tachibana, L. Vayssieres and J. R. Durrant, *Nat. Photonics*, 2012, 6, 511–518.
- 2 J. Willkomm, K. L. Orchard, A. Reynal, E. Pastor, J. R. Durrant and E. Reisner, *Chem. Soc. Rev.*, 2015, 45, 9–23.
- 3 M. G. Walter, E. L. Warren, J. R. McKone, S. W. Boettcher, Q. Mi, E. A. Santori and N. S. Lewis, *Chem. Rev.*, 2010, 110, 6446–6473.
- 4 D. Gust, T. A. Moore and A. L. Moore, *Acc. Chem. Res.*, 2009, 42, 1890–1898.
- 5 J. J. Leung, J. Warnan, D. H. Nam, J. Z. Zhang, J. Willkomm and E. Reisner, *Chem. Sci.*, 2017, **8**, 5172–5180.
- 6 T. E. Rosser, M. A. Gross, Y.-H. Lai and E. Reisner, *Chem. Sci.*, 2016, 7, 4024–4035.
- 7 M. K. Brennaman, R. J. Dillon, L. Alibabaei, M. K. Gish, C. J. Dares, D. L. Ashford, R. L. House, G. J. Meyer, J. M. Papanikolas and T. J. Meyer, *J. Am. Chem. Soc.*, 2016, 138, 13085–13102.
- 8 N. Queyriaux, N. Kaeffer, A. Morozan, M. Chavarot-Kerlidou and V. Artero, *J. Photochem. Photobiol.*, *C*, 2015, **25**, 90–105.
- 9 K. Sivula and R. van de Krol, Nat. Rev. Mater., 2016, 1, 15010.
- 10 M. P. Stewart, M. H. Ho, S. Wiese, M. Lou Lindstrom, C. E. Thogerson, S. Raugei, R. M. Bullock and M. L. Helm, J. Am. Chem. Soc., 2013, 135, 6033–6046.
- 11 G. Sahara and O. Ishitani, *Inorg. Chem.*, 2015, 54, 5096-5104.
- 12 D.-I. Won, J. S. Lee, J. M. Ji, W. J. Jung, H. J. Son, C. Pac and S. O. Kang, *J. Am. Chem. Soc.*, 2015, 137, 13679–13690.
- 13 M. F. Kuehnel, K. L. Orchard, K. E. Dalle and E. Reisner, *J. Am. Chem. Soc.*, 2017, **139**, 7217–7223.
- Roy, B. Sharma, J. Pécaut, P. Simon, M. Fontecave,
 P. D. Tran, E. Derat and V. Artero, *J. Am. Chem. Soc.*, 2017,
 139, 3685–3696.
- 15 B. Reuillard, K. H. Ly, T. E. Rosser, M. F. Kuehnel, I. Zebger and E. Reisner, *J. Am. Chem. Soc.*, 2017, **139**, 14425–14435.
- 16 J. Willkomm, N. M. Muresan and E. Reisner, Chem. Sci., 2015, 6, 2727–2736.
- 17 K. Sekizawa, K. Maeda, K. Domen, K. Koike and O. Ishitani, *J. Am. Chem. Soc.*, 2013, **135**, 4596–4599.
- 18 N. Kaeffer, J. Massin, C. Lebrun, O. Renault, M. Chavarot-Kerlidou and V. Artero, *J. Am. Chem. Soc.*, 2016, **138**, 12308–12311.
- 19 Y. Tamaki and O. Ishitani, ACS Catal., 2017, 7, 3394-3409.
- 20 A. Reynal, F. Lakadamyali, M. A. Gross, E. Reisner and J. R. Durrant, *Energy Environ. Sci.*, 2013, **6**, 3291–3300.
- 21 G. Neri, M. Forster, J. J. Walsh, C. M. Robertson, T. J. Whittles, P. Farràs and A. J. Cowan, *Chem. Commun.*, 2016, 52, 14200–14203.

22 E. Pastor, F. Le Formal, M. T. Mayer, S. D. Tilley, L. Francàs, C. A. Mesa, M. Grätzel and J. R. Durrant, *Nat. Commun.*, 2017, 8, 14280.

Chemical Science

- 23 T. E. Rosser and E. Reisner, ACS Catal., 2017, 7, 3131-3141.
- 24 M. Schreier, J. Luo, P. Gao, T. Moehl, M. T. Mayer and M. Grätzel, J. Am. Chem. Soc., 2016, 138, 1938–1946.
- 25 L. Ji, M. D. McDaniel, S. Wang, A. B. Posadas, X. Li, H. Huang, J. C. Lee, A. A. Demkov, A. J. Bard, J. G. Ekerdt and E. T. Yu, *Nat. Nanotechnol.*, 2014, **10**, 84–90.
- 26 S. Hu, N. S. Lewis, J. W. Ager, J. Yang, J. R. McKone and N. C. Strandwitz, J. Phys. Chem. C, 2015, 119, 24201–24228.
- 27 M. Crespo-Quesada and E. Reisner, *Energy Environ. Sci.*, 2017, 10, 1116–1127.
- 28 P. Xu, N. S. McCool and T. E. Mallouk, *Nano Today*, 2017, **14**, 42–58.
- 29 Z. Yu, F. Li and L. Sun, Energy Environ. Sci., 2015, 8, 760-775.
- 30 E. A. Gibson, Chem. Soc. Rev., 2017, 46, 6194-6209.
- 31 M. S. Prévot and K. Sivula, *J. Phys. Chem. C*, 2013, **117**, 17879–17893.
- 32 G. Sahara, H. Kumagai, K. Maeda, N. Kaeffer, V. Artero, M. Higashi, R. Abe and O. Ishitani, *J. Am. Chem. Soc.*, 2016, 138, 14152–14158.
- 33 F. F. Abdi, L. Han, A. H. M. Smets, M. Zeman, B. Dam and R. van de Krol, *Nat. Commun.*, 2013, 4, 2195.
- 34 H. Kumagai, G. Sahara, K. Maeda, M. Higashi, R. Abe and O. Ishitani, *Chem. Sci.*, 2017, **8**, 4242–4249.
- 35 K. Fan, F. S. Li, L. Wang, Q. Daniel, E. Gabrielsson and L. C. Sun, *Phys. Chem. Chem. Phys.*, 2014, **16**, 25234–25240.
- 36 Y. Farré, L. Zhang, Y. Pellegrin, A. Planchat, E. Blart, M. Boujtita, L. Hammarström, D. Jacquemin and F. Odobel, J. Phys. Chem. C, 2016, 120, 7923–7940.
- 37 M. A. Gross, C. E. Creissen, K. L. Orchard and E. Reisner, *Chem. Sci.*, 2016, 7, 5537–5546.
- 38 L. J. Antila, P. Ghamgosar, S. Maji, H. Tian, S. Ott and L. Hammarström, *ACS Energy Lett.*, 2016, 1, 1106–1111.
- 39 F. Li, K. Fan, B. Xu, E. Gabrielsson, Q. Daniel, L. Li and L. Sun, J. Am. Chem. Soc., 2015, 137, 9153–9159.
- 40 Z. Ji, M. He, Z. Huang, U. Ozkan and Y. Wu, *J. Am. Chem. Soc.*, 2013, **135**, 11696–11699.
- 41 K. Fan, F. Li, L. Wang, Q. Daniel, E. Gabrielsson and L. Sun, *Phys. Chem. Chem. Phys.*, 2014, **16**, 25234–25240.
- 42 P. Meng, M. Wang, Y. Yang, S. Zhang and L. Sun, *J. Mater. Chem. A*, 2015, 3, 18852–18859.
- 43 B. Shan, B. D. Sherman, C. M. Klug, A. Nayak, S. L. Marquard, Q. Liu, R. M. Bullock and T. J. Meyer, *J. Phys. Chem. Lett.*, 2017, 8, 4374–4379.
- 44 B. Shan, A. Das, S. L. Marquard, B. H. Farnum, D. Wang, R. M. M. Bullock and T. J. Meyer, *Energy Environ. Sci.*, 2016, 9, 3693–3697.
- 45 L. Lepleux, B. Chavillon, Y. Pellegrini, E. Blart, L. Cario, S. Jobic and F. Odobel, *Inorg. Chem.*, 2009, 48, 8245–8250.
- 46 E. A. Gibson, M. Awais, D. Dini, D. P. Dowling, M. T. Pryce, J. G. Vos and A. Hagfeldt, *Phys. Chem. Chem. Phys.*, 2013, 15, 2411–2420.
- 47 C. J. Wood, G. H. Summers, C. A. Clark, N. Kaeffer, M. Braeutigam, L. R. Carbone, L. D'Amario, K. Fan, Y. Farré, S. Narbey, F. Oswald, L. A. Stevens,

- C. D. J. Parmenter, M. W. Fay, A. La Torre, C. E. Snape, B. Dietzek, D. Dini, L. Hammarström, Y. Pellegrin, F. Odobel, L. Sun, V. Artero and E. A. Gibson, *Phys. Chem. Phys.*, 2016, **18**, 10727–10738.
- 48 F. Odobel, Y. Pellegrin, E. A. Gibson, A. Hagfeldt, A. L. Smeigh and L. Hammarström, *Coord. Chem. Rev.*, 2012, **256**, 2414–2423.
- 49 A. Morandeira, J. Fortage, T. Edvinsson, L. Le Pleux, E. Blart, G. Boschloo, A. Hagfeldt, L. Hammarström and F. Odobel, *J. Phys. Chem. C*, 2008, 112, 1721–1728.
- 50 Z. Huang, G. Natu, Z. Ji, M. He, M. Yu and Y. Wu, J. Phys. Chem. C, 2012, 116, 26239–26246.
- 51 K. A. Click, D. R. Beauchamp, Z. Huang, W. Chen and Y. Wu, J. Am. Chem. Soc., 2016, 138, 1174–1179.
- 52 R. J. Kamire, M. B. Majewski, W. L. Hoffeditz, B. T. Phelan, O. K. Farha, J. T. Hupp and M. R. Wasielewski, *Chem. Sci.*, 2017, **8**, 541–549.
- 53 C. J. Flynn, S. M. McCullough, E. Oh, L. Li, C. C. Mercado, B. H. Farnum, W. Li, C. L. Donley, W. You, A. J. Nozik, J. R. McBride, T. J. Meyer, Y. Kanai and J. F. Cahoon, ACS Appl. Mater. Interfaces, 2016, 8, 4754–4761.
- 54 I. Sullivan, B. Zoellner and P. A. Maggard, *Chem. Mater.*, 2016, **28**, 5999–6016.
- 55 M. Yu, T. I. Draskovic and Y. Wu, *Phys. Chem. Chem. Phys.*, 2014, **16**, 5026–5033.
- 56 M. S. Prévot, X. A. Jeanbourquin, W. S. Bourée, F. Abdi, D. Friedrich, R. van de Krol, N. Guijarro, F. Le Formal and K. Sivula, *Chem. Mater.*, 2017, 29, 4952–4962.
- 57 M. S. Prévot, N. Guijarro and K. Sivula, *ChemSusChem*, 2015, 8, 1359–1367.
- 58 J. Gu, Y. Yan, J. W. Krizan, Q. D. Gibson, Z. M. Detweiler, R. J. Cava and A. B. Bocarsly, *J. Am. Chem. Soc.*, 2014, 136, 830–833.
- 59 A. K. Díaz-García, T. Lana-Villarreal and R. Gómez, J. Mater. Chem. A, 2015, 3, 19683–19687.
- 60 S. Götzendörfer, C. Polenzky, S. Ulrich and P. Löbmann, *Thin Solid Films*, 2009, **518**, 1153–1156.
- 61 S. Powar, D. Xiong, T. Daeneke, M. T. Ma, A. Gupta, G. Lee, S. Makuta, Y. Tachibana, W. Chen, L. Spiccia, Y. B. Cheng, G. Götz, P. Bäuerle and U. Bach, *J. Phys. Chem. C*, 2014, 118, 16375–16379.
- 62 D. Xiong, W. Zhang, X. Zeng, Z. Xu, W. Chen, J. Cui, M. Wang, L. Sun and Y. B. Cheng, *ChemSusChem*, 2013, 6, 1432–1437.
- 63 D. Xiong, Z. Xu, X. Zeng, W. Zhang, W. Chen, X. Xu, M. Wang and Y. B. Cheng, *J. Mater. Chem.*, 2012, **22**, 24760–24768.
- 64 D. O. Scanlon, K. G. Godinho, B. J. Morgan and G. W. Watson, *J. Chem. Phys.*, 2010, **132**, 24707.
- 65 T. Jiang, X. Li, M. Bujoli-Doeuff, E. Gautron, L. Cario, S. Jobic and R. Gautier, *Inorg. Chem.*, 2016, 55, 7729–7733.
- 66 D. O. Scanlon and G. W. Watson, *J. Mater. Chem.*, 2011, 21, 3655–3663.
- 67 J. Warnan, J. Willkomm, J. N. Ng, R. Godin, S. Prantl, J. R. Durrant and E. Reisner, *Chem. Sci.*, 2017, **8**, 3070–3079.
- 68 M. A. Gross, A. Reynal, J. R. Durrant and E. Reisner, *J. Am. Chem. Soc.*, 2014, **136**, 356–366.

Edge Article

- 69 A. M. Brown, L. J. Antila, M. Mirmohades, S. Pullen, S. Ott and L. Hammarström, J. Am. Chem. Soc., 2016, 138, 8060– 8063.
- 70 F. A. Black, C. A. Clark, G. H. Summers, I. P. Clark, M. Towrie, T. Penfold, M. W. George and E. A. Gibson, Phys. Chem. Chem. Phys., 2017, 19, 7877–7885.
- 71 B. Dhital, V. G. Rao and H. P. Lu, *Phys. Chem. Chem. Phys.*, 2017, 19, 17216–17223.
- 72 A. L. Smeigh, L. Le Pleux, J. Fortage, Y. Pellegrin, E. Blart, F. Odobel and L. Hammarström, *Chem. Commun.*, 2012, 48, 678–680.
- 73 M. Borgström, E. Blart, G. Boschloo, E. Mukhtar, A. Hagfeldt, L. Hammarström and F. Odobel, *J. Phys. Chem. B*, 2005, 109, 22928–22934.
- 74 L. Zhang, L. Favereau, Y. Farré, E. Mijangos, Y. Pellegrin, E. Blart, F. Odobel and L. Hammarström, *Phys. Chem. Chem. Phys.*, 2016, 18, 18515–18527.
- 75 M. L. Helm, M. P. Stewart, R. M. Bullock, M. R. DuBois and D. L. DuBois, *Science*, 2011, 333, 863–866.
- 76 W. J. Shaw, M. L. Helm and D. L. Du Bois, *Biochim. Biophys. Acta, Bioenerg.*, 2013, **1827**, 1123–1139.
- 77 W. Ketir, A. Bouguelia and M. Trari, *Desalination*, 2009, 244, 144–152.
- 78 J. Bisquert, Phys. Chem. Chem. Phys., 2003, 5, 5360-5364.
- 79 L. Bertoluzzi, P. Lopez-Varo, J. A. Jiménez Tejada and J. Bisquert, *J. Mater. Chem. A*, 2016, 4, 2873–2879.
- 80 J. Bisquert, Phys. Chem. Chem. Phys., 2008, 10, 49-72.

- 81 A. M. Lapides, B. D. Sherman, M. K. Brennaman, C. J. Dares, K. R. Skinner, J. L. Templeton and T. J. Meyer, *Chem. Sci.*, 2015, 6, 6398–6406.
- 82 H. J. Son, C. Prasittichai, J. E. Mondloch, L. Luo, J. Wu, D. W. Kim, O. K. Farha and J. T. Hupp, *J. Am. Chem. Soc.*, 2013, 135, 11529–11532.
- 83 D. Wang, M. V. Sheridan, B. Shan, B. H. Farnum, S. L. Marquard, B. D. Sherman, M. S. Eberhart, A. Nayak, C. J. Dares, A. K. Das, R. M. Bullock and T. J. Meyer, *J. Am. Chem. Soc.*, 2017, 139, 14518–14525.
- 84 B. Reuillard, J. Warnan, J. J. Leung, D. W. Wakerley and E. Reisner, *Angew. Chem.*, *Int. Ed.*, 2016, 55, 3952–3957.
- 85 S. K. Ibrahim, X. Liu, C. Tard and C. J. Pickett, *Chem. Commun.*, 2007, 1535–1537.
- 86 D. H. Pool and D. L. DuBois, *J. Organomet. Chem.*, 2009, **694**, 2858–2865.
- 87 A. Krawicz, J. Yang, E. Anzenberg, J. Yano, I. D. Sharp and G. F. Moore, J. Am. Chem. Soc., 2013, 135, 11861–11868.
- 88 F. Odobel and Y. Pellegrin, *J. Phys. Chem. Lett.*, 2013, 4, 2551–2564.
- 89 J. He, H. Lindström, A. Hagfeldt and S.-E. Lindquist, *J. Phys. Chem. B*, 1999, **103**, 8940–8943.
- 90 A. M. Beiler, D. Khusnutdinova, S. I. Jacob and G. F. Moore, *ACS Appl. Mater. Interfaces*, 2016, **8**, 10038–10047.
- 91 D. Khusnutdinova, A. M. Beiler, B. L. Wadsworth, S. I. Jacob and G. F. Moore, *Chem. Sci.*, 2017, 8, 253–259.
- 92 C. A. Downes and S. C. Marinescu, J. Am. Chem. Soc., 2015, 137, 13740–13743.