



Cite this: *Chem. Commun.*, 2019, 55, 8571

Received 14th May 2019,  
Accepted 27th June 2019

DOI: 10.1039/c9cc03731d

rsc.li/chemcomm

## Continuous flow knitting of a triptycene hypercrosslinked polymer†

Cher Hon Lau,<sup>a</sup> Tian-dan Lu,<sup>b</sup> Shi-Peng Sun,<sup>b</sup> Xianfeng Chen,<sup>a</sup> Mariolino Carta<sup>c</sup> and Daniel M. Dawson<sup>d</sup>


**By replacing Lewis acids with Brønsted acids as catalysts, continuous flow synthesis of hypercrosslinked polymers is achieved within 10% of the time required for a typical batch reaction. Compared with batch-synthesised polymers, the flow-produced materials take up 24% more CO<sub>2</sub>, precluding the need for lengthy reaction protocols to yield high-performance hypercrosslinked polymers for carbon capture.**

Hypercrosslinked polymers (HCPs) are insoluble, amorphous, microporous materials widely deployed in environmental remediation *via* ion exchange, toxicant sequestration and carbon capture.<sup>1,2</sup> HCPs are typically produced from time-consuming (at least 24 hours) batch Friedel–Crafts alkylation reactions where Lewis acid catalysts such as FeCl<sub>3</sub> drive the post-crosslinking of aromatic polymers,<sup>3</sup> direct polycondensation of halogenated substrates<sup>4</sup> or external crosslinking of aromatic substrates with reactive linkers such as formaldehyde dimethyl acetate (FDA)<sup>5</sup> in halogenated solvents under reflux conditions. During the initial stage of Friedel–Crafts alkylation, newly-formed HCPs will adsorb solvents required for nucleophilic substitutions, forming a gel that inhibits further reactions.<sup>1</sup> Hence long synthesis durations are mandatory for complete reagent consumption, which is also key for obtaining HCPs with high Brunauer–Emmett–Teller (BET) surface areas.<sup>6</sup> The molecular uptake of HCPs depends on their microporosity *i.e.* specific surface areas that can be enhanced with increasing solvent to substrate ratios<sup>7–9</sup> and prolonging reaction times.<sup>10</sup> However, these approaches exacerbate energy and material consumption.

Herein we overcome the disadvantages of batch HCP synthesis with continuous flow synthesis, (Fig. 1) a disruptive technology

employed to produce active pharmaceutical ingredients,<sup>11</sup> low molecular weight polymers<sup>12</sup> and metal organic frameworks.<sup>13</sup> Flow synthesis has also been deployed to produce microparticles of HCPs<sup>14</sup> that are known to possess BET surface areas between 300–500 m<sup>2</sup> g<sup>−1</sup>,<sup>15</sup> while high surface area HCPs (> 1000 m<sup>2</sup> g<sup>−1</sup>) have yet to be produced in flow reactors.

Using a conventional HCP batch synthesis protocol<sup>1</sup> (Scheme 1), we observed that FeCl<sub>3</sub> clogged the microreactor during flow synthesis of hypercrosslinked triptycene, a substrate known to yield hierarchical porosity that benefits CO<sub>2</sub> adsorption.<sup>16</sup> Hence, trifluoromethanesulfonic acid (TfOH) – a liquid Brønsted acid catalyst miscible with chloroform was chosen here to replace FeCl<sub>3</sub>. TfOH was preferred as it catalysed the direct polycondensation and external crosslinking of aromatic substrates.<sup>6</sup> Despite the better catalytic activities of TfOH,<sup>17</sup> the BET surface area of



**Fig. 1** Triptycene HCPs can be produced in flow reactors within 2 hours, a 90% reduction in synthesis duration when compared to batch reactions required to produce HCPs of similar quality.

<sup>a</sup> School of Engineering, The University of Edinburgh, Robert Stevenson Road, Edinburgh EH9 3FB, UK. E-mail: cherhon.lau@ed.ac.uk; Tel: +44 (0)1316507813


<sup>b</sup> State Key Laboratory of Materials-Oriented Chemical Engineering, College of Chemical Engineering, Nanjing Tech. University, Nanjing 210009, China

<sup>c</sup> Department of Chemistry, College of Science, Swansea University, Grove Building, Singleton Park, Swansea SA2 8PP, UK

<sup>d</sup> School of Chemistry, EaStCHEM and Centre of Magnetic Resonance, University of St. Andrews, KY16 9ST, UK

† Electronic supplementary information (ESI) available. See DOI: 10.1039/c9cc03731d






**Scheme 1** Typical batch reaction protocol to yield hypercrosslinked polymers. In this case, the substrate used was triptycene.

externally-crosslinked HCPs produced with this catalyst was 65% lower, leading to lower molecular uptake. This could be due to incomplete consumption of reagents within the short synthesis duration.<sup>18</sup>

To elucidate the role of synthesis time on HCP microporosity, we performed external crosslinking of 30 mmol of triptycene with 90 mmol of FDA and 90 mmol of catalysts (TfOH or FeCl<sub>3</sub>) in batch reactions at 60 °C over 24 hours in 250 mL of chloroform. To ensure complete reagent consumption, additional chloroform was added when a black gel was formed within the first two hours of reaction. It is important to point out here that gel formation is not equivalent to a complete crosslinking reaction. Triptycene HCPs were also produced in a 10 mL microreactor made up a 12 m long perfluoroalkoxyl polymer tube with inner diameter of 1 mm coiled in a figure of 8 configuration on a Vapourtec E-series flow synthesis set-up. Separate chloroformic solutions containing 10 mM of triptycene, and 15 mM of TfOH, and 30 mM of FDA were pumped at a flow rate of 5 mL min<sup>-1</sup> into the microreactor with a temperature set at 50 °C, producing triptycene HCPs in 2 hours. Upon entry into the microreactor, the chloroformic solutions, turned black with microparticles within 30 seconds (see ESI†). FTIR and NMR analyses revealed that these microparticles were triptycene HCPs (Fig. 2), indicating that HCPs were produced within the first metre of the 12 m long polymer tube. Further work is required to customize the flow reactor to suit HCP synthesis.

The chemical structures of triptycene HCPs produced using different catalysts (TfOH vs. FeCl<sub>3</sub>) and TfOH-catalysed protocols (batch vs. flow) were very similar (Fig. 2). FTIR analyses revealed that new peaks centred at 2856 and 2927 cm<sup>-1</sup> were formed upon crosslinking of triptycene, while the intensity of the peak centred at 1450 cm<sup>-1</sup> (absorption band of a non-substituted benzene ring) was reduced. These corresponded to the substitution of protons on aromatic rings with methylene bridge crosslinks during Friedel-Crafts reactions.<sup>16</sup> This was validated by the broadening of chemical shifts between 1–2 ppm (methylene bridge proton), 6–7 ppm (protons of aromatic rings) and 25–55 ppm (methylene bridge carbon) in the <sup>1</sup>H and <sup>13</sup>C solid state NMR spectra.<sup>19</sup> The NMR spectra of TfOH-catalysed HCPs could be collected after 5–7 water wash cycles but not for those produced using FeCl<sub>3</sub> exhibited very rapid relaxation, which precluded acquisition of high-quality NMR spectra. This is most likely due to entrapped Fe ions in the HCPs. The removal of entrapped Fe



**Fig. 2** (a) FTIR spectra of triptycene monomer (black), triptycene HCPs produced in a batch reactor using FeCl<sub>3</sub> (green) or TfOH (blue) as catalysts and in a flow reactor (red). The presence of methylene bridge crosslinks in triptycene HCPs was validated by the broadening of the peak between (b) 1–2 and 6–7 ppm in the <sup>1</sup>H NMR spectra and (c) 25–55 ppm in the <sup>13</sup>C NMR spectra.

ions from HCPs typically requires multiple washings using harsher solvents such as hydrochloric acid, chloroform, methanol and acetone.<sup>20,21</sup> Other than requiring more benign wash cycles,







Fig. 3 (a) N<sub>2</sub> (77 K), (b) CO<sub>2</sub> adsorption isotherms at 1.0 bar (273 K) and (c) pore size distributions calculated from 273 K CO<sub>2</sub> adsorption isotherms using DFT theory of triptycene HCPs produced in a batch reactor using FeCl<sub>3</sub> (green) and TfOH (blue) as catalyst and in a flow reactor with TfOH (red).

the use of TfOH catalysts here also enhanced microporosity and CO<sub>2</sub> uptake.

The specific surface areas of triptycene HCPs produced here were characterised using nitrogen adsorption isotherm measurements at 77 K (Fig. 3). A type 1 adsorption profile was observed in batch-produced triptycene HCPs, similar to those reported elsewhere.<sup>1,4,16,22</sup> The steep slope at  $P/P_0 < 0.01$  indicated a sharp increase in N<sub>2</sub> uptake, confirming the microporous nature of these HCPs. The BET surface area of the triptycene HCPs produced from TfOH-catalysed external crosslinking in batch reactors over a 24 hour period was 1637 m<sup>2</sup> g<sup>-1</sup>, 36% higher than that produced using FeCl<sub>3</sub> catalysts. This differs from the work of Schute and Rose where BET surface areas of their TfOH-catalysed HCPs produced *via* a 2 hour external crosslinking protocol were 65% lower than those produced using FeCl<sub>3</sub> catalysts.<sup>6</sup> Clearly, longer synthesis times in batch reactions are mandatory for producing HCPs with high surface areas using TfOH catalysts. The lack of entrapped metal ions in the pores of HCPs from TfOH-catalysed external crosslinking reactions also contributed to the higher BET surface area. Meanwhile, the BET surface area of TfOH-catalysed, flow-produced triptycene HCPs was 1590 cm<sup>2</sup> g<sup>-1</sup>, comparable to that of HCPs produced from batch reactions catalysed by TfOH and 32% higher than those produced using FeCl<sub>3</sub> catalysts in 24 hour batch reactions. More importantly, we demonstrated that flow microtechnology is capable of reducing production time of triptycene HCPs by 90% whilst enhancing BET surface areas *i.e.* molecular uptake.

CO<sub>2</sub> adsorption isotherms obtained at 273 K provided information on pore size distribution and CO<sub>2</sub> uptake. The total pore volume for TfOH- and FeCl<sub>3</sub> catalysed batch-produced, and flow-produced triptycene HCPs were identical. The amount of ultra-micropores (pore width 7 Å) in flow-produced HCPs was higher than those produced from batch reactions while batch-produced HCPs contained more pores that were larger than 9 Å. The differences in micropore type and quantity could be ascribed to faster reaction kinetics in the significantly smaller confined spaces within the polymer tubes of the flow reactor where such environments typically ensure higher consumption of monomers and reagents.<sup>12,13</sup> The CO<sub>2</sub> uptake of batch-produced triptycene HCPs at 1.0 bar and 273 K was ~3.3 mmol g<sup>-1</sup>, comparable to other organic microporous polymers<sup>1</sup> and triptycene HCPs produced from batch reactions using dichloroethane.<sup>16</sup> Meanwhile, the CO<sub>2</sub> uptake of flow-produced triptycene HCPs at 1.0 bar and 273 K reached 2.9 mmol g<sup>-1</sup>, 12% lower than that of triptycene HCPs produced in batch reactions.

In summary, we showed that Brønsted acid catalysts could be deployed to produce HCPs with BET surface areas that were 27% higher than those produced using Lewis acid catalysts in batch reactions. The key to achieving this significant increase in BET surface area was prolonging synthesis duration to 24 hours. This finding underpinned the necessity of producing HCPs with similarly high BET surface areas *via* continuous flow synthesis, using less than 10% of the time required, potentially reducing energy consumption. Catalysed by Brønsted acids in confined spaces with higher surface area to volume ratio that consequently



facilitated better heat transfer to reagents, the CO<sub>2</sub> uptake of flow-produced HCPs was 24% higher than those produced in batch reactions. To further exploit these findings to scale up the production of HCPs whilst affording better control over product quality in a faster time scale, there is a need to further investigate the impact of system parameters such as reaction temperature, flow rates, catalyst type and reagent concentration in reactant solutions to optimize the advantages of this disruptive polymer production technology.

Commercially available reagents were used without purification. Triptycene, FeCl<sub>3</sub>, FDA and chloroform were purchased from Sigma Aldrich while TfOH was purchased from Alfa Aesar. Infrared spectra were recorded in the range 4000–600 cm<sup>−1</sup> using a PerkinElmer 1600 series FTIR instrument as powder. The positions of absorption bands are quoted in cm<sup>−1</sup>. The N<sub>2</sub> adsorption isotherms at 77 K were measured using a Quantachrome Autosorb iQ2. CO<sub>2</sub> (273 K) sorption data were acquired using a Quantachrome Autosorb iQ. The powder samples were degassed for 600 min at 120 °C before the experiment. The adsorption isotherm was used to calculate the pore volume and the pore-size distribution. Solid-state NMR spectra were recorded using a Bruker Avance III spectrometer equipped with a 9.4 T wide-bore superconducting magnet (Larmor frequencies of 400.1 and 100.9 MHz for <sup>1</sup>H and <sup>13</sup>C, respectively). Samples were packed into standard 4 mm rotors and rotated at the magic angle at a rate of 12.5 kHz. The spectra were recorded with cross polarisation (CP) from <sup>1</sup>H using a contact pulse (ramped for <sup>1</sup>H) of 1.5 ms. High-power TPPM-15 decoupling of <sup>1</sup>H ( $\nu_1$  = 100 kHz) was carried out during acquisition. For the triptycene monomer, signal averaging as carried out for 128 transients with a recycle interval of 120 s, and for the polymer samples, signal averaging was carried out for 4096–14 504 transients with a recycle interval of 3 s. Chemical shift are reported in ppm relative to trimethylsilane, using the CH<sub>3</sub> resonance of L-alanine ( $\delta$  = 20.5 ppm) as a secondary solid reference.

The authors are grateful for the support of The University of Edinburgh Chancellor Fellowship Scheme and State Key Laboratory

for Membrane Separations, China (NTU-KL17-03). We are also grateful for the fruitful discussions with Professor Neil McKeown and the use of characterization equipment within his labs.

## Conflicts of interest

There are no conflicts to declare.

## References

- 1 L. Tan and B. Tan, *Chem. Soc. Rev.*, 2017, **46**, 3481.
- 2 J. Huang and S. R. Turner, *Polym. Rev.*, 2018, **58**, 1–41.
- 3 V. A. Davankov and M. P. Tsyurupa, *React. Polym.*, 1990, **13**, 27–42.
- 4 J. Y. Lee, C. D. Wood, D. Bradshaw, M. J. Rosseinsky and A. I. Cooper, *Chem. Commun.*, 2006, 2670–2672, DOI: 10.1039/b604625h.
- 5 B. Li, R. Gong, W. Wang, X. Huang, W. Zhang, H. Li, C. Hu and B. Tan, *Macromolecules*, 2011, **44**, 2410–2414.
- 6 K. Schute and M. Rose, *ChemSusChem*, 2015, **8**, 3419–3423.
- 7 V. Davankov, M. Tsyurupa and L. Pavlova, *US Pat.*, US20030027879A1, 2001.
- 8 V. Davankov, V. Rogozhin and M. Tsjurupa, *US Pat.*, US3729457A, 1970.
- 9 S. F. Reed and R. K. Pinschmidt, Jr, *US Pat.*, US4191813A, 1978.
- 10 Y. Yang, B. Tan and C. D. Wood, *J. Mater. Chem. A*, 2016, **4**, 15072–15080.
- 11 D. R. Snead and T. F. Jamison, *Angew. Chem., Int. Ed.*, 2015, **54**, 983–987.
- 12 C. Tonhauser, A. Natalello, H. Löwe and H. Frey, *Macromolecules*, 2012, **45**, 9551–9570.
- 13 M. Rubio-Martinez, M. P. Batten, A. Polyzos, K.-C. Carey, J. I. Mardel, K.-S. Lim and M. R. Hill, *Sci. Rep.*, 2014, **4**, 5443.
- 14 P. J. Dowding, J. W. Goodwin and B. Vincent, *Colloid Polym. Sci.*, 2000, **278**, 346–351.
- 15 R. Wang, Y. Zhang, G. Ma and Z. Su, *Colloids Surf., B*, 2006, **51**, 93–99.
- 16 C. Zhang, P.-C. Zhu, L. Tan, J.-M. Liu, B. Tan, X.-L. Yang and H.-B. Xu, *Macromolecules*, 2015, **48**, 8509–8514.
- 17 P. Trillo, A. Baeza and C. Nájera, *Eur. J. Org. Chem.*, 2012, 2929–2934.
- 18 N. Fontanals, R. M. Marcé, F. Borrull and P. A. G. Cormack, *Polym. Chem.*, 2015, **6**, 7231–7244.
- 19 K. G. Kidd, G. Kotowycz and T. Schaefer, *Can. J. Chem.*, 1967, **45**, 2155–2162.
- 20 C. H. Lau, X. Mulet, K. Konstantas, C. M. Doherty, M.-A. Sani, F. Separovic, M. R. Hill and C. D. Wood, *Angew. Chem., Int. Ed.*, 2016, **55**, 1998–2001.
- 21 K. J. Msayib and N. B. McKeown, *J. Mater. Chem. A*, 2016, **4**, 10110–10113.
- 22 R. Bera, S. Mondal and N. Das, *Microporous Mesoporous Mater.*, 2018, **257**, 253–261.

