



Materials chemistry in flexible electronics

Cite this: *Chem. Soc. Rev.*, 2019, **48**, 1431Xiaodong Chen,^a John A. Rogers,^{bcd} Stéphanie P. Lacour,^e Wenping Hu^f and Dae-Hyeong Kim^{gh}

DOI: 10.1039/c9cs90019e

rsc.li/chem-soc-rev

^a Innovative Centre for Flexible Devices (iFLEX), School of Materials Science and Engineering, Nanyang Technological University, 50 Nanyang Avenue, 639798, Singapore. E-mail: chenxd@ntu.edu.sg^b Department of Materials Science and Engineering, Northwestern University, Evanston, Illinois 60208, USA^c Center for Bio-Integrated Electronics, Northwestern University, Evanston, Illinois 60208, USA^d Departments of Biomedical Engineering, Neurological Surgery, Chemistry, Mechanical Engineering, Electrical Engineering, and Computer Science, Simpson Querrey Institute for Nano/Biotechnology, Northwestern University, Evanston, Illinois 60208, USA. E-mail: jrogers@northwestern.edu^e Bertarelli Foundation Chair in Neuroprosthetic Technology, Laboratory for Soft Bioelectronic Interfaces, Institute of Microengineering, Institute of Bioengineering, Centre for Neuroprosthetics, École Polytechnique Fédérale de Lausanne (EPFL), 1202 Geneva, Switzerland. E-mail: stephanie.lacour@epfl.ch^f Tianjin Key Laboratory of Molecular Optoelectronic Science, Department of Chemistry, School of Science, Tianjin University & Collaborative Innovation Center of Chemical Science and Engineering (Tianjin), Tianjin 300072, China. E-mail: huwp@tju.edu.cn^g Center for Nanoparticle Research, Institute for Basic Science (IBS), Seoul 08826, Republic of Korea^h Institute of Chemical Processing (ICP), Seoul National University, Seoul 08826, Republic of Korea. E-mail: dskim98@snu.ac.kr

Xiaodong Chen

Xiaodong Chen is a Professor of Materials Science and Engineering and Professor (by courtesy) of Physics and Applied Physics at Nanyang Technological University (NTU), Singapore. He received his BS degree in chemistry from Fuzhou University (China) in 1999, MS degree in physical chemistry from the Chinese Academy of Sciences in 2002, and PhD degree in biochemistry from the University of Muenster (Germany) in 2006.

After working as a postdoctoral fellow at Northwestern University (USA), he started his independent research career as a Singapore National Research Foundation (NRF) Fellow and Nanyang Assistant Professor at NTU in 2009. Since 2016, he is full professor at NTU. His research interests include mechano-materials and devices, integrated nano-bio interfaces, and cyber-human interfaces. He has been recognized by several awards, including the Mitsui Chemicals-SNIC Industry Award in Materials and Nano-chemistry (2018), Singapore NRF Investigatorship (2016), Small Young Innovator Award (2015), and Singapore NRF Fellowship (2009).



John A. Rogers

John A. Rogers is the Louis Simpson and Kimberly Querrey Professor of Materials Science and Engineering, Biomedical Engineering and Medicine at Northwestern University, with affiliate appointments in Mechanical Engineering, Electrical and Computer Engineering and Chemistry, where he is also Director of the newly endowed Center for Bio-Integrated Electronics. He has published more than 650 papers, is a co-inventor on more than 100

patents and he has co-founded several successful technology companies. His research has been recognized by many awards, including a MacArthur Fellowship (2009), the Lemelson-MIT Prize (2011), the Smithsonian Award for American Ingenuity in the Physical Sciences (2013), the MRS Medal (2018) – and most recently the Benjamin Franklin Medal from the Franklin Institute (2019). He is a member of the National Academy of Engineering, the National Academy of Sciences and the American Academy of Arts and Sciences.

Why this themed issue

Electronic components are going to be fully portable, wearable, and even implantable soon for the purposes of smart life assistance, rehabilitation, and even human enhancement. Chemists and materials scientists are proposing and developing new materials and fabrication strategies to achieve the final goal of fully bio-integrated electronics. These technological innovations in materials, processes, and device design could give rise to a dramatic improvement in the performance of wearable and implantable electronics.

The combination of soft materials and active electronic materials to achieve high flexibility and stretchability of electronic devices has been extensively explored in the past two decades. Materials chemistry played key roles in this exploration, including developing new active materials, new soft elastic substrates, and new integration processes of both. Traditional active materials, like silicon, gold, silver, carbon, and so on, have been repurposed through novel structural designs and integration processes. New organic-based electronic components and elastic substrates have also been developed. Although the

mobility, conductivity, and stability of these organic materials are waiting to be optimized, this opens many new opportunities toward the next generation of bio-integrated electronics. Also, new soft elastic substrates are becoming abundant and multi-functional with new supramolecules, polymers, hydrogels, and other biomaterials based on the latest genetic and synthetic biology technologies. These branches are growing very fast, and it is time to review and analyse all these efforts, sum up the first stage, and draw the next blueprint.

To showcase recent advances in this emerging field, this themed issue wraps up the recent efforts in the important flexible and stretchable materials and electronics areas and focuses on the challenges remaining to point out future research directions. The issue brings together contributions from leading experts and covers the following three critical aspects of materials chemistry in flexible electronics.

(1) Processing materials for high performance flexible electronics

To achieve high-performance flexible and stretchable electronics, organic materials and nanoscale materials are regarded as great candidates for such devices due to



Stéphanie P. Lacour

Stéphanie P. Lacour holds the Bertarelli Foundation Chair in Neuroprosthetic Technology at the School of Engineering at the Ecole Polytechnique Fédérale de Lausanne. She received her PhD in Electrical Engineering from INSA de Lyon, France in 2001, and completed postdoctoral research at Princeton University (USA) and the University of Cambridge (UK). Since January 2017, she is full professor in Microengineering and Bioengineering at EPFL. She is a co-founding member and the current director of the EPFL Center for Neuroprosthetics. She is the recipient of the 2006 MIT TR35, the 2011 Zonta award, the 2014 WEF Young Scientist, and she was selected as one of the 2015 World Economic Forum Young Global Leaders.



Wenping Hu

Wenping Hu is a Professor of the School of Science, Tianjin University. He got his BS degree from Hunan University in 1993, MS degree from the Institute of Metal Research, Chinese Academy of Sciences in 1996 and PhD degree from the Institute of Chemistry, CAS (ICCAS) in 1999. Then he joined Osaka University and Stuttgart University as a research fellow of the Japan Society for the Promotion of Sciences and Alexander von

Humboldt Fellowship, respectively. In 2003 he worked in Nippon Telephone and Telegraph, and then returned to ICCAS again as a full professor. He focuses on organic optoelectronics, especially organic semiconducting crystals, organic field-effect materials and devices.



Dae-Hyeong Kim

Dae-Hyeong Kim obtained BS and MS degrees in Chemical Engineering from Seoul National University, Korea, in 2000 and 2002, respectively. He received his PhD degree in Materials Science and Engineering from the University of Illinois at Urbana Champaign in 2009. From 2009 to 2011, he was a post-doctoral research associate at the University of Illinois. He joined Seoul National University in 2011 and is currently an Associate Professor

in the School of Chemical and Biological Engineering of Seoul National University. He has published more than 100 papers and 50 international and domestic patents. He has been recognized with several awards including the George Smith Award (2009), MRS Graduate Student Award (2009), Green Photonics Award (2011), TR 35 award (2011), Hong Jin-ki Creative Award (2015), SCEJ Award (2016), and the Korea Young Scientist Award (2017).

their ease of processing and excellent flexibility. Three reviews are dedicated to elucidating how materials have been processed for high performance flexible electronics. Significant progress in utilizing nanomaterials to achieve high-performance stretchable conductive nanocomposites for soft electronics, optoelectronics, and energy harvesting devices is reviewed by Kim *et al.* (DOI: 10.1039/C8CS00706C). How conductive nanomaterials can be integrated with inkjet-based manufacturing processes is also a key to facilitating the translation between research results and industrial application of flexible electronics, which is summarized by Magdassi *et al.* (DOI: 10.1039/C8CS00738A). Colloidal nanocrystals of bulk group IV, III–V, II–VI, IV–VI, I–III–VI₂ and metal–halide perovskite semiconductors are excellent for thin film and flexible electronics. Kagan (DOI: 10.1039/C8CS00629F) summarizes how to precisely control the synthesis and assembly of semiconducting nanocrystals for flexible electronic devices.

Three reviews are involved in elaborating on the application of organic materials in flexible electronics. The progress and challenges of organic crystalline materials and their processing technologies for flexible transistors and resistive switching device applications are summarized by Hu *et al.* (DOI: 10.1039/C8CS00406D) and Li *et al.* (DOI: 10.1039/C8CS00614H). And how to design non-fullerene electron acceptors for organic solar cells is reviewed in-depth by Wadsworth *et al.* (DOI: 10.1039/C7CS00892A). Besides, Stadlober *et al.* (DOI: 10.1039/C8CS00928G) summarize the integration of ferroelectric polymers in flexible electronics for smart sensor applications.

(2) Unusual mechanical properties of electronic materials and devices

In addition to the processing of active materials, obtaining the desired mechanical properties of flexible devices is an

important focus for flexible device research to sustain compliance with the dynamic environments where the devices operate. A commonly adopted method is to integrate active materials with soft materials such as silicone elastomers and hydrogels. A tutorial review by Skov *et al.* (DOI: 10.1039/C8CS00963E) concludes how to tailor the composition of silicone elastomers to achieve desired mechanical and chemical properties in soft electronics applications. Further, Zhao *et al.* (DOI: 10.1039/C8CS00595H) provide a review on how to realize hydrogel bioelectronics by discussing the mechanism of tissue–electrode interactions and the uniqueness and rational guidelines of hydrogels in bioelectronics. Not only soft and flexible substrates have been surveyed, active materials and flexible substrates need to be engineered and integrated strategically. Cheng *et al.* (DOI: 10.1039/C8CS00609A) summarize how to soften gold through materials chemistry for stretchable electronics. And Pei *et al.* (DOI: 10.1039/C8CS00834E) have surveyed morphological/nanostructural controls for intrinsically stretchable organic electronics to obtain both mechanical flexibility and electrical properties.

From materials to devices, the assembly of multiple materials and device units always requires delicate design. Both molecular design and mechanical design for active materials and integrated devices to proactively modulate mechanical properties of mechano-adaptable devices are reviewed by Chen *et al.* (DOI: 10.1039/C8CS00801A). This great progress has undoubtedly promoted the field of flexible electronics towards the application of wearable and implantable devices.

(3) Wearable and implantable applications of flexible electronics

Next-generation wearable devices should be beneficial toward personalized

medicine to provide predictive analytics and treatment. Gao *et al.* (DOI: 10.1039/C7CS00730B) sum up the mechanisms and recent progress in molecular analysis in sweat, tears, saliva, blood, *etc.* for wearable biosensors. Research towards single-platform, cost-effective, portable and fully-functional systems would definitely continue progress towards realizing continuous personalized health monitoring. Furthermore, implantable devices for neural interfaces have produced further refinement in the spatio-temporal resolution, cell-type selectivity, and long-term stability of neural interfaces. To conform with these issues, fiber-based neural probes were developed and Anikeeva *et al.* (DOI: 10.1039/C8CS00710A) review how fiber-based probes work in the emerging studies of nerve growth and repair.

Final remarks

We do hope the readers enjoy the materials chemistry in flexible electronics issue presented here, and find it inspiring for their future research with blooming ideas and progress to further usher the prosperity of this field. This research is absolutely multi-disciplinary, and the related chemical, electrical, and biomedical investigations are closely involved each other. Near the end, we would like to express our sincere appreciation to all the authors for their fabulous contributions to this themed issue. With the issue containing these excellent review articles, we believe researchers in various fields will get a broader and deeper understanding of flexible electronics. We do hope to witness more exciting research milestones in this area in the future. Finally, we would like to thank all the editorial staff members of *Chemical Society Reviews* for their strong support.