

Cite this: *Nanoscale Adv.*, 2019, 1, 1581

# Direct TEM observation of the “acanthite $\alpha$ -Ag<sub>2</sub>S–argentite $\beta$ -Ag<sub>2</sub>S” phase transition in a silver sulfide nanoparticle†

S. I. Sadovnikov \*<sup>a</sup> and E. Yu. Gerasimov <sup>b</sup>

For the first time, the  $\alpha$ -Ag<sub>2</sub>S (acanthite)– $\beta$ -Ag<sub>2</sub>S (argentite) phase transition in a single silver sulfide nanoparticle has been observed *in situ* using a high-resolution transmission electron microscopy method in real time. Colloid solutions of Ag<sub>2</sub>S nanoparticles and nanostructured powders of silver sulfide have been synthesized by one-stage chemical bath deposition from an aqueous solution of silver nitrate, sodium sulfide and sodium citrate. Ag<sub>2</sub>S nanoparticles were heated to different temperatures directly in an electronic microscope by regulating the energy of the electron beam. This allowed observation of the transition of acanthite into argentite and the reversible transition of argentite into acanthite in real time, and this phase transition to be filmed. Temperature dependence of the lattice constant  $a_{\text{arg}}$  of argentite  $\beta$ -Ag<sub>2</sub>S in the temperature range 448–723 K is established by *in situ* high-temperature X-ray diffraction. The orientation relationships between the monoclinic acanthite  $\alpha$ -Ag<sub>2</sub>S and the body-centered cubic argentite  $\beta$ -Ag<sub>2</sub>S are determined. It is shown that the possible distances between silver atoms in cubic argentite, in contrast to those in acanthite, are too small for the positions of the metal sublattice to be occupied by Ag atoms with a probability equal to 1.

Received 13th November 2018

Accepted 9th February 2019

DOI: 10.1039/c8na00347e

rsc.li/nanoscale-advances

## Introduction

According to ref. 1 and 2, TEM has an extraordinary capability to probe and manipulate complex nanomaterials both in real space and in reciprocal space. Indeed, TEM studies of various nanomaterials have developed greatly in the last decade.<sup>3–7</sup> For example, anisotropic nanocrystals (nanorods and nanowires)<sup>8,9</sup> and branched and core–shell nanocrystals<sup>10,11</sup> have been investigated. The effects induced by an electron beam on nanocrystals are very varied. Such effects include phase transformation,<sup>5,12–14</sup> thermally activated cation exchange,<sup>4,15,16</sup> chemical transformations in inorganic nanocrystal films,<sup>7</sup> morphological changes of nanocrystals,<sup>5,17,18</sup> atom diffusion, surface changes, *etc.* A lot of TEM studies of nanocrystals are carried out by the scientific groups of Prof. L. Manna<sup>3–5,7,8</sup> and Prof. K. Terabe.<sup>12,13</sup>

Nanostructured sulfides are the most promising group of nanostructured materials for various applications.<sup>19</sup> Among

nanostructured semiconductor sulfides, nanostructured silver sulfide Ag<sub>2</sub>S has attracted special attention.

Silver sulfide Ag<sub>2</sub>S, which is a semiconductor below  $\sim 450$  K and a superionic conductor at  $T > 452$  K, is one of the most important sulfides.<sup>20</sup> Application of nanostructured silver sulfide holds much promise in microelectronics, where Ag<sub>2</sub>S/Ag heteronanostructures and nanocomposites are used in nonvolatile memory devices and resistive switches.<sup>21–23</sup> Their action is based on the phase transition of acanthite  $\alpha$ -Ag<sub>2</sub>S into argentite  $\beta$ -Ag<sub>2</sub>S.<sup>12–14,23–28</sup>

According to the phase diagram of the Ag–S system,<sup>29</sup> silver sulfide Ag<sub>2</sub>S has three polymorphic modifications. The low-temperature semiconductor phase  $\alpha$ -Ag<sub>2</sub>S (acanthite) with a monoclinic crystal structure exists at temperatures below  $\sim 450$  K.  $\beta$ -Ag<sub>2</sub>S (argentite) phase has a body-centered cubic (bcc) lattice, exists in the temperature range 452–859 K, and possesses superionic conductivity. High-temperature face centered cubic (fcc)  $\gamma$ -Ag<sub>2</sub>S phase is stable from  $\sim 860$  K up to melting temperature.

The crystal structure of coarse-crystalline and nanocrystalline silver sulfide powders, synthesized by chemical bath deposition from aqueous solutions of silver nitrate, sodium sulfide and sodium citrate, has been refined recently.<sup>30,31</sup> According to ref. 30, synthesized coarse-crystalline Ag<sub>2</sub>S powder with an average particle size of about 500 nm has a monoclinic (space group no. 14 –  $P2_1/c$  ( $P12_1/c1$ ))  $\alpha$ -Ag<sub>2</sub>S acanthite-type structure and is stoichiometric. Two Ag1 and Ag2 silver atoms occupy the crystallographic positions 4(*e*). All details of the

<sup>a</sup>Institute of Solid State Chemistry, Ural Branch of the Russian Academy of Sciences, Ekaterinburg 620990, Russia. E-mail: sadovnikov@ihim.uran.ru

<sup>b</sup>Borakov Institute of Catalysis, Siberian Branch of the Russian Academy of Sciences, Ak. Lavrentieva 5, 630090 Novosibirsk, Russia. E-mail: gerasimov@catalysis.ru

† Electronic supplementary information (ESI) available: Experimental details of synthesis and evidence of silver sulfide nanoparticles, crystal structure of acanthite and argentite phases of silver sulfide, and movie of the phase transformation of acanthite into argentite in real time. See DOI: 10.1039/c8na00347e



refinement of the synthesized artificial coarse-crystalline  $\text{Ag}_2\text{S}$  phase with a monoclinic (space group  $P2_1/c$ ) acanthite-type crystal structure are given in the ESI (<http://dx.doi.org/10.1016/j.spmi.2015.03.024>) of the article.<sup>30</sup>

Nanocrystalline silver sulfide powders with an average particle size of 40–50 nm have the same monoclinic (space group  $P2_1/c$ ) acanthite-type structure but the occupancy of crystallographic positions 4(e) of the metal sublattice by Ag atoms is equal to 0.96–0.97.<sup>31</sup> (see also Table S1 in the ESI†). This means that silver sulfide nanoparticles with a size of less than ~50 nm are nonstoichiometric, have the composition  $\sim\text{Ag}_{1.93}\text{S}$  and contain vacant sites in the metal sublattice.<sup>31</sup>

The unit cell of  $\beta\text{-Ag}_2\text{S}$  argentite has a cubic (space group no. 229 –  $Im\bar{3}m$  ( $I4/m\bar{3}2/m$ ) ( $O_h^9$ )) structure. Two S atoms occupy crystallographic positions 2(a) and form a bcc sublattice. According to ref. 32 and 33, four silver atoms are statistically distributed in 54 positions 6(b) and 48(f) (see also ESI, Table S2†).

When monoclinic  $\alpha\text{-Ag}_2\text{S}$  acanthite is heated above the transition temperature  $T_{\text{trans}} \approx 452$  K under equilibrium conditions, a polymorphous phase transformation takes place, giving rise to cubic  $\beta\text{-Ag}_2\text{S}$  argentite, and upon cooling of  $\beta\text{-Ag}_2\text{S}$  argentite to below ~450 K, monoclinic  $\alpha\text{-Ag}_2\text{S}$  acanthite is formed.<sup>33–41</sup>

X-ray diffraction (XRD) and electron microscopy are the two main methods for determining the structure of solids. However, XRD studies a sufficiently large volume of matter and gives results averaged over a large ensemble of particles. Unlike XRD, high-resolution transmission electron microscopy (HRTEM) is a local method and allows one to study the structure of separate nanoparticles. HRTEM is especially useful for studying changes in the structure of a nanoparticle during phase transition.

In the present study, the direct *in situ* observation of the  $\alpha\text{-Ag}_2\text{S}$  (acanthite)– $\beta\text{-Ag}_2\text{S}$  (argentite) phase transition in nanostructured silver sulfide is carried out for the first time using high-resolution transmission electron microscopy.

## Experimental

Colloid solutions of  $\text{Ag}_2\text{S}$  nanoparticles and nanocrystalline  $\text{Ag}_2\text{S}$  powders were synthesized by chemical deposition from aqueous solutions of  $\text{AgNO}_3$ ,  $\text{Na}_2\text{S}$  and  $\text{Na}_3\text{C}_6\text{H}_5\text{O}_7$  with concentrations of 50.0, 25.5 and 12.5  $\text{mmol L}^{-1}$ , respectively (see ESI†). The synthesis technique has been described previously.<sup>19,31</sup>

*In situ* high-temperature XRD (HT-XRD) experiments were performed with  $\text{CuK}\alpha_1$  radiation using an X'Pert PRO MPD (Panalytical) diffractometer equipped with a Anton Paar HTK-1200 Oven furnace. In addition, an *in situ* high-temperature XRD study was carried out on a STADI-P (STOE) diffractometer using Debye–Scherrer geometry. The diffractometer was equipped with a quartz capillary furnace STOE. The diffraction measurements were carried out with the use of a linear position-sensitive detector, with continuous rotation of the capillary with silver sulfide powder at a temperature from 295 to 773 K with a step of ~25–30 K (see the experimental details of the HT-XRD measurements in the ESI†). The determination of the crystal

lattice parameters and final refinement of the structure of the synthesized silver sulfide powders were carried out with the use of the X'Pert HighScore Plus software package.<sup>42</sup>

The average particle size  $D$  in the synthesized silver sulfide powder was estimated by XRD methods from the diffraction reflection broadening  $\beta(2\theta)$  using the dependence of reduced reflection broadening  $\beta^*(2\theta) = [\beta(2\theta)\cos\theta]/\lambda$  on the scattering vector  $s = (2\sin\theta)/\lambda$ .<sup>43</sup> (see also ESI†).

The phase transition  $\alpha\text{-Ag}_2\text{S}$  (acanthite)– $\beta\text{-Ag}_2\text{S}$  (argentite) in colloid silver sulfide nanoparticles was directly observed by an *in situ* HRTEM method. The HRTEM images were recorded on a JEOL JEM-2010 transmission electron microscope with 0.14 nm (1.4 Å) lattice resolution (see ESI†). In all the experiments, the standard TEM operating voltage was 200 kV, the beam current was ~104  $\mu\text{A}$ , the magnification was 600 $\times$ , and for TEM mode the aperture number and spot size number were set as 3. For direct TEM observation of the phase transformation, heating of an  $\text{Ag}_2\text{S}$  nanoparticle with a size of ~50 nm was carried out for 10–15 s using an electron beam with a size of about 30–40 nm. Standard TEM observations without heating were performed at the beam current density 60  $\text{pA cm}^{-2}$ . During heating, the current density was controlled from 120 to 140  $\text{pA cm}^{-2}$ . Experimental measurements at a current density of more than 140  $\text{pA cm}^{-2}$  led to radiation damage to the nanoparticle. Previously a similar *in situ* HRTEM study using electron beam irradiation to heat a Cu nanoparticle was carried out by Chulin Chen *et al.*<sup>44</sup>

The heating temperature of the nanoparticles was estimated indirectly by a variation in the interplanar distances and, accordingly, the lattice constant, which was compared with the temperature dependences of the lattice constants determined by the XRD method.


The transmission electron microscope settings for observing nanoparticles in TEM (HRTEM) mode and in diffraction mode are different. The transition to the diffraction mode led to a change in the experimental conditions and microscope settings; therefore, the observed electron diffraction pattern did not correspond to the HRTEM image observed at a given time. For this reason, when observing a change in the crystal lattice in real time, only Fast Fourier Transform (FFT) was used to obtain the electron diffraction pattern.

The elemental chemical composition of  $\text{Ag}_2\text{S}$  nanoparticles was studied on the same microscope with the use of a Phoenix (EDAX) Energy Dispersive Spectrometer with a Si(Li) detector with an energy resolution of 130 eV. Colloid solutions of  $\text{Ag}_2\text{S}$  nanoparticles were placed on a copper grid for examination.  $\text{Ag}_2\text{S}$  nanoparticles were heated directly in an electronic microscope by regulating the energy of the electron beam.

## Results and discussion

TEM images of colloidal solutions of  $\text{Ag}_2\text{S}$  nanoparticles with different magnifications are shown in Fig. 1a and b. The average size of the  $\text{Ag}_2\text{S}$  nanoparticles is 15–25 nm, and the smallest and largest sizes are 8–10 and 40–50 nm, respectively. TEM and HRTEM images of an  $\text{Ag}_2\text{S}$  nanoparticle with a size of ~10 nm are shown in Fig. 1c and d.






**Fig. 1** TEM images (a and b) of colloid solutions of  $\text{Ag}_2\text{S}$  nanoparticles at different magnifications; TEM (c) and HRTEM (d) images of an  $\text{Ag}_2\text{S}$  nanoparticle (vectors  $[10-1]$ ,  $[01-2]$  and  $[11-3]$ , normal to  $[10-1]$ ,  $[01-2]$  and  $[11-3]$  atomic planes, are shown in (d)).

The rows of atoms observed on the HRTEM image (Fig. 1d) form a regular grid with interplanar distances of  $\sim 0.417$ ,  $\sim 0.338$ ,  $\sim 0.284$  and  $\sim 0.209$  nm, characteristic of monoclinic  $\alpha$ - $\text{Ag}_2\text{S}$  acanthite. Indeed, the distance  $\sim 0.417$  nm corresponds to the interplanar distance between the  $[10-1]$  atomic planes of acanthite, the distance  $\sim 0.338$  nm is equal to the distance between the  $[01-2]$  planes, the distances  $\sim 0.284$  and  $\sim 0.209$  nm are equal to the distance between the  $[11-3]$  planes in the first case and the distance between the  $[20-2]$  atomic planes in the second case. All these interplanar distances are observed in the  $[121]$  plane of monoclinic  $\alpha$ - $\text{Ag}_2\text{S}$  acanthite.

The XRD patterns of nanocrystalline silver sulfide  $\text{Ag}_2\text{S}$  powder recorded *in situ* at a temperature of 298 and 463 K are shown in Fig. 2.

Comparison of the XRD pattern (Fig. 2a) of the synthesized nanopowder with data<sup>31</sup> reveals that the observed set of diffraction reflections corresponds to one-phase nonstoichiometric silver sulfide with a monoclinic (space group no. 14 –  $P2_1/c$ ) acanthite-type structure. According to XRD data, the average particle size of the nanopowder is equal to  $\sim 50$  nm. The quantitative refinement of the structure showed that the degrees of occupation of the crystallographic positions 4(e) by silver atoms Ag1 and Ag2 in the monoclinic unit cell are smaller than 1, namely 0.97 and 0.96, respectively (see ESI, Table S1†). This agrees with the data.<sup>31</sup> Thus, silver sulfide nanopowder with a size of less than  $\sim 50$  nm has the composition  $\sim \text{Ag}_{1.93}\text{S}$  and is nonstoichiometric.

The refinement of the silver sulfide nanopowder XRD pattern collected at 463 K (Fig. 2b) showed that silver sulfide contains one phase with a cubic (space group no. 229 –  $Im\bar{3}m$  ( $I4/m\bar{3}2/m$ ) ( $O_h^9$ )) structure of  $\beta$ - $\text{Ag}_2\text{S}$  argentite type.<sup>33</sup> According to the present study, the atomic coordinates and occupation degrees within the errors of measurements are the same as in ref. 33:



**Fig. 2** The experimental (x) and calculated (–) XRD patterns of nanocrystalline silver sulfide powder with a particle size of  $\sim 50$  nm, recorded *in situ* at a temperature of (a) 298 and (b) 463 K, respectively. The difference ( $I_{\text{obs}} - I_{\text{calc}}$ ) between the experimental and calculated XRD patterns is shown in the lower part of the figures. The refinement of the structure has shown that silver sulfide nanopowder at 298 K is nonstoichiometric and has a monoclinic (space group  $P2_1/c$ )  $\alpha$ - $\text{Ag}_{1.93}\text{S}$  acanthite-type structure. The same silver sulfide nanopowder at 463 K has a cubic (space group  $Im\bar{3}m$ ) structure of  $\beta$ - $\text{Ag}_2\text{S}$  argentite type.

four silver atoms are distributed in 54 positions 6(b) and 48(f) of the considered structure with occupation degrees of 0.0978(7) and 0.0711(0), respectively (see ESI, Table S2†).

The effect of temperature on the evolution of the XRD patterns of nanostructured silver sulfide is shown in Fig. S1–S3 (ESI†). Dependence of the lattice constant  $a_{\text{arg}}(T)$ , constructed on the generalized data of high-temperature *in situ* XRD measurements in the present study and the literature,<sup>38,39</sup> is non-linear and curves weakly upward (see ESI, Fig. S4†), and is described by a polynomial in the interval 448–723 K

$$a_{\text{arg}}(T) = a_0 + a_1T + a_2T^2, \quad (1)$$

with  $a_0 = 0.48592$  nm,  $a_1 = -1.0803 \times 10^{-5}$  nm  $\text{K}^{-1}$ , and  $a_2 = 2.4879 \times 10^{-8}$  nm  $\text{K}^{-2}$ . This temperature dependence of the lattice constant  $a_{\text{arg}}$  of argentite  $\beta$ - $\text{Ag}_2\text{S}$  was used for an estimation of the heating temperature of the  $\text{Ag}_2\text{S}$  nanoparticle. The accuracy of measurement of the lattice constant  $a_{\text{arg}}$  of argentite  $\beta$ - $\text{Ag}_2\text{S}$  is  $\pm 0.0003$  nm. For such measurement accuracy of the lattice constant  $a_{\text{arg}}$  the estimation error of the temperature of heating is equal  $\pm 20$  K.

Overall, *in situ* XRD study of silver sulfide revealed only acanthite at  $T \leq 433$  K and only argentite at  $T > 453$  K. No other



phases were found. Taking this into account along with the data,<sup>33–37,45</sup> when monoclinic acanthite  $\alpha$ -Ag<sub>2</sub>S is heated to a temperature of  $\sim$ 449–451 K, a polymorphic phase transition occurs with the formation of bcc  $\beta$ -Ag<sub>2</sub>S argentite.

A scheme of the displacements of the S atoms from the crystallographic positions of the bcc argentite sublattice, and also the monoclinically distorted sublattice of S atoms that was constructed by taking into account the sulfur atom coordinates in the monoclinic (space group  $P2_1/c$ )  $\alpha$ -Ag<sub>2</sub>S phase (see ESI, Table S1†), is shown in Fig. S5 (ESI†). As a result of the displacements of the S atoms from the  $2(a)$  positions of the bcc argentite lattice, monoclinic translation vectors  $\mathbf{a}$ ,  $\mathbf{b}$ , and  $\mathbf{c}$  appear. The directions of these vectors can be represented as a combination of basic translational vectors of the bcc argentite lattice:  $\mathbf{a} \parallel [11-1]_{\text{bcc}}/2$ ,  $\mathbf{b} \parallel [1-10]_{\text{bcc}}$  and  $\mathbf{c} \parallel [001]_{\text{bcc}}$ . However, in absolute values, monoclinic vectors  $|\mathbf{a}|$ ,  $|\mathbf{b}|$  and  $|\mathbf{c}|$  are slightly more than  $\sqrt{3} \cdot (a_{\text{bcc}}/2)$ ,  $\sqrt{2} \cdot a_{\text{bcc}}$  and  $2a_{\text{bcc}}$ . To explain this, we consider interatomic distances in  $\beta$ -Ag<sub>2</sub>S argentite.

Interatomic (interstitial) distances for different coordination spheres (CS) of the crystal structure of cubic (space group  $Im\bar{3}m$ )  $\beta$ -Ag<sub>2</sub>S argentite (Table 1) were calculated taking into account the found lattice constant as well as the coordinates of silver and sulfur atoms in argentite (see ESI, Table S2†). Since the occupation degree of the sites of the metal sublattice of argentite by silver atoms is very small, it is more correct to talk about the distances between the sites at which Ag atoms can be located.

The use of the parameters of the crystal lattices of monoclinic acanthite and cubic argentite, determined from the temperature dependences of the crystal lattice constants of monoclinic acanthite and cubic argentite,<sup>38,41</sup> allows estimation of the interatomic distances in these phases at temperatures close to the temperature of the “acanthite – argentite” transformation,  $T_{\text{trans}}$ . In the crystal lattice of monoclinic acanthite  $\alpha$ -Ag<sub>2</sub>S at a temperature of 433 K, the smallest distances between S

and Ag1 atoms are in the range of 0.2516 to 0.3066 nm, and the smallest distances between S and Ag2 atoms are in the range of 0.2562 to 0.2950 nm. The distance between Ag1 and Ag1 atoms in  $\alpha$ -Ag<sub>2</sub>S acanthite at 433 K is 0.3353 nm, and the smallest distances between Ag1 and Ag2 atoms are in the range of 0.3087 to 0.3205 nm. The radius of the Ag<sup>+</sup> ion is  $\sim$ 0.126 nm.<sup>46</sup> It is clear that the atoms (ions) of silver in monoclinic acanthite are located at sufficiently large distances from each other and therefore occupy their crystallographic positions with a probability equal to 1.

In cubic argentite  $\beta$ -Ag<sub>2</sub>S, the possible distances between sulfur and silver atoms and between silver atoms at a temperature of 453 K, close to 433 K, are much smaller (see Table 1). According to the temperature dependence of the lattice constant (1), constructed on the generalized data of high-temperature *in situ* XRD measurements in the present study and the literature,<sup>38,41</sup> the argentite lattice constant at 453 K is equal to 0.4861 nm. In the crystal lattice of cubic argentite  $\beta$ -Ag<sub>2</sub>S at a temperature of 453 K, the possible smallest distance between Ag1 and Ag1 atoms is 0.2431 nm, those between Ag1 and Ag2 atoms are in the interval from 0.0927 to 0.3256 nm, and the distances between Ag2 and Ag2 atoms are from 0.0561 to 0.3002 nm (Table 1). The sites of the silver sublattice, especially sites 48(*j*), are so close to each other that the arrangement of the Ag<sup>+</sup> ion in one of them makes it impossible to fill the nearest neighboring site with another silver ion, since the diameter of the Ag<sup>+</sup> ion is larger than the distance between these sites. Indeed, the interatomic distances in cubic argentite are such that, in the presence of a silver ion in site 6(*b*), another Ag<sup>+</sup> ion can occupy one of sites 48(*j*) located only in the 4th or 5th coordination sphere at a distance of 0.2945 or 0.2973 nm from site 6(*b*). Similarly, if the Ag<sup>+</sup> ion occupies one of the sites 48(*j*), then the other Ag<sup>+</sup> ion can be located at the site 48(*j*) located at a distance of at least 0.252 nm from the first site, that is, not closer than in the 14th coordination sphere.

Table 1 Interatomic (interstitial) distances  $d$  for cubic (space group  $Im\bar{3}m$ ) argentite  $\beta$ -Ag<sub>2</sub>S at a temperature of 453 K

Pair of atoms (sites)	<sup>a</sup> CS number	Distance $d$ (nm)	Pair of atoms (sites)	<sup>a</sup> CS number	Distance $d$ (nm)
Ag1 – S	1	0.24307	Ag2 – Ag2	5	0.15013
6( <i>b</i> ) – 2( <i>a</i> )			48( <i>j</i> ) – 48( <i>j</i> )	6	0.16466
Ag2 – S	1	0.25691		7	0.17674
48( <i>j</i> ) – 2( <i>a</i> )	2	0.26015		8	0.18543
Ag1 – Ag1	1	0.24307		9	0.19607
6( <i>b</i> ) – 6( <i>b</i> )	2	0.34376		10	0.22352
Ag1 – Ag2	1	0.09271		11	0.22732
6( <i>b</i> ) – 48( <i>j</i> )	2	0.16630		12	0.24279
	3	0.21670		13	0.25044
	4	0.29451		14	0.25996
	5	0.29734		15	0.26951
	6	0.32561		16	0.28343
Ag2 – Ag2	1	0.05611		17	0.28570
48( <i>j</i> ) – 48( <i>j</i> )	2	0.08530		18	0.29491
	3	0.09893		19	0.29756
	4	0.13112		20	0.30020

<sup>a</sup> CS is coordination sphere.



Thus, in cubic  $\beta$ - $\text{Ag}_2\text{S}$  argentite, the possible distances between silver atoms are very small, and this does not allow the Ag atoms to occupy positions 6(*b*) and 48(*j*) with a probability equal to 1. For this reason, the occupation degrees of the 6(*b*) and 48(*j*) positions by Ag atoms (put another way, the probabilities of finding Ag atoms in the 6(*b*) and 48(*j*) sites) are very small, less than 0.1 (see ESI, Table S2†). Physically, this means that 4 silver atoms in the cubic argentite lattice are in constant motion over 54 possible crystallographic positions. It is this constant motion of Ag atoms that provides the crystal lattice stability of cubic argentite and its superionic conductivity.

Due to the monoclinic distortion of the lattice, the atoms (ions) of silver in acanthite are at sufficiently large (larger than in argentite) distances from each other and therefore occupy their crystallographic positions 4(*e*) with a probability close to 1.

Let us consider the results of TEM observations of the transformation of monoclinic acanthite to cubic argentite due to the heating of a silver sulfide nanoparticle by an electron beam.

The synthesized monoclinic  $\alpha$ - $\text{Ag}_2\text{S}$  nanopowder was heated directly in a JEOL-JSM LA 6390 microscope by the electron beam. Heating silver sulfide nanoparticles up to different temperatures was carried out by regulating the energy of the electron beam. This allowed observation of the transition of acanthite into argentite and the reversible transition of argentite into acanthite in real time (see Movie-S1, available online in the ESI†). This is the main achievement of our study.

A HRTEM image of an  $\text{Ag}_2\text{S}$  nanoparticle heated by an electron beam to a temperature of  $\sim 448$ – $449$  K, close to the temperature of the “acanthite–argentite” phase transformation, is shown in Fig. 3a. Fig. 3b and c shows a magnified HRTEM image of the area highlighted by a square in Fig. 3a, and the electron diffraction pattern of the same area obtained by Fast Fourier Transform (FFT) of the magnified HRTEM image. The magnified HRTEM image (Fig. 3b) shows atomic rows directed from the upper left to the lower right corner of the image. The successive alternation of three darker atomic rows separated by a lighter row is visible in the central part of Fig. 3b. The observed HRTEM image (Fig. 3b) corresponds to the formation of a transition state between the structures of acanthite and argentite. This is confirmed by the electron diffraction pattern (Fig. 3c) obtained by FFT. The streaky reflections observed in the

electron diffraction pattern (Fig. 3c) correspond to the reflections of the distorted crystal lattices of monoclinic acanthite and cubic argentite, between which transformation occurs.

Similar streaky reflections were observed during the phase transition from a monoclinic to a body-centered cubic (bcc) structure of  $\text{Ag}_2\text{Te}$  nanowires.<sup>47</sup>

A HRTEM image of an  $\text{Ag}_2\text{S}$  nanoparticle heated by an electron beam to a temperature of about 450–451 K is shown in Fig. 4.

Near the edge of the nanoparticle, wavelike Moire fringes are clearly visible. The appearance of the Moire fringes indicates the strained structure of the lattice, *i.e.* the presence of micro-distortions in the lattice. The Moire fringes are caused by the formation of a state that is transitional between the equilibrium structures of acanthite and argentite. Fig. 4b shows a magnified HRTEM image of the area with Moire stripes highlighted by a white square in Fig. 4a. Fig. 4c shows the electron diffraction pattern obtained by FFT of the HRTEM image of the nanoparticle area highlighted by a yellow square in Fig. 4a. The observed distance of  $\sim 0.308$  nm corresponds to the distance between the [110] planes of monoclinic acanthite. In addition, in this region, judging by FFT (Fig. 4c), a local ordering of atoms is also observed, leading to the formation of a superperiodic lattice in the [111] direction of the monoclinic structure. The distance,  $\sim 0.486$  nm, of this locally ordered lattice is equal to twice the [111] interplanar distance of monoclinic acanthite, *i.e.*,  $2 \times d_{111} \approx 2 \times 0.245$  nm. Apparently, the emergence of superperiodicity indicates the beginning of the formation of cubic argentite, the distance between the [100] atomic planes of which is  $\sim 0.486$  nm, while the argentite lattice constant  $a_{\text{arg}}$  is  $\sim 0.486$  nm. In accordance with the found temperature dependence  $a_{\text{arg}}(T)$  (1), argentite has a lattice constant  $a_{\text{arg}} \approx 0.486$  nm at a temperature of 451–452 K.

When the  $\text{Ag}_2\text{S}$  nanoparticle is heated from room temperature to  $\sim 450$  K, the monoclinic structure remains unchanged but the lattice constants increase. Heating up to 455–460 K is accompanied by the lattice transformation of monoclinic acanthite  $\alpha$ - $\text{Ag}_2\text{S}$  into the cubic structure of argentite  $\beta$ - $\text{Ag}_2\text{S}$ . Further heating leads to an increase in the lattice constant of the cubic argentite. As the energy of the electron beam decreases, the argentite lattice constant decreases, and at a temperature of  $\sim 455$  K a transition occurs from the cubic




Fig. 3 HRTEM image (a) of an  $\text{Ag}_2\text{S}$  nanoparticle heated by an electron beam to a temperature of  $\sim 448$ – $449$  K; (b) magnified HRTEM image of the nanoparticle area highlighted by a white square in (a); (c) electron diffraction pattern of the same area obtained by Fast Fourier Transform (FFT) of the magnified HRTEM image. Streaky reflections in the electron diffraction pattern (c) correspond to the reflections of the distorted crystal lattices of monoclinic acanthite and cubic argentite.






Fig. 4 HRTEM image (a) of an  $\text{Ag}_2\text{S}$  nanoparticle heated by an electron beam to a temperature  $T$  of about 450–451 K; Moire fringes are clearly visible near the edge of the nanoparticle. (b) Magnified HRTEM image of the nanoparticle area, highlighted by a white square in (a), with wave-like Moire fringes. (c) Electron diffraction pattern obtained by FFT of the HRTEM image of the nanoparticle area highlighted by a yellow square in (a).

structure of the argentite to the monoclinic structure of the acanthite (see Movie-S1 in the ESI†).

TEM images of silver sulfide nanoparticles at room temperature and at maximal heating are presented in Fig. 5 and 6.

Fig. 5a presents the HRTEM image of a silver sulfide nanoparticle before radiation heating. Fig. 5b presents a part of the HRTEM image at larger magnification. HRTEM allowed the selected areas of electron diffraction to be directly seen. However, such direct electron-microscopic observation of diffraction did not give a clear picture of diffraction reflections, and changed the electron beam size. Therefore, to obtain an electron diffraction pattern, Fast Fourier Transform (FFT) of the original HRTEM image was used. Fig. 5c is an electron diffraction pattern obtained by FFT of the HRTEM image area in the white square.

The comparison of the interplanar distances of 0.778, 0.697, 0.518, and 0.338 nm found in the electron diffraction pattern (Fig. 5c) with data<sup>31</sup> showed that the observed diffraction spots can have the crystallographic indices (001), (010), (011), and (012) of monoclinic (space group  $P2_1/c$ ) acanthite. The analysis showed that these reflections are observed along the [100] zone axis of monoclinic (space group  $P2_1/c$ ) acanthite  $\alpha\text{-Ag}_2\text{S}$ . The observed angles of  $41.7^\circ$ ,  $19.5^\circ$ , and  $29.1^\circ$  between the (010) and (011), (011) and (012), and (012) and (001) spots of monoclinic  $\alpha\text{-Ag}_2\text{S}$  acanthite (see ESI, Fig. S6†) coincide, within measurement error, with the calculated theoretical values of  $41.77^\circ$ ,  $18.99^\circ$  and  $29.24^\circ$  of these angles. The method for calculating the angles between electron diffraction spots of low-symmetry structures is described in the literature.<sup>19,48,49</sup> Thus, the

electron diffraction pattern (Fig. 5c) confirms the monoclinic structure of the  $\text{Ag}_2\text{S}$  nanoparticle at room temperature.

A HRTEM image of the silver sulfide nanoparticle heated by an electron beam to a temperature higher than the transition temperature  $T_{\text{trans}}$  is shown in Fig. 6. According to literature data [ref. 34, 36 and 38], the “acanthite–argentite” transition temperature is  $\sim 449\text{--}452$  K. It is clear that the  $\text{Ag}_2\text{S}$  nanoparticle with a cubic structure (see Fig. 6b and c) is heated to temperatures higher than 452 K.

Fig. 6c represents a magnified part of the HRTEM image, which is highlighted by a white rectangle in Fig. 6b. The electron diffraction pattern obtained by FFT of the HRTEM image area in the white rectangle is shown in Fig. 6d. The comparison of the interplanar distances of  $\sim 0.344$ ,  $\sim 0.244$ , and  $\sim 0.199$  nm found in the electron diffraction pattern (Fig. 6d) with data<sup>33</sup> showed that the observed diffraction spots have the crystallographic indices (110), (002), and (112) of cubic (space group  $Im\bar{3}m$ ) argentite. Listed reflections are observed along the [1–10] zone axis of cubic argentite  $\beta\text{-Ag}_2\text{S}$ . Detailed crystallographic information on  $\beta\text{-Ag}_2\text{S}$  argentite is presented as “Crystal structure data” in the CIF-file (Crystallographic Information File, <https://summary.ccdc.cam.ac.uk/structure-summary?ccdc=1062400>), attached to the article.<sup>33</sup> The lattice constant  $a_{\text{arg}}$  of argentite  $\beta\text{-Ag}_2\text{S}$  heated by an electron beam to a temperature above the transition temperature  $T_{\text{trans}}$  is  $\sim 0.4871 \pm 0.0003$  nm. Taking into account the accuracy of TEM and XRD measurements, a comparison of the observed interplanar distances (see Fig. 6) and lattice constant of argentite with the temperature dependence  $a_{\text{arg}}(T)$  (see eqn (1)) shows




Fig. 5 (a) HRTEM image of the  $\text{Ag}_2\text{S}$  nanoparticle with a monoclinic (space group  $P2_1/c$ )  $\alpha\text{-Ag}_2\text{S}$  acanthite structure; (b) a part of the HRTEM image, isolated by a white square, at larger magnification; (c) electron diffraction pattern (the zone axis  $[100]_{P2_1/c}$ ) obtained by FFT of the HRTEM image area in the white square.






Fig. 6 (a) TEM image of a separate  $\text{Ag}_2\text{S}$  nanoparticle; (b) HRTEM image of the  $\text{Ag}_2\text{S}$  nanoparticle with a cubic (space group  $Im\bar{3}m$ )  $\beta\text{-Ag}_2\text{S}$  argentine structure; (c) a part of the HRTEM image, isolated by a white rectangle, at larger magnification; (d) electron diffraction pattern (zone axis  $[1-10]Im\bar{3}m$ ) obtained by FFT of the HRTEM image area in the white rectangle.

that the observed lattice constant  $a_{\text{arg}} = 0.4871 \pm 0.0003$  nm corresponds to heating of argentine up to  $\sim 530 \pm 20$  K.

The Ag/S atomic ratio for silver sulfide nanoparticles was determined by an EDS method. According to the EDS results, the amounts of Ag and S for the nanoparticle before heating are equal to  $\sim 86.7 \pm 0.4$  and  $\sim 13.3 \pm 0.1$  wt%, respectively, and for the silver sulfide nanoparticle after electron beam heating with a current density of  $120 \text{ pA cm}^{-2}$  they are  $\sim 86.9 \pm 0.4$  and  $\sim 13.1 \pm 0.1$  wt% (see ESI, Fig. S7<sup>†</sup>). It is seen that the Ag/S atomic ratios for the silver sulfide nanoparticle before and after electron beam heating within the errors of measurements are almost the same and correspond to a sulfide  $\sim \text{Ag}_{1.94-1.98}\text{S}$ . Experimental measurements have also shown that a change of the composition (the content of Ag and S) of the nanoparticles and radiation damage of the nanoparticles are observed at a current density of  $140 \text{ pA cm}^{-2}$  and higher.

As noted, the monoclinic (space group  $P2_1/c$ ) structure of acanthite  $\alpha\text{-Ag}_2\text{S}$  is the result of small displacements of sulfur atoms from the positions of the body-centered cubic (space group  $Im\bar{3}m$ ) lattice of argentine  $\beta\text{-Ag}_2\text{S}$ . As a result of the “acanthite–argentine” transition, the  $[010]_{P2_1/c} \parallel [020]_{P2_1/c}$  and  $[001]_{P2_1/c}$  atomic planes of acanthite are transformed into argentine  $[1-10]_{Im\bar{3}m}$  and  $[221]_{Im\bar{3}m}$  atomic planes. Between these planes of acanthite and argentine, the following orientation relationships are satisfied:  $[010]_{P2_1/c} \parallel [1-10]_{Im\bar{3}m}$ ,  $[020]_{P2_1/c} \parallel [1-10]_{Im\bar{3}m}$ , and  $[001]_{P2_1/c} \parallel [221]_{Im\bar{3}m}$ , that correspond to the axis orientation  $[100]_{P2_1/c} \parallel [110]_{Im\bar{3}m}$ .

The perfect atomic plane  $[0-11]_{P2_1/c}^{\text{perf}}$  of acanthite, in which atomic displacements from positions of the argentine lattice are not taken into account, is parallel to the  $[-3 1 3/2]_{Im\bar{3}m}$  plane. The real (taking into account atomic displacements)  $[0-11]_{P2_1/c}$  atomic acanthite plane passes through Ag1 atoms with coordinates (0.0715 0.0151 0.3094) and (0.0715 0.4849 0.8094) (see ESI, Table S1<sup>†</sup>) and similar atoms in neighboring unit cells; the distance between the  $[0-11]_{P2_1/c}$  planes of acanthite is equal to  $\sim 0.517$  nm.  $[0-11]_{P2_1/c}$  and  $[-3 1 3/2]_{Im\bar{3}m}$  atomic planes, as a result of atomic displacements, turn out to be not parallel, but directed relative to each other at a small angle of  $\sim 1.86^\circ$ . The  $[011]_{P2_1/c}$  atomic plane of acanthite passing through Ag2 atoms with coordinates (0.7264 0.3240 0.4375) and (0.2736 0.6760 0.5625) and the same atoms in neighboring unit cells is parallel to the  $[1 -3 3/2]_{Im\bar{3}m}$  plane of argentine.

The  $[001]_{P2_1/c}$  atomic plane of acanthite passes through Ag2 atoms with the coordinate  $z = 0.0625$  (ESI, Table S1<sup>†</sup>) in the

neighboring unit cells and is therefore parallel to the  $[221]_{Im\bar{3}m}$  plane of argentine. The distance between the  $[001]_{P2_1/c}$  planes is  $\sim 0.775$  nm.

## Conclusion

For the first time, the  $\alpha\text{-Ag}_2\text{S}$  (acanthite)– $\beta\text{-Ag}_2\text{S}$  (argentine) phase transition in nanostructured silver sulfide has been observed *in situ* using a high-resolution transmission electron microscopy method in real time.  $\text{Ag}_2\text{S}$  nanoparticles were heated directly in an electron microscope by regulating the energy of the electron beam.

The transformation of argentine to acanthite is accompanied by a monoclinic distortion of the nonmetallic bcc argentine sublattice, due to which the distances between the silver atoms (ions) increase compared with the interatomic distances in argentine, and the occupancy probability of crystallographic positions by Ag atoms reaches 1.

Despite the presence of displacements, some atomic planes of acanthite remain parallel to the planes of argentine:  $[010]_{P2_1/c} \parallel [1-10]_{Im\bar{3}m}$ ,  $[020]_{P2_1/c} \parallel [1-10]_{Im\bar{3}m}$ , and  $[001]_{P2_1/c} \parallel [221]_{Im\bar{3}m}$ .

## Conflicts of interest

There are no conflicts to declare.

## Acknowledgements

This work is financially supported by the Russian Science Foundation (Grant 14-23-00025) through the Institute of Solid State Chemistry of the Ural Division of the RAS. Authors are grateful to Dr A. P. Tutunnik and A. V. Chukin for the help with high-temperature XRD measurement.

## Notes and references

- 1 Y. Gong, J. Lin, X. Wang, G. Shi, S. Lei, Z. Lin, X. Zou, G. Ye, R. Vajtai, B. I. Yakobson, H. Terrones, M. Terrones, B. K. Tay, J. Lou, S. T. Pantelides, Z. Liu, W. Zhou and P. M. Ajayan, *Nat. Mater.*, 2014, **13**, 1135–1142.
- 2 L. Chen, C. Wang, X. Wu, J. Zhang and J. Chu, *Small*, 2017, **13**, 1604259.
- 3 M. V. Kovalenko, L. Manna, A. Cabot, Z. Hens, D. V. Talapin, C. R. Kagan, V. I. Klimov, A. L. Rogach, P. Reiss,



- D. J. Milliron, P. Guyot-Sionnest, G. Konstantatos, W. J. Parak, T. Hyeon, B. A. Korgel, C. B. Murray and W. Heiss, *ACS Nano*, 2015, **9**, 1012–10157.
- 4 A. Casu, A. Genovese, L. Manna, P. Longo, J. Buha, G. A. Botton, S. Lazar, M. U. Kahaly, U. Schwingenschloegl, M. Prato, H. Li, S. Ghosh, F. Palazon, F. de Donato, S. L. Mozo, E. Zuddas and A. Falqui, *ACS Nano*, 2016, **10**, 2406–2414.
- 5 Z. Dang, J. Shamsi, F. Palazon, M. Imran, Q. A. Akkerman, S. Park, G. Bertoni, M. Prato, R. Brescia and L. Manna, *ACS Nano*, 2017, **11**, 2124–2132.
- 6 Y. Liu, M. Liu, D. Yin, L. Qiao, Z. Fu and M. T. Swihart, *ACS Nano*, 2018, **12**, 7803–7811.
- 7 F. Palazon, M. Prato and L. Manna, *J. Am. Chem. Soc.*, 2017, **139**, 13250–13259.
- 8 M. Imran, F. DiStasio, Z. Dang, C. Canale, A. H. Khan, J. Shamsi, R. Brescia, M. Prato and L. Manna, *Chem. Mater.*, 2016, **28**, 6450–6454.
- 9 G. Z. Shen, Y. Bando, D. Golberg and C. W. Zhou, *J. Phys. Chem. C*, 2008, **112**, 12299–12303.
- 10 X. Huang, M.-G. Willinger, H. Fan, Z. Xie, L. Wang, A. Klein-Hoffmann, F. Girgsdies, C.-S. Lee and X.-M. Meng, *Nanoscale*, 2014, **6**, 8787–8795.
- 11 W. J. Zhang, G. J. Chen, J. Wang, B.-C. Ye and X. H. Zhong, *Inorg. Chem.*, 2009, **48**, 9723–9731.
- 12 K. Terabe, T. Hasegawa, T. Nakayama and M. Aono, *Nature*, 2005, **433**, 47–50.
- 13 C. H. Liang, K. Terabe, T. Hasegawa and M. Aono, *Nanotechnology*, 2007, **18**, 485202.
- 14 Z. Xu, Y. Bando, W. Wang, X. Bai and D. Golberg, *ACS Nano*, 2010, **4**, 2515–2522.
- 15 J. B. Rivest and P. K. Jain, *Chem. Soc. Rev.*, 2013, **42**, 89–96.
- 16 L. de Trizio and L. Manna, *Chem. Rev.*, 2016, **116**, 10852–10887.
- 17 W. P. Lim, Z. Zhang, H. Y. Low and W. S. Chin, *Angew. Chem., Int. Ed.*, 2004, **43**, 5685–5689.
- 18 F. Zhu, L. Men, Y. Guo, Q. Zhu, U. Bhattacharjee, P. M. Goodwin, J. W. Petrich, E. A. Smith and J. Vela, *ACS Nano*, 2015, **9**, 2948–2959.
- 19 S. I. Sadovnikov, A. I. Gusev and A. A. Rempel, *Semiconductor Nanostructures of Lead, Cadmium and Silver Sulfides*, Fizmatlit, Moscow, 2018, p. 432.
- 20 S. I. Sadovnikov and A. I. Gusev, *J. Mater. Chem. A*, 2017, **5**, 17676–17704.
- 21 J. Yang and J. Y. Ying, *Angew. Chem., Int. Ed.*, 2011, **50**, 4637–4643.
- 22 G. X. Zhu and Z. Xu, *J. Am. Chem. Soc.*, 2011, **133**, 148–157.
- 23 D. Wang, C. Hao, W. Zheng, Q. Peng, T. Wang, Z. Liao, D. Yu and Y. Li, *Adv. Mater.*, 2008, **20**, 2628–2632.
- 24 D. Wang, L. Liu, Y. Kim, Z. Huang, D. Pantel, D. Hesse and M. Alexe, *Appl. Phys. Lett.*, 2011, **98**, 243109.
- 25 A. Gubicza, M. Csontos, A. Halbritter and G. Mihály, *Nanoscale*, 2015, **7**, 4394–4399.
- 26 A. Gubicza, M. Csontos, A. Halbritter and G. Mihály, *Nanoscale*, 2015, **7**, 11248–11254.
- 27 S. I. Sadovnikov and A. I. Gusev, *J. Nanopart. Res.*, 2016, **18**, 277.
- 28 A. I. Gusev and S. I. Sadovnikov, *Mater. Lett.*, 2017, **188**, 351–354.
- 29 R. S. Sharma and Y. A. Chang, *Bull. Alloy Phase Diagrams*, 1986, **7**, 263–269.
- 30 S. I. Sadovnikov, A. I. Gusev and A. A. Rempel, *Superlattices Microstruct.*, 2015, **83**, 35–47.
- 31 S. I. Sadovnikov, A. I. Gusev and A. A. Rempel, *Phys. Chem. Chem. Phys.*, 2015, **17**, 12466–12471.
- 32 T. Blanton, S. Misture, N. Dontula and S. Zdzieszynski, *Powder Diffr.*, 2011, **26**, 110–118.
- 33 S. I. Sadovnikov, A. I. Gusev and A. A. Rempel, *Phys. Chem. Chem. Phys.*, 2015, **17**, 20495–20501.
- 34 C. M. Perrott and N. H. Fletcher, *J. Chem. Phys.*, 1969, **50**, 2344–2350.
- 35 W. T. Thompson and S. N. Flengas, *Can. J. Chem.*, 1971, **49**, 1550–1563.
- 36 F. Grønvold and E. F. Westrum, *J. Chem. Thermodyn.*, 1986, **18**, 381–401.
- 37 S. I. Sadovnikov, A. V. Chukin, A. A. Rempel and A. I. Gusev, *Phys. Solid State*, 2016, **58**, 30–36.
- 38 S. I. Sadovnikov, A. I. Gusev, A. V. Chukin and A. A. Rempel, *Phys. Chem. Chem. Phys.*, 2016, **18**, 4617–4626.
- 39 S. I. Sadovnikov and A. I. Gusev, *J. Therm. Anal. Calorim.*, 2018, **131**, 1155–1164.
- 40 A. I. Gusev and S. I. Sadovnikov, *Thermochim. Acta*, 2018, **660**, 1–10.
- 41 S. I. Sadovnikov and E. G. Vovkotrub, *J. Alloys Compd.*, 2018, **766**, 140–148.
- 42 *X'Pert HighScore Plus. version 2.2e (2.2.5)*, PANalytical B. V., Almedo, The Netherlands, 2009.
- 43 A. I. Gusev and A. A. Rempel, *Nanocrystalline Materials*, Cambridge Intern. Science Publ., Cambridge, 2004, p. 351.
- 44 C. L. Chen, Z. Hu, Y. Li, L. Liu, H. Mori and Z. Wang, *Sci. Rep.*, 2016, **6**, 19545.
- 45 S. I. Sadovnikov, A. A. Rempel and A. I. Gusev, *Russ. Chem. Rev.*, 2018, **87**, 303–327.
- 46 A. F. Etris, in *Kirk-Othmer Encyclopedia of Chemical Technology*, Wiley, New York, 2001, vol.4, pp. 781–803.
- 47 J. In, Y. Yoo, J.-G. Kim, K. Seo, H. Kim, H. Ihee, S. H. Oh and B. Kim, *Nano Lett.*, 2010, **10**, 4501–4504.
- 48 S. I. Sadovnikov and A. I. Gusev, *Biointerface Res. Appl. Chem.*, 2016, **6**, 1797–1804.
- 49 S. I. Sadovnikov, A. A. Rempel and A. I. Gusev, *Nanostructured Lead, Cadmium and Silver Sulfides: Structure, Nonstoichiometry and Properties*, Springer Intern. Publ. AG, Cham-Heidelberg-New York-Dordrecht-London, 2018, p. 331.

