


 Cite this: *Nanoscale*, 2019, **11**, 22019

 Received 4th October 2019,
 Accepted 16th October 2019

DOI: 10.1039/c9nr08533e

rsc.li/nanoscale

Stability limits of elemental 2D metals in graphene pores†

 Janne Nevalaita  and Pekka Koskinen *

Two-dimensional (2D) materials can be used as stabilizing templates for exotic nanostructures, including pore-stabilized, free-standing patches of elemental metal monolayers. Although these patches represent metal clusters under extreme conditions and are thus bound for investigations, they are poorly understood as their energetic stability trends and the most promising elements remain unknown. Here, using density-functional theory simulations and the liquid drop model to explore the properties of 45 elemental metal candidates, we identify metals that enable the largest and most stable patches. Simulations show that pores can stabilize patches up to ~ 8 nm² areas and that the most prominent candidate in a graphene template is Cu. The results, which are generalizable to templates also beyond graphene, provide encouragement for further, even more resolute experimental pursuit of 2D metals.

Mainstream two-dimensional (2D) materials research has long focused on layered van der Waals materials.^{1–3} These materials have rigid covalent in-plane bonding and weak van der Waals out-of-plane bonding. They are interesting due to simple fabrication,⁴ intrinsic properties,^{5,6} possibility of materials design,^{7,8} and a myriad of applications.^{9–11} However, yet a nascent practice is to use these 2D materials as templates to stabilize other, more exotic nanostructures.

Stabilization occurs particularly well in pores, which are ubiquitous in 2D materials.¹² Pores enable stabilizing 2D nanostructures that otherwise would be unstable. Notably, pores in graphene have been used to stabilize even free-standing patches of 2D metals (Fig. 1a).^{13–15} Here 2D metal patches mean monolayer clusters of elemental metals that are characterized by metallic bonding, homogeneous electron density, and superatomic states.^{16–19} As elemental metals usually prefer 3D clustering,²⁰ free-standing 2D metal patches represent materials under conditions so extraordinary that they are bound for investigations, as their properties and applications could differ markedly from the ones found in supported metal monolayers.^{21–24}

However, the synthesis and experimental control of 2D metal patches is challenging and still immature. For example, the usual mechanical exfoliation of 2D metals is unviable.^{25–27} Only a few experiments have demonstrated the inklings of success, reported as small graphene-stabilized patches of Fe,¹⁴

MoS₂-stabilized patches of Mo,²⁸ and somewhat related graphene-stabilized patches of Zn and Cu oxides.^{29,30} Consequently, the present research is best driven forward by simulations and modeling. Nevertheless, so far simulations have been limited to scattered elements and to effectively infinite membranes.^{16,31–36} As a result, a practical and coherent understanding of the energetic trends in the patches and the most promising candidates among elemental metals remain unknown.

Therefore, in this work we address the fundamental question: Which elemental metals enable the most stable 2D patches in the pores of covalent 2D materials? Using density-




Fig. 1 Elemental 2D metal patches in covalent templates. (a) Schematic of an atomically thin, free-standing layer of close-packed elemental 2D metal monolayer patching a pore in graphene. (b) The 45 elemental metal candidates explored in this work.

Nanoscience Center, Department of Physics, University of Jyväskylä, 40014 Jyväskylä, Finland. E-mail: pekka.koskinen@iki.fi

† Electronic supplementary information (ESI) available. See DOI: 10.1039/c9nr08533e



functional theory (DFT), we investigate the finite patches of 2D metals and their interaction with a graphene template. The trends in key properties are explored across the periodic table, among 45 elemental metals (Fig. 1b). By combining DFT calculations with a liquid drop model, we are able to identify parts of the periodic table which hold the most prominent 2D metals. It turns out that, for graphene pores, the largest and most stable 2D metal patches are provided by Zn, Ag, and Au, the best candidate being Cu.

To investigate the energetic stability trends of 2D metal patches, we resort to the reliable liquid drop model.³⁷ We begin by analyzing the stabilities of 2D and 3D clusters first in the gas-phase, without the template. According to the model, the formation energy of a 3D cluster with N atoms is

$$E(N) = \alpha V(N) + \sigma A(N) + E_c(N), \quad (1)$$

where V is the volume, α is the bulk energy density, A is the surface area, σ is the surface energy density, and E_c is the energy due to surface curvature. For simplicity, we choose closely packed, spherical clusters with radius R and neglect the curvature energy term. Thus, the formation energy per atom for an N -atom cluster becomes

$$\epsilon_{3D}^{\text{gas}}(N) = -\epsilon_{\text{coh}}^{3D} + \sigma A(N)/N, \quad (2)$$

where $\epsilon_{\text{coh}}^{3D}$ is the 3D bulk cohesion, $A(N) = c_{3D} d_{3D}^2 N^{2/3}$, $c_{3D} = (18\pi)^{1/3} \approx 3.84$, and d_{3D} is the 3D bond length. Analogously, the liquid drop model for the formation energy of a disc-shaped 2D patch is

$$\epsilon_{2D}^{\text{gas}}(N) = -\epsilon_{\text{coh}}^{2D} + \lambda L(N)/N, \quad (3)$$

where $\epsilon_{\text{coh}}^{2D}$ is the 2D bulk cohesion, λ is the edge energy, $L(N) = c_{2D} d_{2D} N^{1/2}$ is the length of the edge, $c_{2D} = (12\pi^2)^{1/4} \approx 3.30$, and d_{2D} is the 2D bond length.

Since the 3D data for eqn (2) can readily be found from the literature and the 2D data for eqn (3) is found from our recent work,^{16,36} we may proceed to investigate the relative stability of 2D and 3D gas-phase clusters quantitatively. Clearly, 3D clusters are more stable than 2D clusters and their relative stability increases faster upon increasing N (Fig. 2a and b). For some metals, such as Cu, crossover from 2D to 3D occurs at N too small to have any quantitative meaning (Fig. 2a), while for most metals, such as Ir, crossover is absent altogether and the ground state is 3D for all N (Fig. 2b). Not surprisingly, these trends are in accordance with the long known prevalence of 3D ground states in metal clusters.³⁸

However, despite the predictability of the 2D/3D energy ordering, it is illustrating to equate eqn (2) with eqn (3) and thereby obtain an expression for the 2D/3D crossover. The expression

$$(\epsilon_{\text{coh}}^{3D} - \epsilon_{\text{coh}}^{2D}) - \sigma c_{3D} d_{3D}^2 N^{-1/3} + \lambda c_{2D} d_{2D} N^{-1/2} = 0 \quad (4)$$

is simplified by two approximations. First, our previous work shows that for close-packed 2D metals $d_{3D} \approx d_{2D}$.¹⁶ Second, because close-packed structures are nearly isotropic, the surface energy and edge energy are related by $\sigma \approx \lambda/d_{2D}$. (See




Fig. 2 Relative stability of 2D and 3D clusters in the gas-phase, without the presence of stabilizing pores. (a) Energy per atom for 2D and 3D clusters of Cu according to the liquid drop model [eqn (2) and (3)]. (b) Same as panel a for Ir. (c) Dimensionless parameter Δ [eqn (6)] visualized across the periodic table; the smaller value stands for greater intrinsic 2D stability.

the ESI† for the derivation of this relation.) Thus, the 2D/3D crossover occurs when

$$\Delta - c_{3D} N^{-1/3} + c_{2D} N^{-1/2} = 0, \quad (5)$$

where

$$\Delta = (\epsilon_{\text{coh}}^{3D} - \epsilon_{\text{coh}}^{2D}) / (d_{2D} \lambda) \quad (6)$$

is a dimensionless parameter, the smallness of which characterizes the intrinsic relative stability of 2D patches.

The crossover occurs if eqn (5) has a positive real solution, requiring $\Delta < 4/\sqrt{27} \approx 0.77$, which nominally holds only for a few elements. Nevertheless, visualizing Δ across the periodic table gives us insights into elements' *intrinsic* 2D stabilities (Fig. 2c). As an intermediate result, most of the prominent candidates for elemental 2D metals are located at the end of the transition metal series. This trend is corroborated by the known disposition of Au towards 2D ground state geometries.^{20,38,39}

The above gas-phase results provide a good starting reference, but our focus lies in the stabilization due to the interaction with pore edges. For concreteness, we will restrict ourselves to graphene pores,¹² because of graphene's mechanical rigidity and the feasibility of controlling pore sizes.^{40–43}

The stabilization of 2D clusters occurs only when the interaction between the metal atoms and the pore edge is exothermic and suitably directional. This requirement is fulfilled by graphene, which prefers in-plane adsorption at edges^{35,44} as opposed to on-top adsorption.⁴⁵ On-top adsorption energies, the values of which depend largely on the DFT functional used,⁴⁶ remain below 2 eV, mostly even below 0.2 eV, whereas






Fig. 3 Viewpoints to the interaction between elemental metals and graphene. (a) Metal atom adsorption energies at graphene edges. The values shown are the minima among adsorption energies at hollow and bridge positions of armchair edges (Fig. S3†). (b) Carbide formation energies [eqn (7)]. The values shown correspond to the minima of formation energies among three carbide configurations (Fig. S5†). (c) Absolute strains in 2D metals due to lattice mismatch relative to graphene. (d) Interface energies between selected small-strain elemental 2D metals and graphene. The values shown are the minima among energies of four different metal-graphene interface configurations (Fig. S4†).

edge adsorption energies can be up to 7 eV, depending on the edge type and adsorption site (Fig. 3a and S3; see the ESI† for computational details). These trends indicate that the nature of the metal-graphene interaction at pore edges is well suited for stabilizing 2D patches.

A caveat, however, is that the interaction and in-plane adsorption must not be too strong. Too strong and inapt interaction may cause graphene to swallow metal atoms altogether and give rise to metal carbides. We must therefore extend our investigations to various metal carbides and exclude elements that prefer carbide formation. To do this, we define carbide formation energy

$$\Delta\epsilon_{\text{carbide}} = [E_{\text{carbide}} - (N_{\text{C}}\mu_{\text{gr}} + N_{\text{M}}\mu_{\text{M}})]/N_{\text{M}}, \quad (7)$$

where E_{carbide} is the total energy of a carbide with N_{M} metal atoms and N_{C} C atoms, μ_{gr} is the chemical potential of C in graphene, and μ_{M} is the chemical potential of metal atoms in 2D bulk. $\Delta\epsilon_{\text{carbide}}$ was calculated for all metals with three

different carbide geometries (Fig. S5†). Any occurrence of negative carbide formation energy implies that the 2D metal-graphene interface is unstable; this consideration eliminates many of our candidates (Fig. 3b).

Above we considered the edge adsorption of single atoms, which is different from the interaction between graphene and a finite 2D metal patch. To prevent interface buckling and the concomitant structural out-of-plane perturbations, the interface should be commensurate whereby lattice mismatch between graphene and the metal patch should be minimal. A look at the matching of lattice constants thus provides yet another view into the most promising candidates for stable 2D patches with graphene (Fig. 3c). Incidentally, the picture of promising elements looks nearly the same for the hexagonal boron nitride template, which has only 1.8% lattice mismatch with graphene.⁴⁷

Consequently, we chose nine metals with the best-matching lattice constants for further analysis. Although V had the smallest lattice mismatch, it was dropped because of its negative carbide formation energy (Fig. 3b). We modeled the interface between the metal and graphene using a ribbon model with different interface configurations (Fig. S2†). The metal-graphene interface energy was defined as

$$\lambda_{\text{if}} = (E_{\text{M}} + E_{\text{gr}} - E_{\text{M+gr}})/L_{\text{if}}, \quad (8)$$

where E_{M} is the energy of the 2D metal ribbon, E_{gr} is the energy of the graphene ribbon, $E_{\text{M+gr}}$ is the energy of fused ribbons, and L_{if} is the length of the ribbon interface. Note that the interface energy entails the strain energy of the 2D metal. All of the resulting interface energies are positive, which indicates energetically stable metal-graphene interfaces (Fig. 3d); the dependence on the precise microscopic configuration was moderate (Fig. S4†). Contrary to the intrinsic stability of gas-phase clusters (Fig. 2c), interface energies favor elements around the middle of the transition metal series.

We now have enough data to extend the liquid drop model to include the interaction with graphene. This extension simply means the addition of cluster adsorption energies into eqn (2) and (3), which yields the energy per atom

$$\epsilon_{3\text{D}}(N) = -\epsilon_{\text{coh}}^{3\text{D}} + \sigma A(N)/N + E_{\text{ads}}/N \quad (9)$$

for 3D clusters and

$$\epsilon_{2\text{D}}(N) = -\epsilon_{\text{coh}}^{2\text{D}} + (\lambda - \lambda_{\text{if}})L(N)/N \quad (10)$$

for 2D clusters, assuming that the edge and interface lengths are equal. Note that we assume a pre-existing pore and therefore omit energy contributions arising from the pore itself and that because the contribution from E_{ads} scales as $\propto N^{-1}$, and its influence at large N is minor. Because $\lambda < \lambda_{\text{if}}$ for all metals (Fig. 3d), eqn (10) demonstrates explicitly the manner in which the pore stabilizes the patch with any finite L . When plotting the relative stability of 2D and 3D clusters using eqn (9) and (10), the stabilizing effect of the pores becomes obvious (Fig. 4b and c). For instance, 2D patches become energetically favored over 3D clusters with $N < 125$ for Cu and with $N < 45$






Fig. 4 Relative stability of 2D and 3D clusters interacting with a graphene pore. (a) Different interaction geometries: 3D clusters with on-top (E_{ads}^1) and pore edge (E_{ads}^2) adsorption and 2D patches inside pores ($E_{\text{ads}}^3 = \lambda_{\text{if}} L$). (b) Energy per atom for the three geometries for Cu ($E_{\text{ads}}^1 = 1$ eV, $E_{\text{ads}}^2 = 15$ eV, and $\lambda_{\text{if}} = 0.62$ eV \AA^{-1}). (c) Energy per atom for the three geometries for Ir ($E_{\text{ads}}^1 = 1$ eV, $E_{\text{ads}}^2 = 15$ eV, and $\lambda_{\text{if}} = 0.94$ eV \AA^{-1}). The blue/red shading denotes the 2D/3D crossover.

for Ir. The liquid drop model thus suggests that pores are able to stabilize the 2D patches of respectable sizes.

To answer the fundamental question about the best candidates for stable 2D metal patches, let us then summarize our findings. We have investigated the stability of 2D patches from four viewpoints: (i) intrinsic relative stability of the 2D metal (Fig. 2c), (ii) commensurability and the resulting strain at the interface (Fig. 3c), (iii) possibility of carbide formation (Fig. 3b), and (iv) the chemical bonding at the interface (Fig. 3a and d). Because some viewpoints go beyond pure energetics, a balanced ranking of the elements must consider them simultaneously. We therefore united all the viewpoints into a single summative figure of merit and ranked the metals accordingly (see the ESI† for the description). According to the figure of merit, the foremost metals for stable patches are Zn, Ag, and Au, but the best one is Cu (Fig. 5a).

Adopting Cu as the best candidate, let us first go backwards to make a necessary validation of the extended liquid drop model. We created 27 Cu clusters with $N = 5 \dots 145$ and calculated the formation energies explicitly by DFT (ESI†). While the clusters do not necessarily represent global energy minima, the energy differences between low-energy isomers are small enough (<15 meV per atom) to have any influence on the energetic trends.^{48–50} As before (Fig. 4a), we considered three different geometries: (1) 3D clusters with on-top adsorption, (2) 3D clusters with edge adsorption, and (3) 2D patches in graphene pores (ESI†). The extended liquid drop model seems to capture the trends in the energetics reasonably well, even upon assuming an N -independent 3D adsorption energy (Fig. 5b). Most importantly, DFT predicts energetically stable 2D patches up to $N \approx 120$, corresponding to an area of ~ 8 nm², and supports the predictions of the liquid drop model. While there are variations in the DFT energies due to differences in atomic arrangements, the fair agreement in Fig. 5b suggests that the trends are correct and indicates that




Fig. 5 Identifying the best elements for stable 2D metal patches. (a) Summative figures of merit of 2D stability for the 45 metal candidates. The smaller number means better 2D stability; numbers are rounded to closest integers (ESI†). (b) Energy per atom for N -atom Cu clusters in three geometries: 3D clusters with on-top adsorption (red triangles; top panel on right), 3D clusters with pore edge adsorption (red squares; middle panel on right), and 2D patches with pore adsorption (blue circles; bottom panel on right). The lines represent the liquid drop model expressions (9) and (10) and symbols represent DFT values; the liquid drop model parameters are the same as in Fig. 4b. (c) Snapshot views of a 37-atom Cu patch in a graphene pore. (d) Top and side views of Cu and C atom trajectories during a 36.9 ps molecular dynamics simulation at $T = 300$ K, demonstrating a kinetically stable patch. The snapshots in panel c are taken from this trajectory.

stability could be achievable for respectable patch sizes; besides, the stability would even improve upon making the patches oblong.

In addition to pure energetics, we performed preliminary investigation of kinetic stability. We conducted molecular dynamics simulation of an $N = 37$ Cu patch for 36.9 ps using a Langevin thermostat at $T = 300$ K. In addition to corroborating previous simulations that have demonstrated a kinetically stable infinite 2D Cu membrane,³³ our simulations suggest a kinetically stable graphene–metal interface as well (see Fig. 5c and d as well as the ESI Movie†).

To conclude, we have used the liquid drop model in conjunction with DFT to show that pores in covalent 2D templates such as graphene could be used to stabilize 2D metal patches in respectable sizes. Although the best candidate, Cu, is fam-



iliar from graphene synthesis,⁵¹ its prominence in this context is less clear. Anyhow, given the demonstrated usefulness of the liquid drop model, the results are swiftly generalizable to other covalent templates. The availability of free-standing, finite metal patches could serve as a platform for a number of applications including catalysis, sensing, bioimaging, photo-thermal therapy, solar cells, and electrical contacting.²³ Although we have predicted that the eventual patch structures ought to be stable, addressing the actual, experimental route to ultimately reach them is beyond our scope. However, pursuing this route resolutely is just what we legitimately may now propose.

Conflicts of interest

There are no conflicts to declare.

Acknowledgements

We thank the Academy of Finland for funding (Project 297115).

References

- P. Miro, M. Audiffred and T. Heine, *Chem. Soc. Rev.*, 2014, **43**, 6537–6554.
- Z. Lin, A. McCreary, N. Briggs, S. Subramanian, K. Zhang, Y. Sun, X. Li, N. J. Borys, H. Yuan, S. K. Fullerton-Shirey, A. Chernikov, H. Zhao, S. McDonnell, A. M. Lindenberg, K. Xiao, B. J. LeRoy, M. Drndić, J. C. M. Hwang, J. Park, M. Chhowalla, R. E. Schaak, A. Javey, M. C. Hersam, J. Robinson and M. Terrones, *2D Mater.*, 2016, **3**, 042001.
- K. S. Novoselov, D. V. Andreeva, W. Ren and G. Shan, *Front. Phys.*, 2019, **14**, 13301.
- K. S. Novoselov, D. Jiang, F. Schedin, T. J. Booth, V. V. Khotkevich, S. V. Morozov and A. K. Geim, *Proc. Natl. Acad. Sci. U. S. A.*, 2005, **102**, 10451–10453.
- A. K. Geim, *Science*, 2009, **324**, 1530–1534.
- K. S. Novoselov, A. Mishchenko, A. Carvalho and A. H. Castro Neto, *Science*, 2016, **353**, aac9439.
- A. K. Geim and I. V. Grigorieva, *Nature*, 2013, **499**, 419–425.
- Y. Cao, V. Fatemi, S. Fang, K. Watanabe, T. Taniguchi, E. Kaxiras and P. Jarillo-Herrero, *Nature*, 2018, **556**, 43–50.
- D. Deng, K. S. Novoselov, Q. Fu, N. Zheng, Z. Tian and X. Bao, *Nat. Nanotechnol.*, 2016, **11**, 218–230.
- G. Fiori, F. Bonaccorso, G. Iannaccone, T. Palacios, D. Neumaier, A. Seabaugh, S. K. Banerjee and L. Colombo, *Nat. Nanotechnol.*, 2014, **9**, 768–779.
- M. Xu, T. Liang, M. Shi and H. Chen, *Chem. Rev.*, 2013, **113**, 3766–3798.
- C. J. Russo and J. A. Golovchenko, *Proc. Natl. Acad. Sci. U. S. A.*, 2012, **109**, 5953–5957.
- H. Wang, K. Li, Y. Yao, Q. Wang, Y. Cheng, U. Schwingenschlögl, X. X. Zhang and W. Yang, *Sci. Rep.*, 2012, **2**, 995.
- J. Zhao, Q. Deng, A. Bachmatiuk, G. Sandeep, A. Popov, J. Eckert and M. H. Rummeli, *Science*, 2014, **343**, 1228–1232.
- T. Ling, J. J. Wang, H. Zhang, S. T. Song, Y. Z. Zhou, J. Zhao and X. W. Du, *Adv. Mater.*, 2015, **27**, 5396–5402.
- J. Nevalaita and P. Koskinen, *Phys. Rev. B: Condens. Matter Mater. Phys.*, 2018, **97**, 035411.
- X. Lin, N. Nilius, H.-J. Freund, M. Walter, P. Frondelius, K. Honkala and H. Häkkinen, *Phys. Rev. Lett.*, 2009, **102**, 206807.
- X. Lin, N. Nilius, M. Sterrer, P. Koskinen, H. Häkkinen and H.-J. Freund, *Phys. Rev. B: Condens. Matter Mater. Phys.*, 2010, **81**, 153406.
- C. Stiehler, Y. Pan, W.-D. Schneider, P. Koskinen, H. Häkkinen, N. Nilius and H.-J. Freund, *Phys. Rev. B: Condens. Matter Mater. Phys.*, 2013, **88**, 115415.
- P. Koskinen, H. Häkkinen, B. Huber, B. von Issendorff and M. Moseler, *Phys. Rev. Lett.*, 2007, **98**, 015701.
- F. Yin, J. Akola, P. Koskinen, M. Manninen and R. E. Palmer, *Phys. Rev. Lett.*, 2009, **102**, 106102.
- T. Ling, J.-J. Wang, H. Zhang, S.-T. Song, Y.-Z. Zhou, J. Zhao and X.-W. Du, *Adv. Mater.*, 2015, **27**, 5396–5402.
- Y. Chen, Z. Fan, Z. Zhang, W. Niu, C. Li, N. Yang, B. Chen and H. Zhang, *Chem. Rev.*, 2018, **118**, 6409–6455.
- Y. Ma, B. Li and S. Yang, *Mater. Chem. Front.*, 2018, **2**, 456–467.
- J. N. Coleman, M. Lotya, A. O'Neill, S. D. Bergin, P. J. King, U. Khan, K. Young, A. Gaucher, S. De, R. J. Smith, I. V. Shvets, S. K. Arora, G. Stanton, H.-Y. Kim, K. Lee, G. T. Kim, G. S. Duesberg, T. Hallam, J. J. Boland, J. J. Wang, J. F. Donegan, J. C. Grunlan, G. Moriarty, A. Shmeliov, R. J. Nicholls, J. M. Perkins, E. M. Grievson, K. Theuwissen, D. W. McComb, P. D. Nellist and V. Nicolosi, *Science*, 2011, **331**, 568–571.
- V. Nicolosi, M. Chhowalla, M. G. Kanatzidis, M. S. Strano and J. N. Coleman, *Science*, 2013, **340**, 1226419.
- D.-M. Tang, D. G. Kvashnin, S. Najmaei, Y. Bando, K. Kimoto, P. Koskinen, P. M. Ajayan, B. I. Yakobson, P. B. Sorokin, J. Lou and D. Golberg, *Nat. Commun.*, 2014, **5**, 3631.
- X. Zhao, J. Dan, J. Chen, Z. Ding, W. Zhou, K. P. Loh and S. J. Pennycook, *Adv. Mater.*, 2018, **30**, 1707281.
- H. T. Quang, A. Bachmatiuk, A. Dianat, F. Ortmann, J. Zhao, J. H. Warner, J. Eckert, G. Cuniberti and M. H. Rummeli, *ACS Nano*, 2015, **9**, 11408–11413.
- K. Yin, Y.-Y. Zhang, Y. Zhou, L. Sun, M. F. Chisholm, S. T. Pantelides and W. Zhou, *2D Mater.*, 2017, **4**, 011001.
- L.-M. Yang, T. Frauenheim and E. Ganz, *Phys. Chem. Chem. Phys.*, 2015, **17**, 19695–19699.
- L.-M. Yang, M. Dornfeld, T. Frauenheim and E. Ganz, *Phys. Chem. Chem. Phys.*, 2015, **17**, 26036–26042.
- L.-M. Yang, T. Frauenheim and E. Ganz, *J. Nanomater.*, 2016, **2016**, 6.
- P. Koskinen and T. Korhonen, *Nanoscale*, 2015, **7**, 10140–10145.



- 35 S. Antikainen and P. Koskinen, *Comput. Mater. Sci.*, 2017, **131**, 120.
- 36 J. Nevalaita and P. Koskinen, *Phys. Rev. B: Condens. Matter Mater. Phys.*, 2018, **98**, 115433.
- 37 J. P. Perdew, Y. Wang and E. Engel, *Phys. Rev. Lett.*, 1991, **66**, 508–511.
- 38 H. Häkkinen, M. Moseler and U. Landman, *Phys. Rev. Lett.*, 2002, **89**, 033401.
- 39 P. Koskinen, H. Häkkinen, G. Seifert, S. Sanna, T. Frauenheim and M. Moseler, *New J. Phys.*, 2006, **8**, 9.
- 40 A. W. Robertson, G.-d. Lee, K. He, C. Gong, Q. Chen, E. Yoon, A. I. Kirkland and J. H. Warner, *ACS Nano*, 2015, **9**, 11599–11607.
- 41 W. L. Wang, E. J. Santos, B. Jiang, E. D. Cubuk, C. Ophus, A. Centeno, A. Pesquera, A. Zurutuza, J. Ciston, R. Westervelt and E. Kaxiras, *Nano Lett.*, 2014, **14**, 450–455.
- 42 K. Kudin, G. Scuseria and B. Yakobson, *Phys. Rev. B: Condens. Matter Mater. Phys.*, 2001, **64**, 235406.
- 43 P. Koskinen and O. O. Kit, *Phys. Rev. B: Condens. Matter Mater. Phys.*, 2010, **82**, 235420.
- 44 S. Malola, H. Häkkinen and P. Koskinen, *Appl. Phys. Lett.*, 2009, **94**, 043106.
- 45 L. Pastewka, S. Malola, M. Moseler and P. Koskinen, *J. Power Sources*, 2013, **239**, 321–325.
- 46 I. A. Pašti, A. Jovanović, A. S. Dobrota, S. V. Mentus, B. Johansson and N. V. Skorodumova, *Appl. Surf. Sci.*, 2018, **436**, 433–440.
- 47 C. R. Woods, L. Britnell, A. Eckmann, R. S. Ma, J. C. Lu, H. M. Guo, X. Lin, G. L. Yu, Y. Cao, R. V. Gorbachev, A. V. Kretinin, J. Park, L. A. Ponomarenko, M. I. Katsnelson, Y. N. Gornostyrev, K. Watanabe, T. Taniguchi, C. Casiraghi, H. Gao, A. K. Geim and K. S. Novoselov, *Nat. Phys.*, 2014, **10**, 451–456.
- 48 V. G. Grigoryan, D. Alamanova and M. Springborg, *Phys. Rev. B: Condens. Matter Mater. Phys.*, 2006, **73**, 115415.
- 49 B. Assadollahzadeh, P. R. Bunker and P. Schwerdtfeger, *Chem. Phys. Lett.*, 2008, **451**, 262–269.
- 50 C. Zhang, H. Duan, X. Lv, B. Cao, A. Abliz, Z. Wu and M. Long, *Sci. Rep.*, 2019, **9**, 7564.
- 51 X. Li, A. Reina, X. Jia, J. Ho, D. Nezich, H. Son, V. Bulovic, M. S. Dresselhaus, J. Kong, W. Cai, J. An, S. Kim, J. Nah, D. Yang, R. Piner, A. Velamakanni, I. Jung, E. Tutuc, S. K. Banerjee, L. Colombo and R. S. Ruoff, *Science*, 2009, **324**, 1312–1314.

