


# Polymer Chemistry

rsc.li/polymers



ISSN 1759-9962



ROYAL SOCIETY  
OF CHEMISTRY

Celebrating  
IYPT 2019

## PAPER

Subramanian Suriyanarayanan, Ian A. Nicholls *et al.*  
Polymer synthesis in non-ionic deep eutectic solvents



Cite this: *Polym. Chem.*, 2019, **10**, 5289

# Polymer synthesis in non-ionic deep eutectic solvents

Natacha Ndizeye, Subramanian Suriyanarayanan \* and Ian A. Nicholls \*

Herein, we report the use of the use of non-ionic deep eutectic solvents (ni-DESs) as porogens in polymer synthesis. Three ni-DES systems, acetamide-*N*-methylacetamide (AA-NMA), *N*-methylacetamide-*N*-methylurea (NMA-NMU) and *N*-methylacetamide-*N,N'*-dimethylurea (NMA-NN'DMU), were deployed in the synthesis of a series of cross-linked copolymer monoliths comprised of a functional monomer, methacrylic acid (MAA) or hydroxyethylmethacrylate (HEMA), and a cross-linking monomer, ethylene glycol dimethacrylate (EGDMA) or divinylbenzene (DVB) or 1,4-bis(acryloyl)piperazine (BAP). Polymers were synthesized under thermally initiated conditions with 2,2'-azobis(2-methylpropionitrile) (AIBN) or 2,2'-azobis(2-amidinopropane) dihydrochloride (ABAH) as an initiator. The resulting polymer monoliths were ground and sieved to yield particles of 63–125  $\mu\text{m}$ . Corresponding polymers prepared in conventional porogens, acetonitrile, toluene and water were synthesized to serve as controls. The influence of the respective ni-DESs on polymer morphologies was examined by Brunauer–Emmett–Teller (BET)  $\text{N}_2$ -adsorption, Fourier transform infrared spectroscopy (FT-IR), elemental analysis, scanning electron microscopy (SEM) and zeta potential measurements. The materials displayed surface areas, pore volumes and pore diameters of 115–532  $\text{m}^2 \text{g}^{-1}$ , 0.1–1.4  $\text{cm}^3 \text{g}^{-1}$  and 5.2–12.5 nm, generally comparable with those of polymers obtained using conventional solvents, thus presenting these ni-DESs as viable alternatives to conventional organic solvents. The post-polymerization recovery of the ni-DESs (>80%) was demonstrated, highlighting the potential for using these novel liquids as alternatives to conventional, and often more expensive, toxic, flammable or volatile solvents in polymer synthesis.

Received 14th July 2019,  
Accepted 18th August 2019

DOI: 10.1039/c9py01039d

rsc.li/polymers


## 1. Introduction

The need for new solvents for use in the production of fine chemicals and materials is driven by the requirement for more effective and more sustainable alternatives to current modalities.<sup>1</sup> Over the past decades, the unique properties of deep eutectic solvents (DESs) have been exploited in areas as diverse as the synthesis of fine chemicals and materials and in drug delivery.<sup>2–14</sup> They are traditionally comprised of two or more components, where at least one is ionic, accordingly. Soviet scientists aiming to develop liquid fertilizers discovered the first non-ionic deep eutectic liquid, a mixture of acetamide (67 wt%) and urea (33 wt%), with melting points of 80 °C and 133 °C, respectively, and a eutectic temperature of 56 °C. The relatively low toxicities of acetamide and urea together with their availability from renewable sources motivated our search for novel non-ionic DESs (ni-DESs) for use as new alternatives

to traditional organic solvents.<sup>5,15</sup> Computational studies of the acetamide–urea (2 : 1) system indicated that higher-order complexes of the components were the basis for the deviation from Raoult's law that underlies the melting point depression.<sup>5,15</sup> Based upon these observations, a family of amide/urea-based systems was designed where *N*-methyl substitutions were used to attenuate interaction between proposed flickering cluster-like species, to produce systems with deep eutectic behaviour. This series of ni-DESs included examples with sub-room temperature liquid states. This, in turn, motivated studies to explore their solvent properties in a range of application areas including their use as alternatives to conventional solvents in synthesis and, as reported here, as alternatives to conventional organic solvents in free-radical polymerization reactions. In particular, we have explored the use of three members of this family of novel solvents in the synthesis of a series of polymer monoliths including two functional monomers and three cross-linking monomers, respectively (Chart 1 and Table 1): methacrylic acid (MAA), hydroxyethylmethacrylic acid (HEMA), ethylene glycol dimethacrylate (EGDMA), divinyl benzene (DVB) and 1,4-bis(acryloyl)piperazine (BAP). The battery of twelve polymers was characterized using FT-IR, BET,

Bioorganic & Biophysical Chemistry Laboratory, Centre for Biomaterials Chemistry, Department of Chemistry & Biomedical Sciences, Linnaeus University, SE-391 82 Kalmar, Sweden. E-mail: esusu@lnu.se, ian.nicholls@lnu.se





**Chart 1** Molecular structures of ni-DES components, functional monomers, crosslinker and initiators used in this study: acetamide (AA, **1**), *N*-methylacetamide (NMA, **2**), *N*-methylurea (NMU, **3**), *N,N'*-dimethylurea (NN'DMU, **4**), methacrylic acid (MAA, **5**), hydroxyethylmethacrylate (HEMA, **6**), ethylene glycol dimethylmethacrylate (EGDMA, **7**), divinylbenzene (DVB, **8**), 1,4 bis(acryloyl)piperazine (BAP, **9**), 2,2'-azobis(2-amidinopropane) dihydrochloride (ABAH, **10**) and 2,2'-azobis (2-methylpropionitrile (AIBN, **11**).

**Table 1** Polymer systems employed in this study

| Polymer systems | NMA-AA | NMA-NMU | NMA-NN'DMU | Conventional solvents <sup>a</sup> |
|-----------------|--------|---------|------------|------------------------------------|
| HEMA-DVB<br>    | P1     | P2      | P3         | P4                                 |
| HEMA-EGDMA<br>  | P5     | P6      | P7         | P8                                 |
| MAA-BAP<br>     | P9     | P10     | P11        | P12                                |

<sup>a</sup> Toluene; HEMA-DVB, acetonitrile; HEMA-EGDMA and water for MAA-BAP.

SEM and zeta potential analysis. Moreover, the capacity to recycle the DES was demonstrated, using a simple water-based extraction and subsequent evaporation/heating for regeneration. The cheap, low toxicity and biodegradable nature of these amide-based DES components, together with the possibility for their recovery and reuse, makes them potentially attractive for use as a substitute for more toxic or flammable organic solvents in laboratory or industrial scale processes.<sup>16,17</sup>

## 2. Results and discussion

A series of twelve co-polymer monoliths was synthesized by free radical polymerization using three different crosslinked polymers HEMA-DVB (P1–P4), HEMA-EGDMA (P5–P8) and MAA-BAP (P9–P12), in three different ni-DESs: *N*-methylacetamide-acetamide (NMA-AA), *N*-methylacetamide-*N*-methylurea (NMA-NMU) and *N*-methylacetamide-*N,N'*-di-



methylurea (NMA-NN'DMU), and traditional porogens, respectively. The eutectic temperatures of NMA-AA, NMA-NMU and NMA-NN'DMU are 15, 14 and 12 °C, respectively. The polymers selected for synthesis in these ni-DESSs have previously been used in the synthesis of highly crosslinked molecularly imprinted polymers using porogens of widely different character; toluene (P4),<sup>18</sup> acetonitrile (P8)<sup>19</sup> and water (P12),<sup>20</sup> Table 1.

Transmission mode FT-IR analyses were conducted to establish which functionalities had been incorporated into the respective polymers, and to determine whether porogen had been removed, Fig. 1. In all the cases, the polymers prepared using a ni-DES revealed similar spectral features to those prepared in conventional solvents. The C=O stretching from the ester/acid carbonyl groups of the functional monomers show sharp peaks around 1705–1750 cm<sup>-1</sup>. The C=C stretching from the arene group of the DVB cross-linker moieties show a band located at 1500–1600 cm<sup>-1</sup>. Discernible bands corresponding to  $\nu(\text{C=O})$ ,  $\nu(\text{C=C})$ ,  $\nu(\text{C-OH})$ ,  $\nu(\text{C-N})$ , and  $\nu(\text{CO-O})$  vibrational modes around 1710, 1605, 1010 and 1000–1200 cm<sup>-1</sup>, reflect the presence of the anticipated functionalities. Importantly, the absence of strong primary and secondary amide stretching modes at 1680 cm<sup>-1</sup>, in all cases, confirmed the successful extraction of the eutectic mixtures from the ground polymers.




Fig. 1 FT-IR spectra of polymers particles from P1–P4 (HEMA-DVB), P5–P8 (HEMA-EGDMA) and P9–P12 (MAA-BAP) prepared in different solvents.

Table 2 Elemental analysis of polymers P1–P12

| Polymers | Carbon <sup>a</sup> (%) | Hydrogen <sup>a</sup> (%) | Nitrogen <sup>a</sup> (%) |
|----------|-------------------------|---------------------------|---------------------------|
| P1       | 84.7 (85.7)             | 8.2 (7.7)                 | <0.5                      |
| P2       | 84.7 (85.7)             | 8.2 (7.7)                 | <0.5                      |
| P3       | 84.8 (85.7)             | 8.3 (7.7)                 | <0.5                      |
| P4       | 84.9 (85.7)             | 8.2 (7.7)                 | <0.5                      |
| P5       | 59.3 (60.1)             | 7.9 (7.1)                 | <0.4                      |
| P6       | 59.9 (60.1)             | 7.4 (7.1)                 | <0.4                      |
| P7       | 59.3 (60.1)             | 7.4 (7.1)                 | <0.4                      |
| P8       | 59.4 (60.1)             | 7.4 (7.1)                 | <0.4                      |
| P9       | 57.1 (60.6)             | 7.9 (7.2)                 | 12.3 (13.1)               |
| P10      | 57.5 (60.6)             | 8.1 (7.2)                 | 12.5 (13.1)               |
| P11      | 57.7 (60.6)             | 8.0 (7.2)                 | 12.6 (13.1)               |
| P12      | 59.4 (60.6)             | 8.0 (7.2)                 | 12.6 (13.1)               |

<sup>a</sup> Calculated values are given in parentheses.

Elemental analysis (Table 2) of the twelve polymers revealed comparable elemental compositions for HEMA-DVB (P1–P4) and HEMA-EGDMA (P5–P8) polymers prepared in the three ni-DESSs and conventional organic solvents, toluene and acetonitrile, respectively, which is indicative of a comparable incorporation of monomers. In the case of the MAA-BAP polymers (P9–P12), those prepared in the various ni-DESSs (P9–P11) were comparable, though P12, prepared in water, was shown to have a marginally higher carbon content, corresponding to a lower oxygen content. In all cases a slightly lower carbon content was observed, reflecting entrapped water. Together, the nitrogen elemental analysis data and the FT-IR data clearly show that the amide-based DESSs are neither entrapped in the resultant polymers nor are they incorporated into the polymer structure.

Initial studies on the recycling of the ni-DESSs showed that they could be recovered (80–86%) by first washing the ground polymers with water, filtering and removal of water *in vacuo*. Optimization of this process and the exploring of other methods for the recycling of the ni-DESSs is ongoing. BET and BJH analyses were used to evaluate morphological features; surface area, pore volume, cavity size and their distributions, Table 3. Nitrogen adsorption and desorption loops for the DVB, EGDMA and BAP cross-linked polymers are shown in Fig. 2.


In general, the polymers synthesized in the ni-DESSs exhibited behavior comparable to Type IV isotherms, implying mesoporous polymer structures (2 nm < pore size < 50 nm).<sup>21</sup> Some of these polymers follow a H4 hysteresis loop (associated with the secondary process of capillary condensation) indicating polymer scaffolds that are composed of mesopores that are limited by the micropores. Four polymers, P1–P3 and P5 showed hysteresis loop shapes representative of a broader pore size distribution that is close to microporous in nature. It was observed that the three ni-DESSs produced similar pore characteristics in each of the three polymer systems, HEMA-DVB (P1–P3), HEMA-EGDMA (P5–P7) and MAA-BAP (P9–P11), though in all cases somewhat lower than those of the corresponding polymers synthesized in toluene, (P4), acetonitrile (P8) and water (P12), respectively. No significant correlations between surface areas and porosities of the polymers synthesized in the ni-DESSs was revealed, though larger surface



**Table 3** Polymer particle physical characterization determined by BET and zeta potential measurements

| Polymers | Surface area <sup>a</sup> (m <sup>2</sup> g <sup>-1</sup> ) [ <i>r</i> ] | Pore volume <sup>b</sup> (cm <sup>3</sup> g <sup>-1</sup> ) | Pore diameter <sup>c</sup> (nm) | Zeta potential (mV) |               |
|----------|--|---|---------------------------------|---------------------|---------------|
|          |  |   |                                 | H <sub>2</sub> O    | Methanol      |
| P1       | 127.4 ± 2.3 [0.999]  | 0.1   | 5.1                             | 9.08 ± 0.71         | 10.80 ± 0.57  |
| P2       | 234.4 ± 3.4 [0.999]  | 0.4   | 6.9                             | 12.41 ± 0.97        | 1.24 ± 0.06   |
| P3       | 365.6 ± 1.8 [0.999]  | 0.7   | 8.1                             | 15.80 ± 1.24        | 9.83 ± 0.52   |
| P4       | 115.0 ± 1.8 [0.999]  | 0.3   | 10.6                            | -11.20 ± 0.87       | -0.74 ± 0.03  |
| P5       | 212.4 ± 1.3 [0.999]  | 0.3   | 7.1                             | 2.13 ± 0.16         | 4.81 ± 0.25   |
| P6       | 213.7 ± 1.7 [0.999]  | 0.3   | 7.1                             | 6.97 ± 0.54         | 11.30 ± 0.63  |
| P7       | 269.4 ± 1.8 [0.999]  | 0.5   | 7.8                             | 2.84 ± 0.22         | 5.36 ± 0.28   |
| P8       | 258.6 ± 0.9 [0.999]  | 0.8   | 12.5                            | -7.47 ± 0.58        | -11.70 ± 0.62 |
| P9       | 532.8 ± 2.6 [0.999]  | 1.4   | 10.5                            | -10.80 ± 0.84       | -8.24 ± 0.43  |
| P10      | 477.7 ± 2.6 [0.999]  | 1.2   | 10.0                            | -9.25 ± 0.72        | -10.80 ± 0.57 |
| P11      | 516.4 ± 2.6 [0.999]  | 1.4   | 11.5                            | -7.55 ± 0.59        | -8.26 ± 0.44  |
| P12      | 335.0 ± 1.9 [0.999]  | 0.7   | 8.9                             | -8.57 ± 0.67        | -4.88 ± 0.26  |

<sup>a</sup> Surface area presented as mean ± standard deviation from linear regression where *r* is the correlation coefficient. <sup>b</sup> Single point total pore volume. <sup>c</sup> Average pore diameter (4 V A<sup>-1</sup>).

**Fig. 2** Nitrogen adsorption–desorption isotherms of polymers P1 to P12.

areas and porosities were observed for the MAA-BAP polymers prepared in the ni-DESS (P9–P11) than that prepared in water (P12). This we suggest may be due to water being so much smaller than the ni-DES components, which themselves are postulated to form larger flickering cluster-like aggregates.<sup>5</sup>

Zeta potential measurements of the polymers in H<sub>2</sub>O and methanol, Table 3, revealed that polymers prepared in the ni-DESS possessed very low zeta potentials relative to those of polymers prepared in traditional solvents. In the cases of the DVB- and EGDMA-crosslinked polymers synthesized in the ni-DESS (P1–P3 and P5–P7, respectively), positive surface charge was observed, though negative values were obtained for those synthesized in toluene (P4) and acetonitrile (P8). This is indicative of relatively limited charge distribution at the surface of the polymers prepared in the ni-DESS, as compared to those prepared in the traditional solvents, which may be explained by a greater degree of solvation of functionalities by the ni-DESS facilitating a more even distribution of these functionalities throughout the polymer particles. This postulate finds support in the reported high conductivities of these ni-DESS.<sup>5</sup>

SEM studies were used to further assess the effect of using the ni-DESS as alternative porogens on polymer structural and morphological features (Fig. 3). Again, essentially comparable morphologies were observed confirming that ni-DESS provide similar structural features to those obtained when using conventional solvents, ranging from mesoporous monolith-like structures (*e.g.* P9) to mosaic microspheres (P1).

### 3. Experimental section

#### 3.1 Materials

Acetamide (AA), *N*-methylacetamide (NMA), *N*-methylurea (NMU), *N,N'*-dimethylurea (NN'DMU), methacrylic acid (MAA), hydroxyethylmethacrylate (HEMA), ethylene glycol dimethylmethacrylate (EGDMA), divinylbenzene (DVB), 1,4 bis(acryloyl) piperazine (BAP), 2,2'-azobis(2-amidinopropane) dihydrochloride (ABAH) and 2,2'-azobis (2-methylpropionitrile (AIBN) (Chart 1) were purchased from Sigma-Aldrich Inc., Sweden. Analytical grade sodium hydroxide, acetone, methanol, ethanol and acetic acid, procured from Sigma-Aldrich, were used without further purification. Milli-Q grade (Millipore AB,








Fig. 3 Surface topographies of polymer particles P1 to P12 imaged using scanning electron microscopy (SEM).

Sweden) water was used. Prior to use, HEMA was passed through a column of activated basic aluminum oxide then fractional distillation was carried out before storage at  $-20\text{ }^{\circ}\text{C}$  until use. MAA was vacuum distilled and stored at  $-20\text{ }^{\circ}\text{C}$ . EGDMA (100 mL) was extracted three times with NaOH (aq, 0.1 M, 75 mL) and saturated NaCl (25 mL). It was then dried over anhydrous  $\text{MgSO}_4$  for 15 min and stored at  $-20\text{ }^{\circ}\text{C}$ . Acetonitrile, toluene and DVB were distilled then dried over  $4\text{ \AA}$  molecular sieves before storage at  $-8\text{ }^{\circ}\text{C}$ . ABAH was recrystallized from a acetone : water mixture (1 : 1, v/v) and AIBN was recrystallized from methanol. The eutectic mixtures were prepared by heating a known amount of NMA at  $40\text{ }^{\circ}\text{C}$  until a clear liquid was obtained, before the appropriate quantity (w/w) of the other component, AA (30%), or NMU (20%) or NN'DMU (30%), was added to the molten NMA and the mixture was stirred until a homogenous phase was formed.

### 3.2 Polymer synthesis

Three different polymers were synthesized in each of the three ni-DESSs using MAA or HEMA as a functional monomer and DVB, EGDMA or BAP (Table 1) as the crosslinker. In each case, the molar ratio of functional monomer: cross-linker was maintained at 12:55.<sup>19</sup> The pre-polymerization mixture was dis-

solved in the eutectic mixture and saturated with nitrogen for 5 min to purge dissolved oxygen. The solution was then brought to the polymerization temperature ( $70\text{ }^{\circ}\text{C}$ ) before addition of the initiator; AIBN for HEMA-DVB and HEMA-EGDMA and ABAH for the MAA-BAP polymer system. The polymerization reaction mixtures were maintained at  $70\text{ }^{\circ}\text{C}$  for 6 h using a heated oil bath. Following polymerization, the resultant bulk polymer was ground with a mortar and pestle before sieving to yield polymer particles of  $63\text{--}125\text{ }\mu\text{m}$  size. The polymer particles ( $\sim 1\text{ g}$ ) were slurry packed into an HPLC column to be washed from unreacted particles and porogen following a procedure reported by Karlsson *et al.*<sup>22</sup> The polymer was emptied from the column by pumping acetone in the column, it was collected, air-dried and stored in vials at ambient temperature until use. The three polymer systems were also synthesized using conventional solvents and were processed using the same procedure. The yields of  $63\text{--}125\text{ }\mu\text{m}$  size polymer particles after the work-up process were all in the range 86–90%.

### 3.3 Physical characterization of synthesized polymers

**3.3.1 Fourier transform infrared spectrometry (FT-IR) analysis.** FT-IR analyses were performed using an Agilent Cary 630



FT-IR Spectrometer equipped with KBr optics and complementary Diamond attenuated total reflectance (ATR) sampling accessory. The Diamond ATR accessory uses a type IIA diamond crystal, where a small amount of ground polymer powders is placed to be measured. This system is configured with the Agilent MicroLab FT-IR Software for collecting a background spectrum and a sample spectrum. The samples were recorded within 400–4000  $\text{cm}^{-1}$  range with 32 scans and 4  $\text{cm}^{-1}$  resolutions.

**3.3.2 Elemental analyses.** Elemental analyses were performed by Eurofines AB (Uppsala, SE). Duplicate samples were dried overnight under vacuum at 50 °C prior to analysis on a Flash 2000 elemental analyzer.

**3.3.3 Brunauer-Emmett-Teller (BET) and Barrett-Joyner-Halenda (BJH) analyses.** To determine pore volumes and surface areas of polymer particles, BET and BJH analyses were performed using an ASAP 2400 instrument (Micromeritics, Norcross, GA). Samples were degassed for at 50 °C 24 h to remove adsorbed gases and moisture. BET surface areas were calculated from the adsorption data using 0.162  $\text{nm}^2$  as the molecular cross-sectional area for adsorbed nitrogen molecules. The BJH method was applied to calculate the pore size distributions from desorption branches of the isotherms.

**3.3.4 Scanning electron microscopy (SEM) analysis.** Prior to SEM analysis, polymer particles were deposited on black carbon tape attached to alumina stubs and were then coated with a thin layer of platinum by a platinum sputtering unit (LEICA EM SCD 500). These polymer particles were inserted in the Field Emission SEM (Leo 1550 Gemini) and scanned with an electron beam at 3 kV.

**3.3.5 Surface charge and particle size measurement.** Zeta potential analysis of the polymers was performed on a Zetasizer Nano (Malvern Instruments Ltd, Worcestershire, UK) furnished with a back-scattering detector (173°). Samples were dispersed in Milli-Q grade water or HPLC grade methanol and filtered through a pre-rinsed 2  $\mu\text{m}$  filter followed by equilibration (typically 2 min) to 25 °C. Surface charge of the polymer particles were measured at 25 °C for all samples. Samples were loaded into a pre-rinsed dip cell where an applied voltage of 800 mV was used for zeta potential measurements and a minimum of three measurements was made per sample.

## 4. Conclusions

In this study we have demonstrated the use of ni-DESSs as porogens in polymer synthesis, deploying them as alternatives to the use of toluene, acetonitrile and water. A series of cross-linked co-polymers, HEMA-DVB, HEMA-EGDMA and MAA-BAP, was prepared using three different ni-DESSs and conventional solvents. The ni-DESSs afforded polymers with comparable surface areas and pore sizes to those prepared in conventional solvents. An interesting difference between polymers was the suppression of surface charge obtained when syntheses were performed in the ni-DESSs, as reflected in the zeta

potential results. Initial studies on the potential for recycling of these ni-DESSs have demonstrated that recoveries of >80% are possible. Finally, the wide range of chemical functionalities soluble in these ni-DESSs, together with their low flammabilities, volatilities and toxicities can make them attractive alternatives to many conventional organic solvents for polymer synthesis and other applications.

## Conflicts of interest

There are no conflicts to declare.

## Acknowledgements

The authors thank the Swedish Research Council (Vetenskapsrådet, grant number 2014-4573), the Swedish Knowledge Foundation (BIO-QC, grant number 20170059) and Linnaeus University for financial support.

## References

- 1 J. H. Clark, *Green Chem.*, 2006, **8**, 17.
- 2 Q. Zhang, K. De Oliveira Vigier, S. Royer and F. Jerome, *Chem. Soc. Rev.*, 2012, **41**, 7108.
- 3 N. Adawiyah, M. Moniruzzaman, S. Hawatulaila and M. Goto, *MedChemComm*, 2016, **7**, 1881.
- 4 M. Usanovich, *Dokl. Akad. Nauk*, 1958, **120**, 1304.
- 5 S. Suriyanarayanan, G. D. Olsson, S. Kathiravan, N. Ndizeye and I. A. Nicholls, *Int. J. Mol. Sci.*, 2019, **20**, 2857.
- 6 L. S. Longo and M. V. Craveiro, *J. Braz. Chem. Soc.*, 2018, **29**, 1999.
- 7 M. Francisco, A. v. d. Bruinhorst and M. C. Kroon, *Angew. Chem., Int. Ed.*, 2013, **52**, 3074.
- 8 K. E. Plass, K. Kim and A. J. Matzger, *J. Am. Chem. Soc.*, 2004, **126**, 9042.
- 9 Y. Y. Zhang, X. Y. Ji and X. H. Lu, *Renewable Sustainable Energy Rev.*, 2018, **97**, 436.
- 10 F. del Monte, D. Carriazo, M. C. Serrano, M. C. Gutiérrez and M. L. Ferrer, *ChemSusChem*, 2014, **7**, 999.
- 11 J. D. Mota-Morales, R. J. Sánchez-Leija, A. Carranza, J. A. Pojman, F. del Monte and G. Luna-Bárcenas, *Prog. Polym. Sci.*, 2018, **78**, 139.
- 12 D. Carriazo, M. C. Serrano, M. C. Gutiérrez, M. L. Ferrer and F. del Monte, *Chem. Soc. Rev.*, 2012, **41**, 4996.
- 13 M. Mokhtary, *Acad. J. Polym. Sci.*, 2019, **2**, 555586.
- 14 J. Wang, J. Han, M. Y. Khan, D. He, H. Peng, D. Chen, X. Xie and Z. Xue, *Polym. Chem.*, 2017, **8**, 1616.
- 15 S. Suriyanarayanan and I. A. Nicholls, *Swedish Patent Application*, SE-1850195-7, 2018.
- 16 E. L. Smith, A. P. Abbott and K. S. Ryder, *Chem. Rev.*, 2014, **114**, 11060.
- 17 P. Liu, J.-W. Hao, L.-P. Mo and Z.-H. Zhang, *RSC Adv.*, 2015, **5**, 48675.
- 18 N. Ndizeye, S. Suriyanarayanan and I. A. Nicholls, *Eur. Polym. J.*, 2018, **106**, 223.



- 19 S. Shoravi, G. D. Olsson, B. C. G. Karlsson, F. Bexborn, Y. Abghoui, J. Hussain, J. G. Wiklander and I. A. Nicholls, *Org. Biomol. Chem.*, 2016, **14**, 4210.
- 20 J. P. Rosengren-Holmberg, J. Andersson, J. R. Smith, C. Alexander, M. R. Alexander, G. Tovar, K. N. Ekdahl and I. A. Nicholls, *Biomater. Sci.*, 2015, **3**, 1208.
- 21 S.-S. Chang, B. Clair, J. Ruelle, J. Beauchêne, F. Di Renzo, F. Quignard, G.-J. Zhao, H. Yamamoto and J. Gril, *J. Exp. Bot.*, 2009, **60**, 3023.
- 22 J. G. Karlsson, L. I. Andersson and I. A. Nicholls, *Anal. Chim. Acta*, 2001, **435**, 57.

