



Cite this: *RSC Adv.*, 2019, 9, 11443

# Deposition of platinum on boron-doped TiO<sub>2</sub>/Ti nanotube arrays as an efficient and stable photocatalyst for hydrogen generation from water splitting†

Mengjia Sun,<sup>a</sup> Yanli Jiang,<sup>ID</sup> \*<sup>b</sup> Mei Tian,<sup>\*ab</sup> Huijun Yan,<sup>b</sup> Ran Liu<sup>b</sup> and Lijuan Yang<sup>b</sup>

An efficient photocatalyst of boron-doped titanium dioxide/titanium nanotube array-supported platinum particles (Pt–B/TiO<sub>2</sub>/Ti NTs) was fabricated for photocatalytic water splitting for hydrogen production through a two-step route. First, B/TiO<sub>2</sub>/Ti NTs were prepared by anodic oxidation using hydrofluoric acid as electrolyte and boric acid as a B source. Then, Pt particles were deposited on the surface of B/TiO<sub>2</sub>/Ti NTs by photo-assisted impregnation reduction. The structure and properties of Pt–B/TiO<sub>2</sub>/Ti NTs were characterized by various physical measurements which showed the successful fabrication of Pt–B/TiO<sub>2</sub>/Ti NTs. The Pt–B/TiO<sub>2</sub>/Ti NTs, with a B-doping content of 15 mmol L<sup>-1</sup>, showed the highest photocatalytic activity and exhibited a photocatalytic hydrogen-production rate of 384.9 μmol g<sup>-1</sup> h<sup>-1</sup>, which was 9.2-fold higher than that of unmodified TiO<sub>2</sub>/Ti NTs (41.7 μmol g<sup>-1</sup> h<sup>-1</sup>). This excellent photocatalytic performance was ascribed mainly to the synergistic effect of Pt and B, which could enhance the photocatalytic activity of TiO<sub>2</sub>/Ti NTs.

Received 19th January 2019

Accepted 25th March 2019

DOI: 10.1039/c9ra00475k

[rsc.li/rsc-advances](http://rsc.li/rsc-advances)

## 1. Introduction

The development and application of energy are important concerns worldwide. Complete reliance on fossil fuels will result in energy shortages when their supplies run out. Moreover, excessive exploitation, combustion, and consumption of fossil fuels have led to environmental concerns.<sup>1</sup> During coal combustion, sulfur dioxide and nitrogen dioxide are produced, which results in environmental pollution. Carbon dioxide (CO<sub>2</sub>) resulting from coal-burning enters the atmosphere, which increases the CO<sub>2</sub> concentration in air and aggravates the greenhouse effect. Therefore, looking for a new type of renewable, clean energy with large reserves and which leads to less pollution to replace traditional energy sources is a top priority worldwide.<sup>2</sup> Hydrogen is a type of “secondary energy”. It has been described as the “ideal green energy” because of its high combustion value, reproducibility, and zero pollution. Photolysis of water for producing hydrogen is a major research direction in which water is decomposed into hydrogen and oxygen under the action of light. Thus, finding a photocatalyst with excellent hydrogen generation performance is very important. At present, several scholars worldwide are conducting research and have made progress, but there is still a long way to go.<sup>3</sup>

In 1972, Fujishima discovered, for the first time, that a titanium dioxide (TiO<sub>2</sub>) single-crystal electrode can act as a photocatalyst for hydrogen generation from water splitting.<sup>4</sup> TiO<sub>2</sub> is a n-type inorganic photosensitive semiconductor material. It is not poisonous, does not result in secondary pollution, is inexpensive and has good photocatalytic performance.<sup>5–7</sup> TiO<sub>2</sub> has been studied with regard to the photolysis of water for producing hydrogen.<sup>8,9</sup> However, due to the wide band gap of TiO<sub>2</sub> ( $E_0 = 3.2$  eV), only ultraviolet light of wavelength <387 nm can be absorbed by TiO<sub>2</sub>. TiO<sub>2</sub> must be modified to enhance its photocatalytic activity and strengthen the application of TiO<sub>2</sub> photocatalysis technology. The main modification methods are deposition of precious metals,<sup>10,11</sup> semiconductor recombination,<sup>12</sup> fabrication of heterojunctions,<sup>13,14</sup> non-metal doping,<sup>15,16</sup> and metal-ion doping.<sup>17,18</sup> Doping of non-metals can narrow the band gap of TiO<sub>2</sub>, enlarge the range of light absorption, and strengthen absorption in the visible-light region.<sup>19</sup> At present, modification of TiO<sub>2</sub> by doping with non-metals involves use of powder TiO<sub>2</sub> primarily. Modification is based usually on the sol-gel method and hydrothermal synthesis, both of which can lead to secondary separation.<sup>20–22</sup> However, simultaneous preparation of TiO<sub>2</sub> nanotube (NT) arrays and doping of non-metals by one-step anodic oxidation can solve the problem of secondary separation efficiently.<sup>23</sup> This method has the advantages of simple operation and high efficiency. Deposition of an appropriate amount of precious metal on a catalyst surface can aid efficient separation of photoelectrons and holes.<sup>24</sup> If the semiconductor surface is in contact with the metal, the carriers are redistributed and electrons are transferred from the n-type semiconductor

<sup>a</sup>School of Chemistry and Materials Science, Heilongjiang University, Harbin 150080, P. R. China

<sup>b</sup>Department of Chemistry, Harbin University, Harbin, 150086, P. R. China. E-mail: [jylzhl@163.com](mailto:jylzhl@163.com); [shl913@vip.sina.com](mailto:shl913@vip.sina.com)

† Electronic supplementary information (ESI) available. See DOI: 10.1039/c9ra00475k



(which has a higher Fermi energy level) to the metal (which has a lower Fermi energy level) and then a Schottky barrier is formed. The latter becomes an effective “trap” for capturing excited electrons, and photogenerated carriers are separated. Thus, the recombination of electrons and holes is inhibited and the photocatalytic activity is greatly improved.<sup>25</sup>

It has been reported that boron (B) and platinum (Pt) can enhance the photocatalytic performance of TiO<sub>2</sub> NTs to some extent.<sup>26,27</sup> In the present study, B/TiO<sub>2</sub>/Ti NTs were fabricated by an anodic oxidation method using hydrofluoric acid as electrolyte and boric acid as a B source. Then, Pt–B/TiO<sub>2</sub>/Ti NTs were obtained through deposition of Pt particles on B/TiO<sub>2</sub>/Ti NTs. By comparing the photocatalytic activity for hydrogen production of Pt–B/TiO<sub>2</sub>/Ti NTs, B/TiO<sub>2</sub>/Ti NTs and TiO<sub>2</sub>/Ti NTs, the effect of co-modification of Pt and B on the photocatalytic performance of TiO<sub>2</sub>/Ti NTs was investigated thoroughly.

## 2. Experimental

### 2.1. Preparation of Pt–B/TiO<sub>2</sub>/Ti NTs

Two procedures were involved in fabrication of Pt–B/TiO<sub>2</sub>/Ti NTs. In the first procedure, anodic oxidation was applied to synthesize B/TiO<sub>2</sub>/Ti NTs with various amounts of B doping. This was accomplished in a two-electrode system with a Ti plate as the anode and Pt wire as the cathode. Anodization was conducted at a potential of 20 V for 90 min in 0.4 wt% HF and H<sub>3</sub>BO<sub>3</sub> of different concentrations. Then, the samples were removed from the solution, washed with deionized water and dried at room temperature. Finally, the samples were placed in a muffle furnace and calcined at 450 °C for 2 h. Prior to use, the Ti plate was pretreated according to the literature.<sup>28</sup>

In the second procedure, B/TiO<sub>2</sub>/Ti NTs were placed in a quartz reactor containing a certain concentration of H<sub>2</sub>PtCl<sub>6</sub>, and irradiated vertically with a 150 W spherical xenon lamp. The light source was separated from the samples by 10 cm, and the irradiation time was 1 h. Different Pt–B/TiO<sub>2</sub>/Ti NTs were obtained. The various B/TiO<sub>2</sub>/Ti and Pt–B/TiO<sub>2</sub>/Ti NTs were prepared as outlined in Table 1.

### 2.2. Physical characterization

The crystalline phases of the samples were analyzed by X-ray diffraction (XRD; Bruker, EG). The surface morphologies of the samples were characterized by scanning electron

microscopy (SEM; Hitachi, S-4300). X-ray photoelectron spectroscopy (XPS; PerkinElmer, D8 advance) with Mg K $\alpha$  radiation was applied to determine the elemental compositions and valence states of the samples. Ultraviolet-visible diffuse reflectance spectroscopy (UV-vis DRS) were obtained on a UV-vis spectrophotometer (PerkinElmer; Lambda 950) and the photoluminescence (PL) spectra were recorded by a fluorescence spectrophotometer (PerkinElmer; Lambda 750). In addition, surface photovoltage spectroscopy (SPS) was applied to analyze the electronic transition of the samples on a SPS apparatus (Bofeilai; PL-SPS/IPCE1000).

Previously, we demonstrated formation of hydroxyl radicals in the TiO<sub>2</sub>/Ti photoelectrocatalytic oxidation system by Fe(phen)<sub>3</sub><sup>2+</sup> spectrophotometry. We showed that hydroxyl radicals exist in the as-prepared Pt–B/TiO<sub>2</sub>/Ti NTs.<sup>29</sup>

### 2.3. Photocatalytic activity test

The reaction of photocatalytic water splitting for hydrogen production was carried out in an all-glass, automatic, online trace gas analysis system (Fig. 1), and the amount of hydrogen produced in the reaction was determined directly by gas chromatography. In detail, a piece of the as-prepared sample (1.5 × 2.5 cm) was placed on a homemade shelf in the reactor. Then, the sample together with shelf were placed in the reactor. Then, 80 mL of deionized water and 20 mL of methanol were added to the reactor, and the system was evacuated to 0.8 kPa. The gas chromatograph was opened and the light source was preheated. When the chromatographic temperature was stable, a current of 50 mA was applied. Nitrogen (carrier gas) flow made the system pressure > 5 kPa. Under uniform magnetic stirring, water photolysis was carried out with irradiation using a xenon lamp for 8 h. The experiment was monitored every 0.5 h, and the peak area of hydrogen was shown in a gas chromatogram. The output of hydrogen was calculated by the external standard method. The standard curve made with a hydrogen standard is shown as Fig. 2.

## 3. Results and discussion

### 3.1. Material characterization

Fig. 3A shows the SEM images of TiO<sub>2</sub>/Ti NTs and various B/TiO<sub>2</sub>/Ti NTs. These images reveal that the NTs were distributed uniformly and were highly ordered. The outer diameter of the NTs was ~120 nm and their wall was ~30 nm. The surface

Table 1 Preparation parameters of different B/TiO<sub>2</sub>/Ti and Pt–B/TiO<sub>2</sub>/Ti NTs

Sample	Concentration of B <sup>3+</sup> (mmol L <sup>-1</sup> )	Concentration of Pt <sup>4+</sup> (mmol L <sup>-1</sup> )	Irradiation time (h)
B/TiO <sub>2</sub> /Ti-0	0	0	0
B/TiO <sub>2</sub> /Ti-10	10	0	0
B/TiO <sub>2</sub> /Ti-15	15	0	0
B/TiO <sub>2</sub> /Ti-20	20	0	0
Pt–B/TiO <sub>2</sub> /Ti-0	0	18.4	1
Pt–B/TiO <sub>2</sub> /Ti-10	10	18.4	1
Pt–B/TiO <sub>2</sub> /Ti-15	15	18.4	1
Pt–B/TiO <sub>2</sub> /Ti-20	20	18.4	1






Fig. 1 System employed for photocatalytic water splitting to produce hydrogen.




Fig. 2 Standard curve for photocatalytic water splitting to produce hydrogen.

roughness of the  $\text{TiO}_2/\text{Ti}$  NTs doped with B was increased in comparison with that of the undoped  $\text{TiO}_2/\text{Ti}$  NTs. This was because part of  $\text{B}^{3+}$  was not doped into the  $\text{TiO}_2$  lattice but instead covered the orifice, leading to roughness on the NT surface. Fig. 3B displays the SEM images of the various Pt-B/ $\text{TiO}_2/\text{Ti}$  NTs. After deposition of Pt particles, the morphology of the NTs did not change significantly, the NTs retained an independent tubular structure, and the outer diameter of the NTs decreased to  $\sim 80$  nm.

Fig. 4A shows the XRD patterns of various B/ $\text{TiO}_2/\text{Ti}$  NTs. The diffraction peaks at  $35.19^\circ$ ,  $38.44^\circ$ ,  $40.21^\circ$ ,  $52.99^\circ$  and  $63.96^\circ$  in each spectrum could be ascribed to the Ti substrate. The spectrum of  $\text{TiO}_2/\text{Ti}$  NTs showed a diffraction peak at  $25.27^\circ$ , which corresponded to the (101) plane of the anatase  $\text{TiO}_2$ . After doping of  $\text{B}^{3+}$  in  $\text{TiO}_2$ , the diffraction peak of the anatase-type  $\text{TiO}_2$  remained in the same position. Further observation revealed that the strongest peak intensity was achieved for B/ $\text{TiO}_2/\text{Ti}$ -15 NTs. However, the peak intensity decreased when the




Fig. 3 (A) SEM images of B/ $\text{TiO}_2/\text{Ti}$ -0 (a), B/ $\text{TiO}_2/\text{Ti}$ -10 (b), B/ $\text{TiO}_2/\text{Ti}$ -15 (c) and B/ $\text{TiO}_2/\text{Ti}$ -20 (d). (B) SEM images of Pt-B/ $\text{TiO}_2/\text{Ti}$ -0 (a), Pt-B/ $\text{TiO}_2/\text{Ti}$ -10 (b), Pt-B/ $\text{TiO}_2/\text{Ti}$ -15 (c) and Pt-B/ $\text{TiO}_2/\text{Ti}$ -20 (d).

B-doping content increased further, indicating that excessive B-doping content had an inhibitory effect on  $\text{TiO}_2$  grains. Fig. 4B shows the XRD patterns of various Pt-B/ $\text{TiO}_2/\text{Ti}$  NTs. After deposition of Pt particles on the surface of B/ $\text{TiO}_2/\text{Ti}$  NTs,  $\text{TiO}_2$  NTs continued to exhibit the anatase phase. Obvious diffraction peaks of Pt were not observed, probably because Pt was in an amorphous state. The average grain size of  $\text{TiO}_2$  NTs was calculated to be 27 nm using the Scherrer formula (eqn (1)),

$$D = K\lambda/\beta \cos(\theta) \quad (1)$$

where  $D$  is the average grain size,  $K$  is the Scherrer constant (0.89),  $\lambda$  is the wavelength of X-rays (0.154056 nm),  $\beta$  is the full width at half maximum of the diffraction peak, and  $\theta$  is the Bragg diffraction angle.

The XPS spectra of Pt-B/ $\text{TiO}_2/\text{Ti}$ -15 NTs are exhibited in Fig. 5. Fig. 5a reveals clearly that NT surfaces were composed mainly of C, O, B, Ti and Pt. Among these elements, C was derived mainly from instrumental pollution during the test. In Fig. 5b, the 1s peak of B can be fitted to a peak at 191.15 eV, indicating that B, in the form of  $\text{B}^{3+}$ , entered the lattice space of  $\text{TiO}_2$  and formed a Ti-O-B bond. Fig. 5c shows the XPS






Fig. 4 (A) XRD spectra of different B/TiO<sub>2</sub>/Ti NTs. (B) XRD spectra of different Pt-B/TiO<sub>2</sub>/Ti NTs.

spectrum of O 1s, which could be fitted by three peaks at 529.45, 531.05 and 532.6 eV. Oxygen species centered at 529.45, 531.05 and 532.6 eV corresponded to the Ti–O bond in TiO<sub>2</sub>, the adsorbed OH on the surface of TiO<sub>2</sub>, and the Ti–O–B bond, respectively. In Fig. 5d, the Ti 2p<sub>1/2</sub> peak at 463.8 eV and Ti 2p<sub>3/2</sub> peak at 458.1 eV suggested that Ti existed mainly as Ti<sup>4+</sup>. Ti<sup>4+</sup> reacted with O to form a Ti–O bond and, thus, formed TiO<sub>2</sub>. The Pt 4f signal (Fig. 5e) was fitted with two peaks at 76.43 and 73.03 eV, which corresponded with Pt 4f<sub>5/2</sub> and Pt 4f<sub>7/2</sub>, respectively.

Fig. 6A and B display the UV-vis DRS spectra of various B/TiO<sub>2</sub>/Ti NTs and various Pt-B/TiO<sub>2</sub>/Ti NTs, respectively. The unmodified TiO<sub>2</sub>/Ti NTs absorbed UV light mainly of wavelength < 370 nm, which corresponded to the intrinsic absorption of the anatase-type TiO<sub>2</sub>. Compared with unmodified TiO<sub>2</sub>/Ti NTs, the light absorption of modified TiO<sub>2</sub>/Ti NTs was enhanced in the visible-light region. Pt-B/TiO<sub>2</sub>/Ti-15 NTs exhibited the strongest absorption intensity. The band gaps of TiO<sub>2</sub>/Ti NTs, various B/TiO<sub>2</sub>/Ti NTs and various Pt-B/TiO<sub>2</sub>/Ti NTs were determined according to eqn (2)




Fig. 5 XPS spectra of Pt-B/TiO<sub>2</sub>/Ti-15 NTs, whole spectrum (a), B 1s (b), O 1s (c), Ti 2p (d) and Pt 4f (e).

$$\alpha h\nu = A(h\nu - E_g) \quad (2)$$

where  $\alpha$  is the absorption coefficient,  $A$  is a material-dependent constant,  $h$  is the Planck constant,  $\nu$  is the light frequency, and  $E_g$  is the forbidden band energy. The corresponding relationship curves between  $(\alpha h\nu)^{1/2}$  and  $h\nu$  are shown in the insets of Fig. 6A and B, respectively. The band gaps of TiO<sub>2</sub>/Ti NTs, B/TiO<sub>2</sub>/Ti-15 NTs and Pt-B/TiO<sub>2</sub>/Ti-15 NTs were 3.35 eV (370 nm), 2.90 eV (427 nm) and 2.78 eV (445 nm), respectively. These results indicated that B was doped into the TiO<sub>2</sub> lattice and Pt was deposited on the TiO<sub>2</sub> surface, making the band gap of TiO<sub>2</sub> narrow and enhancing the response of TiO<sub>2</sub>/Ti NTs to visible light.

The PL spectra of various B/TiO<sub>2</sub>/Ti NTs and various Pt-B/TiO<sub>2</sub>/Ti NTs were tested at an excitation wavelength of 350 nm (Fig. 7A and B, respectively). All samples exhibited strong light emission from 400 nm to 500 nm. The PL spectra of all samples showed similar linear structures and no other peaks were observed. However, the peak intensity showed some difference. These results indicated that co-modification of Pt and B did not cause a new PL phenomenon, but did change the PL peak strength. Pt-B/TiO<sub>2</sub>/Ti-15 NTs exhibited the strongest PL peak among all samples. This was because: (i) a new impurity energy level was formed after B was doped into the TiO<sub>2</sub> lattice; (ii) deposition of an appropriate amount of precious metal on the photocatalyst surface facilitated efficient separation of photo-generated electrons and holes. These results indicated that the






Fig. 6 (A) DRS spectra of B/TiO<sub>2</sub>/Ti-0 (a), B/TiO<sub>2</sub>/Ti-10 (b), B/TiO<sub>2</sub>/Ti-15 (c) and B/TiO<sub>2</sub>/Ti-20 (d). (B) DRS spectra of Pt-B/TiO<sub>2</sub>/Ti-0 (a), Pt-B/TiO<sub>2</sub>/Ti-10 (b), Pt-B/TiO<sub>2</sub>/Ti-15 (c) and Pt-B/TiO<sub>2</sub>/Ti-20 (d).




Fig. 7 (A) PL spectra of various B/TiO<sub>2</sub>/Ti NTs. (B) PL spectra of various Pt-B/TiO<sub>2</sub>/Ti NTs.

PL peak intensity was correlated with the activity of the photocatalyst. In general, the stronger the FS signal, the greater the number of photogenerated carriers, and the better the photocatalytic performance.

Fig. 8 displays the SPS spectra of various B/TiO<sub>2</sub>/Ti and various Pt-B/TiO<sub>2</sub>/Ti samples. All samples displayed significant photovoltaic responses at 300–400 nm. The photovoltaic responses of modified TiO<sub>2</sub>/Ti NTs were increased significantly compared with those of unmodified TiO<sub>2</sub>/Ti NTs. These results further confirmed that co-modification of B and Pt could enhance the separation ability of photogenerated carriers in TiO<sub>2</sub> NTs and, thus, improve the photocatalytic performance of TiO<sub>2</sub>.

### 3.2. Photocatalytic activity

Fig. 9A and B show the photocatalytic activities with regard to hydrogen production of TiO<sub>2</sub>/Ti NTs, various B/TiO<sub>2</sub>/Ti NTs and various Pt-B/TiO<sub>2</sub>/Ti NTs. As seen from Fig. 9A, the photocatalytic hydrogen-production rate (in  $\mu\text{mol g}^{-1} \text{h}^{-1}$ ) of unmodified TiO<sub>2</sub>/Ti NTs, B/TiO<sub>2</sub>/Ti-10, B/TiO<sub>2</sub>/Ti-15, and B/




Fig. 8 Surface photovoltage spectra of various B/TiO<sub>2</sub>/Ti NTs and various Pt-B/TiO<sub>2</sub>/Ti NTs.






Fig. 9 Photocatalytic activities of various B/TiO<sub>2</sub>/Ti NTs (A) and various Pt-B/TiO<sub>2</sub>/Ti NTs (B) for hydrogen production.

TiO<sub>2</sub>/Ti-20 was 41.7, 46.8, 51.7 and 45.0, respectively. Therefore, B/TiO<sub>2</sub>/Ti NTs exhibited superior photocatalytic hydrogen-production activity over that of unmodified TiO<sub>2</sub>/Ti NTs. This finding could be because B was doped into the lattice of TiO<sub>2</sub> to replace O and a novel impurity energy level was created above the valence band of TiO<sub>2</sub>, which narrowed the forbidden bandwidth. The impurity energy level helped to increase visible-light absorption of TiO<sub>2</sub> significantly, thus enhancing the photocatalytic performance. After deposition of Pt particles on B/TiO<sub>2</sub>/Ti NTs, the photocatalytic activity of Pt-B/TiO<sub>2</sub>/Ti NTs was ~10-fold higher than that of the corresponding B/TiO<sub>2</sub>/Ti NTs. Among these Pt-B/TiO<sub>2</sub>/Ti NTs, Pt-B/TiO<sub>2</sub>/Ti-15 exhibited the highest photocatalytic activity. The photocatalytic hydrogen-production rate of Pt-B/TiO<sub>2</sub>/Ti-15 NTs was 384.9 μmol g<sup>-1</sup> h<sup>-1</sup>, which was 9.2-fold higher than that of unmodified TiO<sub>2</sub>/Ti NTs. The photocatalytic performance of the as-prepared Pt-B/TiO<sub>2</sub>/Ti NTs was superior to that of porous TiO<sub>2</sub> fibers.<sup>30</sup> One of the main reasons for limiting the photocatalytic hydrogen-production rate of TiO<sub>2</sub> was that photogenerated electrons and photogenerated holes recombine readily and cannot participate effectively in the redox reaction. Deposition of Pt particles on the surface of TiO<sub>2</sub> is a valid way to inhibit the recombination of photogenerated electrons and holes, and improve the quantum efficiency of hydrogen production. These results showed that photogenerated electrons could be transferred from a TiO<sub>2</sub> conduction band with higher potential to Pt with lower potential after Pt made contact with TiO<sub>2</sub>, which improved the charge-separation efficiency of TiO<sub>2</sub>. Meanwhile, the Schottky barrier was formed at the interface between Pt and TiO<sub>2</sub>, which prevented the charge transferred to Pt from returning to the TiO<sub>2</sub> substrate and decreased the recombination probability of photogenerated charges. Moreover, Pt has a smaller hydrogen-evolution overpotential, which further promotes the interfacial reaction and, correspondingly, enhances the photocatalytic performance.

Fig. 10 exhibits the stability of photocatalytic hydrogen production on Pt-B/TiO<sub>2</sub>/Ti-15 NTs. The test was conducted under xenon-lamp irradiation for 24 h continuously and every cycle lasted 8 h. The hydrogen-producing yield after the first cycle was 154 μmol. After testing for three cycles, the hydrogen-producing yield was 117.8 μmol, which could maintain 76.5% of the first cycle. The reason for the decrease in photocatalytic hydrogen-production efficiency after catalyst recovery was that the NT structure was rough and porous. Hence, some substances adhered to the pores after one cycle, and the hydrogen-production rate decreased after one cycle.




Fig. 10 Stability of photocatalytic hydrogen production on Pt-B/TiO<sub>2</sub>/Ti-15 NTs.

### 3.3. Formation mechanism of TiO<sub>2</sub>/Ti NTs

TiO<sub>2</sub>/Ti NTs were fabricated *via* anodic oxidation (Fig. 11). Under application of a voltage, the Ti plate dissolved to form Ti<sup>4+</sup>, and H<sub>2</sub>O in the electrolyte was ionized to form O<sup>2-</sup>. The latter reacted with Ti<sup>4+</sup> to form an oxide film covering the surface of the Ti plate. After the barrier layer had been formed, the film layer was subjected to field-enhanced dissolution and chemical dissolution from the electric field and F<sup>-</sup>, respectively. Also, many depressions were formed on the surface of the oxide film and, then, pore nuclei were formed. The latter continued to grow into small pores in the direction of the Ti substrate under field-enhanced dissolution and chemical dissolution and, then, a porous oxide-film structure was formed. As the small pores continued to grow downwards, the unoxidized metallic Ti between the small pores formed a convex, and the electric field intensity of this part increased so that the oxide film on top of this part of the metallic Ti accelerated dissolution and formed a small-cavity structure. As the small cavities continued to grow, the small pores that were connected together originally were separated and, eventually, formed independent tubular structures.

### 3.4. Photocatalytic mechanism of Pt-B/TiO<sub>2</sub>/Ti NTs

The B-O bond is formed *via* the sp<sup>2</sup> hybrid orbital. B has an empty p orbital and, as an electron acceptor, the empty p orbital tends to strongly absorb foreign electrons. Hence, electrons and holes can be separated from each other effectively. Meanwhile,




Fig. 11 Fabrication procedure of TiO<sub>2</sub>/Ti NTs (schematic).






Fig. 12 Mechanism of photocatalytic water splitting for hydrogen production.

after hybridization of the O (2p) orbital and B (p) orbital, the valence bandwidth of  $\text{TiO}_2$  increases and the forbidden bandwidth of  $\text{TiO}_2$  decreases correspondingly. This action broadens the response range of the absorption spectrum and improves the photoelectrocatalytic efficiency further. After Pt particles are deposited on the anatase  $\text{TiO}_2$  crystals, the  $E_g$  of  $\text{TiO}_2$  becomes smaller and the Fermi level of  $\text{TiO}_2$  decreases, which reduces the recombination probability of electron-hole pairs and enhances the photocatalytic activity. The doping of B and deposition of Pt are synergistic and improve the photocatalytic performance of  $\text{TiO}_2$ . Fig. 12 shows the mechanism of photocatalytic water splitting for hydrogen production. When the semiconductor material is irradiated under light whose photon energy is greater than the forbidden bandwidth of the semiconductor, the electrons in the valence band are excited to the conduction band, and free electrons and holes are formed in the conduction band and the valence band, respectively. Under the action of such photogenerated electron-hole pairs, water undergoes a redox reaction to generate hydrogen and oxygen.

The photocatalytic mechanism of Pt-B/ $\text{TiO}_2$ /Ti NTs is shown in Fig. 13. Elemental B was doped into the lattice of  $\text{TiO}_2$  and formed the Ti-O-B bond, which narrowed the band gap of  $\text{TiO}_2$ , expanded the light-absorption range of  $\text{TiO}_2$ , and increased the visible-light absorption of  $\text{TiO}_2$ . Due to the difference in the Fermi energy levels of Pt and  $\text{TiO}_2$ , when Pt and  $\text{TiO}_2$  came into contact, photoexcited electrons were transferred from  $\text{TiO}_2$  to Pt until their Fermi energy levels matched. The Pt surface obtained an excessive negative charge, and the  $\text{TiO}_2$  surface exhibited excessive positive charge, which resulted in “band bending” and formation of the Schottky barrier. The latter is an effective trap for capturing electrons, which can inhibit the combination of electrons and holes. Thus, the activity of the photocatalyst was highly improved.

## 4. Conclusions

We synthesized Pt-B/ $\text{TiO}_2$ /Ti NTs by anodic oxidation and photo-deposition. Co-modification of Pt and B could reduce the outer diameter and wall thickness of  $\text{TiO}_2$  NTs. The presence of Pt and B elements resulted in formation of a novel energy level structure and surface defects. This led to a red-shift in the absorption spectrum and boosted the visible-light absorption at 350–450 nm. The photovoltaic response of PL and SPS was improved significantly, and the separation ability of photo-generated carriers in  $\text{TiO}_2$  NTs was enhanced. Pt-B/ $\text{TiO}_2$ /Ti NTs with B-doping content of  $15 \text{ mmol L}^{-1}$  exhibited the most favorable photocatalytic performance, and showed a photocatalytic hydrogen-production rate of  $384.9 \mu\text{mol g}^{-1} \text{ h}^{-1}$ , which was 9.2-fold higher than that of unmodified  $\text{TiO}_2$ /Ti NTs ( $41.7 \mu\text{mol g}^{-1} \text{ h}^{-1}$ ). These results indicated that: (i) the Pt-B/ $\text{TiO}_2$ /Ti NTs we presented were feasible and efficient for photocatalytic hydrogen production; (ii) this synthetic strategy could be applied for other energy-conversion and energy-storage devices.

## Conflicts of interest

There are no conflicts to declare.

## Acknowledgements

This work was supported by the Excellent Academic Leaders Fund of Harbin Science and Technology Bureau (2016RAXXJ041) and Youth Science Foundation of Heilongjiang Province (QC2012C052).

## Notes and references

- 1 S. Apak, E. Atay and G. Tuncer, *Int. J. Hydrogen Energy*, 2017, **42**, 2446–2452.
- 2 M. S. Dresselhaus and I. L. Thomas, *Nature*, 2001, **414**, 332.
- 3 A. Kudo and Y. Miseki, *Chem. Soc. Rev.*, 2009, **38**, 253–278.
- 4 A. Fujishima and K. Honda, *Nature*, 1972, **238**, 37.
- 5 A. J. Haider, R. H. Al Anbari, G. R. Kadhim and C. T. Salame, *Energy Procedia*, 2017, **119**, 332–345.
- 6 R. Singh and S. Dutta, *Fuel*, 2018, **220**, 607–620.




Fig. 13 Photocatalytic mechanism of Pt-B/ $\text{TiO}_2$ /Ti NTs.



- 7 I. Ali, M. Suhail, Z. A. Allothman and A. Alwarthan, *RSC Adv.*, 2018, **8**, 30125–30147.
- 8 P. Roy, S. Berger and P. Schmuki, *Angew. Chem., Int. Ed. Engl.*, 2011, **50**, 2904–2939.
- 9 K. Nakata and A. Fujishima, *J. Photochem. Photobiol., C*, 2012, **13**, 169–189.
- 10 B. Naik, S. Y. Moon, S. H. Kim and J. Y. Park, *Appl. Surf. Sci.*, 2015, **354**, 347–352.
- 11 W. Nam and G. Young Han, *J. Chem. Eng. Jpn.*, 2007, 266–269, DOI: 10.1252/jcej.40.266.
- 12 A. Wanag, E. Kusiak-Nejman, Ł. Kowalczyk, J. Kapica-Kozar, B. Ohtani and A. W. Morawski, *Appl. Surf. Sci.*, 2018, **437**, 441–450.
- 13 R. Tanwar, B. Kaur and U. Kumar Mandal, *Appl. Catal., B*, 2017, **211**, 305–322.
- 14 R. Tanwar, S. Kumar and U. K. Mandal, *J. Photochem. Photobiol., A*, 2017, **333**, 105–116.
- 15 R. T. Asahi, T. Morikawa, T. Ohwaki, K. Aoki and Y. Taga, *Science*, 2001, **293**, 269–271.
- 16 F. Zhou, H. Song, H. Wang, S. Komarneni and C. Yan, *Appl. Clay Sci.*, 2018, **166**, 9–17.
- 17 W. Choi, A. Termin and M. R. Hoffmann, *J. Phys. Chem.*, 1994, **98**, 13669–13679.
- 18 V. Kumaravel, S. Mathew, J. Bartlett and S. C. Pillai, *Appl. Catal., B*, 2019, **244**, 1021–1064.
- 19 L. Gomathi Devi and R. Kavitha, *RSC Adv.*, 2014, **4**, 28265–28299.
- 20 L. Kavan, M. Kalbác, M. Zúkalová, I. Exnar, V. Lorenzen, R. Nesper and M. Graetzel, *ChemInform*, 2004, **16**, 477–485.
- 21 A. Matsuda, T. Matoda, T. Kogure, K. Tadanaga, T. Minami and M. Tatsumisago, *Chem. Mater.*, 2005, **17**, 749–757.
- 22 S. Sreekantan and L. C. Wei, *J. Alloys Compd.*, 2010, **490**, 436–442.
- 23 D. Gong, C. A. Grimes, O. K. Varghese, W. Hu, R. S. Singh, Z. Chen and E. C. Dickey, *J. Mater. Res.*, 2011, **16**, 3331–3334.
- 24 H. E. Prakasam, K. Shankar, M. Paulose, O. Varghese and C. A. Grimes, *J. Phys. Chem. C*, 2007, **111**, 7235–7241.
- 25 M. Sun, Y. Fang, S. Sun and Y. Wang, *RSC Adv.*, 2016, **6**, 12272–12279.
- 26 L. E. Pérez-Jiménez, J. C. Solís-Cortazar, L. Rojas-Blanco, G. Perez-Hernandez, O. S. Martinez, R. C. Palomera, F. Paraguay-Delgado, I. Zamudio-Torres and E. R. Morales, *Results Phys.*, 2019, **12**, 1680–1685.
- 27 C. Noberi and C. Kaya, *Mater. Discovery*, 2017, **9**, 23–29.
- 28 Y. Yu, Y. Jiang, M. Tian, L. Yang, H. Yan and S. Sheng, *Rare Met. Mater. Eng.*, 2016, **45**, 561–566.
- 29 Y. L. Jiang, H. L. Liu, Q. H. Wang and Z. H. Jiang, *J. Environ. Sci.*, 2006, **18**, 158–161.
- 30 H. Hou, L. Wang, F. Gao, G. Wei, J. Zheng, B. Tang and W. Yang, *Int. J. Hydrogen Energy*, 2014, **39**, 6837–6844.

