


 Cite this: *RSC Adv.*, 2019, 9, 40975

DOI: 10.1039/c9ra90091h


www.rsc.org/advances

Correction: Efficient removal of cobalt from aqueous solution using β -cyclodextrin modified graphene oxide

 Wencheng Song,^{ab} Jun Hu,^b Ying Zhao,^b Dadong Shao^{*b} and Jiaying Li^b

 Correction for 'Efficient removal of cobalt from aqueous solution using β -cyclodextrin modified graphene oxide' by Wencheng Song *et al.*, *RSC Adv.*, 2013, 3, 9514–9521.

The authors regret that Fig. 1 and 3 were incorrect in the original article. The SEM images of both GO and β -CD, and the Raman spectra of both, were confused with other samples. The correct versions of Fig. 1 and 3 are presented below.


 Fig. 1 SEM images of (a) GO and (b) β -CD-GO.

^aSchool of Nuclear Science and Technology, University Science and Technology of China, 230026 Hefei, P. R. China

^bKey Laboratory of Novel Thin Film Solar Cells, Institute of Plasma Physics, Chinese Academy of Sciences, P.O. Box 1126, 230031 Hefei, P. R. China. E-mail: shaodadong@126.com; Fax: +86-551-5591310; Tel: +86-551-5592788





Fig. 3 Raman spectra of GO and β -CD-GO.

The Royal Society of Chemistry apologises for these errors and any consequent inconvenience to authors and readers.

