



Cite this: *Chem. Sci.*, 2019, 10, 947

## Correction: Thermoreversible crystallization-driven aggregation of diblock copolymer nanoparticles in mineral oil

Matthew J. Derry,\* Oleksandr O. Mykhaylyk, Anthony J. Ryan\* and Steven P. Armes\*

DOI: 10.1039/c8sc90241k

[www.rsc.org/chemicalscience](http://www.rsc.org/chemicalscience)

Correction for 'Thermoreversible crystallization-driven aggregation of diblock copolymer nanoparticles in mineral oil' by Matthew J. Derry *et al.*, *Chem. Sci.*, 2018, 9, 4071–4082.

The authors regret that in Table 1 the units for particle diameter are incorrect. This should be nm. The correct Table 1 is displayed below.

**Table 1** Summary of targeted copolymer compositions, BzMA conversions (% BzMA) as judged by <sup>1</sup>H NMR spectroscopy, GPC and DLS data (particle diameter and polydispersity index, PDI) obtained for a series of PBeMA<sub>37</sub>-PBzMA<sub>x</sub> diblock copolymers prepared by RAFT dispersion polymerization of BzMA in mineral oil. Synthesis conditions: 90 °C, [PBeMA<sub>37</sub> macro-CTA]/[T21s] molar ratio = 5.0, 20% w/w solids. Relevant data for the PBeMA<sub>37</sub> macro-CTA are also shown for reference

Target composition	% BzMA	THF GPC (vs. PMMA)		DLS at 50 °C	
		<i>M<sub>n</sub></i> /g mol <sup>-1</sup>	<i>M<sub>w</sub></i> / <i>M<sub>n</sub></i>	Particle diameter/nm	Polydispersity index
PBeMA <sub>37</sub>	—	12 400	1.18	—	—
PBeMA <sub>37</sub> -PBzMA <sub>50</sub>	>99	16 200	1.15	21	0.08
PBeMA <sub>37</sub> -PBzMA <sub>100</sub>	>99	22 700	1.15	32	0.01
PBeMA <sub>37</sub> -PBzMA <sub>150</sub>	>99	28 100	1.18	37	0.02
PBeMA <sub>37</sub> -PBzMA <sub>200</sub>	>99	33 800	1.24	55	0.01
PBeMA <sub>37</sub> -PBzMA <sub>300</sub>	>99	43 900	1.38	67	0.01

The Royal Society of Chemistry apologises for these errors and any consequent inconvenience to authors and readers.

