



Cite this: *Mater. Horiz.*, 2020, 7, 762

Graphitic carbon nitride and polymers: a mutual combination for advanced properties

Qian Cao,^a Baris Kumru,^a Markus Antonietti  ^a and Bernhard V. K. J. Schmidt  ^{ab}

The sheet-like material graphitic carbon-nitride ($\text{g-C}_3\text{N}_4$) is one of the most promising metal-free photocatalysts and utilized for various purposes, e.g. energy conversion, waste water remediation or organic synthesis. $\text{g-C}_3\text{N}_4$ features a suitable band gap in the visible light range and outstanding physicochemical stability. However, $\text{g-C}_3\text{N}_4$ features drawbacks such as structural disorder, low conductivity, poor dispersibility and in turn low processability. Amongst the strategies to improve $\text{g-C}_3\text{N}_4$ properties, combination with polymers is a promising avenue toward advanced materials. The present critical review highlights the development and investigation of $\text{g-C}_3\text{N}_4$ /polymer combination, including (1) $\text{g-C}_3\text{N}_4$ as photoinitiator for polymer synthesis, (2) polymer modified $\text{g-C}_3\text{N}_4$ for improved dispersibility, (3) $\text{g-C}_3\text{N}_4$ /polymer hybrid materials fabricated *via* physical or covalent attachment and (4) $\text{g-C}_3\text{N}_4$ based hydrogels. The fabrication methods and application of these areas will be critically reviewed and the advantage of $\text{g-C}_3\text{N}_4$ /polymer combination comprehensively presented. Moreover, the broad range of applications is highlighted, e.g. photocatalysis, batteries, biosensors, H_2 evolution and films. Finally, the review will conclude with a summary and perspective on future directions as well as current challenges of this research area in order to stimulate new research regarding the design and construction of $\text{g-C}_3\text{N}_4$ /polymer materials.

Received 19th September 2019,
Accepted 19th November 2019

DOI: 10.1039/c9mh01497g

rsc.li/materials-horizons

1. Introduction

Sustainability has an increasing impact both on academia and industry, orienting many research fields such as biomass conversion, batteries, polymers and photochemistry.^{1–5} A significant direction

is the integration of free and abundant sunlight into current technology, such as energy harvesting *via* photovoltaic devices or photo-mediated material synthesis. Semiconductors (such as Si, TiO_2 , CdS , hybrid perovskites, polythiophenes) absorb light which results in the formation of excited electrons, and are promising candidates for photovoltaic devices, transistors and for photo-induced reaction catalysis.^{6–8} Many factors should be considered for the efficiency of a semiconductor materials, such as suitable absorption and bandgap values, lifetime of excited electrons, and charge migration which delays recombination.


^a Max Planck Institute of Colloids and Interfaces, Am Mühlenberg 1,
14476 Potsdam, Germany

^b University of Glasgow, School of Chemistry, G12 8QQ, Glasgow, UK
E-mail: bernhard.schmidt@glasgow.ac.uk; Tel: +44 (0)141 330 8469



Qian Cao


Qian Cao received her BSc in Inorganic Nonmetal Materials and Engineering and MSc in Material Science and Engineering from University of Science and Technology Beijing. She is currently a PhD student under the supervision of Prof. Markus Antonietti and Dr Bernhard V. K. J. Schmidt at the Max Planck Institute of Colloids and Interfaces. Her research interests focus on the synthesis and application of carbon nitride as well as polymer hybrid materials.



Baris Kumru

Dr Baris Kumru has obtained his chemistry bachelor degree in 2015 and master degree in 2016 at Istanbul Technical University. Later he earned his PhD degree in early 2019 at the Max Planck Institute of Colloids and Interfaces in Potsdam. He will be promoted as young Group Leader at the same institute focusing on colloids, polymers and photochemistry.





Scheme 1 Structure of $\text{g-C}_3\text{N}_4$ and properties/materials obtained in combination with polymers showing the features that $\text{g-C}_3\text{N}_4$ introduces into polymer science (top) and the morphologies achievable via $\text{g-C}_3\text{N}_4$ /polymer combination (bottom).

Even though excessive research has been conducted on these materials, their metal content, possible toxicity and synthesis from non-abundant sources restrict applications. Therefore, suitable candidates which have at least similar photoactivity but are formed *via* sustainable synthetic conditions are highly sought.⁹

Graphitic carbon-nitride ($\text{g-C}_3\text{N}_4$) is a sheet like material that is traditionally formed from a regular arrangement of tri-s-triazine units (Scheme 1).^{10,11} It features a variety of modifications, which have direct influence on the band gap resulting in photoactivity in the visible and UV range of light.^{12–15} Thus, $\text{g-C}_3\text{N}_4$ is utilized frequently as visible light induced heterogeneous photocatalyst, for example for organic transformations,^{16,17} hydrogen evolution,^{18–20} pollution degradation²¹ or CO_2 reduction.^{22,23} Moreover, $\text{g-C}_3\text{N}_4$ is utilized in ion transport membranes,^{24,25} photoelectrochemistry²⁶ or in organic photovoltaics^{27–29} as well as for emulsion stabilization.³⁰ The synthesis of $\text{g-C}_3\text{N}_4$ is usually performed from metal-free, oxygen-free, abundant and nitrogen-rich precursors, for example cyanamide,^{31,32} guanidine hydrochloride,^{33,34} melamine^{35–37} or cyanuric acid.³⁸ The process can be realized *via* several methods. Amongst them, thermal

condensation is the most common method for fabrication of bulk $\text{g-C}_3\text{N}_4$, which proceeds under inert atmosphere between 400 and 600 °C. Recently, other methods like chemical vapor deposition or electrochemical deposition were introduced for fabricating film or membrane $\text{g-C}_3\text{N}_4$.³⁹ The microwave method was utilized as well, *e.g.* to produce fluorescent $\text{g-C}_3\text{N}_4$.^{40,41} However, the type of the precursors and treatment can significantly influence the physicochemical properties of as-prepared $\text{g-C}_3\text{N}_4$. Compared to traditional semiconductors which have defined formulas, $\text{g-C}_3\text{N}_4$ represents a large family of materials with a variety of properties. For example, one way to obtain well-defined $\text{g-C}_3\text{N}_4$ is the utilization of a supramolecular precursor complex of cyanuric acid and melamine that already resembles the final $\text{g-C}_3\text{N}_4$ structure.^{42,43} As such, porosity,^{44–46} surface charge,⁴⁷ light absorption, photoluminescence, and band gap⁴⁸ can be tailored according to the needs. Recently, also the overall shape of $\text{g-C}_3\text{N}_4$ could be tuned *via* various synthetic methodologies, *e.g.* a control over precursor crystal structures/shapes.^{49–52} As summary, $\text{g-C}_3\text{N}_4$ seems to satisfy sustainability requirement as semiconductor by being metal free and synthesized from benign precursors, in addition it possesses tunable properties,



Markus Antonietti

Markus Antonietti is director of Colloid Chemistry of the Max Planck Institute of Colloids and Interfaces. Starting from polymer science, he now works on modern materials chemistry, with sustainable processes and materials are a central theme. Carbon and Carbon-Nitrogen Materials exert a special fascination to him. Besides being a devoted scientist and an academic teacher, he is a passionate chef specialized in fusion cuisine and plays in a Rock'n'Roll band.



Bernhard V. K. J. Schmidt

Bernhard V. K. J. Schmidt completed his PhD in 2013 with Prof. Barner-Kowollik at the Karlsruhe Institute of Technology and a PostDoc with Prof. Hawker at the University of California, Santa Barbara. Afterwards he joined the department of Prof. Antonietti at the Max Planck Institute of Colloids and Interfaces as a Group Leader. Recently, he was appointed as Lecturer in Synthetic Polymer Chemistry at the University of Glasgow. His research focusses on block copolymer self-assembly, metal-organic framework/polymer hybrid materials.

Bernhard V. K. J. Schmidt completed his PhD in 2013 with Prof. Barner-Kowollik at the Karlsruhe Institute of Technology and a PostDoc with Prof. Hawker at the University of California, Santa Barbara. Afterwards he joined the department of Prof. Antonietti at the Max Planck Institute of Colloids and Interfaces as a Group Leader. Recently, he was appointed as Lecturer in Synthetic Polymer Chemistry at the University of Glasgow. His research focusses on block copolymer self-assembly, metal-organic framework/polymer hybrid materials.



however it has some major drawbacks such as structural disorder, as well as being non-processable in bulk.


In that sense, a combination of carbon nitride with polymers seems to be a promising avenue for advanced materials (Scheme 1). Polymers can introduce processability (*e.g.* film formation) into materials as well as enhancing dispersibility. Moreover, a plethora of conducting polymers allows a fine tuning of electron transport process in materials. Therefore, polymers can be utilized to introduce new properties to $\text{g-C}_3\text{N}_4$ or to enhance existing properties (*e.g.* photocatalysis or conductivity). Likewise, incorporation of $\text{g-C}_3\text{N}_4$ into polymer materials is an avenue to tailor mechanical properties of the polymer, *e.g.* in the bulk or in hydrogels. Another promising property of $\text{g-C}_3\text{N}_4$ that is of significant interest for polymer science is its inherent property to form radicals under irradiation with visible light. As such it acts as photoinitiator and can be used for polymer synthesis (*e.g.* polymer particles) in a convenient way. Polymers and $\text{g-C}_3\text{N}_4$ have various points of contact, and by hybridization improved or novel materials properties can be synthesized.

In the following review, this combination is discussed. The research in recent years is divided into four parts. At first the photoinitiator properties of $\text{g-C}_3\text{N}_4$ and its application in various polymerization systems is discussed. Next, the dispersibility of $\text{g-C}_3\text{N}_4$ and polymer- or functionalization-based routes towards improved dispersibility are highlighted. As the main part, $\text{g-C}_3\text{N}_4$ /polymer hybrid and composite materials are presented with emphasis on H_2 evolution, photocatalysis, biosensors, electrochemical energy storage and solar cells, films, nano particles and polymer properties. Finally, the area of $\text{g-C}_3\text{N}_4$ -based hydrogels is introduced with a focus on mechanical properties as well as photocatalytic properties. The review is closed with a summary and discussion of future aspects.

2. Carbon nitride as polymerization initiator

Commonly, $\text{g-C}_3\text{N}_4$ has been employed as a highly active photocatalyst. As $\text{g-C}_3\text{N}_4$ features a suitable bandgap to absorb visible light, it generates electrons and holes under visible light irradiation. In these cases, the formation of reactive species (*e.g.*, $\cdot\text{OH}$, $\text{O}_2^{\cdot-}$, and HO_2^{\cdot} , or also CN-centered species) takes place, which is not only of interest for photocatalysis but for polymerization processes as well (Scheme 2). Therefore, two ways are depicted in Scheme 2 where $\text{g-C}_3\text{N}_4$ acts as initiator for photopolymerization, which is accompanied with various advantages. First of all, $\text{g-C}_3\text{N}_4$ polymerizations can be operated in the visible light region, which is a benign and abundant trigger. Several monomers were investigated for polymerization *via* $\text{g-C}_3\text{N}_4$ as photoinitiator, such as styrene,⁵³ methyl methacrylate (MMA),⁵⁴ α -methylene- γ -valerolactone (MeGVL),⁵⁵ methyl acrylate (MA).⁵⁶ On top, photopolymerizations have various useful features, like spatial and temporal control. Moreover, $\text{g-C}_3\text{N}_4$ is a heterogenous catalyst, which allows easy separation and recycling. Albeit, the conditions can be altered in a way that the growing polymer chains are grafted from $\text{g-C}_3\text{N}_4$ and as such recycling or separation is not straight-forward. In this case grafting polymers from $\text{g-C}_3\text{N}_4$ opens up various opportunities for hybrid material formation, which also broadens the utilization in bio-applications due to the inherent photoluminescent properties of $\text{g-C}_3\text{N}_4$.

As a proof of concept, Yagci and coworkers utilized $\text{g-C}_3\text{N}_4$ as visible light photoinitiator for free radical polymerization.⁵⁷ Mesoporous $\text{g-C}_3\text{N}_4$ (mpg- C_3N_4) was employed as heterogeneous visible light photoinitiator in the presence of tertiary amine as reactive co-initiator, conducting free radical polymerization with



Scheme 2 Schematic overview of $\text{g-C}_3\text{N}_4$ mediated photopolymerization and monomers used in the two approaches: utilization of $\text{g-C}_3\text{N}_4$ as recyclable photoinitiator *via* radical transfer to an amine compound (top) and $\text{g-C}_3\text{N}_4$ initiated grafting of polymers onto the initiator (bottom) (MMA: methyl methacrylate; BMA: benzyl methacrylate; MeGVL: α -methylene- γ -valerolactone; DMA: *N,N*-dimethylacrylamide; MA: methyl acrylate; HEMA: 2-hydroxyethyl methacrylate).



vinyl monomers such as methyl methacrylate (MMA). Based on the photoredox chemistry of mpg- C_3N_4 , the photopolymerization process was realized by exposing the monomer mixture to visible light in the absence of O_2 . The initiation mechanism is presumably the transfer of the CN-based hole and the amine. The photochemically formed holes oxidize amines to the corresponding radical cations which abstract hydrogen from another amine leading to the formation of initiating radicals. Moreover, mpg- C_3N_4 demonstrated enhanced activity in the polymerization process due to a larger external surface compared to non-porous bulk $\text{g-C}_3\text{N}_4$.

Recently, our group employed $\text{g-C}_3\text{N}_4$ as radical photoinitiator for emulsion photopolymerization.⁵⁸ Emulsions of aromatic monomers (styrene and benzyl methacrylate) and MMA in water were formed *via* $\text{g-C}_3\text{N}_4$ (cyanuric acid-melamine-derived $\text{g-C}_3\text{N}_4$ (CM) or 1-decene modified CM) as stabilizer. Subsequently, the mixture was exposed to visible light to conduct polymerization. Radicals were formed on the surface of $\text{g-C}_3\text{N}_4$. Kinetic studies and in-depth studies of the polymer particles indicated that the $\text{g-C}_3\text{N}_4$ surface acted as the reaction locus for polymer chain growth and particle formation. The polymerization mechanism was investigated by addition of hole or electron scavenger to the reaction system, respectively, and it was demonstrated that the emulsion photopolymerization was mainly initiated by the hole. Overall, very well-defined latexes were obtained, which was attributed to the fast nucleation of the latex particles. Moreover, compared to previous works, radicals were formed *via* holes on the $\text{g-C}_3\text{N}_4$ surface directly without co-initiator addition. The direct radical formation leads to crosslinked latex particles directly due to the multifunctionality of $\text{g-C}_3\text{N}_4$. Furthermore, our team has employed $\text{g-C}_3\text{N}_4$ as heterogeneous photocatalyst for free radical polymerization of MeGVL.⁵⁵ At first MeGVL is efficiently synthesized from renewable resources *via* continuous flow reaction from γ -valerolactone over hierarchical basic zeolite. MeGVL is structurally similar to methacrylic monomers, and further valorization of this compound *via* efficient polymerization demonstrates the ability to make novel biomass-derived polymer with significant industrial interest.

As a semiconductor, $\text{g-C}_3\text{N}_4$ possesses a quite high negative position of the conduction band, thus contributing to a high activity of oxygen capture and reduction. Meanwhile, the moderate oxidation potential of $\text{g-C}_3\text{N}_4$ efficiently prevents the decomposition of the prepared polymer by the photogenerated holes. Both effects play a crucial role in the photopolymerization process.^{59,60} Thus researchers introduced $\text{g-C}_3\text{N}_4$ as a promoter for electron transfer in reversible deactivation radical polymerization (RDRP). For example, Yagci and coworkers⁵⁶ utilized mpg- C_3N_4 as photoactivator for reduction of initially loaded copper(II) species, for the *in situ* formation of copper(I) species, which act as catalytic species in atom transfer radical polymerization (ATRP). Subsequently, polymerization was successfully conducted under sunlight or UV-light irradiation. It was shown that the light-induced electron transfer from $\text{g-C}_3\text{N}_4$ is due to the large reduction potential (E_{CB}) of -1.2 eV. Vinyl monomers such as, methyl acrylate (MA), MMA and styrene were successfully polymerized during the reaction with precise control on




Fig. 1 (a) Schematic overview over the mechanism of deoxygenation and photoinduced electron/energy transfer-reversible addition-fragmentation chain transfer (PET-RAFT) polymerization employing $\text{g-C}_3\text{N}_4$: (i) photoinduced activation of $\text{g-C}_3\text{N}_4$, (ii-iv) electron transfers from amine to $\text{g-C}_3\text{N}_4$, from $\text{g-C}_3\text{N}_4$ to O_2 , and from $\text{g-C}_3\text{N}_4$ to the trithiocarbonate (TTC), respectively; (v) initiation and chain propagation of monomers (M); and (vi) reversible degenerative chain transfer (RAFT process). (b) size exclusion chromatography (SEC) traces of PET-RAFT polymerization derived poly(methyl acrylate) (PMA) with different degree of polymerization (DP) (DP = 100, 200, and 400). (c) SEC traces of PMA-b-poly(n-butyl acrylate) (PBA) diblock copolymer product and precursor (Reprinted with permission.⁶¹ Copyright 2017 American Chemical Society).

molecular dispersity (D). A work reported by Qiao and coworkers introduced $\text{g-C}_3\text{N}_4$ /amine cocatalysts to a photoinduced electron/energy transfer (PET) oxygen-tolerant reversible addition-fragmentation chain transfer (RAFT) polymerization (Fig. 1).⁶¹ $\text{g-C}_3\text{N}_4$ was employed directly without prior deoxygenation of the reaction mixture to enable electron transfer from added tertiary amines (*i.e.* triethanolamine TEOA) to dissolved molecular oxygen. Thus, the trithiocarbonate (TTC) chain transfer agents were activated *via* oxygen reduction, followed by polymerization of acrylic species such as MA, *n*-butyl acrylate (BA) and water-soluble monomer *N,N*-dimethylacrylamide (DMA) (Fig. 1a). In the mechanism, molecular oxygen takes a prominent part in the photoredox cycle. Thus, benign reaction conditions under visible light, without deoxygenation of monomer solution, are achieved that are time consuming in the common case. Polymers with different polymerization degree could be achieved easily with this process as shown *via* size exclusion chromatography (SEC) (Fig. 1b). Moreover, block copolymers could be synthesized, *e.g.* PMA-b-PBA (Fig. 1c). Such PET-RAFT approach had merits of low toxicity, organic solvent tolerance and facile post-polymerization removal of the catalyst.⁶²

Very recently, our group conducted dithiol-ene click reactions between lignocellulosic biomass-derived 4-pentenoic acid (4-PEA) and different dithiols using $\text{g-C}_3\text{N}_4$ as photocatalyst.⁶³ Visible light induced click chemistry was utilized for the reactions between 4-PEA and 1,2-ethanedithiol (EDT), 2,2-(ethylene-dioxy)-diethanethiol (EDDT), and 1,4-benzenedimethanethiol (BDT) leading to polymers in high yields and purities in order to reduce the dependence on petroleum-derived monomers.

Moreover, g-C₃N₄ has been utilized as photoinitiator to fabricate g-C₃N₄-based polymer composites under light irradiation *via* a “grafting from” method, which is defined as chain growth *via* monomer propagation starting from a surface, *i.e.* here a g-C₃N₄ surface. As radicals are produced by g-C₃N₄ under visible light irradiation, the grafting occurs presumably *via* the presence of uncondensed -NH₂ or -NH groups at g-C₃N₄. These groups act as active sites to initiate polymer chain growth from g-C₃N₄ surface. In such a way, g-C₃N₄-based polymer hybrid materials are fabricated, with the firmly attachment of polymer on to g-C₃N₄ surface, which facilitates further applications.

Another area where g-C₃N₄ photoinitiation is widely utilized is hydrogel formation. For hydrogel formation the same initiation mechanisms are exploited, *i.e.* radicals are formed on the surface of g-C₃N₄ with phototreatment and g-C₃N₄ directly participates in the hydrogelation without electron transfer or co-initiator addition. The formation of hydrogels will be covered in detail in Section 5. Most notably, hydrogels could be formed without addition of external crosslinker, which indicates initiation from the g-C₃N₄ surface and covalent incorporation of g-C₃N₄ into the gel network.⁶⁴ As such, these findings support the mechanism found for g-C₃N₄ initiated polymerization without addition of radical transfer agent.

3. Carbon nitride dispersibility

A major issue for the application of g-C₃N₄ is its poor dispersibility of the pure material. As the strong van der Waals interactions (π - π stacking) of g-C₃N₄ sheets causes the agglomeration in the liquid phase. Thus, dispersibility in organic as well as aqueous environment is rather low,⁶⁵ and results in restricted applicability as well as activity.^{65,66} Especially the formation of thin (2–3 nm) semiconductor films are of great interest for optoelectronics and photovoltaics. However, to form such g-C₃N₄ films rather elaborate methods like chemical vapor deposition have to be utilized.^{67,68} A solution based process would be simpler and suitable for many real life applications, and therefore, attention has been addressed to enhance dispersibility of g-C₃N₄ powder. Several researchers focused on exfoliation of the bulk g-C₃N₄ into thin sheets, in which the electrostatic repulsion between g-C₃N₄ sheets can enable the formation of well-dispersed g-C₃N₄ colloids. Hence, stable dispersions of g-C₃N₄ can be prepared, yet the achievable concentration of dispersed g-C₃N₄ is rather low. A route to disperse g-C₃N₄ is *via* additives or physical treatment, *e.g.* *via* addition solvents in the dispersion step,^{69,70} hydrothermal treatment,⁷¹ chemical oxidation,⁷² thermal oxidation⁷³ or ultrasonication.⁷⁴ The other option is chemical modification *via* attachment of molecular moieties. On one hand, with the attachment of charged groups to the g-C₃N₄ surface, the stability of dispersed g-C₃N₄ nanosheets can be increased in aqueous environment *via* electrostatic repulsion. On the other hand, attachment of hydrophilic polymers can stabilize g-C₃N₄ in dispersion *via* steric repulsion in aqueous dispersion. In organic solvent, the dispersibility of g-C₃N₄ can be increased *via*

the attachment of organo soluble small molecules or polymers, where steric repulsion leads to enhanced stability of the dispersion.

A reported option is the complex formation with organic modified montmorillonite to facilitate enhanced stability in organic environment, which was utilized to form poly(styrene) (PS)/g-C₃N₄ composites.⁷⁷ Exfoliating g-C₃N₄ in 1,3-butanediol results in graphene-like g-C₃N₄ with around 2–6 layers of g-C₃N₄ with a thickness of *circa* 1–2 nm. However, ultrasonication for 24 hours and possibility to exfoliate only low amount of g-C₃N₄ is the drawback of the approach.³¹

Another functionalization route to enhance dispersibility of g-C₃N₄ is by pre-condensation or post-condensation. In the case of pre-condensation a specific monomer mixture is used, for example additional phenyl moieties are introduced into the system.⁷⁸ The utilization of a phenyl-functional precursor for g-C₃N₄ synthesis prevents growth of larger g-C₃N₄ sheets which results in quantum dot structure that possess enhanced dispersibility compared to traditional g-C₃N₄ sheets. Another approach is post-condensation functionalization that allows the introduction of various functional groups *via* chemical treatment, *e.g.* oligo(ethylene glycol) (oligoEG) (Fig. 2).⁷⁵ Well dispersed colloids (Fig. 2a) with high biocompatibility and bioimaging properties could be achieved in that way (Fig. 2b). As such Kim and coworkers firstly oxidized g-C₃N₄ *via* KMnO₄ and exfoliated it *via* ultrasonication, followed by covalent modification with monomesylated oligoEG. Attachment of oligoEG resulted in oligoEG-modified g-C₃N₄ sheets, which exhibited water dispersibility to be utilized for bioimaging. Oxygen plasma can be employed for introducing protonated hydroxylamine functional groups to g-C₃N₄ surface, which provides extreme hydrophilic character.⁷⁹ Other functional groups such as sulfonic acid,⁸⁰ hydroxyl⁸¹ or aromatic groups⁴⁸ can also be introduced for enhancing dispersibility of g-C₃N₄ sheets. However, alternative facile and less stringent routes to enhance dispersibility with high g-C₃N₄ solid content yields would be beneficial.

To improve dispersibility, we investigated solvent mixtures (Scheme 3a). The mixture of water and EG in equal volume enabled dispersion with significant g-C₃N₄ weight contents of up to 4 wt%, compared to a maximum of 0.6 wt% in pure water. g-C₃N₄ is a photoactive compound that is a semiconductor and thus forms electron/hole pairs *via* light irradiation. This feature was exploited to perform photo-initiated polymerization reactions (Scheme 3b). Thus, to improve dispersibility of g-C₃N₄ further, a polymerization approach was introduced *via* g-C₃N₄ photoinitiation. DMA was added to a g-C₃N₄ dispersion in EG/water and treated with visible light, which led to a weakly associated gel. The viscous gel was formed from PDMA grafted g-C₃N₄ and could be easily dispersed in water. In addition, such dispersions possess high stability (up to 2 months) due to steric stabilization of g-C₃N₄ colloids.⁸²

Furthermore, pre-formed ene end functionalized polymers could be grafted onto g-C₃N₄ as well (Scheme 3c, refer to Section 4 as well). A way to obtain dispersible-CN *via* a more exact approach that does not rely on polymerization was also studied. For that, the parent g-C₃N₄ is dispersed in aqueous or organic solution, an ene-compound is added, and the mixture subjected to visible







Fig. 2 (a) A photo of suspensions of oligo(ethylene glycol) (oligoEG)-grafted g-C₃N₄ in water showing the Tyndall effect (left) and fluorescence (right). (b) Confocal fluorescence microscopy image of RAW264.7 cells after incubation at different concentrations with the oligoEG-g-C₃N₄ nanodots (25, 50, and 100 µg mL⁻¹) for 24 h at 37 °C (Reprinted with permission.⁷⁵ Copyright 2018 John Wiley and Sons). (c) Allylamine-modified g-C₃N₄ in water (1 wt%) at acidic pH (pH = 4), observation of immediate precipitation after base addition (pH = 9), complete sedimentation after standing for 2 h, and redispersion after reacidification (pH = 4) (Reprinted with permission.⁷⁶ Copyright 2017 American Chemical Society).



Scheme 3 Approaches towards improvement of g-C₃N₄ dispersibility: (a) utilization of solvent mixtures (e.g. water/ethylene glycol (EG)), (b) grafting polymers from g-C₃N₄ via free radical polymerization, (c) grafting polymers to g-C₃N₄ via double bond containing preformed polymers and (d) photofunctionalization with ene containing small molecules.

light (Scheme 3d).⁷⁶ Due to the radical formation at the g-C₃N₄ surface, addition of the ene-compound takes place. To prevent polymerization of the added small molecule, allylic compounds were utilized as they possess no propagation tendency. Hence, the molecules are grafted on g-C₃N₄ directly. Notable, the modification of the g-C₃N₄ surface chemistry significantly influences the dispersion properties of g-C₃N₄. For example, 3-allyloxy-2-hydroxy-1-propanesulfonic acid sodium salt (AHPA) was grafted on g-C₃N₄ to improve water dispersibility with up to 10 wt% while stable dispersions were obtained, *e.g.* for 48 hours.

Grafting of 11-decene led to organo dispersibility of up to 2 wt% g-C₃N₄ in solvents like THF, DCM or toluene. In addition, pH-sensitive dispersibility could be introduced *via* allylamine that leads to dispersibility in acidic solution and precipitation at basic pH (Fig. 2c). Recently, methyl vinyl thiazole was grafted onto g-C₃N₄, which led to a significant improvement of organo dispersibility *via* an intrinsic electrostatic stabilization mechanism. The two components create an autonomous donor–acceptor type structure and enhance excited electron–hole separation.⁸³ Moreover, surface functionality has a profound effect on photocatalytic activity as well.



4. Carbon nitride/polymer hybrid materials

Polymers are playing a significant role in industry as well as daily life and are widely investigated. Especially, polymer materials with functional properties are of focal interest today, such as self-healing,⁸⁴ stimuli response,⁸⁵ biodegradability⁸⁶ or electrical conductivity.⁸⁷ A combination of traditional polymers with the novel metal-free semiconductor g-C₃N₄ materials is highly worthwhile (Scheme 4). g-C₃N₄ is widely investigated as a metal-free semiconductor, but poor processing inhibits a scale-up of utilization, which is an issue for applicability.^{88,89} A combination of g-C₃N₄ with polymers appears to be a useful solution,^{90,91} as properties of both material classes can be coupled *via* combination of the individual parts.⁹² Due to g-C₃N₄, photocatalytic, photoluminescence, as well as enhanced physical and mechanical properties are obtained, while the polymers bring improved processability or conductivity. There are several ways to fabricate g-C₃N₄/polymer hybrid materials (Scheme 4a). (1) Physical absorption or deposition, mostly prepared in the liquid phase. In the same way, one can also list blending of both materials. (2) "Grafting from" method, in which monomers are polymerized from the g-C₃N₄ surface. (3) "Grafting to" method that is based on chemical bond formation between reactive sites on g-C₃N₄ and active polymer end groups.


Such g-C₃N₄/polymer hybrid materials can be utilized for various applications as discussed in Section 4.1, *e.g.* photocatalytic H₂ evolution, photocatalysis, biosensors, electrochemical energy storage according to different type of the hybrids (Scheme 4b). As film and membrane materials are commonly

applied to electrochemical area and particles are mostly used in biosensors, Table 1 shows the summary of specific g-C₃N₄/polymer compositions and their application area as well as the specific enhanced properties and performance compared to the single component g-C₃N₄. In addition, polymers can be utilized to include g-C₃N₄ into specific material morphologies, *e.g.* spherical particles or thin films as presented in Section 4.2. Moreover, g-C₃N₄/hybridization enables the improvement of polymer properties, especially mechanical properties as shown in Section 4.3. As such, polymers and g-C₃N₄ can be utilized for mutual benefit. On one hand, polymers improve processing of g-C₃N₄ amongst other properties. On the other hand, g-C₃N₄ improves the properties of polymer materials, *e.g.* the mechanical properties.

A significant issue with polymer hybrids and composites is the compatibility of polymer and the mixed-in material. In the case of g-C₃N₄, favorable interactions are present in many cases. For example, g-C₃N₄ is prone to establish π - π interactions with polymers like PS or poly(benzyl methacrylate) (PBMA). On the other hand, g-C₃N₄ contains polar groups at the edges, which allows interactions (mostly hydrogen bonding) with polar polymers like PDMA or poly(2-hydroxyethyl methacrylate) (PHEMA).

4.1 Applications of g-C₃N₄/polymer hybrid materials

g-C₃N₄/polymer hybrids as photocatalysts for H₂ evolution and CO₂ reduction. One of the major applications of g-C₃N₄ for photocatalysis is their employment as visible-light-driven water splitting photocatalyst for H₂ evolution. Low conductivity and high recombination rates of photoinduced electrons and holes significantly limits the production of H₂ and merging g-C₃N₄ with conductive polymers is one of the efficient strategies to



Scheme 4 Approaches for polymer/g-C₃N₄ modification: (a) strategies of embedding g-C₃N₄ in polymers *via* blending, grafting as well as grafting/crosslinking approaches and (b) morphology types of g-C₃N₄/polymer hybrids, *i.e.* bulk materials, membranes, films and particles.



Table 1 Polymer modified $g\text{-C}_3\text{N}_4$ and their applications

Application area	Composition	Synthesis methods	Enhanced properties	Ref.
Hydrogen evolution	P3HT/Pt/g-C ₃ N ₄ /Au	Self-assembly	Efficient charge transfer, improved H ₂ evolution rate (320 $\mu\text{mol h}^{-1}$)	93
Hydrogen evolution	PPy/g-C ₃ N ₄	Ultrasonication	Efficient charge transfer, 50 times over $g\text{-C}_3\text{N}_4$	94
Hydrogen evolution	PAN/g-C ₃ N ₄	Thermal condensation	Efficient charge transfer, 37 $\mu\text{mol h}^{-1}$ (H ₂ evolution rate), 3.8 times over $g\text{-C}_3\text{N}_4$	95
Hydrogen evolution	P3HT/g-C ₃ N ₄	Physical absorption	Efficient charge transfer, 300 times over $g\text{-C}_3\text{N}_4$	96
Degradation of MB	PANI/g-C ₃ N ₄ /ZnO	In situ polymerization	Efficient charge transfer, 3.6 and 3.3 times over pristine $g\text{-C}_3\text{N}_4$	99
Degradation of MB	PANI/g-C ₃ N ₄	In situ polymerization	Efficient charge transfer, 5.1 times over $g\text{-C}_3\text{N}_4$	107
Degradation of MB	PANI/SP-g-C ₃ N ₄ (sulfur and phosphorous doped $g\text{-C}_3\text{N}_4$)	In situ polymerization	Efficient charge transfer, synergistic effect, maximum degradation (99.9%)	108
Degradation of RhB	PAN nanofibers/g-C ₃ N ₄	Electrospinning	Prevent agglomeration of powder $g\text{-C}_3\text{N}_4$	110
Oil and organic solvent capture	Acrylic resin/g-C ₃ N ₄	In situ polymerization	Improved capillary and penetration in interaction for oil absorption, ~33.5 g g ⁻¹ (toluene), ~20.6 g g ⁻¹ (DMF), 15 wt% (MCNFS)	111
CO ₂ reduction	1H ₄ H ₂ H ₂ H-perfluorodecanethiol/PGMA/g-C ₃ N ₄	Photo-induced chemical reaction	Improved mass transfer of CO ₂ by 34 times	97
CO ₂ reduction	Polymeric cobalt phthalocyanine/mpg-C ₃ N ₄	Electrospinning	Efficient charge transfer	98
Eliminating antibiotics	Poly(ethylene terephthalate) nanofibers/g-C ₃ N ₄	Hot-melt adhesive	Increased active sites, improved mass transfer and light absorption	113
Eliminating hexavalent chromium and antibiotics	Cellulose aerogel/polyester fibers/g-C ₃ N ₄	Blending	Improved mechanical strength and higher impact resistance	114
Eliminating antibiotics	Poly(ethylene terephthalate)/g-C ₃ N ₄	Electrospinning	Improved photocatalytic stability and reusability	115
Degradation of tetracycline (TC) hydrochloride	Polyester fiber/g-C ₃ N ₄	Hot-melt adhesive	Improved contact to contaminants, recycling performance and structural stability	116
Electrochemiluminescence biosensor	DexP/g-C ₃ N ₄	Blending	Wider linear response range (0.05 ng mL ⁻¹ to 100 ng mL ⁻¹), lower detection limit (17 pg mL ⁻¹)	122
Electrochemiluminescence biosensor	AuNF@PANI/g-C ₃ N ₄	In situ polymerization	lower limit of detection (1.7×10^{-9} M)	123
Fuel cell	PPy/g-C ₃ N ₄	In situ polymerization	Improved electro-conductive network, high sensitivity (645.7 $\mu\text{A mM}^{-1} \text{cm}^{-2}$) and lower detection limit (8.0 μM)	124
Proton exchange membrane for fuel cells	Poly(arylene ether ketone)s/g-C ₃ N ₄	Blending	Improved anion exchange, ionic conductivity, alkaline resistance and methanol permeability	161
Proton exchange membrane for fuel cells	PVP-phosphonated poly(2,6-dimethyl-1,4-phenylene oxide)/g-C ₃ N ₄	Solution casting	Improved proton conductivity (74.4 mS cm ⁻¹) and mechanical properties	133
Proton exchange membrane for fuel cells	PES-PVP/g-C ₃ N ₄	Blending	Improved proton conductivity (0.104 S cm ⁻¹) and power density (51.2 mW cm ⁻²)	134
Direct methanol fuel cells	Nafion/g-C ₃ N ₄	Blending	Enhances movement of hydronium ions	132
Direct methanol fuel cells	SPEEK/g-C ₃ N ₄	Solution-casting	Enhanced movement of hydronium ions	135
Vanadium redox flow battery	SPEEK/g-C ₃ N ₄	Solution-casting	Higher coulombic efficiency and improved cycling stability	139
Vanadium redox flow battery	SPEEK/g-C ₃ N ₄	Solution-casting	Higher coulombic efficiency and improved structure stability over 300 charge-discharge cycles	141
Lithium metal batteries	Nafion/g-C ₃ N ₄	Blending	Higher coulombic efficiency and energy efficiency	142
Supercapacitors	Bis(trifluoromethanesulfonimide) lithium salt/diethylene glycol dimethyl ether/g-C ₃ N ₄	Blending	Improved mechanical strength, interfacial resistance and battery stability	143
Supercapacitors	Camphor sulfonic acid/poly carbazole/g-C ₃ N ₄	Chemical oxidative polymerization	Improved charge transfer and structure stability (over 1000 cycles)	144
Supercapacitors	Cellulose/PPy/tubular/g-C ₃ N ₄	Self-assembly	Improved specific capacitance (158 F g ⁻¹)	145
Supercapacitors	PANI/g-C ₃ N ₄	In situ polymerization	Improved specific capacitance (79.8 F g ⁻¹) and capacitance retention (84.4%)	146
Solar cells	PEDOT:PSS/g-C ₃ N ₄	Self-assembly	Improved specific capacitance, 137 F g ⁻¹ (H ₂ SO ₄) and 200 F g ⁻¹ (Na ₂ SO ₄), improved cycling stability	147
Solar cells	Bulk-heterojunction polymer/g-C ₃ N ₄	Blending	Enhanced power conversion efficiencies, improved active layer conductivity and charge transfer	149

overcome these issues. Due to the excellent solubility, processability and long-term stability of polymer semiconductors, such hybrid materials can significantly improve the photoelectric properties of g-C₃N₄. The combination of g-C₃N₄ with conductive polymers, *e.g.* poly(3-hexylthiophene) (P3HT),⁹³ poly(pyrrole) (PPy)⁹⁴ or poly(aniline) (PANI),⁹⁵ is usually achieved *via* physical interactions, self-assembly or thermal deposition methods. As g-C₃N₄ possesses a stacked 2-dimensional (2D) structure and van der Waals interactions between g-C₃N₄ sheets, with the presence of -NH₂, -NH or -OH on the edge with a slight negative surface charge, physisorption of polymers to g-C₃N₄ surface *via* weak van der Waals or electrostatic interactions is enabled.

For example, Yan and coworkers combined P3HT and g-C₃N₄ by impregnating g-C₃N₄ with a chloroform solution of P3HT overnight, followed by evaporation of the solvent, which resulted in physical attachment of P3HT to g-C₃N₄ surface (Fig. 3a).⁹⁶ With the increased deposition of P3HT, a remarkable increase of H₂ evolution of 300 times was achieved utilizing Na₂S and Na₂SO₃ as electron donors. The improved catalytic activity was attributed to the enhanced electron conductivity after P3HT incorporation. Later, the same group established a g-C₃N₄/Au/P3HT/Pt layer structure using a self-assembly method.⁹³ A tight g-C₃N₄/Au conjunction was formed by photodeposition, then P3HT/Pt was combined with g-C₃N₄/Au due to the formation of Au–sulfur association between Au on g-C₃N₄ and sulfur in the P3HT structure. Thus, chemical bonds were used instead of physical adsorption to ensure a tight junction between the individual g-C₃N₄ and P3HT layers. Such layered structures were demonstrated to be efficient for the separation of photoinduced electron–hole pairs and for H₂ evolution.

Nevertheless, P3HT has the drawback of a limited processability in aqueous media, which is the preferred choice for g-C₃N₄ so far. An option to circumvent that problem is to switch to PPy, which possesses high stability in the oxidized state as well as high conductivity. For example, Chen and coworkers reported the loading of highly dispersed PPy nanoparticles onto the g-C₃N₄ surface *via* sonochemical approach in a physical attachment (Fig. 3b).⁹⁴ PPy-g-C₃N₄ suspension was treated with ultrasonication for 12 hours and drying at 80 °C. The addition of PPy nanoparticles showed no effects on the absorption edge of g-C₃N₄ but influenced the intensity of the g-C₃N₄ emission peak, indicating the more effective separation of photogenerated electrons and holes in PPy-g-C₃N₄ compared to pristine g-C₃N₄. The activity of H₂ evolution was dramatically improved with the increasing loading amount of PPy. Furthermore, graphitized-poly(acrylonitrile) (g-PAN) nanosheets were deposited on g-C₃N₄ *via* one step thermal condensation method as reported by Hao and coworkers (Fig. 3c).⁹⁵ Simple mixing of g-C₃N₄ precursors with PAN and thermal treatment under 650 °C led to graphitization of PAN. Thus, a layered structure of g-PAN/g-C₃N₄ was obtained. Compared to aggregated polymer morphologies, the g-PAN with aromatic conjugated structure possesses more reactive sites and short diffusion distance, which decreases the recombination rate of photogenerated charge carriers. Hence g-PAN acts as an effective electron transfer channel in the g-PAN/g-C₃N₄ composites and obviously enhanced the photocatalytic performance for H₂ evolution.

Very recently, hydrophobic polymer grafted g-C₃N₄ was employed as a three-phase photocatalyst for enhanced selectivity and activity of CO₂ reduction.⁹⁷ Hydrophobic 1H,1H,2H,2H-perfluorodecanethiol was utilized to modify poly(glycidyl methacrylate) (PGMA) grafted on CM (pDFe-PGMA/CM) *via* thiol-epoxy addition reaction. Subsequently, an *in situ* photoloading method was applied for loading Pt on the pDFe-PGMA/CM surface. A three-phase contact photocatalyst of CO₂ (gas), H₂O (liquid) and catalyst (solid) was fabricated to enable a high concentration of CO₂ molecules on the catalyst surface directly. Moreover, the mass transfer limitation of CO₂ was overcome due to the hydrophobic catalytic surface, which contributed to an enhanced CO₂ reduction reaction and suppressed hydrogen evolution reaction. The observed efficiency was about 34 times higher than commonly achieved by hydrophilic catalysts. Reisner and Roy showed an avenue to CO₂ reduction as well.⁹⁸ In their experiments, mpg-C₃N₄ was combined with a polymeric cobalt phthalocyanine catalyst. To obtain a good interfacial contact, 1,2,4,5-tetracyanobenzene together with Co²⁺ was polymerized directly in the presence of mpg-C₃N₄. A synergistic effect of CN porosity, solar energy harvesting and photosensitization facilitated remarkable activity of the phthalocyanine catalyst in CO₂ reduction under visible light.

g-C₃N₄/polymer hybrids as photocatalysts for water contamination degradation. In addition to H₂ evolution, other photocatalytic tasks can be performed with g-C₃N₄/polymer hybrids as well. g-C₃N₄/polymer hybrid materials show improved performance towards water contaminant degradation too.⁹⁹ For example, organic dyes like Methyl red, Congo red or methylene blue (MB)¹⁰⁰ are responsible for wastewater contamination, as they have been




Fig. 3 (a) A proposed mechanism of visible light-induced H₂ evolution on g-C₃N₄-poly(3-hexylthiophene) (P3HT) polymer composite photocatalysts (Reprinted with permission.⁹⁶ Copyright 2011 Royal Society of Chemistry). (b) The mechanism to understand the role of the dispersed poly(pyrrole) (PPy) nanoparticles in enhancing the photocatalytic activity of PPy-g-C₃N₄ for H₂ evolution (Reprinted with permission.⁹⁴ Copyright 2013 Royal Society of Chemistry.) (c) Illustration for the enhanced photogenerated charge carriers separation and transfer in graphitized-poly(acrylonitrile) (g-PAN)/g-C₃N₄ composites under visible light irradiation ($\lambda > 400$ nm) (Reprinted with permission.⁹⁵ Copyright 2014 American Chemical Society).



used for dyeing fabrics. Due to their high solubility in water, effective purification processes are needed as otherwise these dyes cause significant contamination in wastewater. Moreover, they act as easy recognizable substances to probe photocatalytic activity. Several strategies were attempted to degrade dyes so far, such as ion exchange, electrochemical treatment, adsorption, membrane separation and catalytic reduction.^{101–103} Amongst the approaches to degrade dyes in water, g-C₃N₄ based polymer hybrid composites *via* photocatalytic means show remarkable advantages such as being low-cost, ease of processability and recyclability as well as activity under visible light.^{104,105} Zhu and coworkers synthesized PANI nanofibers between g-C₃N₄ nanosheets by polymerizing aniline in the presence of ammonium persulfate (APS).¹⁰⁶ Coral-like PANI nanofibers were grown between g-C₃N₄ sheets as monomers were *in situ* polymerized on the surface of g-C₃N₄ to form a hydrogel material (Fig. 4a). Thus, a 3D hierarchical structure of the composite hydrogel was constructed with excellent contaminants degradation properties, 5.1-fold higher than that of pure g-C₃N₄ (Fig. 4b). In a similar way, Liu and coworkers fabricated PANI-g-C₃N₄ composite photocatalysts by *in situ* oxidative polymerization of aniline onto g-C₃N₄ powder in the presence of APS as initiator.¹⁰⁷ There, g-C₃N₄ was employed as a substrate and to serve as loci for monomer propagation and polymer chains propagated on the g-C₃N₄ surface. Finally, improved photodegradation properties toward MB were found due to the enhanced electron–hole separation induced by the synergistic effect between PANI and g-C₃N₄. Another hybrid material of PANI and g-C₃N₄ was synthesized by Prakash and coworkers, who used sulfur and phosphorous co-doped g-C₃N₄ (SP-g-C₃N₄) and covalently grafted PANI *via* oxidative polymerization. The SP-g-C₃N₄-grafted with PANI also featured a tuned band gap structure with extended light absorption. Hence, more active sites for photogeneration of charge carriers at the interfaces were formed. Moreover, PANI possesses unique electron and hole transport property and excellent chemical stability, which leads to an improved utilization of visible light. Therefore, the as-prepared metal-free nanocomposite showed

an outstanding photocatalytic activity for the degradation of MB.¹⁰⁸ Other water contamination can also be removed by g-C₃N₄/polymer composites. Qian and coworkers combined porous g-C₃N₄ foams with acrylic resin for efficient oil and organic solvent capture.¹⁰⁹ The g-C₃N₄/acrylic resin showed high adsorption capacity, fast capture rate and good recyclability toward removing oils and organic solvent from water.

A good way to improve efficiency of g-C₃N₄-based waste water remediation by improved transport engineering is the incorporation into fiber structures. The group of Chen fabricated visible light responsive nanofibers based on PAN dispersed g-C₃N₄ *via* electrospinning, to disperse g-C₃N₄ and immobilized by PAN fiber structure.¹¹⁰ The g-C₃N₄/PAN hybrids demonstrated efficient photocatalytic properties of Rhodamine B (RhB) degradation over a wide pH range and were recycled in a simple way. Othman and coworkers incorporated g-C₃N₄ into PAN nanofibers using electrospinning as well.¹¹¹ A liquid-permeable self-supporting photocatalytic nanofiber was fabricated, demonstrating 85% degradation capability for purification of oil contaminated water under visible light irradiation. Liu and coworkers utilized electrospun PAN nanofibers to immobilize a g-C₃N₄/BiOI heterojunction *via* a facile *in situ* synthesis strategy.¹¹² The efficient separation of the electron–hole pairs and strong absorption in the visible region of PAN/g-C₃N₄/BiOI hybrids resulted in superior photocatalytic activity in the degradation of RhB and toxic Cr(vi) ions under visible-light. Moreover, the film-like and self-supporting nanostructure enabled the hybrids for floating photocatalyst application.

An issue of growing interest is the removal of antibiotic contaminations in water, which can be tackled *via* g-C₃N₄ photocatalysis as well. For example, g-C₃N₄@poly(ethylene terephthalate) nanofibers were fabricated using poly(ethylene terephthalate) as a support and polyethylene glycol (PEG) as a porogen *via* electrospinning,¹¹³ which is beneficial for catalyst–substrate contact. This work demonstrated high photocatalytic activity for the degradation of antibiotics such as sulfaquinoxaline and sulfadiazine under solar irradiation. Polyester fibers (from poly(ethylene terephthalate))




Fig. 4 (a) Schematic plot of the preparation of poly(aniline)/g-C₃N₄ nano sheet (PANI/CNNS) composite hydrogel from bulk g-C₃N₄ (BCN). (b) Photocatalytic degradation of Methylene Blue (MB) in flow system (1.0 L s⁻¹ flow rate, 200 mg catalyst, 1 × 10⁻⁵ mol L⁻¹ MB) (Reprinted with permission.¹⁰⁶ Copyright 2016 John Wiley and Sons).



were utilized to support cellulose (CA) containing nanosheet g-C₃N₄ in another work as well,¹¹⁴ aerogel g-C₃N₄@CA/poly(ethylene terephthalate) for enhanced photocatalytic activity towards the removal of hexavalent chromium and antibiotics, simultaneously. Chen and coworkers used poly(ethylene terephthalate) as support for g-C₃N₄ *via* electrospinning and subsequently hydrothermal treatment, which enabled the exposure of g-C₃N₄ on the poly(ethylene terephthalate) surface, avoided aggregation and improved recyclability.¹¹⁵ Low melting sheath-core composite polyester fibers were immobilized with g-C₃N₄ to induce recyclability as well as enhanced photocatalytic degradation capability.¹¹⁶

g-C₃N₄/polymer hybrids as photocatalysts for sterilization. The combination of polymers and g-C₃N₄ leads to improved antibacterial performance. In addition to the antibacterial properties of g-C₃N₄,¹¹⁷ polymer fibers improve recyclability and sterilization ability as well. Zhang and coworkers fabricated self-cleaning and antibacterial membranes *via* filtering g-C₃N₄ nanosheets onto PAN porous substrates.¹¹⁸ The membrane showed high water permeability ($11.7 \text{ L m}^{-2} \text{ h}^{-1}$) and good antibacterial activity. Moreover, the g-C₃N₄/PAN membrane preserved its original permeability, *e.g.* rejecting dyes, and the surface was close to its initial color after three cycles *via* post treatment under visible light irradiation. A poly(ether sulfone) (PES) microfiltration membrane was combined with g-C₃N₄ and Ag₃PO₄ by Vatanpour and coworkers.¹¹⁹ Significant antifouling behavior was observed that was ascribed to the synergistic effects of photocatalytic activity, hydrophilicity and porosity.

g-C₃N₄/polymer hybrid materials for biosensors. Although the formation of g-C₃N₄ hybrids has been widely investigated, the applications of g-C₃N₄ in the field of sensing are still in the initial stage. Since the first report of the cathodic electro-chemiluminescence (ELC) behaviors of g-C₃N₄ nanosheets,¹²⁰ it has attracted an increasing attention as a promising lumino-phore candidate for ELC biosensor systems. Especially as g-C₃N₄ presents many favorable advantages, such as non-toxicity, excellent biocompatibility, high thermal and chemical stability,^{53,121} polymer functionalized g-C₃N₄s are investigated for improving the sensitivity and selectivity of ECL sensors. A combination of g-C₃N₄ with phenoxy dextran (DexP) and bovine serum albumin was applied to obtain a ECL sensor for concanavalin A by Wei and coworkers.¹²² In this study, DexP and g-C₃N₄ nanocomposites were fabricated *via* simple overnight stirring to induce physical adsorption *via* π - π stacking between g-C₃N₄ and DexP. Later, biosensor performance was investigated, and it was shown that the DexP-g-C₃N₄ composites not only serve as an excellent ECL signal probe, but also form specific carbohydrate-Con A interaction, which demonstrated a novel sandwich-type scheme with a signal-on ECL detection strategy. Chen and coworkers introduced PANI to the g-C₃N₄ sheet structure by an *in situ* deposition oxidative polymerization using APS as initiator, then gold nanoflowers (AuNF) were *in situ* formed on the g-C₃N₄-PANI composite to achieve AuNF@g-C₃N₄-PANI hybrids.¹²³ The hybrid components were utilized for ECL biosensor construction, showing high sensitivity and low limit of detection for dopamine. Hence the sensors might be a potential material for determination of dopamine in the field of clinical disease diagnosis. Kim and

coworkers attached cylindrical spongy shaped PPy onto protonated g-C₃N₄ (g-C₃N₄H⁺) *in situ* using oxidative polymerization.¹²⁴ Cholesterol oxidase (ChOx) was immobilized on the as-prepared nanohybrids to construct cholesterol biosensor electrodes. Various features were demonstrated, *e.g.* long-term stability and good selectivity for cholesterol detection during electrochemical characterization. Wei and coworkers presented a CdS/PPy/g-C₃N₄ aptasensor for adenosine detection.¹²⁵ Therefore, a SH-aptamer was adsorbed on CdS/PPy/g-C₃N₄ modified electrodes that formed bioaffinity complexes with adenosine. The readout of photocurrent changed according to adenosine concentration in a linear fashion in the range of 0.3 nmol L⁻¹ to 200 nmol L⁻¹.

g-C₃N₄/polymer nanocomposites applied in electrochemical energy storage and solar cells. Electrochemical energy storage and energy generation is one of the major current research areas. Hence, also g-C₃N₄ has found its way into materials for fuel cells, batteries and solar cells. Fuel cells are one of the main devices that can convert chemical into electrical energy. In particular, polymer electrolyte membrane fuel cells (PEMFCs) are of interest for electrochemistry and polymer chemistry. Commonly utilized polymers include poly(benzimidazole) (PBI),¹²⁶ poly(vinyl pyrrolidone) (PVP),¹²⁷ PVP-poly(vinyl alcohol) (PVP-PVA)¹²⁸ or PVP-PES.¹²⁹ However, PEMFC research faces several challenges. For example, high cost, low durability and degradation of PEMFCs, which are due to the instability of membrane materials, seriously inhibit the widespread utilization of the technique.^{130,131} Regarding these challenges, researchers introduced g-C₃N₄ nanosheets to the polymer matrix.¹³² One particular reason to employ a combination with g-C₃N₄ is its decent thermal stability with chemical bond energy of C-N and C=N of 305 kJ mol⁻¹ and 615 kJ mol⁻¹, respectively.¹³³ Another reason is that the amino (-NH₂) and imino (-NH) groups of g-C₃N₄ can interact with acid groups in the polymer matrix, which leads to enhancement of the Grothuss-mechanism proton transfer. For instance, Zhou and coworkers blended PVP-phosphonated-poly(2,6-dimethyl-1,4-phenylene oxide) (PVP/pPPO) with g-C₃N₄ nanosheets *via* a solution casting method,¹³³ by mixing a certain amount of g-C₃N₄ in 70% PVP/pPPO solution, then the solution was casted onto a glass plate to obtain the nanocomposite membranes. Improved proton conductivity and mechanical properties were realized due to the proton accepting sites provided by NH₂ and the interaction of g-C₃N₄ with polymer chains, thus leading to higher proton conductivity (74.4 mS cm^{-1}) and power density (294 mW cm^{-2}) at 180 °C with a content of g-C₃N₄ nanosheets of 5 wt%.

To improve the proton conductivity of PA doped PES-PVP membrane material, Lu and coworkers introduced g-C₃N₄ nanosheets to the polymer composite matrix through a blending method (Fig. 5).¹³⁴ The as-prepared nanocomposites have shown a significantly improved proton conductivity of 0.104 S cm^{-1} and power density of 512 mW cm^{-2} with 0.5% content of g-C₃N₄. Meanwhile, due to the physical reinforcement effect of 2D g-C₃N₄ nanosheets, the mechanical properties of the composite membranes were enhanced compared to PES-PVP without g-C₃N₄. Jiang and coworkers introduced g-C₃N₄ nanosheets to sulfonated poly(ether ether ketone) composites (SPEEK),¹³⁵ exhibiting a 68% increase of tensile strength of nanocomposite membranes with






Fig. 5 The preparation and proton conductivity mechanism of the $\text{g-C}_3\text{N}_4$ incorporated PES-PVP composite membranes. (PVP: poly(vinyl pyrrolidone); PES: poly(ether sulfone)) (Reprinted with permission.¹³⁴ Copyright 2019 Elsevier.)

$\text{g-C}_3\text{N}_4$ content of 0.5 wt% due to the intrinsic mechanical stability of $\text{g-C}_3\text{N}_4$ nanosheets and favorable interfacial interactions of $\text{g-C}_3\text{N}_4$ nanosheets with the SPEEK matrix. The $\text{g-C}_3\text{N}_4$ /SPEEK composites were applied to PEMFCs demonstrating a 39% increase in maximum power density at a $\text{g-C}_3\text{N}_4$ content of 0.5 wt%.

Other energy storage devices such as vanadium redox flow battery (VRB), lithium metal batteries and supercapacitors were also combined with $\text{g-C}_3\text{N}_4$ for improved stability and battery efficiency. Particularly, for VRB, sulfonated aromatic polymers such as SPEEK,¹³⁶ sulfonated poly(sulfone) (SPSF)¹³⁷ or sulfonated polyimide (SPI)¹³⁸ are widely used for fabrication of membranes due to excellent proton conductivity and mechanical properties.

However, improved proton conductivity and ion selectivity are still required. Incorporation of $\text{g-C}_3\text{N}_4$ regulates the interfacial interaction of the membrane materials, thus the ion selectivity, and vanadium ion permeation and structure stability could be effectively controlled.^{139–141} Xiang and coworkers introduced $\text{g-C}_3\text{N}_4$ nanosheets into a Nafion matrix membrane to reduce vanadium ion crossover (Fig. 6a).¹⁴² Crosslinking interaction between Nafion matrix and $\text{g-C}_3\text{N}_4$ nanosheets efficiently induced the shrinkage of the Nafion membrane (Fig. 6b and c), resulting in a lamellar structure, thus the vanadium ion crossover is significantly reduced. An improved coulombic efficiency of 97% and energy efficiency of 85% at a current density of 80 mA cm^{-2} was achieved (Fig. 6d). Moreover, Li and coworkers proposed a lightweight polymer-reinforced electrolyte based on $\text{g-C}_3\text{N}_4$ mesoporous microspheres as electrolyte filler in lithium metal batteries.¹⁴³ Due to the high mechanical strength and nanosheet-built hierarchical structure of $\text{g-C}_3\text{N}_4$, this electrolyte can effectively suppress lithium dendrite growth during cycling. The Li/Li symmetrical cell based on this electrolyte exhibited a long-term cycling of at least 120 cycles with a high capacity of 6 mA h cm^{-2} . Additionally, $\text{g-C}_3\text{N}_4$ was embedded onto conductive polymers as an efficient electrode material for supercapacitors to improve electrochemical and mechanical stability.^{144–146} Yang and coworkers prepared a novel electrode material for supercapacitors composed of poly(3,4-ethylenedioxythiophene) (PEDOT):poly(styrenesulfonate) (PSS) and $\text{g-C}_3\text{N}_4$ by the layer-by-layer assembly method.¹⁴⁷ Compared with pure PEDOT, the PEDOT/ $\text{g-C}_3\text{N}_4$ composite demonstrated excellent electrochemical stability in neutral electrolyte and enhanced electrochemical performance of capacitance of 137 F g^{-1} in H_2SO_4 and 200 F g^{-1} in Na_2SO_4 , respectively.




Fig. 6 (a) Proton and vanadium ion transport behaviors of the Re-N/CN(x) composite membrane. (b) Tensile strength and (c) swelling ratio of the composite Re-N/CN(x) membranes with various amounts of $\text{g-C}_3\text{N}_4$ nanosheets compared to that of Re-Nafion membranes. (d) Single battery efficiency performance. Coulombic efficiency (CE), voltage efficiency (VE), and energy efficiency (EE) at current densities of $80\text{--}200 \text{ mA cm}^{-2}$ of the Vanadium redox flow battery (VRB) with the Re-N/ $\text{g-C}_3\text{N}_4$ (0.2) membrane compared to those of the VRB with the Re-Nafion membrane and the commercial Nafion 212 membrane (Reprinted with permission.¹⁴² Copyright 2018 Royal Society of Chemistry).



Additionally, few studies reported the combination of g-C₃N₄ with polymers for solar cell utilization.¹⁴⁸ Yang and coworkers for the first time introduced g-C₃N₄ quantum dots (C₃N₄QDs) into the active layer of bulk-heterojunction (BHJ) polymer solar cells (PSCs).¹⁴⁹ Solution-processable C₃N₄QDs were prepared by acid treatment of bulk g-C₃N₄, followed by a solvothermal treatment. Finally, they were doped to the active layers of the PSC with a doping ratio of 0.2 mg mL⁻¹. The different active layers of the C₃N₄QDs doped BHJ-PSC device demonstrated an obvious enhancement of power conversion efficiencies from 17.5% to 11.6%, depending on the utilized active layer compared to the reference device in the absence of C₃N₄QDs. The effect of C₃N₄QDs on surface morphology, optical absorption, PL properties as well as charge transfer properties was specifically studied, hence the mechanism for such efficiency enhancement was proposed. Very recently, following our recent discovery of modifying g-C₃N₄ with 4-methyl-5-vinylthiazole (vTA), in which the grafting of vTA led to spontaneous polarization and migration of negative charges on thiazole rims whereas g-C₃N₄ remained positive. Thus significantly influencing the electron transport process,⁸³ which was exploited in another work of our group that applied vTA-grafted g-C₃N₄ nanosheets (g-C₃N₄-vTA) as interfacial transporting layers (ETLs) for inverted perovskite solar cells (PVSCs).²⁹ Homogenous films of g-C₃N₄-vTA were formed *via* facile spin-coating on two different layers to study the influence of g-C₃N₄-vTA on the electronic properties of methylammonium lead iodide based PVSCs. The implementation of g-C₃N₄-vTA enabled interface enhancement *via* suppression of charge recombination, achieving 1.09 V in V_{oc} and a rise to 20.17 mA cm⁻² in short circuit current. Besides, enhanced carrier collection due to the extra light absorption at short wavelengths was observed. Moreover, the introduction of g-C₃N₄-vTA as alternative interface layer featured metal-free, cheap and benign photophysical properties with high tenability.

4.2 g-C₃N₄/polymer hybrids for designed material morphologies

g-C₃N₄/polymer hybrid film materials. As g-C₃N₄ is a very promising photocatalytic material, application of g-C₃N₄ in films is of significant interest,⁶⁷ especially in the utilization of solar cells,¹⁵⁰ sensors¹⁵¹ or in ionic transport.^{25,152} Nevertheless, common methods of film formation and processing, *e.g.* spin coating or inkjet printing,¹⁵³ have been achieved with minor success only for a longer time, which is to a large extent due to the limited colloidal dispersibility of g-C₃N₄ and necessity of harsh processing conditions.¹⁵⁴ Thus several studies investigated formation of g-C₃N₄ film materials.⁶⁸ One effective strategy is to combine g-C₃N₄ with polymers for improved dispersibility and processability. In such a way, thin films and coatings based on g-C₃N₄ could be fabricated, which enables processing of g-C₃N₄ and access to novel applications. One way for such combination is “grafting to”, which used surface functionalities on g-C₃N₄ (*e.g.* -NH₂, -NH or -OH) for amide formation or hydrogen bond formation. The other way is “grafting from” method, which was described above (Section 3).

For example, Hu and coworkers fabricated a series of sodium alginate (SA) nanocomposite films with different g-C₃N₄ loading

levels *via* casting technology.¹⁵⁶ A physical adsorption method was utilized here to fabricate SA/g-C₃N₄ composites, SA and g-C₃N₄ mixture were ultrasonicated at 40 °C to form hydrogen bonds between -OH on SA and uncondensed -NH₂ on g-C₃N₄. Subsequently, the mixture was poured onto a transparent flat dish and left undisturbed for 36 h at 40 °C. The hydrogen bonding behaviour, thermal stability and mechanical performance of the g-C₃N₄/SA film were studied. Recently, our group investigated a “grafting to” method to graft allyl-end functionalized polymers onto g-C₃N₄ under visible light irradiation (Fig. 7). Decene end functionalized PMMA, poly(isobornyl methacrylate) (PIBA) and PGMA were firstly synthesized *via* ATRP.¹⁵⁵ In the next step the polymers were mixed with g-C₃N₄ dispersed in THF and irradiated with visible light to form a covalent bond. The as-prepared polymer/g-C₃N₄ with different grafting density could be easily processed for fabrication of polymer/g-C₃N₄ film by dispersing the composites in THF and spin coating on glass slides (Fig. 7b). As such, smooth thin polymer/g-C₃N₄ films with thicknesses in the range of 60 nm were obtained (Fig. 7c). In addition, the PGMA-based materials could be further modified *via* nucleophilic ring-opening of the epoxides with thiol compounds (Fig. 7d). In such a way, sodium 2-mercaptopethanesulfonate or 1H,1H,2H,2H-perfluorodecanethiol were further grafted on the g-C₃N₄-brushes, which led to significant changes in surface hydrophilicity as shown *via* contact angle measurements after film formation.

Another work from our group described a g-C₃N₄-based polymer thermoset coating, and thicker films were obtained *via* a prepolymer route, which is similar to already discussed g-C₃N₄-PDMA prepolymers.¹⁵⁷ In this case, a prepolymer of PHEMA on g-C₃N₄ was formed in EG/water mixture that led to the formation of a viscous precursor material composed of PHEMA grafted g-C₃N₄, EG and water. The viscosity of the precursor was tuned in way that injectable material was obtained. As such, the precursor could be applied to various surfaces, including PS, wood and copper, with spatial control. After addition of citric acid and film formation on a glass slide, crosslinking was performed *via* heating. The so-formed thermosets formed smooth hydrophobic coatings that could be used for further processing. As the g-C₃N₄ in the coating retains its photoactivity, PDMA or PS could be modified to the surface *via* the “grafting from” method to tailor the surface polarity, as shown *via* contact angle measurements. Moreover, the photoactive surfaces could be used in dye degradation experiments as well as photoelectrochemistry.

g-C₃N₄/polymer nanoparticle composites. A very common and useful structure in polymer and materials science are latexes based on nanoparticles. Therefore, research regarding the introduction of g-C₃N₄ into or onto polymer particles is another major topic. As it was found that g-C₃N₄ can act as emulsifier to stabilize oil in water (o/w) emulsions,^{30,158} one way to fabricate g-C₃N₄/polymer nanoparticles is to utilize g-C₃N₄ as stabilizer in a Pickering emulsion polymerization.¹⁵⁹ The approach was utilized by Li and coworkers to form g-C₃N₄ based latexes.⁵³ Pickering emulsion polymerization was conducted using g-C₃N₄ as stabilizer and potassium persulfate (KPS) as initiator.




Fig. 7 (a) Overview for atom transfer radical polymerization and grafting of polymer brushes onto $\text{g-C}_3\text{N}_4$ under visible light irradiation, (b) thermogravimetric analysis of cyanuric acid-melamine-derived $\text{g-C}_3\text{N}_4$ (CM) precursor and ene-polymer grafted CM, (c) atomic force microscopy profile of spin coated poly(isobornyl acrylate)(PIBA)/CM film, (d) modification of poly(glycidyl methacrylate)(PGMA)/CM via thiol-addition mediated epoxy ring-opening, with sodium 2-mercaptoethanesulfonate and 1H,1H,2H,2H-perfluorodecanethiol, respectively (Licensed under CC-BY).¹⁵⁵

Hence, monodisperse PS microspheres with tunable size down to the 100 nm diameter region, surface charge and morphology were obtained. Herein, $\text{g-C}_3\text{N}_4$ located in the continuous phase and adhered to the monomer droplet surface forming a network structure preventing the emulsion from coalescence. The as-prepared PS/ $\text{g-C}_3\text{N}_4$ possessed photoluminescence properties owing to the existence of $\text{g-C}_3\text{N}_4$ sheets, and both $\text{g-C}_3\text{N}_4$ and PS latex showed excellent biocompatibility during standard MTT assays. Nanoparticles were incubated with HeLa cells for 12 h and observed with confocal laser scanning microscopy. The particles were internalized by HeLa cells, indicating that the fluorescent PS/ $\text{g-C}_3\text{N}_4$ hybrid particles are promising materials for bioimaging. Recently, sialic acid was introduced into the $\text{g-C}_3\text{N}_4$ stabilized Pickering polymerization system, which is an important indicator of some types of cancer. The $\text{g-C}_3\text{N}_4$ contained and sialic acid-imprinted polymer nanoparticles exhibited good biocompatibility and excellent targeted image of DU 145 cells (sialic acid-overexpressed surface).¹⁵⁹

Additionally, as discussed in Section 2, $\text{g-C}_3\text{N}_4$ can effectively produce radical species under visible light irradiation, thus polymerization can be conducted on $\text{g-C}_3\text{N}_4$ and $\text{g-C}_3\text{N}_4$ /polymer nanocomposites can be obtained. For example, Weber and coworkers reported the formation of $\text{g-C}_3\text{N}_4$ -based PBA composites *via* an aerosol polymerization process (Fig. 8a).¹⁶⁰ Spherical mesoporous $\text{g-C}_3\text{N}_4$ (SMCN) was initially prepared with mesoporous silica nanoparticles as template (Fig. 8b), then monomer was continuously added *via* the gas phase and polymerized in proximity of $\text{g-C}_3\text{N}_4$ *via* photoinitiation under UV light irradiation. Later, spherical $\text{g-C}_3\text{N}_4$ /polymer composite particles (Fig. 8c) were obtained without solvent or surfactant. Such a strategy is suitable for fabrication of spherical nanocomposites with hydrophobic polymers. The as-prepared mesoporous CN acts not only as photoinitiator but also as filler and template.

Very recently, our team attempted to utilize $\text{g-C}_3\text{N}_4$ as emulsifier and photoinitiator at the same time to conduct emulsion




Fig. 8 (a) Initiation mechanism of the photopolymerization using spherical mesoporous $\text{g-C}_3\text{N}_4$ (SMCN) in the presence of the methyl diethanolamine (MDEA) as co-initiator. (b) SEM image of SMCN replicas. (c) SEM image of PBA-SMCN composites produced by aerosol-photopolymerization (Reprinted with permission.¹⁶⁰ Copyright 2016 American Chemical Society).

photopolymerization.⁵⁸ Herein, the emulsion photopolymerization of styrene was studied with non-functionalized $\text{g-C}_3\text{N}_4$, which led to PS latexes with particle diameters around 170 nm. Nevertheless, no satisfying MMA latexes could be obtained that way albeit BMA formed latexes with narrowly distributed particle sizes. Apparently, the monomer structure has a significant impact on the polymerization process, *i.e.* the interactions of monomer and $\text{g-C}_3\text{N}_4$ seem to play a significant role to create the particle nucleation site. It is very likely that styrene and BMA feature enhanced interactions



with $\text{g-C}_3\text{N}_4$ due to π - π interactions, while MMA interacts to a lesser extent. Notably, the utilization of decene-functionalized $\text{g-C}_3\text{N}_4$ enabled the formation of PMMA latexes, probably due to the improved interaction of the initiating stabilizer with the monomer. The formed latexes feature polymer particles that incorporated $\text{g-C}_3\text{N}_4$ and were crosslinked directly. The specific location of $\text{g-C}_3\text{N}_4$ was investigated, demonstrating that $\text{g-C}_3\text{N}_4$ nanosheets ranging from 50–100 nm appeared to be inside of the latex with STEM tilt observation, and small pieces attached outside of latexes with a negative surface charge that grants a stable emulsion latex/ $\text{g-C}_3\text{N}_4$ composite. The combination of the traditional PS latex with the outstanding features of environmentally friendly $\text{g-C}_3\text{N}_4$ provides novel polymer composites with multifunctional modern applications, *e.g.* in bioimaging or 3D printing.

4.3 Improved properties of polymer materials *via* combination with $\text{g-C}_3\text{N}_4$

It is reported that hybridizing $\text{g-C}_3\text{N}_4$ and polymers on one side significantly improves surface and photocatalytic properties of $\text{g-C}_3\text{N}_4$, on the other side also enhances the thermal and mechanical properties of polymers as well as surface properties.^{162–164} Few studies reported that the introduction of $\text{g-C}_3\text{N}_4$ to polymers also lead to the improvement of mechanical properties of polymers.¹⁶⁵ Myllymaa and coworkers deposited Si-doped CN (CN-Si) on poly(propylene) (PP) disc samples *via* pulsed laser deposition.¹⁶⁶ The coating of CN-Si can significantly convert the PP surface from being hydrophobic to hydrophilic, leading to enhanced adherence of Saos-cells on PP. Hu and coworkers reported a mix of PP-grafted maleic anhydride (PP-g-MA) with $\text{g-C}_3\text{N}_4$ by refluxing the mixture for 4 hours in xylene.¹⁶⁷ It was reported that the incorporation of $\text{g-C}_3\text{N}_4$ with PP-g-MA significantly improved the storage modulus, *i.e.* 2445 MPa for neat PP-g-MA and 2784 MPa for pp-g-MA/ $\text{g-C}_3\text{N}_4$, respectively. Moreover, optical results showed that the hybrid materials possessed fascinating UV absorption. Cai and coworker introduced $\text{g-C}_3\text{N}_4$ as reinforcing filler for wood plastic compositions (WPCs), pp-g-MA was added as a coupling agent to increase the interaction between different components.¹⁶⁸ The tensile modulus indicating an increase of 143% with $\text{g-C}_3\text{N}_4$ contents of 5 wt%, and the thermal tests demonstrated that the degradation temperature shifted to higher values after $\text{g-C}_3\text{N}_4$ addition. Lin and coworker fabricated $\text{g-C}_3\text{N}_4$ /poly(vinyl alcohol) (PVA) nanocomposites by solution casting using water as solvent, demonstrating that the $\text{g-C}_3\text{N}_4$ could be well dispersed in PVA matrix.¹⁶⁹ The introduction of $\text{g-C}_3\text{N}_4$ nanosheets increased the glass transition temperature and crystallinity of the nanocomposites, leading to improved mechanical performance with \sim 71% enhancement of tensile strength.¹⁶⁹ Very recently, Guo and coworkers synthesized $\text{g-C}_3\text{N}_4$ on carbon fiber surfaces *in situ* in order to enhance interfacial properties of carbon fiber reinforced epoxy resin composites.¹⁷⁰ The $\text{g-C}_3\text{N}_4$ on the carbon fiber surface greatly increased the roughness, the content of polar functional groups and wettability of carbon fibers. Thus, significant enhancement of interfacial properties of the composites was obtained.

5. Carbon nitride-based hydrogels

Hydrogels constitute an important class of polymeric materials due to their unique features such as swelling properties or soft character while being shape persistent.¹⁷¹ Consisting of a cross-linked hydrophilic network, hydrogels contain significant amounts of water. Their similarity to natural tissues is another important point for the frequent investigation of hydrogels, especially when biomedical applications like tissue-engineering or drug-delivery are targeted.^{172,173} Other discussed applications comprise actuators,¹⁷⁴ self-healing,¹⁷⁵ absorption of contaminants¹⁷⁶ or shape-memory materials.¹⁷⁷ Commonly, hydrogels possess rather weak mechanical properties but research has introduced reinforced hydrogels with partly extraordinary properties. For that, several methods are utilized, *e.g.* double network hydrogels,^{178,179} topological (slide-ring) gels,^{180,181} nanofiber reinforced hydrogels¹⁸² or the introduction of charged supports.^{183–185} Especially, the introduction of particles as reinforcer provides increased stress dissipation, in some cases charge-charge repulsion between the single filler particles or sheets leads to an additional stabilization especially against compression.²⁰ One common example are clay nanosheets that combine ionic interaction and hydrogen bonding with polymeric chains acting as additional crosslinking points.^{186–188}


As mentioned before, $\text{g-C}_3\text{N}_4$ can be utilized as photoinitiator for polymerization reactions. As such $\text{g-C}_3\text{N}_4$ can be utilized as well for the formation of hydrogels under visible light. Most notably, these hydrogels incorporate $\text{g-C}_3\text{N}_4$, which might have various effects on materials properties.¹⁸⁹ For example, $\text{g-C}_3\text{N}_4$ -based hydrogels feature remarkable mechanical properties like compressibility and high storage moduli as discussed in Section 5.1. In addition, $\text{g-C}_3\text{N}_4$ -based hydrogels retain the photocatalytic properties of $\text{g-C}_3\text{N}_4$, which allows utilization in contaminant degradation or H_2 evolution (Section 5.2). Besides the formation of hydrogels *via* covalent bonds, $\text{g-C}_3\text{N}_4$ can be utilized in supramolecular hydrogels as well as blended into hydrogel scaffolds to improved mechanical properties for instance, which is discussed in Section 5.3.

5.1 Hydrogels with tailored mechanical properties

It was already stated that the photoactive properties of $\text{g-C}_3\text{N}_4$ enable the formation of radicals in aqueous dispersion.¹⁹⁰ Thus, after addition of monomer and crosslinker, hydrogels can be formed with greatest ease *via* visible light irradiation (Scheme 5a and Table 2). For example, water-soluble acrylamide-derivatives can be utilized, which feature fast gelation rates and a broad spectrum of functionalities. $\text{g-C}_3\text{N}_4$ then indeed does not only act as photoinitiator but also as reinforcer. The reinforcement effect is due to the lateral extension of the $\text{g-C}_3\text{N}_4$ sheets that dissipate mechanical stress throughout the network and thus improve mechanical properties, very similar to the previously mentioned clay nano sheets.

As a first example our group employed DMA and *N,N'*-methylene bisacrylamide (MBA) with a dispersion of 0.6 wt% CM in water for hydrogel formation.¹⁹¹ Hydrogels were obtained after several hours of visible light irradiation. Notably, the hydrogels retained the photocatalytic properties of $\text{g-C}_3\text{N}_4$. In addition,





Scheme 5 Overview of $\text{g-C}_3\text{N}_4$ based hydrogels: (a) formation via visible light induced polymerization of a water-soluble monomer and crosslinker, (b) spatially controlled hydrogel formation *via* application of a photomask leading to polymerization in the illuminated part only and (c) formation *via* physical interactions (DMA: *N,N*-dimethylacrylamide; NIPAM: *N*-isopropylacrylamide; MBA: *N,N'*-methylene bisacrylamide; AAm: acrylamide; SPMA: 3-sulfopropyl methacrylate potassium salt; FMOCDPA: Fmoc-diphenylalanine; SA: sodium alginate).

remarkable mechanical properties were observed, such as super-stretchability or being very tough and flexible at the same time. Such behavior opens up a completely new field of applications. In the next step the mechanical properties and origin of gel formation were studied in more detail (Fig. 9).⁶⁴ To investigate the role of

$\text{g-C}_3\text{N}_4$ in the network formation, control reactions were performed, *i.e.* hydrogel formation with a common photoinitiator/without $\text{g-C}_3\text{N}_4$ (Fig. 9a), which lead to very weak hydrogels. Furthermore, hydrogelation employing $\text{g-C}_3\text{N}_4$ without external cross-linker and non-nitrogen containing monomers was investigated as well. Indeed, hydrogelation took place even without addition of external crosslinker, which indicates the incorporation of $\text{g-C}_3\text{N}_4$ into the network. Moreover, hydrogels could be formed from non-nitrogen containing monomers and crosslinkers, which indicates that the reaction is not dependent on radical transfer from $\text{g-C}_3\text{N}_4$ to amines as instrumentalized in various other reactions.^{56,57} Moreover, remarkable mechanical properties were obtained (G' up to 8.3 kPa at solid contents of 11 wt%) (Fig. 9c). One reason is the particular structure of $\text{g-C}_3\text{N}_4$ that acts as colloidal filler *via* formation of a secondary network of inorganic sheets inside of the hydrogel providing additional strength to the structure. In addition, $\text{g-C}_3\text{N}_4$ introduces additional crosslinking points, which strengthens the hydrogel further. This effect could be analyzed *via* a control experiment of hydrogel formation in $\text{g-C}_3\text{N}_4$ dispersion but with redox initiation in the absence of light (Fig. 9b). Compared to a reference sample without $\text{g-C}_3\text{N}_4$, improved mechanical properties were found albeit the mechanical properties from visible light $\text{g-C}_3\text{N}_4$ mediated hydrogels were not reached. Thus, both reinforcement *via* inorganic secondary network as well as *via* additional crosslinking points are important. The fabricated hydrogels showed a significant shear thinning effect. Such an effect is common to reinforced hydrogels as shear leads to alignment of the polymer network as well as $\text{g-C}_3\text{N}_4$ particles, and such ordering is weakening the $\text{g-C}_3\text{N}_4$ – $\text{g-C}_3\text{N}_4$ interactions.

Liu and coworkers showed the formation of a $\text{g-C}_3\text{N}_4$ /NIPAM hydrogel.¹⁹⁰ A hydrogel was formed *via* visible light mediated photopolymerization albeit no external crosslinker was added. The NIPAM-based hydrogels showed thermo responsive properties. For example, the viscosity, storage and loss modulus of the obtained hydrogels decreased until the lower critical solution temperature (LCST) of PNIPAM and increased again above the LCST. Moreover, the authors could form the hydrogels in specific patterns that changed transparency reversibly according to temperature (Fig. 9d). Farzaneh and coworkers physically

Table 2 Hydrogels based on $\text{g-C}_3\text{N}_4$ and their properties

Synthesis method	Monomers/gelators	Properties/applications	Ref.
Photopolymerization	DMA/MBA	Photocatalytic dye degradation and H_2 evolution	191
Photopolymerization	DMA/MBA	High G' (up to 8.3 kPa), salt and pH response	64
Photopolymerization	NIPAM/MBA	Thermoresponse	190
Photopolymerization	AAm/DMA/MBA	High compressibility	193
Photopolymerization in water/EG	DMA/MBA	High G' (up to 729 kPa)	196
Photopolymerization with $\text{g-C}_3\text{N}_4$ prepolymer	DMA/SPMA/MBA	Low friction	197
Photopolymerization	AAm/MBA	Tetracycline degradation	200
Photopolymerization	AAm/MBA	Photooxidation of Cr(vi)	201
Redox polymerization	AAm/MBA	Gel electrophoresis	192
Thermal polymerization	AAm/acrylic acid/MBA	Ag^+ sensing and pH sensitivity	203
Blending	Graphene/PPy	Photooxidation of Cr(vi) and degradation of phenol	202
Blending	FMOCDPA	Photo- and enzymatic catalysis	204
Blending	SA	3D printing and photocatalysis	205
Blending	IL	H_2S gas sensor	206
Blending	Agar	Photocatalytic dye degradation	208 and 209
Supramolecular	Partially hydrolyzed $\text{g-C}_3\text{N}_4$	Selective dye adsorption	207






Fig. 9 Comparison of storage (G' , black and orange) and loss modulus (G'' , red and green) values of $g\text{-C}_3\text{N}_4$ free N,N -dimethylacrylamide (DMA) hydrogel (a), $g\text{-C}_3\text{N}_4$ embedded DMA hydrogel without covalent bonding (b), and $g\text{-C}_3\text{N}_4$ derived DMA hydrogels with nanosheet integration (c) (Reprinted with permission.⁶⁴ Copyright 2017 American Chemical Society). (d) Pictures of a monolithic NIPAM/ $g\text{-C}_3\text{N}_4$ hydrogel at ambient temperature and elevated temperature, respectively (Licensed under CC-BY).¹⁹⁰

incorporated $g\text{-C}_3\text{N}_4$ into acrylamide hydrogels for gel electrophoresis *via* a redox polymerization of AAm and MBA.¹⁹² Due to the thermal conductivity of $g\text{-C}_3\text{N}_4$, Joule heating in the hydrogels was reduced and band broadening in the electrophoresis was lowered. Moreover, the presence of $g\text{-C}_3\text{N}_4$ allowed to refrain from utilization of tetramethyl ethylenediamine as polymerization catalyst, which can be a disadvantage for some analytes.

As $g\text{-C}_3\text{N}_4$ provides the opportunity to modify the surface charge (zeta potential), surface area and light absorption *via* variation in the precursor composition,^{43,194,195} effects of the precursor composition on mechanical properties were investigated as well. Notably, the zeta potential had a profound effect on storage modulus. It was found that stronger negative zeta potential $g\text{-C}_3\text{N}_4$ compounds led to stronger hydrogels.⁶⁴ Such an effect can be explained by $g\text{-C}_3\text{N}_4$ sheet repulsion that increases with more negative zeta potentials. A similar effect was already described in the literature for other reinforcing particles.^{185,188} The effect of surface charge was further investigated by our group employing AHPA-modified $g\text{-C}_3\text{N}_4$, which features significantly lower zeta potentials and high dispersibilities due to the sulfonic acid group.¹⁹³ A mixture of AAm, DMA and MBA were used as monomers together with CM-AHPA as initiator. The hydrogels obtained were rather soft with G' in the range of 100–200 Pa and contained solid contents below 10 wt%. However, the hydrogels featured remarkable compression properties, *e.g.* withstand loads above 12 MPa (Fig. 10) and resisted multiple hits with a hammer. Probably, the extreme compressibility is due to the fact that the gels contained highly negatively charged $g\text{-C}_3\text{N}_4$, which shows significant repulsion of the $g\text{-C}_3\text{N}_4$ sheets in compression. In addition, the gels were soft and could dissipate




Fig. 10 (a) Compression test results of $g\text{-C}_3\text{N}_4$ -AHPA ($g\text{-C}_3\text{N}_4$ -3-allyloxy-2-hydroxy-1-propanesulfonic acid sodium salt)-based hydrogels (red: 0.35 wt%; blue: 1 wt%; black: 2 wt%; purple: 3.5 wt%; green: 5 wt%), (b) magnification of compression test results of $g\text{-C}_3\text{N}_4$ -AHPA hydrogels, (c) images of 2 wt% $g\text{-C}_3\text{N}_4$ -AHPA hydrogel during (left) and after (right) compression (Reproduced with permission.¹⁹³ Copyright 2019 John Wiley and Sons).

the compressive force over the whole structure by electrostatic coupling. Compression led to a complete flattening of the structure and a return to the initial shape after release of the force. In order to get further insights into the origin of the remarkable compression properties, hydrogels were formed from the individual monomers with MBA. It was found that the DMA-based hydrogels were stronger but less compression resistant, while the AAm-based hydrogels were weaker but more resistant to compression. Swelling the AAm/DMA





Fig. 11 Spatially controlled photopolymerization for gel formation: (a) formation of a self-standing half-circle, (b) self-standing club shape and (c) photopatterning of stripes on a glass slide (Licensed under CC-BY).¹⁹⁶

hydrogels with salt solution (NaCl or CaCl₂) showed increased strength but less compressibility, which might be due to the screening of the negative charges on the g-C₃N₄ surface. Hence, the surface charge of g-C₃N₄ is certainly the main reason for the enhanced compressibility, while the monomer mixture supports compressibility due to enhanced elasticity, which leads to improved distribution of the stress in the network.

Regarding the mechanical properties of the hydrogels, not only the charge on the g-C₃N₄ matters but also the amount of incorporated g-C₃N₄. Therefore, EG/water mixtures were used to increase the amount of non-functionalized g-C₃N₄ during hydrogel formation.¹⁹⁶ Incorporating g-C₃N₄ contents up to 4 wt% led to hydrogels with G' of 88 kPa for 2 wt%, 430 kPa for 3 wt% and 729 kPa for 4 wt% of g-C₃N₄ at 0.1% strain, which is a remarkable increase of two orders of magnitude compared to the first hydrogels with 0.6 wt% g-C₃N₄. In addition to enhanced mechanical performance, hydrogelation was much faster with higher g-C₃N₄ content which proves g-C₃N₄ acts as photoinitiator. As the hydrogel formation is photoinitiated, patterning was investigated as well. For that, parts of the reaction mixture were covered with a photomask to obtain an inversely shaped hydrogel (Scheme 5b and Fig. 11). The success of such experiments also proves that there is no significant radical transfer to dark area (solution) and the polymerization takes place only in the illuminated area *via* g-C₃N₄ initiation. In order to enable the fabrication of hydrogels with a broader range of monomers, *e.g.* charged monomers, our group utilized g-C₃N₄-PDMA prepolymer formed in EG/water mixture without crosslinker.⁸² With prepolymer, hydrogels from 3-sulfopropyl methacrylate potassium salt (SPMA) and DMA were obtained. The SPMA monomer introduces negative charges into the hydrogel structure, which is a useful feature for low friction surfaces.¹⁹⁷ Hence, hydrogels with both very low friction coefficients (around 0.03) and remarkable compression properties due to g-C₃N₄ incorporation were obtained. This combination of properties is rather uncommon and challenging to achieve but of particular interest for applications, *e.g.* in artificial cartilage.¹⁹⁸

5.2 Utilization of photophysical properties

The incorporation of g-C₃N₄ into hydrogels occurs under retention of its photophysical properties in the dispersed state inside of the network (Table 2). As such, various properties are accessible, *e.g.* photocatalysis or water contaminant degradation. Dong and coworkers obtained acrylamide-based hydrogels for “light filtering” applications.¹⁹⁹ AAm was utilized as monomer in a visible light

induced polymerization. Due to the hydrogen bonding interactions between g-C₃N₄ and PAAm in the hydrogel self-healing was observed after cutting the hydrogel. Similar mechanical properties (compression and tensile) were observed before and after healing. The hydrogels featured high photostability and could be utilized for UV shielding due to the broad absorption of g-C₃N₄ in the gel. For example, for UVA, UVB and UVC a transmittance of 0 to 28% was observed, while at 550 nm a transmittance of 89% was measured. Thus, these gels might be used as sun-light blockers.




Fig. 12 (a) Photodegradation of various dyes catalyzed by a g-C₃N₄ hydrogel (congo red, crystal violet, methyl orange, MB, and RhB, from left to right). (b) Kinetics of H₂ production from water with g-C₃N₄ hydrogels (FD-CNB-G: freeze dried g-C₃N₄-based hydrogel and CNB-G: g-C₃N₄-based hydrogel) and references (Bulk-G: hydrogel from melamine-derived g-C₃N₄; ref.-G: hydrogel without g-C₃N₄ incorporation; ref.-G-CNB: reference gel after adsorption of g-C₃N₄ suspension) under white LED irradiation. (c) Cycling measurements of H₂ generation via wet g-C₃N₄ hydrogel (the inset shows the g-C₃N₄ hydrogel before and after H₂ production) (Reprinted with permission.¹⁹¹ Copyright 2017 American Chemical Society).



Shalom and coworkers formed g-C₃N₄-based hydrogels for photocatalytic applications (Fig. 12a).¹⁹¹ For example dye degradation reactions could be performed easily. Several dyes were probed as reference compounds for other impurities in waste water. Depending on the type, absorption in the gel proceed with different efficiency, which was mainly attributed to ionic interactions. In addition, hydrogen evolution could be performed after addition of platinum cocatalyst (Fig. 12b) and the catalytic hydrogel could be recycled easily (Fig. 12c). Another hydrogel for waste water treatment was described by Yao and coworkers.²⁰⁰ In this case, bentonite, g-C₃N₄, AAm and MBA were combined to form hydrogel monoliths *via* thermal polymerization. Finally, the monoliths were cut into small cubes, and adsorption of tetracycline was tested. The incorporation of bentonite led to enhanced adsorption of the organic contamination. In the next step, tetracycline was degraded *via* visible light irradiation. Furthermore, adsorption and degradation were studied in the flow process that showed a high removal efficiency and cycling stability.

Another photocatalytic process employing g-C₃N₄-based hydrogels was presented by Lamkaho and Randorn.²⁰¹ A PAAm hydrogel was formed *via* photopolymerization of AAm and MBA under UV light. Finally, the hydrogel was utilized for the photocatalytic reduction of Cr(vi) to Cr(III). Cui and coworkers described a hydrogel formed from g-C₃N₄, graphene and PPy.²⁰² Improvements of the photocatalytic properties were obtained *via* graphene

as electron transporter and PPy as hole transporter. The obtained hydrogels were utilized for photodegradation of phenol and reduction/adsorption of Cr(VI). Tu and coworkers introduced another application of g-C₃N₄ based hydrogels. An AAm/acrylic acid-based hydrogel was formed *via* thermal initiation that could be utilized as sensor for Ag⁺ ions.²⁰³ Due to the acrylic acid incorporation, the hydrogels were pH sensitive, *i.e.* the swelling state changed according to pH. Moreover, the hydrogels showed fluorescent behavior because of the g-C₃N₄ incorporation. The fluorescence could in turn be utilized for sensing. The change in fluorescence after addition of various metal ions was tested, and in the case of Ag⁺ a significant quenching effect was observed down to concentrations of 6.31 μM. Notably, the detection of Ag⁺ was still possible when other contaminant ions were present.

5.3 Blending and supramolecular hydrogels

In addition to covalent hydrogels formed *via* polymerization, g-C₃N₄ was incorporated into hydrogels *via* blending or supramolecular interactions as well (Scheme 5c and Table 2). For example, Park and coworkers presented the combination of g-C₃N₄ and peptide materials.²⁰⁴ In those experiments, Fmoc-diphenylalanine (FMOCDDPA) was utilized to undergo self-assembly in the presence of g-C₃N₄ yielding a hydrogel. The formed hydrogel was utilized to reduce NAD⁺ to NADH. Moreover, the incorporation of an enzyme facilitated the combination of photo and enzymatic catalysis. A remarkable hydrogel was described by




Fig. 13 (a) Schematic illustration of the 3D fabrication process: a highly concentrated homogeneous CNNS-SA (g-C₃N₄ nano sheet-sodium alginate) ink was extruded and directly printed onto a glass substrate covered with a layer of Vaseline (Route 1), into a reservoir composed of a CaCl₂/glycerol solution (Route 2) or Pluronic F127 (Route 3). Subsequently, the printed lattices were submerged in a CaCl₂ aqueous solution overnight to crosslink the SA. (b) Optical image of a woodpile structure (mass ratio CN : SA = 1 : 2) printed via Pluronic F127 (Route 3) and (c) a cross-sectional SEM image (Reprinted with permission.²⁰⁵ Copyright 2018 John Wiley and Sons).



Fan and coworkers, who combined $\text{g-C}_3\text{N}_4$ with the Ca^{2+} /alginate supramolecular hydrogel and 3D printing (Fig. 13a).²⁰⁵ Hence, 3D hydrogel scaffolds were obtained that could be utilized for photocatalytic tasks. A carbon nitride nanosheet/sodium alginate (CNNS-SA)-based ink was printed and crosslinked in CaCl_2 /glycerol solution (Fig. 13b and c). Inclusion of gold nanopyramids in such 3D scaffolds boosted the photocatalytic activity for solar wastewater remediation. Thus, the gel architecture could be utilized to tailor the catalysis efficiency *via* enhanced substrate transport. Ayajan and coworkers presented a gel from $\text{g-C}_3\text{N}_4$ and ionic liquids (IL) forming an amphiphilic network that was utilized as H_2S gas sensor at ambient temperature.²⁰⁶ ILs served as exfoliating agent for $\text{g-C}_3\text{N}_4$ sheets at high temperatures, and gel formation was observed at 200 °C after 24 h, where exfoliated $\text{g-C}_3\text{N}_4$ nanosheets assembled in the IL matrix.

A hydrogel solely formed from $\text{g-C}_3\text{N}_4$ was investigated by Zhang and coworkers.²⁰⁷ Here, $\text{g-C}_3\text{N}_4$ was partially hydrolyzed in sodium hydroxide solution. The obtained material formed reversible hydrogel structures *via* bubbling with CO_2 or N_2 that could be utilized for selective dye absorption. In the presence of agar, heating–cooling polymerization yielded hydrogels including $\text{g-C}_3\text{N}_4$.²⁰⁸ The agar-based hydrogels were further utilized for effective photocatalytic degradation due to enhanced adsorption capacity. In a similar way, Zhu and coworkers utilized a $\text{g-C}_3\text{N}_4$ /agar hydrogel for photocatalytic tasks.²⁰⁹ Therefore, $\text{g-C}_3\text{N}_4$ and agar were dispersed in water and heated. After cooling a hydrogel was obtained that was used for the photodegradation of MB and phenol. A significant activity was obtained due to the adsorptive behaviour of the hydrogel.

6. Conclusion and outlook

Combining exfoliated $\text{g-C}_3\text{N}_4$ nanosheets with polymers is a recent hotspot of materials research, thus enabling many advanced functionalities and hybrid materials with unusual properties extending the previous range of the possible. The development is mainly driven by typical $\text{g-C}_3\text{N}_4$ properties, such as photoinitiation, photocatalysis, or photoluminescence. However, it turned out that these properties are significantly improved or optimized in the polymer hybrids, which is due to improved delamination, but also due to synergies of the two sides. Introducing for instance conducting polymers to $\text{g-C}_3\text{N}_4$ enables overcoming the drawback of low electron conductivity of $\text{g-C}_3\text{N}_4$, and hence the photocatalytic or H_2 evolution properties of $\text{g-C}_3\text{N}_4$ are promoted. In biosensor systems, polymer functionalized $\text{g-C}_3\text{N}_4$ has shown an improved sensitivity and selectivity, which we attribute to improved dispersion and access to the sensing sites. Polymer modified $\text{g-C}_3\text{N}_4$ showed enhanced dispersibility and processability, and for instance can be employed in film formation.

On the other hand, $\text{g-C}_3\text{N}_4$ with its multiple properties brings advantages to polymer materials as well. For example, doping the polymer matrix with $\text{g-C}_3\text{N}_4$ enhances the performance of electrode materials in energy storage and improves stability as well as efficiency compared to the pure polymer matrix. Photoinitiation with $\text{g-C}_3\text{N}_4$ facilitates polymerization

in solution and on $\text{g-C}_3\text{N}_4$ to obtain $\text{g-C}_3\text{N}_4$ /polymer nanocomposites with inherent photoluminescence that can be applied for various applications. In addition, combination of $\text{g-C}_3\text{N}_4$ with polymers enhances the thermal and mechanical properties of polymer materials. In the realm of bulk soft materials, $\text{g-C}_3\text{N}_4$ is particularly useful as reinforcer in hydrogels and $\text{g-C}_3\text{N}_4$ /hydrogel hybrids can be obtained. Overall, the plethora of monomer combinations and $\text{g-C}_3\text{N}_4$ types allows the fabrication of tailored hydrogel materials with very unusual and most useful properties, *e.g.* ultralow friction, being thermoresponsive, or tough but compressible. Indeed, the storage modulus of hydrogels could be varied over a broad range (approximately 7 kPa to 700 kPa) *via* $\text{g-C}_3\text{N}_4$ content and type, only, while the toughness of the material could be adjusted by monomer mixtures, *e.g.* AAm and DMA. By inherent photopolymerization, reinforced hydrogels can be obtained also in a spatially controlled way and directions of additive manufacturing are certainly a promising approach a toolbox is needed for.^{210,211}

Polymers might pave the way for novel applications for $\text{g-C}_3\text{N}_4$, however some main issues still need to be addressed. Although promising results were reported so far, the research for $\text{g-C}_3\text{N}_4$ /polymer hybrids is still in the infant stage, and further investigations and developments are still required. To date, there are a number of issues, which need to be resolved for improved combination of $\text{g-C}_3\text{N}_4$ and polymer. For example, most of the research reported utilizes the simple blending method of fabrication, thus connection between polymer and $\text{g-C}_3\text{N}_4$ is enabled by physical interaction, only, which may cause restrictions for the future commercial application. Moreover, the synthesis process mainly depends on organic solvents, which is not environment friendly when expanded to commercial scale, thus solvent-free, mechanochemical and green routes should be developed in the future research. In oxygen evolution and organic synthesis, $\text{g-C}_3\text{N}_4$ is also of great significance as a photocatalyst. Nevertheless, $\text{g-C}_3\text{N}_4$ /polymer hybrids are rarely applied in these areas so far. As such, one can expect significant outcomes in the future in organic synthesis and oxygen evolution. Overall, $\text{g-C}_3\text{N}_4$ has a promising future especially in energy conversion and storage, and enhancing surface area of $\text{g-C}_3\text{N}_4$ by polymers might become key for utilization of $\text{g-C}_3\text{N}_4$ in batteries, supercapacitors and other high-efficiency energy conversion devices.

Polymers have opened up new doors for $\text{g-C}_3\text{N}_4$ which could not be imagined seven years ago. Previously, dispersibility and processability issues were the main problems for integration of $\text{g-C}_3\text{N}_4$ materials, however with the current ideas in mind dispersibility becomes less of an issue. Ultimately, $\text{g-C}_3\text{N}_4$ is a sustainable and cheap alternative for other semiconductors, and we believe that with precise tailoring of both $\text{g-C}_3\text{N}_4$ properties and design of a surrounding polymer, $\text{g-C}_3\text{N}_4$ will play an increasingly important role both in academia and in the industry of the future.

Conflicts of interest

There are no conflicts to declare.



Acknowledgements

The authors are grateful for funding from Max-Planck society and the University of Glasgow as well as funding for Open Access from the University of Glasgow.

Notes and references

- 1 D. Larcher and J. M. Tarascon, *Nat. Chem.*, 2014, **7**, 19.
- 2 Y. Zhu, C. Romain and C. K. Williams, *Nature*, 2016, **540**, 354.
- 3 Y. Zheng, L. Lin, B. Wang and X. Wang, *Angew. Chem., Int. Ed.*, 2015, **54**, 12868–12884.
- 4 D. Esposito and M. Antonietti, *Chem. Soc. Rev.*, 2015, **44**, 5821–5835.
- 5 F. H. Isikgor and C. R. Becer, *Polym. Chem.*, 2015, **6**, 4497–4559.
- 6 M. Chhowalla, D. Jena and H. Zhang, *Nat. Rev. Mater.*, 2016, **1**, 16052.
- 7 T. M. Brenner, D. A. Egger, L. Kronik, G. Hodes and D. Cahen, *Nat. Rev. Mater.*, 2016, **1**, 15007.
- 8 X. Li, J. Yu, J. Low, Y. Fang, J. Xiao and X. Chen, *J. Mater. Chem. A*, 2015, **3**, 2485–2534.
- 9 X. Wang, S. Blechert and M. Antonietti, *ACS Catal.*, 2012, **2**, 1596–1606.
- 10 X. Wang, K. Maeda, A. Thomas, K. Takanabe, G. Xin, J. M. Carlsson, K. Domen and M. Antonietti, *Nat. Mater.*, 2008, **8**, 76.
- 11 J. Liu, H. Wang and M. Antonietti, *Chem. Soc. Rev.*, 2016, **45**, 2308–2326.
- 12 G. Algara-Siller, N. Severin, S. Y. Chong, T. Björkman, R. G. Palgrave, A. Laybourn, M. Antonietti, Y. Z. Khimyak, A. V. Krasheninnikov, J. P. Rabe, U. Kaiser, A. I. Cooper, A. Thomas and M. J. Bojdys, *Angew. Chem., Int. Ed.*, 2014, **53**, 7450–7455.
- 13 W. J. Ong, L. L. Tan, Y. H. Ng, S. T. Yong and S. P. Chai, *Chem. Rev.*, 2016, **116**, 7159–7329.
- 14 J. Ran, T. Y. Ma, G. Gao, X.-W. Du and S. Z. Qiao, *Energy Environ. Sci.*, 2015, **8**, 3708–3717.
- 15 S. Hu, F. Li, Z. Fan, F. Wang, Y. Zhao and Z. Lv, *Dalton Trans.*, 2015, **44**, 1084–1092.
- 16 K. K. R. Datta, B. V. S. Reddy, K. Ariga and A. Vinu, *Angew. Chem., Int. Ed.*, 2010, **49**, 5961–5965.
- 17 B. Kurpil, B. Kumru, T. Heil, M. Antonietti and A. Savateev, *Green Chem.*, 2018, **20**, 838–842.
- 18 K. Schwinghammer, B. Tuffy, M. B. Mesch, E. Wirnhier, C. Martineau, F. Taulelle, W. Schnick, J. Senker and B. V. Lotsch, *Angew. Chem., Int. Ed.*, 2013, **52**, 2435–2439.
- 19 G. Zhang, G. Li, Z. A. Lan, L. Lin, A. Savateev, T. Heil, S. Zafeiratos, X. Wang and M. Antonietti, *Angew. Chem., Int. Ed.*, 2017, **56**, 13445–13449.
- 20 J. Yang, C.-R. Han, X.-M. Zhang, F. Xu and R.-C. Sun, *Macromolecules*, 2014, **47**, 4077–4086.
- 21 N. Cheng, J. Tian, Q. Liu, C. Ge, A. H. Qusti, A. M. Asiri, A. O. Al-Youbi and X. Sun, *ACS Appl. Mater. Interfaces*, 2013, **5**, 6815–6819.
- 22 R. Kuriki, K. Sekizawa, O. Ishitani and K. Maeda, *Angew. Chem., Int. Ed.*, 2015, **54**, 2406–2409.
- 23 J. Lin, Z. Pan and X. Wang, *ACS Sustainable Chem. Eng.*, 2014, **2**, 353–358.
- 24 K. Xiao, L. Chen, R. Chen, T. Heil, S. D. C. Lemus, F. Fan, L. Wen, L. Jiang and M. Antonietti, *Nat. Commun.*, 2019, **10**, 74.
- 25 K. Xiao, B. Kumru, L. Chen, L. Jiang, B. V. K. J. Schmidt and M. Antonietti, *Beilstein J. Nanotechnol.*, 2019, **10**, 1316–1323.
- 26 G. Peng, M. Volokh, J. Tzadikov, J. Sun and M. Shalom, *Adv. Energy Mater.*, 2018, **8**, 1800566.
- 27 X. Chen, Q. Liu, Q. Wu, P. Du, J. Zhu, S. Dai and S. Yang, *Adv. Funct. Mater.*, 2016, **26**, 1719–1728.
- 28 T. R. Chetia, M. S. Ansari and M. Qureshi, *J. Mater. Chem. A*, 2016, **4**, 5528–5541.
- 29 D. Cruz, J. Garcia Cerrillo, B. Kumru, N. Li, J. Dario Perea, B. Schmidt, I. Lauermann, C. J. Brabec and M. Antonietti, *J. Am. Chem. Soc.*, 2019, **140**, 17532–17537.
- 30 J. Xu and M. Antonietti, *J. Am. Chem. Soc.*, 2017, **139**, 6026–6029.
- 31 Y. Shiraishi, S. Kanazawa, Y. Sugano, D. Tsukamoto, H. Sakamoto, S. Ichikawa and T. Hirai, *ACS Catal.*, 2014, **4**, 774–780.
- 32 Y. Chen, W. Huang, D. He, Y. Situ and H. Huang, *ACS Appl. Mater. Interfaces*, 2014, **6**, 14405–14414.
- 33 P. Gibot, F. Schnell and D. Spitzer, *Microporous Mesoporous Mater.*, 2016, **219**, 42–47.
- 34 D. A. Erdogan, M. Sevim, E. Kisa, D. B. Emiroglu, M. Karatok, E. I. Vovk, M. Bjerring, Ü. Akbey, Ö. Metin and E. Ozensoy, *Top. Catal.*, 2016, **59**, 1305–1318.
- 35 M. Xie, W. Wei, Z. Jiang, Y. Xu and J. Xie, *Ceram. Int.*, 2016, **42**, 4158–4170.
- 36 G. Li, Z. Lian, W. Wang, D. Zhang and H. Li, *Nano Energy*, 2016, **19**, 446–454.
- 37 J. Fang, H. Fan, M. Li and C. Long, *J. Mater. Chem. A*, 2015, **3**, 13819–13826.
- 38 Q. Cui, J. Xu, X. Wang, L. Li, M. Antonietti and M. Shalom, *Angew. Chem., Int. Ed.*, 2016, **55**, 3672–3676.
- 39 K. Xiao, B. Tu, L. Chen, T. Heil, L. Wen, L. Jiang and M. Antonietti, *Angew. Chem., Int. Ed.*, 2019, **58**, 12574–12579.
- 40 D. Xiao, D. Yuan, H. He and J. Lu, *Luminescence*, 2013, **28**, 612–615.
- 41 J. Bian, Q. Li, C. Huang, J. Li, Y. Guo, M. Zaw and R.-Q. Zhang, *Nano Energy*, 2015, **15**, 353–361.
- 42 M. Shalom, S. Inal, C. Fettkenhauer, D. Neher and M. Antonietti, *J. Am. Chem. Soc.*, 2013, **135**, 7118–7121.
- 43 J. Barrio and M. Shalom, *ChemCatChem*, 2018, **10**, 5573–5586.
- 44 K. S. Lakhi, W. S. Cha, S. Joseph, B. J. Wood, S. S. Aldeyab, G. Lawrence, J.-H. Choy and A. Vinu, *Catal. Today*, 2015, **243**, 209–217.
- 45 M. Groenewolt and M. Antonietti, *Adv. Mater.*, 2005, **17**, 1789–1792.
- 46 Y. Wang, X. Wang, M. Antonietti and Y. Zhang, *ChemSusChem*, 2010, **3**, 435–439.
- 47 J. Zhou, Y. Yang and C.-y. Zhang, *Chem. Commun.*, 2013, **49**, 8605–8607.
- 48 J. Zhang, G. Zhang, X. Chen, S. Lin, L. Möhlmann, G. Dolega, G. Lipner, M. Antonietti, S. Blechert and X. Wang, *Angew. Chem., Int. Ed.*, 2012, **51**, 3183–3187.

49 Y. Chen, F. Ding, A. Khaing, D. Yang and Z. Jiang, *Appl. Surf. Sci.*, 2019, **757**–764.

50 J. Barrio, L. Lin, P. Amo-Ochoa, J. Tzadikov, G. Peng, J. Sun, F. Zamora, X. Wang and M. Shalom, *Small*, 2018, **14**, 1800633.

51 J. Barrio and M. Shalom, *ACS Appl. Mater. Interfaces*, 2018, **10**, 39688–39694.

52 T. Jordan, N. Fechler, J. Xu, T. J. K. Brenner, M. Antonietti and M. Shalom, *ChemCatChem*, 2015, **7**, 2826–2830.

53 Q. Cao, Q. Cui, Y. Yang, J. Xu, C. Han and L. Li, *Chem. – Eur. J.*, 2018, **24**, 2286–2291.

54 B. Kiskan, J. Zhang, X. Wang, M. Antonietti and Y. Yagci, *ACS Macro Lett.*, 2012, **1**, 546–549.

55 M. Al-Naji, B. Puertolas, B. Kumru, D. Cruz, M. Baumel, B. V. K. J. Schmidt, N. V. Tarakina and J. Perez-Ramirez, *ChemSusChem*, 2019, **12**, 2628–2636.

56 S. Dadashi-Silab, M. A. Tasdelen, B. Kiskan, X. Wang, M. Antonietti and Y. Yagci, *Macromol. Chem. Phys.*, 2014, **215**, 675–681.

57 B. Kiskan, J. Zhang, X. Wang, M. Antonietti and Y. Yagci, *ACS Macro Lett.*, 2012, **1**, 546–549.

58 Q. Cao, T. Heil, B. Kumru, M. Antonietti and B. V. K. J. Schmidt, *Polym. Chem.*, 2019, **10**, 5315–5323.

59 D. J. Martin, K. Qiu, S. A. Shevlin, A. D. Handoko, X. Chen, Z. Guo and J. Tang, *Angew. Chem., Int. Ed.*, 2014, **53**, 9240–9245.

60 D. J. Martin, P. J. Reardon, S. J. Moniz and J. Tang, *J. Am. Chem. Soc.*, 2014, **136**, 12568–12571.

61 Q. Fu, Q. Ruan, T. G. McKenzie, A. Reyhani, J. Tang and G. G. Qiao, *Macromolecules*, 2017, **50**, 7509–7516.

62 L. Zhang, G. Ye, X. Huo, S. Xu, J. Chen and K. Matyjaszewski, *ACS Omega*, 2019, **4**, 16247–16255.

63 B. Kumru, J. Mendoza Mesa, M. Antonietti and M. Al-Naji, *ACS Sustainable Chem. Eng.*, 2019, **7**, 17574–17579.

64 B. Kumru, M. Shalom, M. Antonietti and B. V. K. J. Schmidt, *Macromolecules*, 2017, **50**, 1862–1869.

65 E. G. Gillan, *Chem. Mater.*, 2000, **12**, 3906–3912.

66 J. Sun, R. Phatake, A. Azoulay, G. Peng, C. Han, J. Barrio, J. Xu, X. Wang and M. Shalom, *Chem. – Eur. J.*, 2018, **24**, 14921–14927.

67 H. Arazoe, D. Miyajima, K. Akaike, F. Araoka, E. Sato, T. Hikima, M. Kawamoto and T. Aida, *Nat. Mater.*, 2016, **15**, 1084.

68 N. Karjule, R. Phatake, M. Volokh, I. Hod and M. Shalom, *Small Methods*, 2019, 1900401.

69 G. Peng, L. Xing, J. Barrio, M. Volokh and M. Shalom, *Angew. Chem., Int. Ed.*, 2018, **57**, 1186–1192.

70 X. She, H. Xu, Y. Xu, J. Yan, J. Xia, L. Xu, Y. Song, Y. Jiang, Q. Zhang and H. Li, *J. Mater. Chem. A*, 2014, **2**, 2563–2570.

71 Q. Han, B. Wang, Y. Zhao, C. Hu and L. Qu, *Angew. Chem., Int. Ed.*, 2015, **54**, 11433–11437.

72 L. Chen, D. Huang, S. Ren, T. Dong, Y. Chi and G. Chen, *Nanoscale*, 2013, **5**, 225–230.

73 P. Niu, L. Zhang, G. Liu and H.-M. Cheng, *Adv. Funct. Mater.*, 2012, **22**, 4763–4770.

74 S. Yang, Y. Gong, J. Zhang, L. Zhan, L. Ma, Z. Fang, R. Vajtai, X. Wang and P. M. Ajayan, *Adv. Mater.*, 2013, **25**, 2452–2456.

75 J. K. Kim, S. Park, R. J. Yoo, H. J. Jeong, J. Oh, Y. J. Lee, S. Park and D. W. Kim, *Chem. – Eur. J.*, 2018, **24**, 3506–3511.

76 B. Kumru, M. Antonietti and B. V. K. J. Schmidt, *Langmuir*, 2017, **33**, 9897–9906.

77 Y. Shi, B. Wang, L. Duan, Y. Zhu, Z. Gui, R. K. K. Yuen and Y. Hu, *Ind. Eng. Chem. Res.*, 2016, **55**, 7646–7654.

78 Q. Cui, J. Xu, X. Wang, L. Li, M. Antonietti and M. Shalom, *Angew. Chem., Int. Ed.*, 2016, **55**, 3672–3676.

79 X. Bu, J. Li, S. Yang, J. Sun, Y. Deng, Y. Yang, G. Wang, Z. Peng, P. He, X. Wang, G. Ding, J. Yang and X. Xie, *ACS Appl. Mater. Interfaces*, 2016, **8**, 31419–31425.

80 R. B. N. Baig, S. Verma, M. N. Nadagouda and R. S. Varma, *Sci. Rep.*, 2016, **6**, 39387.

81 Y. Zheng, Z. Zhang, C. Li and S. Proulx, *Mater. Res. Bull.*, 2016, **84**, 46–56.

82 B. Kumru, V. Molinari, M. Hilgart, F. Rummel, M. Schäffler and B. V. K. J. Schmidt, *Polym. Chem.*, 2019, **10**, 3647–3656.

83 B. Kumru, D. Cruz, T. Heil, B. V. K. J. Schmidt and M. Antonietti, *J. Am. Chem. Soc.*, 2018, **140**, 17532–17537.

84 B. J. Blaiszik, S. L. B. Kramer, S. C. Olugebefola, J. S. Moore, N. R. Sottos and S. R. White, *Annu. Rev. Mater. Res.*, 2010, **40**, 179–211.

85 M. A. Stuart, W. T. Huck, J. Genzer, M. Muller, C. Ober, M. Stamm, G. B. Sukhorukov, I. Szleifer, V. V. Tsukruk, M. Urban, F. Winnik, S. Zauscher, I. Luzinov and S. Minko, *Nat. Mater.*, 2010, **9**, 101–113.

86 L. S. Nair and C. T. Laurencin, *Prog. Polym. Sci.*, 2007, **32**, 762–798.

87 Y. Wang and X. Jing, *Polym. Adv. Technol.*, 2005, **16**, 344–351.

88 J. Zhang, M. Zhang, L. Lin and X. Wang, *Angew. Chem., Int. Ed.*, 2015, **54**, 6297–6301.

89 Z. Zhao, Y. Sun and F. Dong, *Nanoscale*, 2015, **7**, 15–37.

90 A. C. Balazs, T. Emrick and T. P. Russell, *Science*, 2006, **314**, 1107.

91 T. Kuilla, S. Bhadra, D. Yao, N. H. Kim, S. Bose and J. H. Lee, *Prog. Polym. Sci.*, 2010, **35**, 1350–1375.

92 S. Patnaik, D. P. Sahoo and K. Parida, in *Nanocomposites for Visible Light-induced Photocatalysis*, ed. M. M. Khan, D. Pradhan and Y. Sohn, Springer International Publishing, Cham, 2017, pp. 251–294, DOI: 10.1007/978-3-319-62446-4_9.

93 Y. Zhang, F. Mao, H. Yan, K. Liu, H. Cao, J. Wu and D. Xiao, *J. Mater. Chem. A*, 2015, **3**, 109–115.

94 Y. Sui, J. Liu, Y. Zhang, X. Tian and W. Chen, *Nanoscale*, 2013, **5**, 9150–9155.

95 F. He, G. Chen, Y. Yu, S. Hao, Y. Zhou and Y. Zheng, *ACS Appl. Mater. Interfaces*, 2014, **6**, 7171–7179.

96 H. Yan and Y. Huang, *Chem. Commun.*, 2011, **47**, 4168–4170.

97 A. Li, Q. Cao, G. Zhou, B. V. K. J. Schmidt, W. Zhu, X. Yuan, H. Huo, J. Gong and M. Antonietti, *Angew. Chem., Int. Ed.*, 2019, **58**, 14549–14555.

98 S. Roy and E. Reisner, *Angew. Chem., Int. Ed.*, 2019, **58**, 12180–12184.

99 K. Pandiselvi, H. Fang, X. Huang, J. Wang, X. Xu and T. Li, *J. Hazard. Mater.*, 2016, **314**, 67–77.

100 H. Lachheb, E. Puzenat, A. Houas, M. Ksibi, E. Elaloui, C. Guillard and J.-M. Herrmann, *Appl. Catal., B*, 2002, **39**, 75–90.



101 S. Xiao, Z. Wang, H. Ma, H. Yang and W. Xu, *Adv. Powder Technol.*, 2014, **25**, 574–581.

102 M. Panizza and G. Cerisola, *Chem. Rev.*, 2009, **109**, 6541–6569.

103 C. P. Athanasekou, N. G. Moustakas, S. Morales-Torres, L. M. Pastrana-Martínez, J. L. Figueiredo, J. L. Faria, A. M. T. Silva, J. M. Dona-Rodriguez, G. E. Romanos and P. Falaras, *Appl. Catal., B*, 2015, **178**, 12–19.

104 Y. Zhao, Y. Zhang, A. Liu, Z. Wei and S. Liu, *ACS Appl. Mater. Interfaces*, 2017, **9**, 4006–4014.

105 Y. Huang, H. Li, M. S. Balogun, W. Liu, Y. Tong, X. Lu and H. Ji, *ACS Appl. Mater. Interfaces*, 2014, **6**, 22920–22927.

106 W. Jiang, W. Luo, R. Zong, W. Yao, Z. Li and Y. Zhu, *Small*, 2016, **12**, 4370–4378.

107 L. Ge, C. Han and J. Liu, *J. Mater. Chem.*, 2012, **22**, 11843–11850.

108 B. Vellaichamy and P. Periakaruppan, *Ind. Eng. Chem. Res.*, 2018, **57**, 6684–6695.

109 X. Bu, Y. Lu, S. Chen, D. Li, Z. Zhang and P. Qian, *Chem. Eng. Sci.*, 2019, **355**, 299–308.

110 T. Xu, F. Wu, Y. Gu, Y. Chen, J. Cai, W. Lu, H. Hu, Z. Zhu and W. Chen, *RSC Adv.*, 2015, **5**, 86505–86512.

111 N. H. Alias, J. Jaafar, S. Samitsu, N. Yusof, M. H. D. Othman, M. A. Rahman, A. F. Ismail, F. Aziz, W. N. W. Salleh and N. H. Othman, *Chemosphere*, 2018, **204**, 79–86.

112 X. Zhou, C. Shao, S. Yang, X. Li, X. Guo, X. Wang, X. Li and Y. Liu, *ACS Sustainable Chem. Eng.*, 2018, **6**, 2316–2323.

113 D. Qin, W. Lu, Z. Zhu, N. Li, T. Xu, G. Wang and W. Chen, *Ind. Eng. Chem. Res.*, 2017, **56**, 11151–11160.

114 S. Chen, W. Lu, J. Han, H. Zhong, T. Xu, G. Wang and W. Chen, *Chem. Eng. J.*, 2019, **359**, 119–129.

115 D. Qin, W. Lu, X. Wang, N. Li, X. Chen, Z. Zhu and W. Chen, *ACS Appl. Mater. Interfaces*, 2016, **8**, 25962–25970.

116 Y. Chen, W. Lu, X. Wang and W. Chen, *Appl. Surf. Sci.*, 2018, **453**, 110–119.

117 C. Zhang, Y. Li, D. Shuai, Y. Shen, W. Xiong and L. Wang, *Chemosphere*, 2019, **214**, 462–479.

118 R. Li, Y. Ren, P. Zhao, J. Wang, J. Liu and Y. Zhang, *J. Hazard. Mater.*, 2019, **365**, 606–614.

119 L. Ghalamchi, S. Aber, V. Vatanpour and M. Kian, *Chem. Eng. Res. Des.*, 2019, **147**, 443–457.

120 J. Tian, Q. Liu, C. Ge, Z. Xing, A. M. Asiri, A. O. Al-Youbi and X. Sun, *Nanoscale*, 2013, **5**, 8921–8924.

121 Q. Cui, J. Xu, X. Wang, L. Li, M. Antonietti and M. Shalom, *Angew. Chem., Int. Ed.*, 2016, **55**, 3672–3676.

122 X. Ou, X. Tan, X. Liu, Q. Lu, S. Chen and S. Wei, *Biosens. Bioelectron.*, 2015, **70**, 89–97.

123 Q. Lu, J. Zhang, X. Liu, Y. Wu, R. Yuan and S. Chen, *Analyst*, 2014, **139**, 6556–6562.

124 B. K. Shrestha, R. Ahmad, S. Shrestha, C. H. Park and C. S. Kim, *Biosens. Bioelectron.*, 2017, **94**, 686–693.

125 Y. Liu, H. Ma, Y. Zhang, X. Pang, D. Fan, D. Wu and Q. Wei, *Biosens. Bioelectron.*, 2016, **86**, 439–445.

126 H. Pu, Q. Liu, L. Qiao and Z. Yang, *Polym. Eng. Sci.*, 2005, **45**, 1395–1400.

127 A. Bozkurt and W. H. Meyer, *J. Polym. Sci., Part B: Polym. Phys.*, 2001, **39**, 1987–1994.

128 Y. Huang, L. Chuang, A. M. Kannan and C. Lin, *J. Power Sources*, 2009, **186**, 22–28.

129 S. Lu, R. Xiu, X. Xu, D. Liang, H. Wang and Y. Xiang, *J. Membr. Sci.*, 2014, **464**, 1–7.

130 N. G. Sahoo, Y. Pan, L. Li and S. H. Chan, *Adv. Mater.*, 2012, **24**, 4203–4210.

131 D. He, H. Tang, Z. Kou, M. Pan, X. Sun, J. Zhang and S. Mu, *Adv. Mater.*, 2017, **29**.

132 P. Velayutham and A. K. Sahu, *J. Phys. Chem. C*, 2018, **122**, 21735–21744.

133 G. Zou, W. Wu, C. Cong, X. Meng, K. Zhao and Q. Zhou, *RSC Adv.*, 2016, **6**, 106237–106247.

134 H. Bai, H. Wang, J. Zhang, C. Wu, J. Zhang, Y. Xiang and S. Lu, *J. Membr. Sci.*, 2018, **558**, 26–33.

135 M. Gang, G. He, Z. Li, K. Cao, Z. Li, Y. Yin, H. Wu and Z. Jiang, *J. Membr. Sci.*, 2016, **507**, 1–11.

136 W. Dai, Y. Shen, Z. Li, L. Yu, J. Xi and X. Qiu, *J. Mater. Chem. A*, 2014, **2**, 12423–12432.

137 L. Semiz, N. Demirci Sankir and M. Sankir, *J. Membr. Sci.*, 2014, **468**, 209–215.

138 L. Cao, Q. Sun, Y. Gao, L. Liu and H. Shi, *Electrochim. Acta*, 2015, **158**, 24–34.

139 F. Wang, G. Wang, J. Zhang, B. Li, J. Zhang, J. Deng, J. Chen and R. Wang, *J. Electroanal. Chem.*, 2017, **797**, 107–112.

140 Z. Mai, H. Zhang, X. Li, S. Xiao and H. Zhang, *J. Power Sources*, 2011, **196**, 5737–5741.

141 R. Niu, L. Kong, L. Zheng, H. Wang and H. Shi, *J. Membr. Sci.*, 2017, **525**, 220–228.

142 C. Wu, S. Lu, J. Zhang and Y. Xiang, *Phys. Chem. Chem. Phys.*, 2018, **20**, 7694–7700.

143 J. Hu, J. Tian and C. Li, *ACS Appl. Mater. Interfaces*, 2017, **9**, 11615–11625.

144 P. Praveena, M. Sheril Ann, S. Dhanavel, D. Kalpana, T. Maiyalagan, V. Narayanan and A. Stephen, *J. Mater. Sci.: Mater. Electron.*, 2019, **30**, 8736–8750.

145 F. Li, Y. Dong, Q. Dai, T. T. Nguyen and M. Guo, *Vacuum*, 2019, **161**, 283–290.

146 J. Ma, X.-Y. Tao, S.-X. Zhou, X.-Z. Song, Y.-B. Zhu, L.-T. Guo, Z.-S. Liu, H.-L. Fan and X.-Y. Wei, *J. Electroanal. Chem.*, 2019, **835**, 346–353.

147 X. Chen, X. Zhu, Y. Xiao and X. Yang, *J. Electroanal. Chem.*, 2015, **743**, 99–104.

148 R. A. Senthil, J. Theerthagiri, J. Madhavan, K. Murugan, P. Arunachalam and A. K. Arof, *J. Solid State Chem.*, 2016, **242**, 199–206.

149 X. Chen, Q. Liu, Q. Wu, P. Du, J. Zhu, S. Dai and S. Yang, *Adv. Funct. Mater.*, 2016, **26**, 1719–1728.

150 J. Xu, T. J. Brenner, L. Chabanne, D. Neher, M. Antonietti and M. Shalom, *J. Am. Chem. Soc.*, 2014, **136**, 13486–13489.

151 S. Barman and M. Sadhukhan, *J. Mater. Chem. A*, 2012, **22**, 21832–21837.

152 K. Xiao, P. Giusto, L. Wen, L. Jiang and M. Antonietti, *Angew. Chem., Int. Ed.*, 2018, **57**, 10123–10126.

153 C. Tang, A. Tracz, M. Kruk, R. Zhang, D. M. Smilgies, K. Matyjaszewski and T. Kowalewski, *J. Am. Chem. Soc.*, 2005, **127**, 6918–6919.



154 X. Zhang, X. Xie, H. Wang, J. Zhang, B. Pan and Y. Xie, *J. Am. Chem. Soc.*, 2013, **135**, 18–21.

155 Q. Cao, B. Kumru, M. Antonietti and B. V. K. J. Schmidt, *Macromolecules*, 2019, **52**, 4989–4996.

156 Y. Shi, S. Jiang, K. Zhou, C. Bao, B. Yu, X. Qian, B. Wang, N. Hong, P. Wen, Z. Gui, Y. Hu and R. K. Yuen, *ACS Appl. Mater. Interfaces*, 2014, **6**, 429–437.

157 B. Kumru, J. Barrio, J. Zhang, M. Antonietti, M. Shalom and B. V. K. J. Schmidt, *ACS Appl. Mater. Interfaces*, 2019, **11**, 9462–9469.

158 C. Han, Q. Cui, P. Meng, E. R. Waclawik, H. Yang and J. Xu, *Langmuir*, 2018, **34**, 10135–10143.

159 Y. Luo, Y. Yang, Q. Cui, R. Peng, R. Liu, Q. Cao and L. Li, *ACS Appl. Bio Mater.*, 2019, **2**, 5127–5135.

160 J. Poostforooshan, A. Badiei, M. Kolahdouz and A. P. Weber, *ACS Appl. Mater. Interfaces*, 2016, **8**, 21731–21741.

161 Y. Lu, X. Pan, N. Li, Z. Hu and S. Chen, *Appl. Surf. Sci.*, 2019, 144071.

162 C. Duan, D. Yuan, Z. Yang, S. Li, L. Tao, Q. Wang and T. Wang, *Composites, Part A*, 2018, **113**, 200–208.

163 M. Khalifa, A. Mahendran and S. Anandhan, *J. Polym. Res.*, 2019, **26**, 73.

164 Y. Shi, B. Wang, L. Duan, Y. Zhu, Z. Gui, R. K. K. Yuen and Y. Hu, *Ind. Eng. Chem. Res.*, 2016, **55**, 7646–7654.

165 Y. Shi, L. Wang, L. Fu, C. Liu, B. Yu, F. Yang and Y. Hu, *J. Colloid Interface Sci.*, 2019, **539**, 1–10.

166 K. Myllymaa, S. Myllymaa, H. Korhonen, M. J. Lammi, H. Saarenpaa, M. Suvanto, T. A. Pakkanen, V. Tiitu and R. Lappalainen, *J. Mater. Sci.: Mater. Med.*, 2009, **20**, 2337–2347.

167 Y. Shi, Z. Gui, B. Yu, R. K. K. Yuen, B. Wang and Y. Hu, *Composites, Part B*, 2015, **79**, 277–284.

168 B. Lei, Y. Zhang, Y. He, Y. Xie, B. Xu, Z. Lin, L. Huang, S. Tan, M. Wang and X. Cai, *Mater. Des.*, 2015, **66**, 103–109.

169 S. He, J. Wang, M. Yu, Y. Xue, J. Hu and J. Lin, *Polymers*, 2019, **11**.

170 B. Song, T. Wang, H. Sun, H. Liu, X. Mai, X. Wang, L. Wang, N. Wang, Y. Huang and Z. Guo, *Compos. Sci. Technol.*, 2018, **167**, 515–521.

171 E. A. Appel, X. J. Loh, S. T. Jones, F. Biedermann, C. A. Dreiss and O. A. Scherman, *J. Am. Chem. Soc.*, 2012, **134**, 11767–11773.

172 J. Zhu and R. E. Marchant, *Expert Rev. Med. Devices*, 2011, **8**, 607–626.

173 T. R. Hoare and D. S. Kohane, *Polymer*, 2008, **49**, 1993–2007.

174 H. Yuk, S. Lin, C. Ma, M. Takaffoli, N. X. Fang and X. Zhao, *Nat. Commun.*, 2017, **8**, 14230.

175 X. Dai, Y. Zhang, L. Gao, T. Bai, W. Wang, Y. Cui and W. Liu, *Adv. Mater.*, 2015, **27**, 3566–3571.

176 P. Samaddar, S. Kumar and K.-H. Kim, *Polym. Rev.*, 2019, **59**, 418–464.

177 W. Guo, C. H. Lu, R. Orbach, F. Wang, X. J. Qi, A. Ceconello, D. Selktar and I. Willner, *Adv. Mater.*, 2015, **27**, 73–78.

178 A. Nakayama, A. Kakugo, J. P. Gong, Y. Osada, M. Takai, T. Erata and S. Kawano, *Adv. Funct. Mater.*, 2004, **14**, 1124–1128.

179 B. G. Cooper, R. C. Stewart, D. Burstein, B. D. Snyder and M. W. Grinstaff, *Angew. Chem., Int. Ed.*, 2016, **55**, 4226–4230.

180 T. Murakami, B. V. K. J. Schmidt, H. R. Brown and C. J. Hawker, *Macromolecules*, 2015, **48**, 7774–7781.

181 A. Bin Imran, K. Esaki, H. Gotoh, T. Seki, K. Ito, Y. Sakai and Y. Takeoka, *Nat. Commun.*, 2014, **5**, 5124.

182 A. Agrawal, N. Rahbar and P. D. Calvert, *Acta Biomater.*, 2013, **9**, 5313–5318.

183 M. Fukasawa, T. Sakai, U.-i. Chung and K. Haraguchi, *Macromolecules*, 2010, **43**, 4370–4378.

184 O. Okay and W. Oppermann, *Macromolecules*, 2007, **40**, 3378–3387.

185 S. Tamesue, M. Ohtani, K. Yamada, Y. Ishida, J. M. Spruell, N. A. Lynd, C. J. Hawker and T. Aida, *J. Am. Chem. Soc.*, 2013, **135**, 15650–15655.

186 J. Djonalagic, A. Lancuski, M. S. Nikolic, J. Rogan, S. Ostojic and Z. Petrovic, *J. Appl. Polym. Sci.*, 2017, **134**, 44535.

187 Q. Wang, J. L. Mynar, M. Yoshida, E. Lee, M. Lee, K. Okuro, K. Kinbara and T. Aida, *Nature*, 2010, **463**, 339.

188 M. Liu, Y. Ishida, Y. Ebina, T. Sasaki, T. Hikima, M. Takata and T. Aida, *Nature*, 2015, **517**, 68.

189 C. Hu, Y.-R. Lin and H.-C. Yang, *ChemSusChem*, 2019, **12**, 1794–1806.

190 J. Liu, T. An, Z. Chen, Z. Wang, H. Zhou, T. Fan, D. Zhang and M. Antonietti, *J. Mater. Chem. A*, 2017, **5**, 8933–8938.

191 J. Sun, B. V. K. J. Schmidt, X. Wang and M. Shalom, *ACS Appl. Mater. Interfaces*, 2017, **9**, 2029–2034.

192 M. Zarei, H. Ahmadzadeh, E. K. Goharshadi and A. Farzaneh, *Anal. Chim. Acta*, 2015, **887**, 245–252.

193 B. Kumru, V. Molinari, R. Dünnebacke, K. G. Blank and B. V. K. J. Schmidt, *Macromol. Rapid Commun.*, 2018, **40**, 1800712.

194 H. Li, L. Wang, Y. Liu, J. Lei and J. Zhang, *Res. Chem. Intermed.*, 2016, **42**, 3979–3998.

195 Y. Zheng, Y. Jiao, J. Chen, J. Liu, J. Liang, A. Du, W. Zhang, Z. Zhu, S. C. Smith, M. Jaroniec, G. Q. Lu and S. Z. Qiao, *J. Am. Chem. Soc.*, 2011, **133**, 20116–20119.

196 B. Kumru, V. Molinari, M. Shalom, M. Antonietti and B. V. K. J. Schmidt, *Soft Matter*, 2018, **14**, 2655–2664.

197 J. P. Gong, T. Kurokawa, T. Narita, G. Kagata, Y. Osada, G. Nishimura and M. Kinjo, *J. Am. Chem. Soc.*, 2001, **123**, 5582–5583.

198 M. M. Blum and T. C. Ovaert, *Mater. Sci. Eng., C*, 2013, **33**, 4377–4383.

199 B. Ye, C. Yao, M. Yan, H. Zhang, F. Xi, J. Liu, B. Li and X. Dong, *Macromol. Mater. Eng.*, 2018, 1800500.

200 Q. Hao, T. Chen, R. Wang, J. Feng, D. Chen and W. Yao, *J. Cleaner Prod.*, 2018, **197**, 1222–1230.

201 S. Lamkha and C. Randorn, *J. Photopolym. Sci. Technol.*, 2017, **30**, 425–429.

202 Y. Liang, X. Wang, W. An, Y. Li, J. Hu and W. Cui, *Appl. Surf. Sci.*, 2019, **466**, 666–672.

203 M. Li, H. Liao, Q. Deng, Y. Wu, F. Xiao, X. Wei and D. Tu, *J. Macromol. Sci., Part A: Pure Appl. Chem.*, 2018, **55**, 408–413.

204 J. W. Ko, W. S. Choi, J. Kim, S. K. Kuk, S. H. Lee and C. B. Park, *Biomacromolecules*, 2017, **18**, 3551–3556.

205 P. He, X. Tang, L. Chen, P. Xie, L. He, H. Zhou, D. Zhang and T. Fan, *Adv. Funct. Mater.*, 2018, **28**, 1801121.



206 J. Yan, M.-T. F. Rodrigues, Z. Song, H. Li, H. Xu, H. Liu, J. Wu, Y. Xu, Y. Song, Y. Liu, P. Yu, W. Yang, R. Vajtai, H. Li, S. Yuan and P. M. Ajayan, *Adv. Funct. Mater.*, 2017, **27**, 1700653.

207 Y. Zhang, Z. Zhou, Y. Shen, Q. Zhou, J. Wang, A. Liu, S. Liu and Y. Zhang, *ACS Nano*, 2016, **10**, 9036–9043.

208 L. Tan, C. Yu, M. Wang, S. Zhang, J. Sun, S. Dong and J. Sun, *Appl. Surf. Sci.*, 2019, **467–468**, 286–292.

209 M. Zhang, W. Jiang, D. Liu, J. Wang, Y. Liu, Y. Zhu and Y. Zhu, *Appl. Catal., B*, 2016, **183**, 263–268.

210 D. Gräfe, A. Wickberg, M. M. Zieger, M. Wegener, E. Blasco and C. Barner-Kowollik, *Nat. Commun.*, 2018, **9**, 2788.

211 S. C. Ligon, R. Liska, J. r. Stampfl, M. Gurr and R. Mülhaupt, *Chem. Rev.*, 2017, **117**, 10212–10290.

