Nanoscale Advances



REVIEW

View Article Online



Cite this: Nanoscale Adv., 2020, 2,

Recent advances in environmentally benign hierarchical inorganic nano-adsorbents for the removal of poisonous metal ions in water: a review with mechanistic insight into toxicity and adsorption

Manjunatha Channegowda (1) *ab

Recent developments in nanoscience and technology have addressed many of the problems associated with water quality. Accordingly, using the technological outputs of the recent research on nanomaterials, the best solution for the purification of water is highlighted in this review. Herein, the main objective is to provide mechanistic insight into the synthesis of various inorganic nanoadsorbents and their adsorption chemistry for poisonous metal ions present in polluted water. Initially, the toxicity and carcinogenicity of As3+, Pb2+, Cr6+, Cd2+, and Hg2+ metal ions are highlighted. For the removal of these toxic ions, this review focuses on eco-friendly nanoadsorbents. The various preparation procedures utilized for the preparation of nanoadsorbents are briefly discussed. Generally, this is because of the adsorption capacity of nanoadsorbents depends on their morphology, shape, size, surface area, surface active sites, functional groups, and quantization effect. Also, due to the importance of their mechanism of action, the recent developments and challenges of novel nanoadsorbents such as metal oxides, core shell nanoparticles, magnetic nano ferrates, and functionalized core shell magnetic oxides and the processes for the treatment of water contaminated by toxic metal ions such as As³⁺, Pb²⁺, Cr⁶⁺, Cd²⁺, and Hq²⁺ are exclusively reviewed. Further, the adsorption efficiency of inorganic nanoadsorbents is also compared with that of activated carbon derived from various sources for all the above-mentioned metal ions.

Received 5th August 2020 Accepted 19th September 2020

DOI: 10.1039/d0na00650e

rsc.li/nanoscale-advances

^aDepartment of Chemistry, RV College of Engineering, Bengaluru-560 059, Karnataka, India. E-mail: manjunathac@rvce.edu.in; manju.chem20@gmail.com; Tel: +91 9036651277

^bVisvesvaraya Technological University, Belagavi-590018, India



Dr Manjunatha C., is currently an Assistant Professor in the Department of Chemistry, RV College of Engineering, Bengaluru, recognized PhD Supervisor from Visvesvaraya **Technological** University (VTU), India. He obtained his M.Sc. in Inorganic Chemistry from the Department of Chemistry, Central Campus, Bangalore University in 2004 and PhD in the Faculty of Science-Applied Chemistry, from

VTU in 2013. His research interests include inorganic nanomaterial chemistry, surface and colloidal chemistry and electrochemistry, with a focus on the design and synthesis of differently shaped functional inorganic materials and their applications in energy storage and conversion, photocatalysis, water purification, phosphors, sensors and nanomedicine.

Introduction

Pure water, free from toxic compounds and pathogens, is crucial to the health of living beings, and is also essential in many industries.1-3 Unfortunately, society has been exposed to limitless toxic chemicals, polluted water, and hybridized and genetically reformed foods.4 Impure water containing toxic pollutants from many industries, including the chemical, pharmaceutical, battery, metallurgical, leather, and mining industries,5,6 is discharged into natural water resources, although it poses a threat to living organisms.7,8

The presence of heavy metal ions (specific density $> 5 \text{ g cm}^{-3}$) in water has been found to have deleterious effect on living organisms.9-11 Among the various water contaminants, the most frequently present and hazardous toxic metals include arsenic (As^{3+}) , lead (Pb^{2+}) , chromium (Cr^{6+}) , cadmium (Cd^{2+}) , and mercury (Hg²⁺).^{12,13} These toxic metal ions induce toxicity to cells and make them malfunction by replacing the healthy metal ions present in their protein binding sites. There are several reports that confirm that these toxic heavy metal ions cause oxidative deterioration of biological macromolecules by binding to DNA.14,15

Therefore, it is urgent to develop suitable techniques to efficiently remove toxic metal ions from polluted water. Among the various available techniques, the adsorption approach has been proven to be the most effective method for the removal of metal




Fig. 1 Representative images of toxic metal ions and their health hazards. (a) Arsenic, (b) lead, (c) chromium, (d) cadmium and (e) mercury (ref. 34–42).

ions. The engineered nanomaterials used as adsorbents in this technique should possess a high surface area, tuneable morphology, and good chemical and thermal stability. Hierarchical inorganic nanostructures are favourable for metal ion

adsorption since they possess a high surface area, numerous adsorption sites, adjustable chemical compositions and organized hierarchical porosity on different scales.^{17–20}

Review Nanoscale Advances

Among the various inorganic nanoadsorbents, functionalised nanomaterials such as MgO, Fe₃O₄, Al₂O₃, MnO₂, TiO₂, ZnO, CeO₂, CuS, and NiP and their core shell nanocomposites have been proven to be very efficient for the adsorption of toxic metal ions.^{21–26} Researchers have exhibited more interest in magnetic metal oxides than regular nanoscale metal oxides because they can be easily extracted from water under a magnetic field, and thus easily recycled.^{27,28} Accordingly, the use of these magnetic adsorbents is essential to reduce the cost and improve the adsorption efficiency for the treatment of wastewater.

This review aims to provide an overview about the importance of removing toxic metal ions, particularly As3+, Pb2+, Cr6+, Cd2+, and Hg²⁺, and highlight their toxicity and carcinogenicity with their mechanisms. For the removal of these toxic metal ions, hierarchically structured inorganic nanoadsorbents with an ecofriendly nature and high surface area developed by various research groups are carefully selected, and their synthesis and adsorption mechanism are systematically discussed. The inorganic nanoadsorbents covered herein all possess hierarchical morphologies such as flowers, tubes, rods, spheres, and coreshell structures. The surface area and active sites of these structures are generally higher than plane/normal structures, and hence their adsorption efficiency is also higher. However, in this review, it is not the aim to provide in-depth information as presented in other review articles, instead the goal is to provide a compendium of this interesting research area using a finite number of examples, focussing on mechanistic aspects. Therefore, some of the important topics, such as nano-assisted bioremediation, ion-exchange, metal ion sensors, and microbial fuel cells, although interesting, are not covered in this work. In this review article, a brief view on several typical important hierarchically inorganic nanoadsorbents with high surface areas are discussed, including their morphological characterization, adsorption behavior with respect to As3+, Pb2+, Cr6+, Cd2+, and Hg²⁺ in water systems under different experimental conditions, necessary adsorption mechanism, and their recyclability.

2. Toxicity and its mechanism

The severity of the toxicity of all the above-mentioned metal ions is presented in Fig. 1. The exposure of the skin to significant levels of arsenic has been reported to cause skin cancer, as shown in Fig. 1(a).²⁹ The toxic effects of lead, as shown in Fig. 1(b), mainly include neurocognitive, cardiovascular and psychiatric problems.³⁰ Chromium Cr(v1) is very toxic, and causes lung cancer, nasal irritation, nasal ulcers, and contact dermatitis, as shown Fig. 1(c). Excessive exposure to cadmium causes bone demineralization (Fig. 1(d)), impairs lung function and increases the risk of lung cancer. Acute exposure to both inorganic and organic mercury causes damage to the gastrointestinal tract, nervous system (Fig. 1(e)), lungs, kidneys, and digestive and immune systems.³¹⁻³³

2.1. Arsenic: mechanism of its toxicity and carcinogenicity

The toxic nature of arsenic (As) is mainly associated with the effects of trivalent arsenite [As(III)] and pentavalent arsenate [As(V)]. As(III) can deactivate over 200 enzymes by linking




Fig. 2 Typical mechanism of arsenic carcinogenicity (ref. 54).

covalently to the thiol and sulfhydryl groups of proteins. ⁴³⁻⁴⁵ As(III) inhibits various cellular enzymes such as pyruvate dehydrogenase by reducing pyruvate to acetyl coenzyme A (CoA). ⁴⁶ In addition, it also stops the synthesis of one of the most powerful cellular antioxidants, glutathione (GSH). The toxicity of As(v) occurs *via* its reduction to As(III), ⁴⁷ which replaces the phosphate ion in glycolytic and cellular respiration. ⁴⁸⁻⁵⁰ During the biotransformation of arsenic, inorganic arsenic species (iAs) are converted enzymatically into monomethylarsonic acid (MMA) and dimethylarsinic acid (DMA)⁵¹ by bacteria, algae, fungi and humans, as shown in Fig. 2.

$$iAs(v) \rightarrow iAs(III) \rightarrow MMA(v) \rightarrow MMA(III) \rightarrow DMA(v)$$

During the above detoxification process, end-products such as MMA(v) and DMA(v) are expelled through the urine. However, MMA(III) remains inside the cell as an intermediate product, which is responsible for arsenic-induced carcinogenesis.⁵²

Fig. 2 represents the typical carcinogenic mechanisms of arsenic compounds. Their carcinogenesis is due to the induction of oxidative stress by ROS species. The structural changes in the mitochondrion by arsenic inactivates the mitochondrial enzymes, resulting in the loss of the mitochondrial membrane potential. It is also predicted that the reduction of O_2 by As(III) liberates H_2O_2 and/or arsenic peroxyl radicals, causing DNA damage, as shown in Fig. 2.

2.2. Lead: mechanism of its toxicity and carcinogenicity

Recent articles on the effects of lead show that it severely affects the nervous system, causing multiple neurological disorders such as nerve damage, learning and developmental disabilities, behavioral problems, brain damage, and perhaps Parkinson's disease, schizophrenia, and Alzheimer's disease. Together with brain damage, lead also induces kidney damage, gastrointestinal diseases, high blood pressure, and vitamin D metabolism. The toxicity mechanisms of lead are because it mimics the actions of metal ions and interacts with proteins. By substituting the essential divalent cations (Ca²⁺, Fe²⁺, and Mg²⁺) and also by binding to the sulfhydryl (–SH) and amide groups (–CONH₂) of enzymes, lead modifies their configuration and

Nanoscale Advances Review

weakens their activities, resulting in malfunction of the host protein. Recent findings on apoptosis in human cancer cells by lead exposure demonstrated that it is caused by oxidative stress-activated cellular and molecular reactions, ¹⁴ transcriptional activation of stress genes, ⁶⁰ DNA damage, ⁶¹ externalization of phosphatidylserine, and activation of caspase 3. ⁶²

2.3. Chromium: mechanism of its toxicity and carcinogenicity

The highly mobile Cr(v1) ion is considered to be one of the most toxic heavy metal ions. The chronic consumption of Cr(v1) compounds damages the lungs and nasal passage, and causes sinus cancer, severe dermatitis, severe liver abnormalities, etc. As reported by IARC, $Cr(v_1)$ compounds (e.g., CrO_4^{2-}) are similar to sulfate and phosphate, and thus can easily be substituted by cells via the anionic transport system. The negatively charged CrO₄²⁻ can easily pass through the anionic channels in cellular membranes, and then undergo reduction to Cr(III) ions. These ions cross-link DNA and proteins, glutathione, ascorbate, etc. The formation of ROS, especially hydroxyl free radicals, is shown in Fig. 3. As shown in Fig. 3, the reduction of Cr(v1) produces glutathione-thiyl radicals, which⁶³ further reduce O₂ to O2. radicals. Further, Cr(IV) and Cr(III) in the intermediate steps undergo Fenton-type reactions, which generate hydroxyl free radicals ('OH). The experiments conducted by Ye and coworkers⁶⁴ confirmed that the generation of 'OH in cells by Cr(v_I) causes severe cytotoxicity. Their study mainly confirmed that the formation of DNA adducts by chromium is the main cause for carcinogenesis.65

2.4. Cadmium: mechanism of its toxicity and carcinogenicity

Cadmium, Cd(II), which has a biological half-life of 30 years, is stored in the liver and kidney, and causes acute tumours in the lungs and kidneys. ⁶⁶ Since Cd(II) has a stable oxidation state of +2 (redox-inactive), it can replace Fe²⁺ and Cu²⁺ ions from the intracellular depots of ferritin and apo ferritin, ⁶⁷ inducing oxidative stress, as shown in Fig. 4. Also, it causes a deficiency in iron by binding with glutamate, cysteine, aspartate and histidine ligands. Furthermore, Zn²⁺, which is present in metallothionein, can also be replaced by Cd²⁺ because they have the same oxidation state, thus hindering it from acting as a free




Fig. 3 Typical mechanism of chromium carcinogenicity (ref. 54).




Fig. 4 Typical mechanism of cadmium carcinogenicity (ref. 54).

radical scavenger within the cell.⁶⁸ As presented in Fig. 4, cadmium helps in the generation of ROS by inhibiting complex III of the mitochondrial respiratory chain, which further leads to the accumulation of semiubiquinones and the formation of O_2 . radicals. It also indirectly triggers oxidative stress by obstructing the communication between SOD and catalase, which are antioxidant enzymes, ⁶⁹ thereby increasing the levels of O_2 . and H_2O_2 , and subsequent lipid peroxidation.

2.5. Mercury: mechanism of its toxicity and carcinogenicity

Various studies have shown that the cytotoxic effect of Hg²⁺ is linked to cellular oxidative stress.⁷⁰⁻⁷² It is believed that the cytotoxicity of Hg²⁺ is due to its ability to covalently bond with thiols and selenols, which further decreases the thiol and selenol-based antioxidant buffers (glutathione) in cells. It also changes the redox state of the sulphydrilic lateral chain of cysteines of several enzymes.⁷³⁻⁷⁵ Because of these chemical modifications, the balance between the production and scavenging of ROS is disturbed. This is one of the reasons for




Fig. 5 Typical mechanism of mercury carcinogenicity (ref. 77).

mercury ion toxicity. The selenol group (-Se-H) group present in several antioxidant enzymes such as glutathione peroxidases and thioredoxin reductase mainly exists in the dissociated nucleophilic form (-Se⁻).⁷⁶ The selenol group (-Se-H) is more nucleophilic and shows much higher reactivity toward Hg²⁺ than the -SH group, as shown in Fig. 5. Therefore, Hg²⁺ inactivates the enzymes by binding to the selenol (-Se⁻) group present in the catalytic seleno-cysteine residue of thioredoxin reductase and glutathione peroxidase. In the catalytic cycle, as shown in Fig. 5, glutathione peroxidase converts H2O2 in to 2H₂O and two reduced glutathione molecules (GSH) into their oxidized form (GSSG). Similarly, thioredoxin reductase reduces the oxidized thioredoxin (Txr) by simultaneously reacting with NADPH. At the expense of mitochondria, the reduced Txr helps to retain the redox state of protein cysteines (P) from H₂O₂mediated oxidation. With the help of the mitochondrial isoform of SOD2, $O_2^{\bullet-}$ is further converted into H_2O_2 . In this way, Hg^{2+}

3. Adsorption process and removal mechanism of toxic metal ions

3.1 Absorption and adsorption

constrains the activity of selenoproteins.

Absorption is the bulk phenomenon in which one substance (absorbate) in the gaseous, liquid or solid form enters the volume (bulk) of another substance (absorbent), specifically, a solid. It is an endothermic process, in which the absorbed substance remains intact in the absorbent due to the presence of empty space, but they do not have any chemical interaction with each other. However, once the absorbent is absorbed, it cannot be separated easily. In contrast, the adsorption process in exothermic in nature, which occurs on the surface of a substrate (adsorbent), where the adsorbates (gas, liquids or solids) loosely stick to the surface of the adsorbent (solid or liquid) through physical or chemical interaction. Generally, absorption occurs at the macroscopic scale and adsorption at the nanoscopic scale.

3.2 Adsorption phenomena and isotherms

Adsorption is a surface phenomenon, in which the adsorbate (in gas/liquid/molecular form or ionic form) binds to the adsorbent (solid) surface.78 The adsorption of molecules can take place in two ways, i.e. "physisorption" and "chemisorption". 79,80 In physisorption, the molecules or ions adsorb on the adsorbate via weak electrostatic interactions and van der Waals forces. However, in the case of chemisorption, the adsorbates are attached to the adsorbent surface via strong chemical bonds.81 In this review, we mainly discuss adsorption related to water treatment, which involves liquid-solid adsorption systems. Here, the metal ions present in the water act as the adsorbate and are adsorbed on the surface of nanoadsorbents, which are in the solid state. The type of interaction between the adsorbent (solid) and adsorbate (metal ions) in liquid medium depends on the surface properties of both of them. If physical forces hold both the adsorbent and adsorbate together, then the adsorption can

be multilayer and reversible. However, if they are held by chemical bonds, then the adsorption occurs only as monolayer and is irreversible. It has been observed that under favorable experimental conditions, both physisorption and chemisorption processes can occur simultaneously or independently. Physisorption is exothermic and results in a decrease in the free energy and entropy of the adsorption system. The adsorption mechanism of toxic metal ions by inorganic nanoadsorbents can be explained in two ways. The first mechanism involves the formation of chemical bonds between heavy metal ions and the functional hydroxyl/amino/thiol group on the surface of the nanoadsorbent, forming inner complexes. Secondly, via the electrostatic attraction between heavy metals and the negatively charged -O groups on the surface, forming outer complexes. Secondly, via the electrostatic attraction between heavy metals and the negatively charged -O groups on the surface, forming outer complexes.

In the water purification process, adsorption results in the removal of metal ions from solution and their accumulation at the solid surface of nanoadsorbents. When adsorption reaches the maximum, the metal ions remaining in the solution reaches a dynamic equilibrium with the nanoadsorbent. The rate at which equilibrium is achieved depends on many parameters such as the surface area of the adsorbent, active sites, surface charge density of metal ions, pH, temperature and concentration of the adsorbate. S6,87

In the case of the adsorption of toxic metal ions in contaminated water, solutions with different concentrations of toxic metal ions are prepared, while maintaining the required pH. Then, a fixed quantity (e.g. 5 mg and 10 mg) of the adsorbent sample is added to a known volume (e.g. 10 mL and 15 mL) of toxic metal ion solution under constant stirring. After stirring for some time, the solid adsorbents are extracted from the solution and the residual concentrations of toxic metal ions are analyzed via UV-visible absorption spectral analysis or inductively coupled plasma-optical emission spectroscopy (ICP-OES) and compared with the initial metal ion concentrations. The adsorption isotherm can be recorded by changing the initial toxic metal ion concentration and stirring for a fixed duration at 25 °C. Using eqn (1), the value of ' q_e ' (equilibrium adsorption efficiency in mg g^{-1}) can be calculated.

$$q_{\rm e} = \frac{(C_0 - C_{\rm e})V}{m} \tag{1}$$

where C_0 = initial metal ion concentration (mg L⁻¹), C_e = equilibrium metal ion concentration (mg L⁻¹), V = volume (mL) of metal ion solution, and m = mass (mg) of adsorbents.

For the rate of the adsorption in a liquid medium involving a solid adsorbent, the rate law can be determined using the slowest steps among the following:

- (a) Transportation of the metal ions from the bulk of the solution to the solid adsorbent *via* liquid medium.
- (b) Diffusion of metal ions across the liquid medium surrounding the nanoadsorbent particles to the bare adsorbent surface.
- (c) Diffusion of metal ions across the liquid medium into the pores of the adsorbent *via* intraparticle diffusion.
- (d) Adsorption of the metal ions on the adsorbent surface either by surface reaction or physical processes.

Nanoscale Advances Review

(e) Desorption of the metal ions from the solid adsorbent surface (in the case of reversible adsorption).

In most cases, the overall rate of adsorption is controlled by the slowest among the above. However, for some complex systems, the rate of adsorption depends on the combination of two or more steps among those listed above. To understand the adsorption rate and mechanism, various types of isotherm models have been used over the years, some with firm theoretical foundation, while others are empirical in nature. Among them, two models, namely the Freundlich and Langmuir models, are mostly followed for the adsorption of heavy metals in water, as presented in this review.88 The Langmuir adsorption model can be demonstrated by the following equation. This model assumes that the adsorption sites in an adsorbent are finite and have equal energy, and there is no transmigration of the adsorbate in the plane of the surface, resulting in monolayer adsorption. The adsorption data is analysed according to the linear form of the Langmuir isotherm as follows (eqn (2)):

$$\frac{C_{\rm e}}{q} = \frac{1}{Kq_{\rm m}} + \frac{C_{\rm e}}{q_{\rm m}} \tag{2}$$

where q = adsorption efficiency in mg g^{-1} , $q_m =$ maximum adsorption capacity in mg g^{-1} , $C_e = equilibrium$ concentration in mg L^{-1} of metal ion solution, and K = Langmuir adsorption equilibrium constant (L mg⁻¹).

The Freundlich isotherm is considered to be multilayer, nonideal, reversible adsorption at a heterogeneous surface with all its adsorption sites possessing different binding energies.88 Thus, the adsorbent surface has a spectrum of different binding energies, rather than one uniform energy. The Freundlich equation is commonly presented as (eqn (3)):

$$\log q_{\rm e} = \log k_{\rm F} + \frac{1}{n} \log C_{\rm e} \tag{3}$$

where $k_{\rm F}$ is the Freundlich constant (mg g⁻¹) (L mg⁻¹)^{1/n} and 1/n is the heterogeneity factor.

Categories of nanoadsorbents

Commonly used nanoadsorbents are classified based on their chemical composition and their functionalisation, which make their surface adsorption sites behave completely different. The nanoadsorbents are classified as follows.

- (a) Metallic nanoadsorbents: various nanostructured and functionalised gold NPs, silver NPs, copper NPs, nickel NPs, platinum NPs, and palladium NPs.
- (b) Metal oxide nanoadsorbents: various nanostructured and functionalised ZnO, MgO, CaO, TiO2, CuO, SnO2, NiO, MnO2, etc.
- (c) Magnetic nanoadsorbents: various nanostructured and functionalised Fe₂O₃, Fe₃O₄, Co₃O₄, NiO₂, ferrates of cobalt (CoFe₂O₄), nickel (NiFe₂O₄), manganese (MnFe₂O₄), zinc (ZnFe₂O₄), and copper (CuFe₂O₄); manganese compounds; core-shell structure; etc.
- (d) Metal chalcogenide nanoadsorbents: various nanostructured and functionalised MoS2, WS2, MoSe2, WSe2, CuS, CuSe, MnS, MnSe, CoS, NiS, FeS, Fe₂S₃, etc.

- (e) Carbonaceous nanomaterials (CNMs): carbon nanotubes (CNTs), carbon nanoparticles (CNPs), graphene and their functionalised materials.
- (f) Silicon nanomaterials (SiNMs): silicon nanotubes (SiNTs), silicon nanoparticles (SiNPs), and silicon nanosheets (SiNSs).

Inorganic nano-architectures for the removal of toxic metal ions from water

4.1 Inorganic nano-architectures for the removal of arsenic ions

Arsenic (As) is a highly toxic and carcinogenic metal ion, and thus its presence in water can cause a major threat to the ecosystem and human beings. It is found in two main forms, As(III) and As(v), of which, As(III) is more toxic due to its high affinity to the thiols (-SH) sites of proteins in the human body.89 The IARC and EU categorize arsenic and its compounds (As₂O₃, As₂O₅ and arsenate salts) as group 1 carcinogens. These carcinogenic arsenic compounds were removed from water via a simple adsorption method using potential micro/nanostructures adsorbents, which possessed a very high surface area with unique hierarchical structures, by several research groups. Shuliang Yang et al.90 developed hierarchical microspheres of MgO, which effectively captured As(III) ions from water. The hierarchical flower-like MgO hollow microspheres with a high surface area were prepared via the calcination of magnesium glycolate precursors at 500 °C for 2 h in air. As shown in Fig. 6(a) and (b), the SEM and TEM images confirm the flower-like morphology of MgO with a hollow structure. For the adsorption studies, arsenate solutions of different concentrations were prepared using Na₂HAsO₄·7H₂O and the pH was adjusted to 7. The adsorption experiments were conducted for different arsenate concentrations at room temperature using 8 mg of flower-like MgO adsorbent with stirring for 12 h. After stirring, the upper solution was extracted, and the concentration of arsenate was analyzed via inductively coupled plasmaatomic emission spectroscopy (ICP-AES). The adsorption kinetics was studied by using the Langmuir model, where each adsorption site on the surface had identical binding sites, and thus was described as monolayer adsorption. The adsorption efficiency with respect to As(v) ions for the flower-like MgO hollow spheres was compared with that of commercial MgO, as displayed in Fig. 6(c). The results confirmed that the adsorption rate of the flower-like MgO hollow spheres (569.7 mg g^{-1}) was 7.6 times of higher than that of the commercial MgO, as presented in Fig. 6(d). This value is considered to be the highest among the reported MgO and other nanoadsorbents.90

Similarly, Swasmi Purwajanti et al.91 prepared hierarchical MgO spheres with a uniform size of 10 µm via a precipitationaging calcination procedure (Fig. 6(e)). It was found that the MgO microspheres were actually constituted by a large number of nano-scale sheets (Fig. 6(f)). Their experimental studies confirmed that the aging temperature played a major role in obtaining the hierarchical MgO microspheres. At 60 °C, they obtained both micro-scale rods and spheres (Fig. 6(f)), and at




Fig. 6 (a) SEM and (b) TEM images of flower-like MgO hollow spheres. (c) Adsorption rates and (d) adsorption isotherm curves of As(v) adsorption on the flower-like MgO hollow spheres (red line) and commercial MgO (violet line). (Reprinted with permission from [ref. 90] Copyright © (2016) the Royal Society of Chemistry.) (e and f) SEM images of MgO-500 and MgO-500 prepared at different aging temperatures (g) 60 °C and (h) 70 °C. (i) As(iii) adsorption isotherm, (j) arsenic removal percentage, (Reprinted with permission from [ref. 91] Copyright © (2015) the American Chemical Society) (k) FESEM image and (l) TEM image of as-prepared hollow nest-like α -Fe₂O₃ nanostructures. (m) Adsorption isotherms of As(v) and Cr(vi) using the hollow nest like α -Fe₂O₃ nanostructures. (Reprinted with permission from [ref. 92 Copyright © (2013) the American Chemical Society.) (n) SEM (inset: magnified image) and (o) TEM of FeMn_xO_y@FeOOH. (p) Residual As (total As, As(iii), and As(v)) concentration in solution and its removal rate by FeMn_xO_y@FeOOH. (Reprinted with permission from [ref. 93] Copyright © (2018) the American Chemical Society.)

a temperature above 70 °C, only micro-size spheres made up of nano-scale sheets were obtained (Fig. 6(g) and (h)). The MgO microspheres calcined at different temperatures were used for the adsorption of As(III) ions in water. For effective adsorption results, 20 mg of MgO was dispersed in 50 mL of As(III) solution (different concentrations ranging from 50 to 400 ppm) and stirred for 24 h at 200 rpm. After the stirring was complete, the adsorbent was extracted by centrifugation and the remaining As(III) in the extracted solution was analyzed via ICP-OES. For the solution containing an As(III) concentration of 400 ppm, the MgO microspheres calcined at 400 °C (labelled as MgO-400), possessed an adsorption capacity of about 545 mg g⁻¹, which was highest value recorded. However, the MgO microspheres calcined at 700 °C (MgO-700), only possessed an adsorption capacity of 148 mg g⁻¹. This confirmed that the calcination temperature plays a major role in the adsorption capacity for As(III).91

Nanoscale Advances

Furthermore, compared with other nano metal oxides and commercially available arsenic adsorbents, the MgO microspheres reported in this work shows a higher adsorption efficiency for As(III). According to Fig. 6(i), it was observed that with an increase in C_0 or C_e , the As(III) adsorption by the MgO-400 adsorbent also increased. Using the Langmuir adsorption isotherm, q_{max} and K_{L} were calculated to be 595 mg g⁻¹ and 0.040 L mg⁻¹ at 25 °C, and based on the Freundlich adsorption isotherm, K_F and N were found to be 87 mg g^{-1(1-1/n)} and 2.6, respectively. This 'n' value of 2.6 (between 2 and 10) confirms that the arsenite anions can be easily adsorbed (Fig. 6(j)).91

Zhenhua Wei et al.92 synthesized hollow nest-like α-Fe₂O₃ spheres via a glycerol-mediated microwave-assisted hydrothermal method. As shown in Fig. 6(k) and (l), the α-Fe₂O₃

spheres (~400 nm) were composed of nanorods with an aspect ratio 5. To study the removal efficiency of the nanoadsorbents for As(v) and Cr(v1), the corresponding metal ion solutions of various concentrations including 10, 20, 50, 100, 200, and 500 ppm were prepared using Na₂HAsO₄·7H₂O and K₂Cr₂O₇, respectively. About 15 mg of hollow α-Fe₂O₃ nanoadsorbent was added to 30 mL of the above metal ion solution and stirred constantly for 10 h. After equilibrium was achieved, the solid and liquid phases were immediately separated, and the resultant concentration of As(v) or Cr(v1) in the remaining solutions was determined by ICP-OES. To study the adsorption rate, As(v) and Cr(vi) solutions with an initial concentration of 40 ppm were used. The adsorption efficiency of the nest-like α-Fe₂O₃ spheres was studied using the initial concentration of 40 ppm As⁵⁺ and Cr⁶⁺ solutions (Fig. 6(m)). The hollow nest-like α -Fe₂O₃ showed a removal efficiency of 88% for As(v) and 67% for Cr(v1) within 120 min. Using the Langmuir adsorption isotherm model, as shown in Fig. 6(m), the maximum adsorption capacity was calculated to be \sim 75.3 mg g⁻¹ for As(v) and \sim 58.6 mg g⁻¹ for Cr(v_I). These values are much higher than that of previously reported nanomaterials.92

Lu-Bin Zhong et al.93 prepared 3D urchin-like Fe-Mn binary oxide (UFMO) via a one-pot template-free method without the use of a surfactant. The as-synthesized UFMO consisted of an amorphous FeMn_rO_ν binary oxide core and a well-aligned α-FeOOH nanorod shell having a high specific surface area of 142 m² g⁻¹. Owing to its 3D hierarchical morphology with heterogeneous surface chemical composition due to the core shell combination, it could efficiently adsorb heavy metal ions in water. As shown in the SEM and TEM images (Fig. 6(n) and (o), respectively), UFMO is composed of a spherical core with an

Table 1 Comprehensive comparison of the adsorption efficiency of various nanoadsorbents used for the removal of arsenic (As(III) and As(V)) ions

Nano-adsorbent	Morphology	BET surface area (m² g ⁻¹)	Toxic ion adsorbed	Max. removal capacity (mg g^{-1})	Ref.
α-Fe ₂ O ₃	Hollow nest-like spheres	152.42	As(v)	75.3	92
α-FeOOH	Chrysanthemum-like micro-spheres	120.8	As(v)	66.2	94
α -Fe $_2$ O $_3$	Flowers	40	As(v)	7.6	95
α -Fe ₂ O ₃	Flowers	130	As(v)	51	96
Commercial α-Fe ₂ O ₃	Bulk powder	2	As(v)	0.3	96
α-FeOOH	Hollow urchin-like spheres	96.9	As(v)	58	97
CeO_2	Flowers	34.1	As(v)	14.4	98
CeO_2	Hollow nanospheres	72	As(v)	22.4	99
MgO-400	Nanosheets calcined at 400 °C	194	As(III)	545	91
MgO-500	Nanosheets calcined at 500 °C	122	As(III)	502	91
MgO-600	Nanosheets calcined at 600 °C	34	As(III)	339	91
MgO-700	Nanosheets calcined at 700 °C	16	As(III)	148	91
Fe_3O_4 -MnO ₂	Core-shell nanoplates	124.85	As(III)	72.8	100
Fe-Mn binary oxide	Nanowires	57.6	As(III)	171	101
Granular activated carbon (GAC)	Porous surface	1124	As(v)	1.430	102
Iron impregnated granular activated carbon (Fe-GAC)	Porous surface with aggregated particles	876	As(v)	1.013	102
CeO ₂ coated powdered activated carbon		635	As(v) As(III)	12	103
Cerium oxide modified activated carbon	Rough surfaces with pores	414.4	As(v) As(III)	43.60 36.77	104

average diameter of 250 nm and numerous nanorods 125 nm in length and 15 nm in width. For the adsorption studies, about 100 mL of the 100 ppb As(III) or Cd(II) solution was added to a 150 mL flask together with 50 mg L⁻¹ UFMO nanoadsorbent, and the mixture was constantly stirred at 200 rpm for 6 h at 25 °C with the pH maintained at 7.0 \pm 0.1 and 6.5 \pm 0.1 for the As(III) and Cd(II) solutions, respectively. All the samples were filtered using Millipore membrane filters (0.22 µm) and their metal ion concentration was determined by ICP-OES. As shown in Fig. 6(p), just 0.05 g L⁻¹ of UFMO could efficiently decrease 100 ppb As(III) to less than 1 ppb, which is below the maximum permissible limit (5 ppb) recommended by the World Health Organization (WHO) for drinking water.93

The various morphological architectures of the inorganic nanoadsorbents used for the adsorption of toxic arsenic ions in water are listed in Table 1. Among the nanoadsorbents listed in Table 1, hierarchical α-Fe₂O₃ with hollow nest-like spheres⁹² with the highest BET surface area 152.42 m² g⁻¹ and exhibits the highest adsorption efficiency of 75.3 mg g^{-1} for As(v) ions. The hierarchical MgO-400 nanosheets calcined at 400 °C (ref. 91) with the highest BET surface area of 194 m² g⁻¹ exhibits the highest adsorption efficiency of 545 mg g⁻¹ for As(III) ions. The high adsorption efficiency of the nest-like α-Fe₂O₃ and flowerlike MgO can be attributed to their hierarchical unique morphologies and high surface area.

4.1.1. Mechanism of arsenic adsorption. Hierarchically nanostructured metal oxides possess a high surface area and suitable surface functional groups that can adsorb metal ions through chemisorption. It is well known that the sorption behavior for arsenic is largely dependent on the metal ion oxidation state, sorbent phase, sorbent surface area, surface binding sites and solute pH.

In a typical adsorption process, as presented in Fig. 7, the hierarchically nanostructured metal oxide adsorbent undergoes hydrolysis in aqueous medium, resulting in the formation active hydroxy binding sites. The active hydroxy groups on the




Fig. 7 Schematic illustration for the probable mechanisms of As(III) and As(v) adsorption on hierarchical metal oxide nanostructures.

surface of the adsorbent bind the As⁵⁺ and As³⁺ ions. The high adsorption efficiency of metal oxide nanostructures for both As3+ and As5+ can be ascribed to following processes: (1) the formation of $M(OH)_r$ (x = 2 and 3) (eqn (1)) active sites on the surface of metal oxide MO nanostructures in aqueous medium and (2) monodentate and bidentate complex formation on the surface between As3+ and As5+ species with the surface hydroxyl groups (eqn (3)).

Aqueous protonation reaction of arsenate (As5+) and arsenite (As³⁺) is as follows:

Arsenate protonation reaction in aqueous medium:

$$AsO_4^{3-} + H^+ \rightarrow HAsO_4^{2-}$$
 (4)

$$AsO_4^{3-} + 2H^+ \rightarrow H_2AsO_4^-$$
 (5)

$$AsO_4^{3-} + 3H^+ \rightarrow H_3AsO_4$$
 (6)

Arsenite protonation reaction in aqueous medium:

$$AsO_3^{3-} + H^+ \rightarrow HAsO_3^{2-}$$
 (7)

$$AsO_3^{3-} + 2H^+ \rightarrow H_2AsO_3^-$$
 (8)

$$AsO_3^{3-} + 3H^+ \rightarrow H_3AsO_3$$
 (9)

Surface complexation reaction (adsorption) Arsenate adsorption

$$M-OH + AsO_4^{3-} + 3H^+ \rightarrow MH_2AsO_4 + H_2O$$
 (10)

$$M-OH + AsO_4^{3-} + 2H^+ \rightarrow MHAsO_4^- + H_2O$$
 (11)

$$M-OH + AsO_4^{3-} + H^+ \rightarrow MAsO_4^{2-} + H_2O$$
 (12)

Arsenite adsorption

$$M-OH + AsO_3^{3-} + 3H^+ \rightarrow MH_2AsO_3 + H_2O$$
 (13)

$$M-OH + AsO_3^{3-} + 2H^+ \rightarrow MHAsO_3^- + H_2O$$
 (14)

The adsorption of arsenic ions also depends on the pH of the solution. It is observed that when the solution is highly acidic (pH = 2), there is an increase in the positively charged sites on the surface due to protonation of the adsorbent, which favors the electrostatic attraction between MO and negatively charged arsenate ions. However, at higher pH values, there is an increase in the number of hydroxyl groups on the MO surface, which enhances its affinity towards As(III) and As(v). These observations confirm that MO adsorbents can be used in a wide pH range for the removal of arsenic in water.

4.2 Inorganic nano-architectures for the removal of lead, Pb(п), ions

Recently, researchers have demonstrated that inorganic metal oxides, hydroxides, and oxy hydroxides are efficient adsorbents for the removal of Pb(II) metal ions in water. 105,106

Hui Li et al.94 synthesized chrysanthemum-like α-FeOOH microspheres with a diameter of about 1 µm using an H₂O/




Fig. 8 (a) SEM image of the as-obtained chrysanthemum-like α-FeOOH; insets: high-magnification SEM image (upper right) and TEM image (lower right) of an individual structure. (b) Time-dependent concentration of As(v) and Pb(II). (c) Adsorption isotherms of As(v) and Pb(III) using chrysanthemum-like α-FeOOH (Reprinted with permission from [ref. 94] Copyright © (2011) the Royal Society of Chemistry.) (d) SEM and (e and f) TEM images of as-synthesized MnO₂ samples. (g) Relationship between the removal efficiency and time for the adsorption of Pb(II), Cd(II), Cu(III) and Cr(vi) by MnO₂. (h) Relationship between the removal efficiency and time for the adsorption of Pb(II) by MnO₂. (i) Pseudo-second-order kinetics for the adsorption of Pb²⁺ on the MnO₂ sample (T = 30 °C; absorbent dose = 100 mg L⁻¹; and Pb²⁺ concentration: a = 10 mg L⁻¹ 30 mg L $^{-1}$, and c = 50 mg L $^{-1}$). (Reprinted with permission from [ref. 107] Copyright © (2014) the Royal Society of Chemistry.) SEM images of (j) flower-like Mg(OH)₂ spheres and (k) nZVI@Mg(OH)₂. (l) Comparison of Pb(II) removal by nZVI@Mg(OH)₂, nZVI, and Mg(OH)₂. (m) Comparison of Pb(II) removal capacity and efficiency by nZVI@Mg(OH)2 and weighted sum of the value by nZVI and Mg(OH)2 alone. (Reprinted with permission from [ref. 108] Copyright © (2015) American Chemical Society) SEM images of (n) Prussian blue (PB) (Fe₄[Fe(CN)₆]₃) microcubes, (ο) α-Fe₂O₃, (p) Mn-doped α -Fe₂O₃ nanoboxes (FM-1-L), and (q) hollow α -Fe₂O₃/KMn₈O₁₆ nanoboxes (FM-1-S). (r) Absorption capacity of five types of heavy metal ions in the presence of the α -Fe₂O₃/KMn₈O₁₆ nanoboxes with different initial concentrations of Fe/Mn. Adsorption isotherms of (s) Pb(II) using the α -Fe₂O₃/KMn₈O₁₆ nanoboxes. (t) Competition absorption properties of a mixture solution (Na⁺, K⁺, Mg²⁺, Ca²⁺, SO₄²⁻, NO₃⁻, and Cl⁻) using the α-Fe₂O₃/KMn₈O₁₆ nanoboxes and commercial α-Fe₂O₃ powder. (Reprinted with permission from [ref. 109] Copyright © (2017) American Chemical Society.)

ethylene glycol (EG) cooperation-mediated method (Fig. 8(a)). The individual 3D hierarchical microsphere was comprised of numerous solid nanorods with lengths of a few hundred nanometres. To study the adsorption efficiency of the chrysanthemum-like α-FeOOH microspheres, solutions containing different concentrations (10, 20, 50, 100, 200, 500, 1000, and 1500 ppm) of As(v) and Pb(II) were prepared using Na₂-HAsO₄·7H₂O and Pb(NO₃)₂, respectively. Using 15 mg of α -FeOOH adsorbent, the adsorption isotherms were recorded using inductively coupled plasma-optical emission spectroscopy. Fig. 8(b) shows the adsorption rate of As(v) and Pb(II) at room temperature in water. Using, the Langmuir adsorption isotherm model, as shown in Fig. 8(c), the adsorption efficiency was calculated to be ca. 66.2 mg g^{-1} for As(v) and 103 mg g^{-1} for Pb(II). Compared to commercial bulk α -FeOOH, the chrysanthemum-like α-FeOOH microspheres is 100 times more efficient for the adsorption of arsenic ions in water.94

Yuanyuan Guo *et al.*¹⁰⁷ synthesised uniform hierarchical MnO₂ microspheres with an average diameter of 700 nm (Fig. 8(d)) using 0.28 g of KMnO₄, 0.01 g of NH₄H₂PO₄ and 0.01 g of Na₂SO₄·10H₂O *via* hydrothermal treatment at 140 °C for 48 h. The morphology was analysed in-depth *via* TEM, which confirmed that the MnO₂ spheres were actually composed of thin nanosheets with a thickness of 2–3 nm, as is clearly shown in Fig. 8(e) and (f).

The adsorption experiments of heavy metal ions such Pb(π), Cd(π), Cu(π) and Cr(π) were carried out at room temperature

and pH 3. To a solution containing 20 ppm of these metal ions, 20 mg of MnO₂ adsorbent was added and stirred constantly for 24 h. After sufficient stirring followed by aging, the supernatant solution was withdrawn and tested for metal ion concentration using atomic adsorption spectroscopy (AAS).

They conducted a series of kinetic experiments to determine the adsorption efficiency of the MnO₂ microspheres for Pb²⁺, Cd²⁺, Cu²⁺ and Cr⁶⁺ at room temperature, and the results are shown in Fig. 8(g). The MnO2 microspheres were able to efficiently remove 100%, 99.6%, 99.1% and 95.2% of Pb²⁺, Cd²⁺, Cu²⁺ and Cr⁶⁺, respectively. This high removal efficiency could be attributed to their high specific surface area (252.82 m² g⁻¹) with abundant active sites. Fig. 8(h) and (i) show the adsorption tendency of the MnO2 adsorbent with respect to different concentrations of Pb²⁺ (10, 30 and 50 ppm) at 30 °C. The adsorption rate for the removal of Pb2+ by MnO2 was observed to be faster for the initial concentration and decreased with an increase in concentration. This is because for a lower concentration of Pb²⁺, there will be a large number of available high energy sites on the adsorbent; however, the availability of high energy sites decreases with an increase in the concentration of Pb²⁺, and hence it adsorbs at low energy sites, which results in a decrease in the adsorption rate.

Using nanoscale zerovalent iron (nZVI) as a support, Minghui Liu *et al.*¹⁰⁸ prepared an nZVI@Mg(OH)₂ nanocomposite *via* a precipitation method for the removal of Pb²⁺. As shown in the SEM image (Fig. 8(j)), the Mg(OH)₂ flower-like spheres (10

Table 2 Comprehensive comparison of the adsorption efficiency of various nanoadsorbents for removal of lead, Pb(II), ions

Nano-adsorbent	Morphology	BET surface area (m ² g ⁻¹)	Max. removal capacity (mg g^{-1})	Ref.
MgO	Flowers	72	1980	110
α-FeOOH	Chrysanthemum-like micro-spheres	120.8	103	94
α-FeOOH	Bulk commercial	10	1.0	94
nZVI@Mg(OH)2 composite	Flower-like spheres	nZV = 11.6	nZV = 1718.4	108
		Support material $(S.M) = 41.3$	S.M = 775.4	
		Composite $= 40.2$	Composite = 1986.6	
nZVI-zeolite composite	Chain-like structures	nZV = 12.25	Composite = 806	111
•		Zeolite = 1.03	-	
		Composite = 80.37		
Sineguelas waste-supported nZVI	Nanoparticles	S.M = 3.9	S.M = 63.5	112
	•	Composite $= 35.6$	Composite = 225	
Kaolin-supported nZVI	Nanoparticles	S.M = 3.7	Composite $= 440.5$	113
	-	Composite = 26.1	-	
α -Fe ₂ O ₃ /KMn ₈ O ₁₆	Nanoboxes	452	179	114
$MnFe_2O_4$	Nanowires	37.8	131	115
α-FeOOH	Hollow spheres	96.9	80	97
Fe_3O_4	Nanoparticles	43	36	116
Fe ₃ O ₄ /Fe@ZnO	Nanospheres	135	163	117
Fe_3O_4/MnO_2	Flowers	118	53.2	118
MnO ₂ /CNTs	Nanotubes	275	78.7	119
MnO_2	Hierarchical microspheres	252.82	149	107
Activated carbon derived from the	Heterogeneous, lamellar	_	42.9	120
seeds of Caryota urens plant	and spongy structures			
Activated carbon from hazelnut husks	_	1092	13.05	121
Commercial (mesoporous) activated carbon	Rough and coarse with irregular crevices	4273	20.3	122

Nanoscale Advances

μm) were composed of 10-20 nm thin interwoven Mg(OH)₂ nanoplates. The high-resolution image of the morphology of nZVI@Mg(OH)2 shown in Fig. 8(k) clearly confirms that the nZVI nanoparticles with a diameter of 40-60 nm are uniformly embedded on the surface of the Mg(OH)₂ nanoplates. The adsorption of Pb(II) was carried out using 50 mg of Mg(OH)₂, nZVI, and nZVI@Mg(OH)2 adsorbents for 1000 ppm Pb(II) solution having a pH of 6.86 in a 250 mL three-necked flask with stirring at 300 rpm in an N₂ environment at room temperature. After certain intervals, 3 mL of suspension was extracted by centrifugation and tested for Pb(II) concentration using ICP-AES. Under the optimal conditions, the Pb2+ removal efficiency of Mg(OH)2, nZVI, and nZVI@Mg(OH)2 is presented in Fig. 8(l). As shown in Fig. 8(l), Mg(OH)2, nZVI and nZVI@Mg(OH)2 reduced the Pb(II) concentration from 1000 ppm to 623.2 ppm, 141.8 ppm, and 6.8 ppm, after 120 min, and the removal efficiency was found to be 775.4, 1718.4, and 1986.6 mg g⁻¹, respectively. The results shown in Fig. 8(m) confirm that the Pb(II) removal efficiency by nZVI@Mg(OH)2 is higher compared to the combined efficiency of both nZVI and Mg(OH)₂. It is understood that the synergistic effect between nZVI and Mg(OH)2 caused the composite to show exceptional removal efficiency.108

Qiaoling Mo et al. 109 derived hierarchical metal oxide nanostructures such as 500 nm uniform, smooth Prussian blue (PB) $(Fe_4[Fe(CN)_6]_3)$ microcubes (Fig. 8(n)), α -Fe₂O₃ (Fig. 8(o)), Mndoped α-Fe₂O₃ nanoboxes (FM-1-L) (Fig. 8(p)), hollow α-Fe₂O₃/ KMn₈O₁₆ nanoboxes (Fig. 8(q)) by annealing metal-organic frameworks (MOFs). The α-Fe₂O₃ nanoboxes were prepared by annealing PB crystals (Fe₄[Fe(CN)₆]₃) at 650 °C with a slow heating rate of 0.5 °C min⁻¹. Further, the α -Fe₂O₃/KMn₈O₁₆ nanoboxes were prepared by adding KMnO₄ solution (1 g L⁻¹) dropwise to 10 mL ethanol solution containing 0.1 g of PB microcubes. The SEM image of α-Fe₂O₃ (Fig. 8(o)) consisted of nanosheets, which were formed via the calcination PB microcubes at 650 °C. The SEM image (Fig. 8(p)) of the Mn-doped Fe₂O₃ microcubes was similar to that of the PB crystals. The doping was confirmed by EDS analysis, which indicated the presence of slightly less than 1.5 wt% Mn. The size of the α -Fe₂O₃ particle in the (104) and (110) directions was found to decrease to 35.3 and 76 nm, respectively, due to the doping of Mn. However, the doping of Mn did not damage the nanobox morphology. Fig. 8(q) shows the SEM image of the α-Fe₂O₃/ KMn₈O₁₆ hollow nanoboxes (FM-1-S) with a relative concentration of α-Fe₂O₃ to KMn₈O₁₆ of roughly 2:1. Due to its large surface area and plenty of surface adsorbed oxygen, FM-1-S showed an exceptional adsorption efficiency. The adsorption efficiencies of all the adsorbents were studied using 40 ppm Pb(II) solution and 10 mg of adsorbents. Together with 40 ppm of both Pb2+ and Zn2+, synthetic wastewater containing a significant amount of interfering ions including Na⁺ (68.3 ppm), K^+ (6.44 ppm), Mg^{2+} (11.8 ppm), and Ca^{2+} (34.4 ppm), and significant amount of SO₄²⁻, NO₃⁻, and Cl⁻. Fig. 8(r) represents the equilibrium adsorption capacity (Q_e) of all the adsorbents. It was found that Qe for α-Fe₂O₃, FM-10-L, FM-1-L, and FM-1-S was 104.1 mg g^{-1} , 129.8 mg g^{-1} , 108.5 mg g^{-1} , and 178.8 mg g^{-1} , respectively.109

Fig. 8(s) shows that about 70% Pb²⁺ could be removed within 1 min, and about 91.6% within 15 min. It was found that by using a slightly higher dose of the adsorbent (0.25 g L⁻¹), the Pb²⁺ concentration decreased from 40 ppm to 0.76 ppm in just 10 min. This value is considerably lower than the permissible (threshold) value of 1 ppm Pb according to the national standard for wastewater to be released in public.

The adsorption capacity of FM-1-S (α-Fe₂O₃/KMn₈O₁₆ nanoboxes) towards Pb²⁺ in the presence of other heavy metal ions such as Cu²⁺, Zn²⁺, and Cd²⁺ was also studied (Fig. 8(t)). The high adsorption capacities for Pb²⁺ in the presence of other ions confirmed that the α-Fe₂O₃/KMn₈O₁₆ nanoboxes are more selective to Pb2+. As reported in Fig. 8(t), the adsorption efficiency of the FM-1-S adsorbent toward 180 ppm Pb²⁺ was found to be higher than all the other adsorbents.

Moreover, in a mixture of Pb^{2+} and Zn^{2+} solution, the α -Fe₂O₃/KMn₈O₁₆ nanoboxes adsorbed relatively very less Zn²⁺ (21.5 mg g^{-1}) , confirming that they can be effective in selectively separating Pb2+ from Zn(II) in a mixture. Fortunately, due to their magnetic nature, the α-Fe₂O₃/KMn₈O₁₆ nanoboxes can be easily extracted from the solution using an external magnetic

The various morphological architectures of inorganic nanoadsorbents studied for the adsorption of toxic Pb(II) ions in water are listed in Table 2. Among them, the nZVI@Mg(OH)₂ composite108 with flower-like spheres having a BET surface area of 40.2 m² g⁻¹ exhibited the maximum adsorption capacity of 1986.6 mg g⁻¹ for Pb(II) ions. Also, the hierarchical MgOnanoflowers¹¹⁰ with a BET surface area 72 m² g⁻¹ exhibited the maximum adsorption capacity of 1980 mg g⁻¹ for Pb(II) ions. The high adsorption efficiency of chrysanthemum-like α-FeOOH and flower-like Mg(OH)₂ spheres, and hollow α-Fe₂O₃/ KMn₈O₁₆ nanoboxes¹⁰⁹ can be attributed to the hierarchy in their unique morphologies and high surface area.

4.2.1 Mechanism of lead adsorption. The probable mechanism of Pb(II) adsorption on hierarchical metal oxide nanostructures is highlighted in Fig. 9. Usually, metal oxide surfaces are rich in hydroxyl groups (M-OH) groups due to adsorbed




Fig. 9 Schematic illustration representing the probable mechanisms of Pb(II) adsorption by hierarchical metal oxide nanostructures.

water molecules. Thus, the pH of the solution is an important factor for Pb^{2+} adsorption. If the adsorbent surface is covered with hydroxyl groups, in acidic medium, the possible species are MOH_2^+ , and in basic medium, the dominant forms are $M(OH)_2$, MO^- or $M(OH)_3^-$.

Further, due to hydrolysis, the Pb²⁺ cation exists in various forms in aqueous solution as follows:

$$Pb^{2+} + nH_2O \rightarrow Pb(H_2O)_n^{2+}$$
 (15)

$$Pb(H_2O)_n^{2+} \to Pb(H_2O)^{n-1} + H^+$$
 (16)

$$n\text{Pb}^{2+} + m\text{H}_2\text{O} \rightarrow \text{Pb}_n(\text{OH})_m^{2n-m} + m\text{H}^+$$
 (17)

Depending on the pH of the solution, the surface of metal oxide nanoadsorbents may also undergo protonation/deprotonation as follows:

$$H_2O + M - O^- \stackrel{H^+}{\underset{OH^-}{\longleftrightarrow}} M - OH \stackrel{H^+}{\underset{OH^-}{\longleftrightarrow}} M - OH_2^+$$
 (18)

From the above observations, it is understood that the pH value greatly influences the adsorption performance of Pb²⁺. It has been reported that with $[Pb^{2+}] = 1 \mu M$, if pH < 5, Pb^{2+} exists as the dominant species, whereas around pH > 5, Pb(OH)⁺ tends to exists. Besides, $Pb(OH)_2$ starts to exist after pH = 6.5(when $K_{\rm sp} = 1.43 \times 10^{-20}$ at 298 K). It was found that there exists very high electrostatic attraction between the negatively charged adsorbent surface and Pb2+ in the pH range of 5 to 6.5. With a decrease in the pH of the solution below 3, the number of positively charged sites on the adsorbent increases, which does not favor the adsorption of Pb2+ ions due to electrostatic repulsion (see Fig. 9). Also, at low pH, due to the competition between the excess H⁺ ions and Pb²⁺, the adsorption rate decreases. Therefore, the adsorption rate increases slowly with an increase in pH up to 6.5 due to the balanced opposite charges. However, for pH > 6.5, the adsorption efficiency decreases due to the precipitation of Pb²⁺ as lead hydroxide and the repulsion between the negatively charged adsorbent and adsorbate, as shown in Fig. 9. Therefore, for the efficient adsorption of Pb2+, the optimum pH of 6 should be maintained.124

4.3 Inorganic nano-architectures for the removal of chromium(v1) ions

It is mandatory that the concentrations Cr(III) and Cr(vI) should not be more than 2 and 0.05 ppm, respectively, in wastewater. Thus, to remove these chromium ions in water, several research groups have developed highly efficient hierarchical nanoadsorbents.

Recently, Shijiao Wu *et al.*¹²⁵ prepared, various polymorphs of iron oxy hydroxides such as α -FeOOH, β -FeOOH, γ -FeOOH, and δ -FeOOH using the procedure reported by various research groups. The SEM images presented in Fig. 10(a)–(d) correspond to uniform 3D urchin-like α -FeOOH, rod-shaped β -FeOOH, fine-grained irregular particles of γ -FeOOH, and irregular nanoflakes of δ -FeOOH, respectively.

The adsorption efficiency of all the FeOOH polymorphs was studied by conducting a series of batch experiments. Specifically, $2.5~\rm g~L^{-1}$ of FeOOH powder was added to 100 mL solution containing 20 ppm Cr(vi) solution, stirred sufficiently and a sample was withdrawn at certain intervals for analysis. Further, using 1,5-diphenylcarbazide, the residual Cr(vi) concentration in the extracted sample was determined using a UV-2400 spectrophotometer at 540 nm. Also, the effect of pH value on the Cr(vi) removal was studied by adjusting the pH value to 3.0, 5.0, 7.0, and 9.0 at room temperature. To understand the adsorption kinetics, the experiments were conducted by adding 0.25 g of FeOOH polymorph adsorbent to 100 mL of solution containing the initial Cr(vi) concentration of 20, 40, 80, 120, 180, 240, and 300 ppm, while maintaining the pH 3 at 25 °C.

The ${\rm Cr}^{6^+}$ removal efficiency of all the polymorphs of FeOOH was studied for comparison, and the results are shown in Fig. 10(e). The results indicated that the ${\rm Cr}^{6^+}$ adsorption efficiencies of the FeOOH polymorphs decreased in the order of $\gamma > \alpha \approx \delta > \beta$ form of FeOOH. This order of adsorption efficiency is almost similar to the of their surface area (γ -FeOOH $> \delta$ -FeOOH $> \alpha$ -FeOOH $> \beta$ -FeOOH). Therefore, γ -FeOOH having a high surface area exhibits high adsorption efficiency. 125

The adsorption maximum reached a fast rate within 60 min, indicating that the ${\rm Cr}^{6^+}$ adsorption efficiency of the FeOOH polymorphs was very fast. The reason for this very fast removal tendency could be the large number of easily accessible active sites on the surface of the FeOOH polymorphs for ${\rm Cr}^{6^+}$ species. It was observed that at 60 min, the ${\rm Cr}^{6^+}$ removal efficiencies by α , β , γ , and δ were about 85.5%, 33.5%, 99.3%, and 82.2%, respectively. By maintaining pH 3, 100% and 84.6% ${\rm Cr}^{6^+}$ adsorption efficiency was achieved by the γ -FeOOH and δ -FeOOH forms, respectively. Due to its ferromagnetic nature, δ -FeOOH was easily recovered.

Recyclability is very important for any adsorbent to explore its practical applicability. Therefore, the Cr(v1) removal by the FeOOH polymorphs in the successive sorption cycles was also investigated. As shown in Fig. 11, the recyclability of all four FeOOH polymorphs was studied by conducting adsorption for 3 cycles. It was found that except for γ -FeOOH, the residual Cr(v1) concentration increased in the 3 cycles for α -FeOOH, β -FeOOH, and δ -FeOOH. This result was attributed to the loss of active adsorption sites on the surface of α -FeOOH, β -FeOOH, and δ -FeOOH. Very promisingly, γ -FeOOH exhibited very good adsorption efficiency even after 3 times repeated use. In the 3rd adsorption cycle, γ -FeOOH also showed more than 97% Cr(v1) removal efficiency. This was due to its highest surface area (294.5 m² g⁻¹), and hence it could retain a greater number of adsorption active sites for the further removal of Cr(v1). 125

In another work, using a microwave-assisted solvothermal method, Chang-Yan Cao *et al.* ⁹⁶ synthesized flower-like α -Fe₂O₃ nanostructures with a high surface area (130 m² g⁻¹) and hydroxy group-rich surface. The typical SEM image shown in Fig. 10(f) presents flower-like architectures (0.8–1 μ m in diameter) composed of hundreds of nanopetals (Fig. 10(g)). For the adsorption studies, solutions of As(v) and Cr(vI) with different concentrations were prepared using Na₂HAsO₄·7H₂O and




Fig. 10 SEM images of (a) α -FeOOH, (b) β -FeOOH, (c) γ -FeOOH, and (d) δ -FeOOH after reaction with Cr(vi). (e) Comparison of Cr(vi) removal by the four FeOOH polymorphs. (Reprinted with permission from [ref. 125] Copyright © (2017) the Royal Society of Chemistry.). (f) Low and (g) high-magnification SEM images of flower-like α -Fe₂O₃ nanostructures. (h) Adsorption rate curves of As(v) and Cr(vi) using flower-like α -Fe₂O₃ nanostructures. (Reprinted with permission from [ref. 96] Copyright © (2012) the American Chemical Society.) (i) High-magnification SEM image of the ceria precursor (inset shows a broken nanosphere, scale bar = 100 nm). (j) TEM image of ceria precursor obtained at 1 min (scale bar = 200 nm). (k) Time-dependent concentration of As(v) (initial concentration of 13 mg L⁻¹) using ceria hollow nanospheres. (Reprinted with permission from [ref. 99] Copyright © (2010) the American Chemical Society.)

 $K_2Cr_2O_7$, respectively. By adding 20 mg of flower-like α -Fe₂O₃ to 25 ppm of 50 mL As(v) and 30 mL Cr(vI) solutions, while maintaining pH 3, the solutions were constantly stirred for 12 h to reach the maximum adsorption. After a specific time, the concentration of metal ions in the remaining solution was analyzed by ICP-OES. Using α -Fe₂O₃ nanoflowers, they studied the adsorption mechanism for Cr^{6+} together with As^{5+} for

comparison. The mechanism was analysed *via* XPS and X-ray absorption near edge structure analysis. The adsorption was attributed to the exchange of ions between the surface hydroxyl groups and ${\rm Cr^{6^+}}$ species. It was found that about 51 and 30 mg of ${\rm As^{5^+}}$ and ${\rm Cr^{6^+}}$, respectively, were adsorbed by 1 g of α -Fe₂O₃ nanoflowers. The adsorption process was studied using 25 ppm of ${\rm As^{5^+}}$ and ${\rm Cr^{6^+}}$ ion solutions. As presented in Fig. 10(h), in the




Fig. 11 Recycling experiments at solution pH 3.0: (a) α -FeOOH, (b) β -FeOOH, (c) γ -FeOOH, and (d) δ -FeOOH. (Reprinted with permission from [ref. 125] Copyright © (2017) the Royal Society of Chemistry.)

first 30 min, the adsorption rate was very fast, and then it reached equilibrium after 3 h.

Many other metal oxide nanoadsorbents besides iron oxides have been explored as adsorbents for Cr⁶⁺ ions, such as cerium oxide (ceria, CeO₂). Chang-Yan Cao et al.99 prepared CeO₂ hollow nanospheres using 1 mmol of Ce(NO₃)₃·6H₂O and 1.5 mmol of urea. The reaction was carried out at 170 $^{\circ}\mathrm{C}$ in 2 min by microwave irradiation, and then hydrothermal treatment at that temperature for 30 min. After cooling to room temperature, a white precipitate of amorphous ceria was collected, which was washed and calcined in air at 500 °C for 2 h. The SEM image of the CeO₂ hollow nanospheres shown in Fig. 10(i) confirms their uniform shape, with an average diameter of 260 nm, which were prepared at 170 °C for 30 min. According to the TEM image (Fig. 10(j)), it was also found that these ceria hollow structures were made up of a 30 nm shell consisting of a large number of nanoparticles. These CeO2 hollow nanospheres were used for the adsorption of Cr⁶⁺ ions in solution. For the detailed adsorption studies, metal ion solutions such as As(v), Cr(vI), and Pb(II) were prepared using Na₂-HAsO₄·7H₂O, K₂Cr₂O₇, and Pb(NO₃)₂, respectively. To 10 mL of metal ion solution, about 0.02 g of ceria adsorbent was added at pH 3, and stirred at 25 °C to achieve the maximum adsorption. After sufficient stirring, the remaining metal ions in solution were tested by ICP-OES. The adsorption process was carried out at room temperature, as shown in Fig. 10(k), which indicates that the adsorption process was very fast for both As⁵⁺ and Cr⁶⁺ solutions. Using the Langmuir adsorption model, the adsorption efficiency was calculated to be 22.4 mg g⁻¹ for As⁵⁺ and

15.4 mg g⁻¹ for Cr⁶⁺. Very surprisingly, these CeO₂ hollow nanospheres showed about 70 times higher adsorption efficiency than that of commercial bulk CeO2. Furthermore, the recycling efficiency of the adsorbent was studied, and the results were found to be promising. The adsorbent was regenerated with NaOH treatment.

The various morphological architectures of inorganic nanoadsorbents investigated for the adsorption of toxic Cr⁶⁺ ions present in water medium are listed in Table 3. Among them, the MoS₂@Fe₃O₄ tiny nanoparticles¹³⁰ having a BET surface area of 74.6 m² g⁻¹ exhibits the maximum adsorption capacity of 218.18 mg g⁻¹ for Cr⁶⁺ ions. Also, Ga-doped ZnO¹³¹ exhibits the maximum adsorption capacity of 220.7 mg g⁻¹ for Cr⁶⁺ ions. The high adsorption efficiency of the flower-like α-Fe₂O₃ nanostructures and ceria hollow nanospheres can be attributed to their unique hierarchical morphologies and high surface area.

4.3.1 Mechanism of Cr(vi) adsorption. Zoleikha Hajizadeh et al. 140 proposed the mechanism for Cr⁶⁺ removal from aqueous samples using a humic acid (HA)-functionalised and magnetic Fe₃O₄-loaded halloysite nanotube (HNT) nanocomposite denoted as HNT/Fe₃O₄-HA. Among the various types of nanoadsorbents, halloysite nanotubes (HNTs) are more effective and useful due to their non-toxic, biodegradable, and biocompatible nature and tunable pore volume, pore area, and pore size by varying the pH. The aluminol and siloxane groups on the surface of HNT facilitate the formation of hydrogen bonding with metal ions. Fig. 12 presents the Cr⁶⁺ ion adsorption mechanism by the HNT/Fe₃O₄-HA nanoadsorbent at different Nanoscale Advances Review

Table 3 Comprehensive comparison of the adsorption efficiency of various nanoadsorbents for removal of chromium, Cr⁶⁺, ions

Nano-adsorbent	Morphology	BET surface Max. removal area $(m^2 g^{-1})$ capacity $(mg g^{-1})$ Ref.		
$\alpha\text{-Fe}_2\mathrm{O}_3$	Hollow nest-like spheres	152.42	58.6	92
α -Fe $_2$ O $_3$	Flower-like	40	4.47	95
α -Fe ₂ O ₃	Flower-like	130	30	96
CeO_2	Flowers	34	5.9	98
CeO_2	Hollow nano-spheres	72	15.4	99
γ -Fe ₂ O ₃	Flower	56	3.86	95
Fe_3O_4	Flower	34	4.38	95
Commercial α-Fe ₂ O ₃	Bulk	2	0.68	95
Amino-modified Fe ₃ O ₄	Nanoparticles	_	11.24	132
Fe_3O_4 - Fe_2O_3	Nanoparticles	_	6.0	133
Ga-doped ZnO	Nanoparticles	_	220.7	131
$Fe@Fe_2O_3$	Core-shell nanowires	_	177	134
MoS_2 @ Fe_3O_4NPs	Clumsy tiny particles	74.6	218.18	130
Activated carbon from Fox nutshell	_	2636	74.95	135
Activated carbon from Ziziphus spina-christi leaf	Abundant bumps and cavities on surface	69.427	13.81	136
Chestnut oak shell activated carbon	Porous aggregated particles	989.4	85.47	137
Activated carbon from sugar beet bagasse agricultural waste	Irregular shape and size with high porosity	y 748	52.8	138
ZnO-coated activated carbon derived from Peganum harmala see	ed Irregular shapes of nanoparticles	442	74.67	139

pH. During their studies, they used a 1000 ppm ${\rm Cr}^{6^+}$ solution containing 50.0 mg of HNT/Fe₃O₄–HA nanoadsorbent and different pH values including 2, 3, 5, 7, 9 and 11 using 0.1 M NaOH and 0.1 M HCl solutions. They found that the removal efficiency was 53% at pH = 2, which increased to 98% for pH = 3, and showed almost same efficiency up to pH = 5 (94%). ¹⁴⁰

This may be due to the formation of the various forms of chromate such as H_2CrO_4 , $HCrO_4^-$, $CrO_4^{\,2-}$ and $Cr_2O_7^{\,2-}$ in solution with different pH values. It was found that, the high adsorption capacity was due to the electrostatic attraction between the negatively charged surface and the positively charged acid groups. At the low pH = 2, due to the strong protonation of the acid groups and formation of neutral $H_2Cr_2O_7$, the electrostatic interaction decreases, which results in a low removal efficiency. However, at pH = 11, due to the strong competition between $CrO_4^{\,2-}$ and OH^- anions of the




Fig. 12 Schematic representation of the adsorption of chromium ions by the HNT/Fe₃O₄-HA nanoadsorbent at different pH. (Reprinted with permission from ref. 140, Copyright © (2020) John Wiley and Sons.)

nanoadsorbent, the ${\rm Cr}^{6+}$ absorption decreases (RE = 44%). However, in the pH range of 3 to 5, the solution contains more dominant negatively charged ${\rm HCrO_4}^-$ ions and the nanoadsorbent is positively charged, which is beneficial for more effective adsorption. Therefore, 98% removal efficiency by the ${\rm HNT/Fe_3O_4}$ –HA nanocomposite was observed in the pH range of around 3 to 5. Therefore, from the observations, it is clear that the nanoadsorbent has to be carefully designed to be effective to show high efficiency in the pH range of 3 to 5.

4.4 Inorganic nano-architectures for the removal of $Cd(\pi)$ ions

Various research groups have made significant efforts to develop potential adsorbents for the removal of the highly toxic Cd(II) present in water.141,142 Using a microwave-assisted solvothermal method, Chang-Yan Cao et al. 110 synthesized a flowerlike MgO nanoadsorbent. For the synthesis of MgO, 5 mmol of Mg(NO₃)₃·6H₂O and 10 mmol of urea were dissolved in ethanol and placed in a Teflon-lined autoclave. The sealed autoclave was exposed to microwaves at 150 °C for 3 min, and then hydrothermally treated at that temperature for 30 min. After cooling, the precipitate of amorphous MgO was extracted, washed and calcined in air at 400 °C for 2 h. The SEM (Fig. 13(a)) and TEM images (Fig. 13(b)) confirmed the flower-like morphology of MgO. The BET surface area of the MgO flowers was found to be 72 m² g⁻¹. The adsorption capacity of these flower-like MgO nanostructures was tested for Cd2+ and Pb2+ for comparison. The metal ion Pb(II) and Cd(II) solutions with different concentrations having pH 7 were prepared using lead nitrate and cadmium nitrate, respectively. To study the adsorption kinetics, 15 mL of 100 ppm metal ion solution containing 10 mg flower-like MgO nanostructures was constantly stirred for 12 h to achieve the maximum adsorption. After a specific time, the remaining metal ions in solution were separated immediately and analysed by ICP-OES. Using 100 ppm of Cd²⁺ and Pb²⁺




Fig. 13 (a) Low-magnification TEM image and (b) high-magnification TEM image of flower-like MgO nanostructures. (c) Adsorption rates and (d) adsorption isotherms of Pb(II) and Cd(II) with flower-like MqO nanostructures as adsorbents. (Reprinted with permission from [ref. 110] Copyright © (2012) the American Chemical Society.) SEM images of (e) CoFe₂O₄@SiO₂-NH₂ and TEM images of (f) CoFe₂O₄@SiO₂-NH₂. Effect of contact time on the adsorption of heavy metal ions (Cu(\shortparallel), Cd(\shortparallel), and Mn(\shortparallel)) by CoFe₂O₄@SiO₂-NH₂. (g) Removal efficiency and (h) adsorption capacity pseudo-second order kinetics plots. (Reprinted with permission from [ref. 143] Copyright © (2016) the Royal Society of Chemistry.) Electron microscopy images of the Ni-P microstructures prepared at 160 °C for 16 h: (i) low-magnification SEM image and (j) high-magnification SEM of the Ni-P microstructures. (k) Concentration change curves of Pb2+ and Cd2+ ions with adsorption time. (l) Adsorption isotherms of Pb2+ and Cd²⁺ ions. (Reprinted with permission from [ref. 147] Copyright © (2011) the Royal Society of Chemistry.)

solution, the adsorption rate was studied (Fig. 13(c)). In the first 30 min, the adsorption process was very fast, and then it reached equilibrium after 1 h. To understand the adsorption mechanism in detail, the adsorption process was also carried by varying the metal ion concentration from 100 to 5000 ppm, as shown in Fig. 13(d). The Langmuir model was used to understand the surface adsorption process for both ions. It was found that 1 g MgO nanoflowers could adsorb about 1500 mg of Cd²⁺

Nanoscale Advances Review

and 1980 mg of Pb²⁺, which are significantly higher than that of many reported nanoadsorbents.

There have been several attempts to effectively adsorb Cd2+ using organic group-functionalised inorganic nanoadsorbents instead of the traditional metal oxide-based adsorbents. One such attempt was made by Chunrong Ren et al.,143 where they prepared an amino-functionalized CoFe₂O₄-SiO₂ core-shell magnetic adsorbent, which was found to exhibit excellent magnetic and adsorption performances. The CoFe₂O₄ NPs prepared via the co-precipitation method were further coated with SiO₂ and functionalised with amine groups using the procedure reported by the research groups of Qingbiao Yang,144 Min Wei,145 and Lili Yang.146 As shown in the SEM image (Fig. 13(e)), the CoFe₂O₄ NPs exist in the form of particleaggregated chain-like nanostructures because of their magnetic properties. The size of the aggregated particles was determined using TEM, as shown in Fig. 13(f), to be between 10-20 nm. According to the TEM image, it can also be seen that the core-shell structure possessed a chain morphology with about 50 nm thin shell. The same morphology was retained even after amino functionalization.

About 20 mg of the amino-functionalized CoFe₂O₄-SiO₂ core-shell adsorbent was used to study its adsorbing tendency for 80 ppm solutions of Cd²⁺, Cu²⁺, and Mn²⁺ ions, maintaining a pH of 6.5 and temperature 35 °C. Using a permanent magnet, the adsorbent was separated from the solution and the remaining metal ion concentration in the supernatant was evaluated by AAS. As shown in Fig. 13(g), the removal efficiency was very high in the first 50 min, and then it increased slowly from 50 to 200 min, and subsequently, it showed no change up to 540 min. The adsorption efficiency of the aminofunctionalized CoFe₂O₄-SiO₂ with respect to three metal ions is shown in Fig. 13(h), which was found to be 170.829, 144.948 and 110.803 mg g⁻¹ for Cu²⁺, Cd²⁺ and Mn²⁺, respectively.

The large-scale use of nanoadsorbents depends on the efficiency of their recyclability. Therefore, the removal efficiency of the CoFe₂O₄@SiO₂-NH₂ NCs for the adsorption of Cu(II) after four times of recycling was studied. It was found that in the first cycle, the removal efficiency was 96.92%, and after four cycles, the adsorption efficiency for Cu(II) was around 85.41%. The decrease in their adsorption efficiency was not significant. Therefore, the CoFe₂O₄(a)SiO₂-NH₂ adsorbent can be used for at least four times with high adsorption efficiency. Furthermore, due to its magnetic nature and high desorption ability, this adsorbent can be recycled easily from wastewater using a strong magnet. Additionally, its structural features and magnetic property remained unaltered, confirming its stability even after four cycles of use, and hence it can be effectively used for the removal of various heavy metal ions.

There was one more attempt in using a metal phosphide nanoadsorbent for the removal of Cd2+ in water. Yonghong Ni et al.147 synthesized urchin-like, magnetic Ni-P microstructures via a solvothermal route. In a typical synthesis, NiCl2 and NaH₂PO₂ as reactant precursors were dissolved in water-DMF, a mixed solvent, and reacted at 160 °C for 16 h in the absence of any surfactant or template. As shown in Fig. 13(i), the FESEM image confirms the synthesis of homogeneous microspheres with an average diameter of \sim 2 μm of Ni–P microstructures. The highmagnification SEM image shown in Fig. 13(j) also confirms the presence of the porous microspheres, which are constructed by nanoscale urchin-like structures. To study the adsorption efficiency, about 10 mg of urchin-like Ni-P adsorbent was dissolved in 50 mL solution containing 10 ppm Pb²⁺ metal ions (or Cd²⁺) and stirred with a magnetic pulsator for 10 min. After a specific time, the adsorbents were collected using a magnet and the metal ion concentration remaining in solution was analysed by ICP-AES. The adsorption efficiency of the Ni-P microstructures was studied for Cd2+ and Pb2+ ions under the same experimental conditions. It was found that 1 g of Ni-P microspheres could

Table 4 Comprehensive comparison of the adsorption efficiency of various nanoadsorbents used for the removal of cadmium, Cd(II), ions

Nanoadsorbent	Morphology	BET surface area (m² g ⁻¹)	Max. removal capacity (mg g^{-1})	Ref.
MgO	Nanoflowers	72	1500	110
Ni-P	Urchin-like microstructure	425	40.7	110
Fe ₃ O ₄ -mesoporous magnesium silicate	Inter-crossed nanosheets	263.4	223.2	148
Fe ₃ O ₄ -SO ₃ H	Nanoparticles coated shell structure	18.32	108.93	149
Chitosan/SiO ₂ /Fe ₃ O ₄	Microspheres	1.04	4.5	150
Ni@Mg(OH) ₂	Spherical core-shell nanostructures	124.2	45.02	151
CoFe ₂ O ₄ (a)SiO ₂ -NH ₂	Core–shell chain structure	_	144.948	143
FeMn _x O _v @FeOOH	Urchin-like	142	79.06	93
MgO@SiO ₂	Nanoparticles	427	35.86	152
TiO ₂	Nanoparticles	185.5	15.32	153
MnO_2		100.5	143.31	154
Al_2O_3	_	30.38	83.33	155
Al_2O_3 - Fe_3O_4	Nanocomposite	298	625	156
Maghemite (γ -Fe ₂ O ₃)	Nanotubes	321.33	94.33	157
Commercial (mesoporous) activated carbon	Rough and coarse with irregular crevices	4273	27.3	122
Activated carbon	Honeycomb or the circular holes	305.8	11	158
Polyethyleneimine-modified activated carbon	Irregular rough surface and the pores structure with spongy-like deposits	113.3	45	158

adsorb about 40.7 mg of Cd^{2+} (81.4%) in just 10 min. Fig. 13(k) presents the variation in the concentration of metal ions $(Cd^{2+}$ and Pb^{2+}) with contact time. The adsorption isotherms of Pb^{2+} and Cd^{2+} ions, as presented in Fig. 13(l), shows that the adsorbent Ni–P microspheres with a large surface area of 425 m² g $^{-1}$ adsorbed a large amount of Cd^{2+} and Pb^{2+} ions from their dilute solutions at a fast rate. Due to their magnetic nature, the Ni–P microspheres could be easily extracted from solution using

a strong magnet, and reused several times.147

The various morphological architectures of inorganic nanoadsorbents studied for the adsorption of toxic Cd(II) ions is water are listed in Table 4. Among them, the MgO nanoflowers (surface area 72 m² g⁻¹) exhibit the maximum adsorption efficiency of 1500 mg g⁻¹ for Cd²+ ions. Also, the amine-functionalised CoFe₂O₄@SiO₂–NH₂ core shell nanostructures exhibit the maximum adsorption capacity of 145 mg g⁻¹ for Cd²+ ions. 143

4.4.1 Mechanism of Cd(II) adsorption. Ruhua Zha et al. 159 prepared TiO2 spherical flower nanostructures with promising specific surface areas (226 cm² g⁻¹) and the pore volumes (0.236 cm3 g-1) via a one-pot solvothermal method. The adsorption mechanism of Cd²⁺ ions by the TiO₂ dandelions and spherical flowers is schematically illustrated in Fig. 14. The presence of OH groups on TiO₂ plays a key role for bonding the Cd²⁺ ions. Also, the presence of uniform channels on the surface of TiO₂ can provide suitable active adsorption sites and facilitate the Cd2+ adsorption process. The adsorption tendency of the dandelions and spherical flowers of TiO2 was found to be different. The difference in their adsorption tendency was due to the different number of available active adsorption sites on the adsorbent. Generally, the dandelions of TiO2 have a larger surface area, and thus can provide abundant active sites that can coordinate with Cd²⁺. Also, their high pore volume enhances the fast diffusion of Cd2+ into their pores. Accordingly, the absorbent possessing a high surface area and pore volume with a greater number of surface hydroxyl groups increases the adsorption of cadmium ions in solution.

4.5 Inorganic nano-architectures for the removal of $Hg(\pi)$ ions

The main issue with magnetic adsorbents is that they tend to aggregate easily during the adsorption process. ¹⁶⁰ Thus, to avoid this issue, various research groups have prepared core-shell




Fig. 14 Schematic illustration of the adsorption mechanism of Cd(II) ions by the TiO_2 nanoadsorbent (Reprinted with permission from ref. 159, Copyright © (2014) the Royal Society of Chemistry).

structures of nanosized magnetic adsorbents for the removal of Hg(II) in water. 161,162

Chaiti Ray et al. 163 synthesized a porous CuS adsorbent using 4 mmol of thioacetamide (TAA) and 4 mmol of copper chloride (CuCl₂·2H₂O) as reactant precursors via the precipitation method. The FESEM images shown in Fig. 15(a) and (b) demonstrate the porous open end tubular CuS product, with a length of 20-30 µm and diameter of 1.5-2 µm. The highmagnification FESEM image in Fig. 15(c) shows that the CuS tube is made up of 600-700 nm-thick walls, conjointly stacked micro-flowers, and 15-25 nm-thin nano-flakes. The BET specific surface area and total pore volume of CuS were found to be $62.308 \text{ m}^2 \text{ g}^{-1}$ and 0.5182 mL g^{-1} , respectively. To study the adsorption kinetics, 10 mg of copper sulfide adsorbent was dissolved in 200 mL of Hg(II) or Pb(II) solution with a mM concentration, maintaining the pH of ~2.8 and 4.7, respectively. The solution mixture was stirred to achieve maximum adsorption, and then after a pre-determined interval, a some of the reaction mixture was centrifuged, and the remaining Hg(II) ion complexed with diphenyl carbazide analyzed. By recording the absorbance of the complex at 521 nm using a UV-vis spectrophotometer, the concentration of remaining Hg(II) ions was estimated. Similarly, by forming a complex of Pb(II) ions with xylenol orange and measuring the absorbance of the complex at 579 nm, the residual Pb(II) ion concentration was estimated. The experimental data of the adsorption kinetics of Hg(II) metal ions, as presented in Fig. 15(d), was found to be in good agreement with the pseudo-second order equation. By studying the adsorption isotherms, as shown in Fig. 15(e), the adsorption mechanism of Hg(II) was found to follow monolayer adsorption (Langmuir model). The maximum adsorption efficiency of CuS was studied by varying the initial concentration of Hg(II) ions using 0.05 g L^{-1} of adsorbent (Fig. 15(f)). The maximum adsorption efficiency was found to be 3096 mg g^{-1} for Hg(II). Accordingly, the porous nature and ion exchange reaction were proposed to be responsible for the very high adsorption efficiency of CuS.163

According to Pearson's hard soft acid-base theory (HSAB),165 it is very well understood that the Hg²⁺ ion has a strong affinity to form strong bonds with soft Lewis base groups, such as -CN, -RS, and -SH. Inspired by this, Shengxiao Zhang et al. 164 prepared robust, stable, efficient, and super paramagnetic Fe3-O4@SiO2-SH by covalently coating 3-mercapto propyl trimethoxy silane (3-MPTS) on silica-coated Fe₃O₄ nanoparticles (Fe₃O₄@SiO₂). This novel mercapto-propyl-functionalized sorbent (Fe₃O₄@SiO₂-SH) was successfully used for the removal of Hg2+ ions from solution. The TEM micrographs (Fig. 15(g)) of Fe₃O₄@SiO₂-SH revealed that it consists of 10 nm nanoparticles with an irregular shape covered with a silica shell and thiol coating. The EDS spectrum of Fe₃O₄@SiO₂-SH not only confirmed the presence of silica and Fe₃O₄, but also the very important peak of sulfur (2.64 wt%). The TEM and EDS results confirmed the successful coating of SiO2 and 3-MPTS on the Fe₃O₄ magnetic adsorbent. The adsorption of Hg²⁺ was studied using Fe₃O₄, Fe₃O₄@SiO₂, and Fe₃O₄@SiO₂-SH adsorbents and varying the initial concentration of Hg²⁺ from 5 ppm to 100 ppm. The adsorption experiments were performed by




Fig. 15 (a–c) FESEM images at different magnifications of the as-synthesized CuS product. (d) Pseudo-second-order kinetic plots, (e) Langmuir isotherm plots, and (f) adsorption isotherm plots of Hg(II) obtained using copper sulphide. (Reprinted with permission from [ref. 163] Copyright © (2015) the Royal Society of Chemistry.) (g) TEM image of Fe_3O_4 @SiO₂-SH. (h) Adsorption isotherms of mercury on Fe_3O_4 . Fe₃O₄@SiO₂-SH. (ii) Adsorption kinetics of mercury on Fe_3O_4 . (Reprinted with permission from [ref. 164] Copyright © (2013) Elsevier B.V.)

adding 50 mL metal ion solution to 100 mL polypropylene bottles. The concentration of metal ion was adjusted to 50 ppm with NaCl stock solution and the quantity of adsorbent used was 0.2 g $\rm L^{-1}$. The solution mixture was stirred for 4 h at 303 K to achieve the maximum adsorption. After stirring for 4 h, the bottle was kept on a magnet for 5 min to separate the adsorbent from the aqueous solution. Then the mercury concentration in the supernatant was determined using a flame atomic absorption spectrophotometer. 164

The adsorption kinetics was studied by withdrawing a sample at the intervals of 5, 10, 20, 30, 60, 120, 240, 360, and 480 min. Further, by adding K^+ , Na^+ , and Ca^{2^+} to the solution, the effects of coexisting cations on mercury adsorption was also investigated. According to Fig. 15(h), it was found that the adsorption efficiency of Fe_3O_4 and Fe_3O_4 @SiO₂ was much less compared to that of Fe_3O_4 @SiO₂-SH. The lower adsorption efficiency of Fe_3O_4 and Fe_3O_4 @SiO₂ can be ascribed to the lower affinity between the surface hydroxyl groups (hard Lewis base)

and ${\rm Hg}^{2^+}$ (soft acid). However, the high adsorption efficiency of ${\rm Fe_3O_4@SiO_2}{\rm -SH}$ can be ascribed to the strong bonding between the surface –SH group (soft base) and ${\rm Hg}^{2^+}$ (soft acid). The adsorption results were in good agreement with the Langmuir model, which occurred as a monolayer. According to the Langmuir adsorption isotherm calculations, it was found that ${\rm Fe_3O_4@SiO_2}{\rm -SH}$ exhibited the maximum adsorption capacity (θ) for ${\rm Hg}^{2^+}$ of about 148.8 mg g⁻¹, which was found to be the best among the reported magnetic adsorbents such as ${\rm Fe_3O_4/HA}$ (97.7 mg g⁻¹ at pH 6)¹⁶⁶ and SH–HSM (140.1 mg g⁻¹) sorbents.¹⁶⁷

The effect of temperature on adsorption was also studied for 60 ppm of Hg^{2+} solution at pH 6.5. The adsorption rate of Hg^{2+} at two different temperatures of 293 and 303 K was recorded, as shown in Fig. 15(i). It was observed that for the adsorption process carried out at 303 K, the adsorption reached equilibrium in just 1 h, whereas for that carried out at 293 K, it was prolonged to 4 h. The high adsorption tendency at a higher

Table 5 Comprehensive comparison of the adsorption efficiency of various nanoadsorbents for the removal of mercury, Hg(II), ions

Nano-adsorbent	Morphology/surface area	Max. removal capacity (mg g^{-1})	Ref.
Fe ₃ O ₄ @SiO ₂ -SH	Nanoparticles	132	170
Thiolated CNT	Nanotubes	105.2	171
CuO	Nanoparticles	28.2	172
Sulfurized activated carbon	_	58.9	173
Activated carbon	_	38.9	173
Hydroxylapatite	_	25.3	174
Fe ₃ O ₄ -SH	Nanoparticles	344.82	168
poly(1-vinylimidazole)-grafted Fe ₃ O ₄ @SiO ₂	Nanoparticles	346	169
Humic acid-coated Fe ₃ O ₄	Nanoparticles	98	166
Thiol-functionalized magnetite/graphene oxide hybrid	_	290	175
CoFe ₂ O ₄ -reduced graphene oxide	_	158	176
Naphthalimide-functionalized Fe ₃ O ₄ @SiO ₂	Nanoparticles	32	177
Activated carbon from corn cob	Specific surface area of = $1054.2 \text{ m}^2 \text{ g}^{-1}$	2.39	178
Polyethylenimine-modified activated carbon	Specific surface area of = $363 \text{ m}^2 \text{ g}^{-1}$	16.39	179
derived from waste tires			
Pistachio wood waste-derived activated carbon	Well-developed pores like parallel	201	180
	and long channels		
Specific surface area of = $1448 \text{ m}^2 \text{ g}^{-1}$	Specific surface area of = 1448 $\text{m}^2 \text{ g}^{-1}$		
Bambusa vulgaris striata-derived activated carbon	Specific surface area of = $608 \text{ m}^2 \text{ g}^{-1}$	248	181
Bagasse pith	Specific surface area of = 537 m 2 g $^{-1}$	172	182
bagasse pitti	specific surface area of = 337 in g	1,2	102




Fig. 16 Schematic of the mechanism of the adsorption of Hg²⁺ by magnetic CoFe₂O₄@SiO₂-EDTA adsorbent (ref. 183).

temperature (303 K) can be due to the high mobility of Hg^{2+} ions towards surface bonding sites, and the adsorption was confirmed to be an endothermic reaction.

To explore the recyclability efficiency of the $Fe_3O_4@SiO_2$ –SH adsorbent, the adsorbed mercury was desorbed by a solution containing HCl and thiourea. After desorbing the adsorbed mercury, the sorbent was washed with pure water for further use. The adsorption capacity of $Fe_3O_4@SiO_2$ –SH in the first cycle was $130~{\rm mg~g^{-1}}$, which was found to decrease to $105~{\rm and}~95~{\rm mg~g^{-1}}$ in the second and third cycles, respectively. Further, in the two subsequent cycles (fourth and fifth cycle), the adsorption capacity was found to be almost constant. The decrease in the adsorption efficiency in first two cycles was attributed to the decrease in the number

of loosely held surface mercapto groups due to washing. However, due to the presence of strongly held mercapto groups to the silica surface, which remained firm during washing, the adsorption efficiency remained constant in the subsequent cycles.¹⁶⁴

The various morphological architectures of inorganic nanoadsorbents studied for the adsorption of toxic Hg(II) ions in water are listed in Table 5. Among them, Fe₃O₄–SH¹⁶⁸ and poly(1-vinylimidazole)-grafted Fe₃O₄@SiO₂ nanoparticles¹⁶⁹ were found to exhibit the maximum adsorption capacity of 344.82 and 346 mg g⁻¹ for Hg(II) ions, respectively.

4.5.1 Mechanism of $Hg(\pi)$ adsorption. As listed in Table 5, various adsorbents have been developed for the removal of Hg^{2+} ions in water. Most of these adsorbents were found to be

Nanoscale Advances Review

functionalised with various ligands. Similar to other adsorbents, Kai Xia et al. 183 developed EDTA-functionalized CoFe₂-O₄@SiO₂ for the adsorption of mercury ions. CoFe₂O₄@SiO₂-EDTA exhibited an adsorption capacity of 103.3 mg g^{-1} for Hg^{2+} ions at pH = 7. The possible adsorption mechanism of Hg^{2+} by CoFe₂O₄@SiO₂-EDTA is shown in Fig. 16. In the proposed mechanism, it was clear that the Hg2+ formed a coordinate complex with the EDTA ligand present on the surface of the magnetic adsorbent. There are various ways in which the EDTA ligand can be attached covalently to the surface of CoFe₂O₄@-SiO₂. Among them, the two quite common ways of forming covalent bonds between a ligand and Hg(II) are shown in Fig. 16. The Hg(II) present in the solution was adsorbed to the magnetic CoFe₂O₄@SiO₂ through two EDTA ligands or through one EDTA ligand. However, the overall adsorption process of Hg(II) is a chemical reaction involving chelation and single-layer adsorption. The adsorption mechanism follows the Langmuir adsorption isotherm model and pseudo-second-order kinetics. Further, the process of adsorption is spontaneous and chelation, and the chemical reaction between the EDTA functional group and the Hg(II) ion was found to be and exothermic reaction.183

Conclusion and future prospects

Herein, the severity of the toxicity and carcinogenicity of most commonly present hazardous toxic metal ions, such as arsenic (As³⁺), lead (Pb²⁺), chromium (Cr⁶⁺), cadmium (Cd²⁺), and mercury (Hg²⁺), were presented in detail. The mechanism of the toxicity and carcinogenicity of all these metal ions was systematically discussed. For removing these toxic metal ions, hierarchically structured inorganic nanoadsorbents having a high surface area developed by various research groups were carefully selected and their efficiencies were systematically explored. Among the various reported nanoadsorbents, the main focus was on promising nanoadsorbents for the removal of individual toxic metal ions such as α-Fe₂O₃ hollow nest-like spheres for As(v), MgO nanosheets for As(v), nZVI@Mg(OH)2 flower-like spheres for Pb(II), polymorphs of iron oxy hydroxides (α-FeOOH, β-FeOOH, γ-FeOOH, and δ-FeOOH) and CeO₂ nanoadsorbents for Cr(vI), and MgO nanoflowers. Also, aminefunctionalised CoFe₂O₄@SiO₂-NH₂ core shell nanostructures for Cd(II) and finally Fe₃O₄-SH and MPTS-grafted Fe₃O₄@-SiO₂@SH nanoparticles for Hg(II) ions together with other nanoadsorbents were highlighted.

This review provided comprehensive information on oxidebased adsorbents possessing a high surface area with hierarchical architectures for water purification. However, the research for solving many issues related to heavy metal ions in water is still in its nascent stage, and therefore detailed investigations are required to establish the large-scale purification of water in real-life applications. It was observed that the MgO nanoadsorbent with different morphologies and different BET surface areas adsorbed different metal ions to different extents. The hierarchical MgO-400 nanosheets calcined at 400 °C with highest BET surface area of 194 m² g⁻¹ exhibited the maximum adsorption capacity of 545 mg g⁻¹ for As(III) ions. MgO-flowers,

with a BET surface area of 72 m² g⁻¹ exhibited the maximum adsorption capacity of 1980 mg g⁻¹ for Pb(II) ions and 1500 mg g^{-1} for Cd(II) ions. This confirms that the adsorption tendency of nanoadsorbents does not just depend on their BET surface area, it depends on the hierarchy in their morphology and nature of active sites created on the surface of the adsorbent. Interestingly, it was found that the nanocomposites with a hierarchical morphology such as Fe₃O₄/Fe@ZnO nanospheres, Fe₃O₄/MnO₂ flowers, MnO₂/CNTs nanotubes, MoS₂@Fe₃O₄ NP tiny particles, nZVI@Mg(OH)₂ composite flower-like spheres, nZVI-zeolite composite chain-like structures and KMn₈O₁₆/α-Fe₂O₃ nanoboxes show potential as adsorbents for Pb(II) and Cr(VI) ions. Also, many researchers have attempted to study the influence of surface functionalisation on the adsorption tendency of magnetic nanoadsorbents. Functionalised nanosized magnetic particles such as humic acid-coated Fe₃O₄, thiol-functionalized magnetite/graphene oxide hybrid, naphthalimide-functionalized Fe₃O₄@SiO₂, Fe₃-O4@SiO2-SH, and thiolated CNT have been reported to be potential nanoadsorbents for Hg(II) ions due to their easy removal and recovery using magnets.

In the future, researchers should focus on the development of low cost, eco-friendly, efficient nanoadsorbents with a high surface area and potential surface functional groups for the simultaneous removal of different metal ions and organic dyes present in wastewater. The nanoadsorbents should show a high adsorption efficiency over a wide range of pH and metal ion concentrations in the presence of multiple wastes such as toxic metal ions, organic dyes and bacterial pathogens. Furthermore, the nanoadsorbents should be able to produce on a large scale with low-cost, and recyclable. In addition to the adsorption method, different treatment technologies should be developed for the large-scale purification of water in order to solve the pure domestic water crisis worldwide.

Conflicts of interest

The author declare no conflict of interest.

Acknowledgements

I would like to express my profound gratitude with greater respect to Sri Sadhguru: Yogi, Mystic, Visionary, Isha Foundation, India, [https://isha.sadhguru.org/in/en/sadhguru] for his powerful, life-transforming, inspirational and motivating talks and blessings, which always kept me motivated to complete this review single-handedly. I am also grateful to the Management RSST trust, Principal of RV College of Engineering, Bengaluru, India for their constant support and encouragement.

References

- 1 I. A. Rather, W. Y. Koh, W. K. Paek and J. Lim, Front. Pharmacol., 2017, 8, 1-18.
- 2 M. Jena, C. Manjunatha, B. W. Shivaraj, G. Nagaraju, S. Ashoka and M. P. Sham Aan, Mater. Today Chem., 2019, 12, 187-199.

3 R. Das, C. D. Vecitis, A. Schulze, B. Cao, A. F. Ismail, X. Lu, J. Chen and S. Ramakrishna, *Chem. Soc. Rev.*, 2017, **46**, 6946–7020.

- 4 L. A. Thompson and W. S. Darwish, *J. Toxicol.*, 2019, 2345283.
- 5 A. Gopinath, K. Krishna and C. Karthik, in *Modern Age Waste Water Problems: Solutions Using Applied Nanotechnology*, ed. M. Oves, M. O. Ansari, M. Zain Khan, M. Shahadat and I. M. I. Ismail, Springer International Publishing, Cham, 2020, pp. 309–328, DOI: 10.1007/978-3-030-08283-3_15.
- 6 C. Vidya, C. Manjunatha, M. N. Chandraprabha, R. Megha and M. A. L. Antony Raj, *J. Environ. Chem. Eng.*, 2017, 5, 3172–3180.
- 7 M. M. Rahman, M. M. Hussain, M. N. Arshad and A. M. Asiri, *RSC Adv.*, 2020, **10**, 5316–5327.
- 8 R. K. Gautam, S. K. Sharma, S. Mahiya and M. C. Chattopadhyaya, in *Heavy Metals In Water: Presence, Removal and Safety*, The Royal Society of Chemistry, 2015, pp. 1–24, DOI: 10.1039/9781782620174-00001.
- 9 L. Järup, Br. Med. Bull., 2003, 68, 167-182.
- 10 Z. Rahman and V. P. Singh, Environ. Monit. Assess., 2019, 191, 419.
- 11 I. Zawierucha, C. Kozlowski and G. Malina, *Environ. Sci.: Processes Impacts*, 2016, **18**, 429–444.
- 12 P. Z. Ray and H. J. Shipley, RSC Adv., 2015, 5, 29885-29907.
- 13 B. Kaur, R. Srivastava and B. Satpati, *New J. Chem.*, 2015, **39**, 5137–5149.
- 14 A. T. Jan, M. Azam, K. Siddiqui, A. Ali, I. Choi and Q. M. Haq, *Int. J. Mol. Sci.*, 2015, **16**, 29592–29630.
- 15 M. Corradi and A. Mutti, in *Metal Ions in Toxicology: Effects, Interactions, Interdependencies*, The Royal Society of Chemistry, 2011, vol. 8, pp. 81–105.
- 16 R. A. Crane, D. J. Sapsford and A. Aderibigbe, in *Resource Recovery from Wastes: Towards a Circular Economy*, The Royal Society of Chemistry, 2020, pp. 266–286, DOI: 10.1039/9781788016353-00266.
- 17 D. Bradshaw, S. El-Hankari and L. Lupica-Spagnolo, *Chem. Soc. Rev.*, 2014, 43, 5431–5443.
- 18 B. Fang, J. H. Kim, M.-S. Kim and J.-S. Yu, *Acc. Chem. Res.*, 2013, **46**, 1397–1406.
- 19 X.-Y. Yang, A. Léonard, A. Lemaire, G. Tian and B.-L. Su, *Chem. Commun.*, 2011, 47, 2763–2786.
- 20 L. Wang, C. Shi, L. Wang, L. Pan, X. Zhang and J.-J. Zou, Nanoscale, 2020, 12, 4790–4815.
- 21 I. H. Chowdhury, A. H. Chowdhury, P. Bose, S. Mandal and M. K. Naskar, *RSC Adv.*, 2016, 6, 6038–6047.
- 22 G. J. P. Deblonde, T. D. Lohrey, D. D. An and R. J. Abergel, *New J. Chem.*, 2018, **42**, 7649–7658.
- 23 W. He, K. Ai, X. Ren, S. Wang and L. Lu, *J. Mater. Chem. A*, 2017, 5, 19593–19606.
- 24 L. A. Malik, A. Bashir, T. Manzoor and A. H. Pandith, RSC Adv., 2019, 9, 15976–15985.
- 25 C. Ray, S. Sarkar, S. Dutta, A. Roy, R. Sahoo, Y. Negishi and T. Pal, RSC Adv., 2015, 5, 12446–12453.
- 26 M. H. Omidi, M. H. Ahmadi Azqhandi and B. Ghalami-Choobar, *New J. Chem.*, 2018, **42**, 16307–16328.

- 27 H. Wang, Y.-F. Yu, Q.-W. Chen and K. Cheng, *Dalton Trans.*, 2011, **40**, 559–563.
- 28 P. Bhunia, G. Kim, C. Baik and H. Lee, *Chem. Commun.*, 2012, **48**, 9888–9890.
- 29 D. Chakraborti, M. M. Rahman, A. Chatterjee, D. Das, B. Das, B. Nayak, A. Pal, U. K. Chowdhury, S. Ahmed and B. K. Biswas, J. Trace Elem. Med. Biol., 2016, 38, 33-45.
- 30 G. F. de Mattos, C. Costa, F. Savio, M. Alonso and G. Nicolson, *Biophys. Rev.*, 2017, **9**, 807–825.
- 31 P. B. Tchounwou, J. A. Centeno and A. K. Patlolla, *Mol. Cell. Biochem.*, 2004, 255, 47–55.
- 32 M. F. Naujokas, B. Anderson, H. Ahsan, H. V. Aposhian, J. H. Graziano, C. Thompson and W. A. Suk, *Environ. Health Perspect.*, 2013, **121**, 295–302.
- 33 A. Arita and M. Costa, Metallomics, 2009, 1, 222-228.
- 34 H. Kahmepinh, *Professor indicted on arsenic poisoning charges*, http://www.ekathimerini.com/218447/article/ekathimerini/news/professor-indicted-on-arsenic-poisoning-charges, accessed 17 May, 2020.
- 35 R. Wilson, One Solution to the Arsenic Problem: A Return to Surface (Improved Dug) Wells, Harvard University, http://wilsonweb.physics.harvard.edu/arsenic/Arsenic% 20Foundation.html, accessed 18 May, 2020.
- 36 C. Muanya, Lead poisoning associated with intellectual disabilities in children (Science & Technology), https://guardian.ng/features/lead-poisoning-associated-with-intellectual-disabilities-in-children/, accessed 18 May, 2020.
- 37 J. G. Vanessa Ngan, Chrome allergy, https://dermnetnz.org/ topics/chrome-allergy, accessed 18 May, 2020.
- 38 T. Gray, Element coin. An example of the element Cadmium, https://periodictable.com/Items/082.28/index.html, accessed 18 May, 2020.
- 39 Common Chemical Exposures and Impacts on Human Health, https://sanjosefuncmed.com/common-chemicalexposures-and-impacts-on-human-health/, accessed 18 May, 2020.
- 40 D. Jockers, *How to Detox Heavy Metals*, https://drjockers.com/detox-heavy-metals, accessed 18 May, 2020.
- 41 X. Gao, R.-x. He, S.-g. Yan and L.-d. Wu, *Journal of Arthroplasty*, 2011, **26**, 665.e13–665.e16.
- 42 L. C. Price, *Mercury Poisoning Among Indonesian Mining Communities*, https://pulitzercenter.org/reporting/mercury-poisoning-among-indonesian-mining-communities#slideshow-16, accessed 19 May, 2020.
- 43 S. M. Cohen, L. L. Arnold and J. S. Tsuji, *Current Opinion in Toxicology*, 2019, **14**, 8–13.
- 44 K. K. Sodhi, M. Kumar, P. K. Agrawal and D. K. Singh, Environ. Technol. Innov., 2019, 100462.
- 45 M. Shri, P. K. Singh, M. Kidwai, N. Gautam, S. Dubey, G. Verma and D. Chakrabarty, *Metallomics*, 2019, **11**, 519–532.
- 46 W. A. Pott, S. A. Benjamin and R. S. Yang, in *Reviews of environmental contamination and toxicology*, Springer, 2001, pp. 165–214.
- 47 D. Ferrario, C. Croera, R. Brustio, A. Collotta, G. Bowe, M. Vahter and L. Gribaldo, *Toxicology*, 2008, **249**, 102–108.
- 48 M. F. Hughes, Toxicol. Lett., 2002, 133, 1-16.

Nanoscale Advances

- 49 S. H. Mudd, J. T. Brosnan, M. E. Brosnan, R. L. Jacobs, S. P. Stabler, R. H. Allen, D. E. Vance and C. Wagner, Am. J. Clin. Nutr., 2007, 85, 19-25.
- 50 V. Rodriguez, M. E. Jimenez-Capdeville and M. Giordano, Toxicol. Lett., 2003, 145, 1-18.
- 51 T. Watanabe and S. Hirano, Arch. Toxicol., 2013, 87, 969-979.
- 52 M. Jaishankar, T. Tseten, N. Anbalagan, B. B. Mathew and K. N. Beeregowda, Interdiscip. Toxicol., 2014, 7, 60-71.
- 53 S. Wei, H. Zhang and S. Tao, Toxicol. Res., 2019, 8, 319-327.
- 54 F. Henkler, J. Brinkmann and A. Luch, Cancers, 2010, 2, 376-396.
- 55 T. Sanders, Y. Liu, V. Buchner and P. B. Tchounwou, Rev. Environ. Health, 2009, 24, 15-46.
- 56 W. Jedrychowski, F. P. Perera, J. Jankowski, D. Mrozek-Budzyn, E. Mroz, E. Flak, S. Edwards, A. Skarupa and I. Lisowska-Miszczyk, Neuroepidemiology, 2009, 32, 270-278.
- 57 M. O. Min, L. T. Singer, H. L. Kirchner, S. Minnes, E. Short, Z. Hussain and S. Nelson, Neurotoxicol. Teratol., 2009, 31, 225-231.
- 58 R. G. Lucchini, S. Zoni, S. Guazzetti, E. Bontempi, S. Micheletti, K. Broberg, G. Parrinello and D. R. Smith, Environ. Res., 2012, 118, 65-71.
- 59 L. Shi, N. Wang, X. Hu, D. Yin, C. Wu, H. Liang, W. Cao and H. Cao, Environ. Toxicol. Pharmacol., 2020, 78, 103385.
- 60 P. B. Tchounwou, C. G. Yedjou, D. N. Foxx, A. B. Ishaque and E. Shen, Mol. Cell. Biochem., 2004, 255, 161-170.
- 61 H. Zhang, K. Wei, M. Zhang, R. Liu and Y. Chen, J. Photochem. Photobiol., B, 2014, 136, 46-53.
- 62 M. K. Galal, E. M. Elleithy, M. I. Abdrabou, N. A. Yasin and Y. M. Shaheen, NeuroToxicology, 2019, 72, 15-28.
- 63 K. E. Wetterhahn, J. W. Hamilton, J. Aiyar, K. M. Borges and R. Floyd, Biol. Trace Elem. Res., 1989, 21, 405.
- 64 J. Ye, X. Zhang, H. A. Young, Y. Mao and X. Shi, Carcinogenesis, 1995, 16, 2401-2405.
- 65 K. Yatera, Y. Morimoto, S. Ueno, S. Noguchi, T. Kawaguchi, F. Tanaka, H. Suzuki and T. Higashi, J. UOEH, 2018, 40, 157-172.
- 66 G. A. Lamas, A. Navas-Acien, D. B. Mark and K. L. Lee, J. Am. Coll. Cardiol., 2016, 67, 2411-2418.
- 67 R. Lindenschmidt, L. Sendelbach, H. Witschi, D. Price, J. Fleming and J. Joshi, Toxicol. Appl. Pharmacol., 1986, 82, 344-350.
- 68 J. M. Castagnetto, S. W. Hennessy, V. A. Roberts, E. D. Getzoff, J. A. Tainer and M. E. Pique, Nucleic Acids Res., 2002, 30, 379-382.
- 69 E. Casalino, G. Calzaretti, C. Sblano and C. Landriscina, Toxicology, 2002, 179, 37-50.
- 70 T. W. Clarkson and L. Magos, Crit. Rev. Toxicol., 2006, 36, 609-662.
- 71 L. F. Oliveira, L. D. Rodrigues, G. M. Cardillo, M. B. Nejm, M. Guimarães-Marques, S. Z. Reyes-Garcia, K. Zuqui, D. V. Vassallo, A. C. Fiorini and C. A. Scorza, Environ. Sci. Pollut. Res., 2020, 27, 7559-7569.
- 72 F. Coppola, A. Bessa, B. Henriques, T. Russo, A. M. Soares, E. Figueira, P. A. Marques, G. Polese, A. Di Cosmo and

- E. Pereira, Comp. Biochem. Physiol., Part A: Mol. Integr. Physiol., 2020, 243, 110674.
- 73 M. Yoshida, C. Watanabe, M. Kishimoto, A. Yasutake, M. Satoh, M. Sawada and Y. Akama, Toxicol. Lett., 2006, **161**, 210-218.
- 74 M. Aschner and J. L. Aschner, Neurosci. Biobehav. Rev., 1990, 14. 169-176.
- 75 J. Albrecht and E. Matyja, Metab. Brain Dis., 1996, 11, 175-184.
- 76 H. Steinbrenner, B. Speckmann and L.-O. Klotz, Arch. Biochem. Biophys., 2016, 595, 113-119.
- 77 R. Zefferino, C. Piccoli, N. Ricciardi, R. Scrima and N. Capitanio, Oxidative medicine and cellular longevity, 2017, vol. 2017.
- 78 J. R. H. Ross, in Contemporary Catalysis, ed. J. R. H. Ross, Elsevier, Amsterdam, 2019, pp. 39-68, DOI: 10.1016/b978-0-444-63474-0.00002-3.
- 79 J. B. Condon, in Surface Area and Porosity Determinations by Physisorption, ed. J. B. Condon, Elsevier, 2nd edn, 2020, pp. 1-57, DOI: 10.1016/b978-0-12-818785-2.00001-5.
- 80 M. Ahumada, C. Lazurko and E. I. Alarcon, in Photoactive Inorganic Nanoparticles, ed. J. P. Prieto and M. G. Béjar, Elsevier, 2019, DOI: 10.1016/b978-0-12-814531-9.00001-4, pp. 1-19.
- 81 S. Liu, in Bioprocess Engineering, ed. S. Liu, Elsevier, 3rd edn, 2020, pp. 291-350, DOI: 10.1016/b978-0-12-821012-3.00008-
- 82 S. S. Gupta and K. G. Bhattacharyya, Phys. Chem. Chem. Phys., 2012, 14, 6698-6723.
- 83 J. Zhao and M.-C. He, Appl. Surf. Sci., 2014, 317, 718-723.
- 84 J. Wang, S. Xia and L. Yu, Appl. Surf. Sci., 2015, 339, 28-35.
- 85 L. Qin, L. Yan, J. Chen, T. Liu, H. Yu and B. Du, Ind. Eng. Chem. Res., 2016, 55, 7344-7354.
- 86 L. Wang, C. Shi, L. Pan, X. Zhang and J.-J. Zou, Nanoscale, 2020, 12, 4790-4815.
- 87 S. De Gisi, G. Lofrano, M. Grassi and M. Notarnicola, Sustainable Mater. Technol., 2016, 9, 10-40.
- 88 G. K. Sarma, S. S. Gupta and K. G. Bhattacharyya, Environ. Sci. Pollut. Res., 2019, 26, 6245-6278.
- 89 S. Srivastava and S. J. S. Flora, in *Handbook of Toxicology of* Chemical Warfare Agents, ed. R. C. Gupta, Academic Press, Boston, 3rd edn, 2020, pp. 303-319, DOI: 10.1016/b978-0-12-819090-6.00021-0.
- 90 S. Yang, P. Huang, L. Peng, C. Cao, Y. Zhu, F. Wei, Y. Sun and W. Song, J. Mater. Chem. A, 2016, 4, 400-406.
- 91 S. Purwajanti, L. Zhou, Y. Ahmad Nor, J. Zhang, H. Zhang, X. Huang and C. Yu, ACS Appl. Mater. Interfaces, 2015, 7, 21278-21286.
- 92 Z. Wei, R. Xing, X. Zhang, S. Liu, H. Yu and P. Li, ACS Appl. Mater. Interfaces, 2013, 5, 598-604.
- 93 L.-B. Zhong, Q. Liu, J.-Q. Zhu, Y.-S. Yang, J. Weng, P. Wu and Y.-M. Zheng, ACS Sustainable Chem. Eng., 2018, 6,
- 94 H. Li, W. Li, Y. Zhang, T. Wang, B. Wang, W. Xu, L. Jiang, W. Song, C. Shu and C. Wang, J. Mater. Chem., 2011, 21, 7878-7881.
- 95 G. Zelmanov and R. Semiat, Water Res., 2008, 42, 492-498.

96 C.-Y. Cao, J. Qu, W.-S. Yan, J.-F. Zhu, Z.-Y. Wu and W.-G. Song, *Langmuir*, 2012, **28**, 4573–4579.

- 97 B. Wang, H. Wu, L. Yu, R. Xu, T. T. Lim and X. W. Lou, *Adv. Mater.*, 2012, **24**, 1111–1116.
- 98 L.-S. Zhong, J.-S. Hu, A.-M. Cao, Q. Liu, W.-G. Song and L.-J. Wan, *Chem. Mater.*, 2007, **19**, 1648–1655.
- 99 C.-Y. Cao, Z.-M. Cui, C.-Q. Chen, W.-G. Song and W. Cai, *J. Phys. Chem. C*, 2010, **114**, 9865–9870.
- 100 Z. Zhao, J. Liu, F. Cui, H. Feng and L. Zhang, *J. Mater. Chem.*, 2012, 22, 9052–9057.
- 101 H.-J. Cui, J.-K. Cai, H. Zhao, B. Yuan, C.-L. Ai and M.-L. Fu, *J. Hazard. Mater.*, 2014, **279**, 26–31.
- 102 M. Kalaruban, P. Loganathan, T. V. Nguyen, T. Nur, M. A. H. Johir, T. H. Nguyen, M. V. Trinh and S. Vigneswaran, J. Environ. Manage., 2019, 239, 235–243.
- 103 R. Sawana, Y. Somasundar, V. S. Iyer and B. Baruwati, *Appl. Water Sci.*, 2017, 7, 1223–1230.
- 104 Y. Yu, C. Zhang, L. Yang and J. P. Chen, *Chem. Eng. J.*, 2017, **315**, 630–638.
- 105 E. L. Morifi, A. E. Ofomaja and K. Pillay, J. Environ. Chem. Eng., 2020, 8, 103822.
- 106 X. Luo, Z. Huang, J. Lin, X. Li, J. Qiu, J. Liu and X. Mao, *J. Cleaner Prod.*, 2020, **258**, 120991.
- 107 Y. Guo, H. Guo, Y. Wang, L. Liu and W. Chen, *RSC Adv.*, 2014, **4**, 14048–14054.
- 108 M. Liu, Y. Wang, L. Chen, Y. Zhang and Z. Lin, *ACS Appl. Mater. Interfaces*, 2015, 7, 7961–7969.
- 109 Q. Mo, J. Wei, K. Jiang, Z. Zhuang and Y. Yu, *ACS Sustainable Chem. Eng.*, 2017, 5, 1476–1484.
- 110 C.-Y. Cao, J. Qu, F. Wei, H. Liu and W.-G. Song, *ACS Appl. Mater. Interfaces*, 2012, 4, 4283–4287.
- 111 S. A. Kim, S. Kamala-Kannan, K.-J. Lee, Y.-J. Park, P. J. Shea, W.-H. Lee, H.-M. Kim and B.-T. Oh, *Chem. Eng. J.*, 2013, 217, 54–60.
- 112 M. Arshadi, M. Soleymanzadeh, J. Salvacion and F. SalimiVahid, *J. Colloid Interface Sci.*, 2014, **426**, 241–251.
- 113 X. Zhang, S. Lin, X.-Q. Lu and Z.-l. Chen, *Chem. Eng. J.*, 2010, **163**, 243–248.
- 114 M. Kan, X. Qian, T. Zhang, D. Yue and Y. Zhao, *ACS Sustainable Chem. Eng.*, 2017, 5, 10940–10946.
- 115 H.-J. Cui, J.-W. Shi, B. Yuan and M.-L. Fu, *J. Mater. Chem. A*, 2013, **1**, 5902–5907.
- 116 N. N. Nassar, A. Hassan and P. Pereira-Almao, *Energy Fuels*, 2011, 25, 1017–1023.
- 117 J.-R. Fu, J. Zheng, W.-J. Fang, C. Chen, C. Cheng, R.-W. Yan, S.-G. Huang and C.-C. Wang, *J. Alloys Compd.*, 2015, 650, 463–469.
- 118 E.-J. Kim, C.-S. Lee, Y.-Y. Chang and Y.-S. Chang, *ACS Appl. Mater. Interfaces*, 2013, 5, 9628–9634.
- 119 S.-B. Ma, K.-Y. Ahn, E.-S. Lee, K.-H. Oh and K.-B. Kim, *Carbon*, 2007, **45**, 375–382.
- 120 S. Ravulapalli and R. Kunta, *J. Environ. Chem. Eng.*, 2018, **6**, 4298–4309.
- 121 M. Imamoglu and O. Tekir, *Desalination*, 2008, **228**, 108–113
- 122 E. Asuquo, A. Martin, P. Nzerem, F. Siperstein and X. Fan, *J. Environ. Chem. Eng.*, 2017, 5, 679–698.

- 123 J. Nonkumwong, S. Ananta and L. Srisombat, *RSC Adv.*, 2016, **6**, 47382–47393.
- 124 C. Yu, Z. Shao and H. Hou, Chem. Sci., 2017, 8, 7611-7619.
- 125 S. Wu, J. Lu, Z. Ding, N. Li, F. Fu and B. Tang, RSC Adv., 2016, 6, 82118–82130.
- 126 J. Yue, X. Jiang, Y. V. Kaneti and A. Yu, *J. Colloid Interface Sci.*, 2012, **367**, 204–212.
- 127 D. Maiti and P. S. Devi, *Mater. Chem. Phys.*, 2015, **154**, 144–151.
- 128 M. C. S. Faria, R. S. Rosemberg, C. A. Bomfeti, D. S. Monteiro, F. Barbosa, L. C. A. Oliveira, M. Rodriguez, M. C. Pereira and J. L. Rodrigues, *Chem. Eng. J.*, 2014, 237, 47–54.
- 129 P. Chagas, A. C. Da Silva, E. C. Passamani, J. D. Ardisson, L. C. A. de Oliveira, J. D. Fabris, R. M. Paniago, D. S. Monteiro and M. C. Pereira, *J. Nanopart. Res.*, 2013, 15(1544), 1–7.
- 130 A. S. Krishna Kumar, S.-J. Jiang and J. K. Warchoł, *ACS Omega*, 2017, **2**, 6187–6200.
- 131 I. Ghiloufi, J. El Ghoul, A. Modwi and L. El Mir, *Mater. Sci. Semicond. Process.*, 2016, **42**, 102–106.
- 132 J. H. Min, M.-K. Woo, H. Y. Yoon, J. W. Jang, J. H. Wu, C.-S. Lim and Y. K. Kim, *Anal. Biochem.*, 2014, 447, 114–118.
- 133 S. R. Chowdhury and E. K. Yanful, J. Environ. Manage., 2010, 91, 2238–2247.
- 134 Y. Mu, Z. Ai, L. Zhang and F. Song, ACS Appl. Mater. Interfaces, 2015, 7, 1997–2005.
- 135 A. Kumar and H. M. Jena, *J. Environ. Chem. Eng.*, 2017, 5, 2032–2041.
- 136 Y. Abshirini, R. Foroutan and H. Esmaeili, *Mater. Res. Express*, 2019, **6**, 045607.
- 137 L. Niazi, A. Lashanizadegan and H. Sharififard, *J. Cleaner Prod.*, 2018, **185**, 554–561.
- 138 F. Ghorbani, S. Kamari, S. Zamani, S. Akbari and M. Salehi, Surf. Interfaces, 2020, 18, 100444.
- 139 M. Fazlzadeh, R. Khosravi and A. Zarei, *Ecological Engineering*, 2017, **103**, 180–190.
- 140 Z. Hajizadeh, K. Valadi, R. Taheri-Ledari and A. Maleki, *ChemistrySelect*, 2020, 5, 2441–2448.
- 141 Y. Wang, R. Zhou, C. Wang, G. Zhou, C. Hua, Y. Cao and Z. Song, *J. Alloys Compd.*, 2020, **817**, 153286.
- 142 V. Litrenta Medeiros, L. G. de Araujo, D. Rubinho Ratero, A. Silva Paula, E. Ferreira Molina, C. Jaeger, J. T. Marumo and J. G. Nery, *J. Environ. Chem. Eng.*, 2020, **8**, 103922.
- 143 C. Ren, X. Ding, H. Fu, C. Meng, W. Li and H. Yang, *RSC Adv.*, 2016, **6**, 72479–72486.
- 144 L. Sun, Y. Li, M. Sun, H. Wang, S. Xu, C. Zhang and Q. Yang, *New J. Chem.*, 2011, 35, 2697–2704.
- 145 M. Shao, F. Ning, J. Zhao, M. Wei, D. G. Evans and X. Duan, J. Am. Chem. Soc., 2012, 134, 1071–1077.
- 146 L. Yang, P. Zou, J. Cao, Y. Sun, D. Han, S. Yang, G. Chen, X. Kong and J. Yang, *Superlattices Microstruct.*, 2014, 76, 205–212.
- 147 Y. Ni, K. Mi, C. Cheng, J. Xia, X. Ma and J. Hong, *Chem. Commun.*, 2011, 47, 5891–5893.
- 148 Z. Zhao, X. Zhang, H. Zhou, G. Liu, M. Kong and G. Wang, *Microporous Mesoporous Mater.*, 2017, 242, 50–58.

149 K. Chen, J. He, Y. Li, X. Cai, K. Zhang, T. Liu, Y. Hu, D. Lin, L. Kong and J. Liu, I. Colloid Interface Sci., 2017, 494, 307-316.

Nanoscale Advances

- 150 Y. Ren, H. A. Abbood, F. He, H. Peng and K. Huang, Chem. Eng. J., 2013, 226, 300-311.
- 151 M. Zhang, W. Song, Q. Chen, B. Miao and W. He, ACS Appl. Mater. Interfaces, 2015, 7, 1533-1540.
- 152 F. Ciesielczyk, P. Bartczak and T. Jesionowski, Desalin. Water Treat., 2015, 55, 1271-1284.
- 153 K. E. Engates and H. J. Shipley, Environ. Sci. Pollut. Res., 2011, 18, 386-395.
- 154 Q. Su, B. Pan, S. Wan, W. Zhang and L. Lv, J. Colloid Interface Sci., 2010, 349, 607-612.
- 155 A. Afkhami, M. Saber-Tehrani and H. Bagheri, J. Hazard. Mater., 2010, 181, 836-844.
- 156 M. M. A. El-Latif, A. M. Ibrahim, M. S. Showman and R. R. A. Hamide, Int. J. Nonferrous Metall., 2013, 2, 47-63.
- 157 A. Roy and J. Bhattacharya, Sep. Purif. Technol., 2013, 115, 172-179.
- 158 X. Xie, H. Gao, X. Luo, T. Su, Y. Zhang and Z. Qin, J. Environ. Chem. Eng., 2019, 7, 103183.
- 159 R. Zha, R. Nadimicherla and X. Guo, J. Mater. Chem. A, 2014, 2, 13932-13941.
- 160 P. S. Subana, C. Manjunatha, M. Rao, B. Venkateswarlu, G. Nagaraju and R. Suresh, Surf. Interfaces, 2020, 100680.
- 161 M. Ashraf, I. Khan, M. Usman, A. Khan, S. S. Shah, A. Z. Khan, K. Saeed, M. Yaseen, M. F. Ehsan, M. N. Tahir and N. Ullah, Chem. Res. Toxicol., 2020, 33(6), 1292-1311.
- 162 A. Esrafili, M. Ghambarian, M. Tajik and M. Baharfar, Anal. Methods, 2020, 12, 2279-2286.
- 163 C. Ray, S. Sarkar, S. Dutta, A. Roy, R. Sahoo, Y. Negishi and T. Pal, RSC Adv., 2015, 5, 12446-12453.
- 164 Y. Zhang, Q. Xu, S. Zhang, J. Liu, J. Zhou, H. Xu, H. Xiao and J. Li, Chem. Eng. J., 2013, 226, 30-38.
- 165 R. G. Pearson, *J. Am. Chem. Soc.*, 1963, **85**, 3533-3539.
- 166 J.-F. Liu, Z.-S. Zhao and G.-B. Jiang, Environ. Sci. Technol., 2008, 42, 6949-6954.

- 167 W. Shi, S. Tao, Y. Yu, Y. Wang and W. Ma, J. Mater. Chem., 2011, 21, 15567-15574.
- 168 F. Oveisi, M. Nikazar, M. H. Razzaghi, M. A.-S. Mirrahimi and M. T. Jafarzadeh, Environmental Nanotechnology, Monitoring & Management, 2017, 7, 130-138.
- 169 C. Shan, Z. Ma, M. Tong and J. Ni, Water Res., 2015, 69, 252-260.
- 170 Z. Wang, J. Xu, Y. Hu, H. Zhao, J. Zhou, Y. Liu, Z. Lou and X. Xu, J. Taiwan Inst. Chem. Eng., 2016, 60, 394-402.
- 171 M. Hadavifar, N. Bahramifar, H. Younesi and Q. Li, Chem. Eng. J., 2014, 237, 217-228.
- 172 S. Sahinkaya, Process Saf. Environ. Prot., 2015, 93, 201-205.
- 173 N. Asasian, T. Kaghazchi, A. Faramarzi, A. Hakimi-Siboni, R. Asadi-Kesheh, M. Kavand and S.-A. Mohtashami, J. Taiwan Inst. Chem. Eng., 2014, 45, 1588-1596.
- 174 Y. Kim and Y. J. Lee, J. Colloid Interface Sci., 2014, 430, 193-
- 175 J. Bao, Y. Fu and Z. Bao, Nanoscale Res. Lett., 2013, 8, 1-6.
- 176 Y. Zhang, L. Yan, W. Xu, X. Guo, L. Cui, L. Gao, Q. Wei and B. Du, J. Mol. Liq., 2014, 191, 177-182.
- 177 B. Zhu, J. Zhao, H. Yu, L. Yan, Q. Wei and B. Du, Chem. Eng. J., 2013, 219, 411-418.
- 178 Z. Liu, Y. Sun, X. Xu, X. Meng, J. Qu, Z. Wang, C. Liu and B. Qu, Bioresour. Technol., 2020, 306, 123154.
- 179 T. A. Saleh, A. Sarı and M. Tuzen, J. Environ. Chem. Eng., 2017, 5, 1079-1088.
- Mohammadzadeh, H. N. Tran, 180 S.-A. Sajjadi, A. I. Anastopoulos, G. L. Dotto, Z. R. Lopičić, S. Sivamani, Rahmani-Sani, A. Ivanets and A. Hosseini-Bandegharaei, J. Environ. Manage., 2018, 223, 1001-1009.
- 181 P. González and Y. Pliego-Cuervo, Chem. Eng. Res. Des., 2014, 92, 2715-2724.
- 182 K. A. Krishnan and T. Anirudhan, J. Hazard. Mater., 2002, 92, 161-183.
- 183 K. Xia, Y. Guo, O. Shao, O. Zan and R. Bai, Nanomaterials, 2019, 9, 1532.