





Cite this: *Polym. Chem.*, 2020, **11**, 5140

Received 9th July 2020,  
Accepted 27th July 2020

DOI: 10.1039/d0py00989j

rsc.li/polymers

## General approach to prepare polymers bearing pendant isocyanate groups†

Rodrigo Navarro,  Carolina García, Juan Rodríguez-Hernández,  Carlos Elvira, Angel Marcos-Fernández, Alberto Gallardo and Helmut Reinecke\*

A versatile synthetic approach for the easy preparation, under smooth reaction conditions, of diverse classes of linear polymers bearing aliphatic or aromatic isocyanate groups in the side chains is described. The procedure consists in the transformation of primary amine groups present in the polymer into isocyanates using equimolar amounts of diphosgene or triphosgene and a soluble tertiary amine as the acid scavenger. The transformation of all amine groups takes place quasi-simultaneously and instantaneously as shown by the invariability of the chain length of the polymer and the absence of crosslinked products. The number of isocyanate groups per molecule that can be achieved by this approach corresponds to the number of primary amine groups of the starting polymer and is up to three orders of magnitude higher than in any other non-crosslinked molecule described so far. The isocyanate functionalized polymers can be used to anchor a large variety of molecules to the polymer chains. The approach is in detail demonstrated with poly(vinyl chloride) (PVC) carrying aromatic amine groups but has also been confirmed by using a number of other polymer types bearing both aromatic and aliphatic primary amines. Furthermore, it has been used to prepare a novel low molecular weight compound, tris(2-cyanoethyl)amine.

### Introduction

The preparation of polymers bearing isocyanate groups in the side chains is of great interest due to the high reactivity of this functional group towards alcohols, amines, thiols or other groups carrying active hydrogen atoms. As a consequence, these polymers are easily modified, crosslinked or used for the grafting of biomolecules or other polymeric chains. Due to the enormous versatility of such materials, scientists started to

work in this field right from the birth of polymer science. There are basically two synthetic strategies that may lead to polymers bearing isocyanate groups: (a) a bottom-up approach that consists in the use of a monomer with this functionality and subsequent homo- or co-polymerization, (b) chemical modification of polymers bearing side chain primary amines using phosgene or its derivatives.

The bottom-up strategy was studied in a number of papers<sup>1–13</sup> published on this subject as early as in the fifties. These authors used vinylic monomers bearing an isocyanate moiety such as vinylisocyanate or isopropenylisocyanate<sup>1–9</sup> and studied their homo- and copolymerization. Other copolymers bearing isocyanate groups were studied by Butler and Monroe,<sup>10</sup> Graham<sup>11</sup> and Vollmert<sup>12</sup> who used allyloxyethyl isocyanate,<sup>10</sup> 9-deceny isocyanate,<sup>10</sup> *O*-isocyanatoethyl methacrylate<sup>11</sup> or *N*-(6-isocyanato)-hexylacrylamide<sup>12</sup> as the comonomers able to introduce a NCO-functionality into the respective polymer. Liebermann, finally,<sup>13</sup> used *p*-isocyanatos-tyrene copolymerized with styrene or acrylonitrile to prepare copolymers with up to 15 mol% of isocyanate groups in the side chains.

In most of the cited cases, due to side reactions during the polymerization caused by the isocyanate group, the obtained polymers were of low molecular weight, partially crosslinked and/or had a low content of isocyanate groups. For these reasons, these materials never had practical utility and have never again been mentioned in recent literature.

The second general approach to prepare polymers bearing isocyanate groups is the chemical modification of a polymer bearing primary amine groups. This, however, has never been attempted successfully for the following reason: as the target functionality NCO is highly reactive toward amines, isocyanate groups formed in an early stage of the reaction are liable to react with amines that have not yet been transformed into an isocyanate group and consequently crosslinked and undefined products should be obtained.

The most common way to transform amine groups into isocyanates is the use of phosgene and its derivatives. Phosgene

Institute of Polymer Science and Technology (ICTP-CSIC), Juan de la Cierva 3, E-28006 Madrid, Spain. E-mail: hreinecke@ictp.csic.es; Fax: +34-91-5644853; Tel: +34-91-2587557

† Electronic supplementary information (ESI) available. See DOI: 10.1039/d0py00989j



is an extremely versatile and useful agent for the preparation of a number of important substances. However, particularly academic scientists were looking for safer alternative substitutes for this highly toxic gaseous compound. In 1976 Kurita *et al.*<sup>14</sup> proposed the use of diphosgene for this purpose, a dense liquid of 128 °C boiling point at atmospheric pressure that decomposes under certain conditions into two phosgene molecules. Later, in 1987, H. Eckert *et al.*<sup>15,16</sup> proposed the use of triphosgene as an alternative to phosgene as it is a solid (m.p. 80 °C, b.p. 206 °C) and, thus, even easier to transport and store than diphosgene. These authors brought different amines, alcohols and carbon acids to reaction with equimolar amounts of triphosgene obtaining good to excellent yield of the expected products. It was further shown that each molecule reacted like three phosgene molecules. Interestingly the authors describe that the same reactions using gaseous phosgene were not successful as “even the use of a several-fold excess gave only very moderate yields”.

Another interesting work related to the results of the present paper is authored by Peerlings, Versteegen and Meijer<sup>17,18</sup> who describe the successful use of di-*tert*-butyltricarboxylate for the quantitative conversion of almost any primary monoamine into its corresponding isocyanate in less than 5 minutes at room temperature releasing two equivalents of CO<sub>2</sub> and *tert*-butanol. The authors claim furthermore, that said compound is the reagent par excellence for the synthesis of multi-isocyanates, since the formation of cyclic ureas is suppressed. The approach is demonstrated on a propylene imine dendrimer of five generations.

Different standard procedures for the preparation of isocyanate groups have been described so far.<sup>19</sup> In industry, the most widely used method is the transformation of a primary amine group into an isocyanate using phosgene at elevated temperature. In the case of mono- or diamines the corresponding isocyanates are usually obtained in excellent yields far above 90% and secondary by products, mainly ureas formed between newly formed isocyanate and non reacted amine can be easily eliminated by distillation or recrystallization. However, in a poly-aminated compound these urea bonds formed between different polymeric chains lead to crosslinked products that make this approach useless. For this reason, an aminated polymer can only be transformed into a multi-isocyanate compound if two conditions are met: (a) the polymer is at a concentration below its critical overlap concentration and (b) the reaction between the amine and the phosgenation agent is much faster than the reaction between amine and newly formed isocyanate. Thus, all amine groups involved must be transformed quasi-simultaneously and instantaneously into the corresponding isocyanate.

In the present work we have studied the use of phosgene and its derivatives for the quantitative transformation of aminated linear polymers into the corresponding macromolecules carrying isocyanate groups. As will be described, this strategy allows for the fabrication of functional polymers with a precisely controlled amount of reactive isocyanate functional groups.

## Experimental part

### Materials

Commercial bulk polymerized PVC was obtained from Rio Rodano Industries, Spain. The average molecular weights determined by GPC were  $M_w = 112\,000\text{ g mol}^{-1}$  and  $M_n = 48\,000\text{ g mol}^{-1}$ . The tacticity measured by <sup>13</sup>C-NMR was syndio = 30.6%, hetero = 49.8% and iso = 19.6%.

Tris(2-aminoethyl)amine was purchased from Aldrich and used as it is.

THF was dried over sodium and distilled. Methylene chloride and triethylamine were dried over CaH<sub>2</sub> and distilled.

NMR spectra were obtained in CDCl<sub>3</sub> solutions using a 300 MHz Varian FTIR measurements were carried out on a PerkinElmer Spectrum One spectrometer using an ATR device with a resolution of 2 cm<sup>-1</sup>.

Gel permeation chromatography (GPC) analyses were carried out with Styragel (300 × 7.8 mm, 5 mm nominal particle size) Water columns. DMF with LiBr (0.1 w/w) was used as a solvent. Measurements were performed at 70 °C at a flow rate of 0.7 mL min<sup>-1</sup> using a RI detector. Molecular weights of polymers were referenced to PS standards.

### Preparation of PVC modified with a tailored content of aromatic amine groups

The synthesis of PVC carrying primary aromatic amines (PVC-o-NH<sub>2</sub>) consists of chemically modifying PVC in cyclohexanone (CH) or methyl ethyl ketone (MEK) solution using sodium thiolate salts of 2,3 or 4-Aminothiophenol as described elsewhere.<sup>20</sup> These thiolates are prepared by neutralization of the corresponding commercially available aromatic thiol with equimolar amounts of sodium hydroxide in ethanol.

### Preparation of PVC carrying NCO groups

1 g (14.4 mmol) of PVC-o-NH<sub>2</sub>-8% was dissolved in 20 mL of dry THF and 80 mL of methylene chloride and 0.33 mL (2.4 mmol) of triethylamine were added. This solution was poured at room temperature to a stirred solution of 125 mg (0.42 mmol) triphosgene in 25 mL methylene chloride. After five minutes reaction the mixture was washed twice with ice/water in order to eliminate the quaternary salts formed, the organic phase was dried over anhydrous MgSO<sub>4</sub> and the solution filtered and precipitated in hexane. After drying 950 mg of PVC-NCO-8% were obtained.

### Preparation of PVC-NHCON(C<sub>2</sub>H<sub>5</sub>)<sub>2</sub>-8%

950 mg of PVC-NCO-8% were dissolved in 50 mL of dry THF, 0.12 mL (1.2 mmol) diethylamine were added and the mixture stirred for 1 hour at 40 °C. Then, the mixture was precipitated in methanol and the obtained polymer purified by three solution-precipitation cycles in THF-methanol. 1 g polymer whose <sup>1</sup>H-NMR spectrum is shown in Fig. 2 was obtained.

### Preparation of tris(2-isocyanatoethyl)amine

To a solution of 1.05 g (3.5 mmol) of Triphosgene in 400 ml of CH<sub>2</sub>Cl<sub>2</sub> a mixture of 515 mg (3.5 mmol) tris(2-aminoethyl)



amine and 2.9 ml (21 mmol)  $\text{NEt}_3$  in  $\text{CH}_2\text{Cl}_2$  is added at room temperature. After 5 minutes the solvent is eliminated and the residue extracted with hot heptane. After elimination of heptane 380 mg (yield 95%) of the triisocyanate are obtained.

## Results

In this paper, we have studied the specific conditions under which this transformation is possible. For this purpose we have used PVC which has been shown to be a polymer that can selectively and in a clean manner be modified with a controlled number of primary aromatic amine groups.<sup>20</sup>

In order to favor the main goal and reduce or avoid crosslinking between different chains, in this study all reactions were carried out under highly diluted conditions, below the critical overlap concentration of  $c^* = 0.12 \text{ mol L}^{-1}$  of the PVC/solvent system (determined according to ref. 21). PVC carrying 8 mol% of primary aromatic amine groups situated in *ortho* position to the sulfur anchor atom (Scheme 1a) was used as the starting polymer. As the phosgenating agents, 15 wt% solution of phosgene in toluene, diphosgene and triphosgene were tested using different stoichiometries with respect to the number of amine groups in the polymer. Furthermore, the type and quantity of the base used for scavenging the hydrochloride formed during the reaction were varied. The detailed reaction conditions are summarized in Table 1.

Phosgenations were carried out in dry  $\text{THF}-\text{CH}_2\text{Cl}_2$  1:4 mixtures. In order to avoid immediate crosslinking it is decisive to add the polymer/base solution to the phosgenating agent and not *vice versa*. After the addition of the polymer solution and base to the phosgenating agent the mixture was diluted with  $\text{CH}_2\text{Cl}_2$  and extracted twice with ice-cold water in order to eliminate the quaternary ammonium salts formed during the reaction between the base and the hydrochloride formed. The organic phase was subsequently dried and precipitated in hexane. The dried precipitated polymers were analyzed by FTIR and, if soluble, by  $^1\text{H-NMR}$  spectroscopy and GPC.


From the experiments (entries 1–3) it was concluded that it was not possible to achieve soluble products using phosgene

solutions, not even with a threefold molar excess with respect to the number of amine groups, a result that confirms observations made by Eckert on reactions with low molecular weight amines.<sup>19,20</sup> On the other hand, 0.5 mol diphosgene per mol amine as a precursor of two equivalents of phosgene or 0.35 mol per amine of triphosgene<sup>22,23</sup> as a precursor of three equivalents of phosgene were able to quantitatively transform all amine groups of the polymer into isocyanates when at least two equivalents of a soluble acid scavenger were present in the reaction solution. It is noteworthy that even a slight defect of base (entries 5 and 6 in Table 1) or the use of an insoluble base like  $\text{Na}_2\text{CO}_3$  (entry 11) that is not immediately available for the scavenging process, lead to the formation of crosslinked systems.

In Fig. 1, the IR-spectra of pure PVC, aminated PVC (PVC- $\text{o-NH}_2$ -8%) and polymer from entry 8 (PVC-NCO-8%) after quantitative phosgenation are compared. The aminated PVC is characterized by two N–H valence bonds (according to associated and non-associated amines) around  $3400 \text{ cm}^{-1}$ , an N–H deformation band at  $1610 \text{ cm}^{-1}$  and the aromatic C–C valence bonds at  $1570$  and  $1480 \text{ cm}^{-1}$ . After the phosgenation reaction under the chosen reaction conditions N–H valence and NH-deformation bonds have completely disappeared and instead a strong NCO valence bond at  $2250 \text{ cm}^{-1}$  has formed.

Although it is possible to isolate and dry the obtained PVC-NCO, it is recommendable to carry out subsequent reactions on this highly reactive polymer *in situ*, directly after the formation of the isocyanate groups. In this way, its reaction with traces of humidity that would lead to the formation of  $\text{CO}_2$  and amine groups that in turn would form a crosslinked material *via* formation of urea bridges due to its reaction with isocyanate groups, is avoided.

Such a subsequent reaction was carried out using equimolar amounts of diethylamine. At a temperature of  $40 \text{ }^\circ\text{C}$  the reaction reached complete conversion after thirty minutes as it is shown in Fig. 2 where the  $^1\text{H-NMR}$  spectrum in  $\text{CDCl}_3$  of the isolated and purified polymer is compared with that of the PVC- $\text{o-NH}_2$  starting material. In the spectrum of the aminated polymer, additionally to the PVC chain proton peaks at 2.2 and 4.5 ppm, four signals between 6.6 and 7.3 ppm (aromatic ring protons) are observed while the  $-\text{NH}_2$  protons are partially




**Scheme 1** a) preparation of aminated PVC (PVC- $\text{o-NH}_2$ -8%) and transformation into PVC bearing isocyanate groups (PVC-NCO-8%), (b) formation of PVC bearing urea groups (PVC-NHCON(C<sub>2</sub>H<sub>5</sub>)<sub>2</sub>-8%).




**Table 1** Experimental conditions used to transform PVC bearing 8 mol% primary aromatic amine groups into a polymer bearing multi-isocyanates

Entry	Phosgenating Agent	Phosgenating agent per mol amine	Base	Base per mol amine	Observation
1	Phosgene solution (15%)	1.03 mol	NET <sub>3</sub>	2.2 mol	Incomplete reaction and crosslinking
2	Phosgene solution (15%)	2.0 mol	NET <sub>3</sub>	2.2 mol	Incomplete reaction and crosslinking
3	Phosgene solution (15%)	3.0 mol	NET <sub>3</sub>	2.2 mol	Incomplete conversion, insoluble polymer
4	Triphosgene	0.35 mol	—	—	Incomplete reaction and crosslinking
5	Triphosgene	0.35 mol	NET <sub>3</sub>	1.8 mol	Incomplete reaction and crosslinking
6	Triphosgene	0.35 mol	NET <sub>3</sub>	1.9 mol	Incomplete reaction and crosslinking
7	Triphosgene	0.35 mol	NET <sub>3</sub>	2.0 mol	Complete conversion, soluble polymer
8	Triphosgene	0.35 mol	NET <sub>3</sub>	2.1 mol	Complete conversion, soluble polymer
9	Triphosgene	0.35 mol	DIPEA	2.1 mol	Complete conversion, soluble polymer
10	Triphosgene	0.5 mol	DABCO	2.1 mol	Complete conversion, soluble polymer
11	Triphosgene	0.35 mol	Na <sub>2</sub> CO <sub>3</sub>	2.1 mol	Incomplete reaction and crosslinking
12	Diphosgene	0.5 mol	NET <sub>3</sub>	2.1 mol	Complete conversion, soluble polymer

DIPEA: *N,N*-Diisopropylethylamine, NET<sub>3</sub>: triethylamine, DABCO: 1,4-diazabicyclo[2.2.2]octane.



**Fig. 1** FTIR-ATR spectra of (a) pure PVC, (b) PVC-o-NH<sub>2</sub>-8% and (c) PVC-o-NCO-8%.



**Fig. 2** H-NMR spectra in CDCl<sub>3</sub> of PVC-o-NH<sub>2</sub>-8% (top) and PVC-NHCON(C<sub>2</sub>H<sub>5</sub>)<sub>2</sub>-8% (bottom).

overlapped by the -CH-Cl protons at 4.5 ppm. Proton peaks from modified chain segments -CH-S- appear at 3.6 ppm. After transformation of the aromatic amine groups into isocyanates and subsequent reaction of the latter with diethylamine the four aromatic proton peaks shifted considerably towards higher ppm values and a new signal related to the urea protons appeared at 6.8 ppm. Additionally, new peaks at 3.4 ppm and 1.2 ppm corresponding to the ethyl groups of the newly formed ureas developed. The integral values indicated in the NMR spectra are normalized with respect to one modifier molecule. This means that the value 26 of the CH<sub>2</sub>-protons of PVC (4.5 ppm) indicates that per modifier molecule there are 13 monomeric PVC units or, in other words: the degree of modification is  $1/13 = 0.078 = 7.8$  mol%. The urea product obtained from this polymer is formed using diethylamine HN(C<sub>2</sub>H<sub>5</sub>)<sub>2</sub> which reacts with each modifier molecule (*via* previous transformation to the isocyanate). Consequently the expected

integrals of the corresponding proton peaks are 4 (at 3.4 ppm) and 6 (at 1.2 ppm).

In order to check whether the phosgenation reaction could have led to branching with its corresponding increase in molecular weight, GPC traces in DMF of aminated PVC and that of the polymer after reaction of its isocyanates with diethylamine were compared (it was not possible to carry out GPC on the polymers with NCO groups due to their high reactivity with protons from the column). The GPC traces depicted in the ESI (Fig. S1†) show that both the aminated polymer and PVC-NHCON(C<sub>2</sub>H<sub>5</sub>)<sub>2</sub>-8% are eluted at the same time indicating that aminated and isocyanated polymers show virtually the same degree of polymerization. This confirms that no chain extension side reactions or even crosslinking took place during phosgenation under the experimental conditions chosen.






Fig. 3 The phosgenation approach using condensed forms of phosgene may be carried out in different classes of aminated polymers.




Fig. 4 Preparation of tris(2-cyanoethyl)amine from tris(2-Aminoethyl) amine.

### Other systems studied

In order to check the versatility of the above approach a number of different polymers (in particular polystyrene (PS), polyepichlorohydrin (PECH) and polyvinylpyrrolidone (PVP), Fig. 3) containing primary aromatic or aliphatic amine groups, were subjected to the phosgenation treatment successfully used in the case of aminated PVC, that is 0.33 mol of triphosgene and at least 2 mol triethylamine per mol of primary amine and polymer/solvent concentrations below the critical overlap concentration. In all cases the amine groups were transformed quantitatively into isocyanate groups. This was demonstrated, on the one hand, by the fact that soluble, non-crosslinked products were obtained and, on the other hand, that subsequent reactions with different alcohols or amines gave the corresponding polymers quantitatively with the

expected structures as shown by GPC, IR and  $^1\text{H-NMR}$  spectroscopy for some specific cases (ESI, Fig. S2–5†).

We have furthermore used the approach to prepare a novel triisocyanate of low molecular weight that, to our knowledge has never been prepared before. The starting compound was tris(2-aminoethyl)amine (Fig. 4).

In this case, due to the high density of amine groups in the solution the reaction mixture has to be highly diluted. The critical concentration for complete conversion is  $c = 0.02$  mol amine groups per liter. The obtained triisocyanate is highly reactive and it is recommended to be used for subsequent reactions directly from the crude  $\text{CH}_2\text{Cl}_2$  solution.

The molecular weight of the new compound with a formula of  $\text{C}_9\text{H}_{12}\text{N}_4\text{O}_3$  was determined by mass spectroscopy:  $224.09$  g  $\text{mol}^{-1}$ . IR,  $^1\text{H-NMR}$  and  $^{13}\text{C-NMR}$  are shown below (Fig. 5 and 6).

### Discussion

Up to date, the exact reaction mechanisms of diphosgene and triphosgene are not well understood. It is supposed<sup>19</sup> that triphosgene, when attacked by a nucleophile (Nu), decomposes into phosgene and diphosgene-Nu derivative. Diphosgene, on the other hand, shows reactivity as a tricoordinated carbonic acid derivative being these reactions largely accelerated using




Fig. 5  $^1\text{H-NMR}$  and  $^{13}\text{C-NMR}$  spectra of tris(2-isocyanatoethyl)amine recorded in  $\text{CDCl}_3$ .






Fig. 6 IR spectra of tris(2-aminoethyl)amine (above) and tris(2-isocyanatoethyl)amine (below).

catalysts like chlorine, and particularly basic nitrogenous compounds like pyridine, quinoline, tetramethyl urea, or tertiary amines that were reported to catalyze the quantitative decomposition of diphosgene into phosgene. However, the complete decomposition and transformation of di- and triphosgene into gaseous phosgene do not explain the selective and quantitative formation of multi-isocyanates without secondary reactions. Otherwise the use of stoichiometric amounts of phosgene in solution should give the same results as those obtained using its condensed versions. However, not even with a threefold excess of phosgene it was possible to obtain soluble polymers.

Despite the impossibility to draw a mechanism from these results it is clear that, it is essential to completely remove the generated HCl with a base to avoid the formation of urea groups ultimately leading to crosslinking and that no urea groups are significantly formed (that would increase the molecular weight) under the experimental conditions as proved by the invariability of the molecular weight after the transformation of the amino groups in the polymer backbone.

## Conclusions

Linear polymers with different backbone types carrying a controllable number of isocyanate groups were prepared and isolated for the first time. These materials were obtained by chemical modification of aminated polymers using stoichiometric amounts of diphosgene or triphosgene as phosgenation agent in combination with stoichiometric quantities of a tertiary base soluble in the reaction medium. The use of phosgene in solution, even in excess, was not efficient leading to incomplete conversion and a crosslinked material. The use of a tertiary base in at least stoichiometric amount was necessary to achieve a linear soluble polymer with complete conversion of amine to isocyanate groups. The synthetic approach

could be applied to different types of polymers carrying either aliphatic or aromatic primary amine groups.

The obtained functionalized polymers are soluble and highly reactive towards amines, alcohols and thiols that can be linked to the activated sites with quantitative conversions. This approach opens the door to the development of new systems that leverage the high reactivity of isocyanate groups and lead to the evolution of new, increasingly complex polymer materials.

## Conflicts of interest

There are no conflicts to declare.

## Acknowledgements

The authors gratefully acknowledge support from Grants MAT2013-42957-R, and RTI2018-096636-J-I00.

## References

- 1 R. Hart and A. van Dormael, *Bull. Soc. Chim. Belg.*, 1956, **65**, 571–579.
- 2 R. C. Schulz and H. Hartmann, *Makromol. Chem.*, 1962, **55**, 227–229.
- 3 C. G. Overberger, S. Ozaki and H. Mukamal, *J. Polym. Sci., Part B: Polym. Lett.*, 1964, **2**, 627.
- 4 G. B. Butler and S. B. Monroe, *J. Macromol. Sci., Chem.*, 1971, **A5(6)**, 1063.
- 5 Y. Iwakura, M. Sata, T. Tamikado and T. Mizoguchi, *Kobunshi Kagaku*, 1956, **13**, 390–396.
- 6 G. Welzel and G. Greber, *Makromol. Chem.*, 1959, **31**, 230–232.
- 7 E. L. Kropa and S. A. Nyquist, *U.S. Pat.*, 2606892, 1952.
- 8 N. Fujisaki and K. Shibata, *Jap. Pat.*, 5145, 1958.
- 9 W. Mormann and K. Schmalz, *Macromolecules*, 1994, **27**, 7115–7120.
- 10 G. B. Butler and S. B. Monroe, *J. Macromol. Sci., Chem.*, 1971, **A5(6)**, 1063.
- 11 R. K. Graham, *J. Polym. Sci.*, 1957, **24**, 367–382.
- 12 B. Vollmert, *Angew. Makromol. Chem.*, 1968, **3(1)**, 1–27.
- 13 (a) A. Liebersohn and D. H. Kohn, *J. Appl. Polym. Sci.*, 1976, **20(2)**, 411–420; (b) A. Liebersohn and D. H. Kohn, *J. Appl. Polym. Sci.*, 1976, **20**, 1795–1802; (c) A. Liebersohn and D. H. Kohn, *J. Appl. Polym. Sci.*, 1979, **23**, 3445–3448.
- 14 K. Kurita, T. Matsumura and Y. Iwakura, *J. Org. Chem.*, 1976, **41(11)**, 2070–2071.
- 15 H. Eckert and B. Forster, *Angew. Chem., Int. Ed. Engl.*, 1987, **26(9)**, 894–895.
- 16 L. Cotarca and H. Eckert, *Phosgenations – a Handbook*, WILEY-VCH Verlag GmbH & Co. KGaA, Weinheim, 2003, ch. 2, ISBN: 3-527-29823-1.
- 17 H. W. I. Peerlings and E. W. Meijer, *Tetrahedron Lett.*, 1999, **40(5)**, 1021–1024.



- 18 R. V. Versteegen, R. P. Sijbesma and E. W. Meijer, *Angew. Chem., Int. Ed.*, 1999, **38**, 2917–2019.
- 19 Houben-Weyl, *Methoden der Organischen Chemie*, Georg Thieme Verlag, 4th edn, 1982, vol. VIII, pp. 119–121.
- 20 H. Reinecke and C. Mijangos, *Polymer*, 1997, **38**(9), 2291–2294.
- 21 Y. Zhang, Z. Ke, X. Zhu, H. Bi and K. Nie, *Eur. Polym. J.*, 2002, **38**(2), 333–337.
- 22 L. Pasquato, M. Modena, L. Cotarca, P. Delogu and S. Mantovani, *J. Org. Chem.*, 2000, **65**, 8224–8228.
- 23 L. Cotarca, T. Geller and J. Répási, *Org. Process Res. Dev.*, 2017, **21**(9), 1439–1446.

