RSC Advances



View Article Online

View Journal | View Issue

PAPER

Check for updates

Cite this: RSC Adv., 2020, 10, 26588

Phase identification of vanadium oxide thin films prepared by atomic layer deposition using X-ray absorption spectroscopy

Yejin Kim,^a Gwang Yeom Song,^b Raju Nandi,^b Jae Yu Cho,^b Jaeyeong Heo^b*^b and Deok-Yong Cho^b*^a

The chemical and local structures of vanadium oxide (VO_x) thin films prepared by atomic layer deposition (ALD) were investigated by soft X-ray absorption spectroscopy. It is shown that the as-deposited film was a mixture of VO₂ and V₂O₅ in disordered form, while the chemistry changed significantly after heat treatment, subject to the different gas environment. Forming gas (95% N₂ + 5% H₂) annealing resulted in a VO₂ composition, consisting mostly of the VO₂ (B) phase with small amount of the VO₂ (M) phase, whereas O₂ annealing resulted in the V₂O₅ phase. An X-ray circular magnetic dichroism study further revealed the absence of ferromagnetic ordering, confirming the absence of oxygen vacancies despite the reduction of V ions in VO₂ (V⁴⁺) with respect to the precursor used in the ALD (V⁵⁺). This implies that the prevalence of VO₂ in the ALD films cannot be attributed to a simple oxygen-deficiency-related reduction scheme but should be explained by the metastability of the local VO₂ structures.

Received 16th May 2020 Accepted 10th July 2020

DOI: 10.1039/d0ra04384b

rsc.li/rsc-advances

Introduction

Transition metal oxides (TMOs) are being extensively studied for various applications in catalysis, electronics, and sensors.^{1–3} Among these functional oxides, earth abundant vanadium oxides (VO_x) have garnered increasing attention due to their multiple oxidation states and various local structures, including octahedral, tetrahedral, triclinic, pentagonal bipyramids, and square pyramids.^{4–6} VO_x exhibit remarkable interactions with ions and molecules, superior catalytic activity, suitable intercalation/deintercalation, and strong electron–electron correlations owing to their partially occupied d orbitals, which empower their utilization in a wide range of technological applications.^{5,7–9}

Although research has mainly focused on VO₂ and V₂O₅ for numerous applications, including lithium ion batteries, gas sensors, fiber optic devices, actuators, data storage devices, switches, smart radiators, and thermochromic smart windows,^{3,4,10-13} other vanadium oxides with stable stoichiometric and sub-stoichiometric phases have also displayed promising electrochemical properties.^{14,15} Since the chemical and physical properties of VO_x vary substantially with the oxidation state of the vanadium cations, it is important to synthesize VO_x thin films with proper stoichiometry for their intended application.

Several thin film growth techniques, such as molecular beam epitaxy,¹⁶ sputtering,¹⁷ pulsed laser deposition,¹⁸ electrodeposition, chemical vapor deposition,19 and atomic layer deposition $(ALD)^4$ have been used to deposit VO_x thin films with different stoichiometries. ALD is a proven, extraordinarily controllable thin film deposition technique with great features, including atomically precise film thicknesses due to self-limiting reactions, uniform and conformal growth over large areas as well as over three-dimensional structures, pinhole free morphologies, and high reproducibility.^{4,20,21} With the ALD process, VO_r thin films have been grown using different metal, metal-organic, and metal-halide precursors as the source material for vanadium and H₂O, H₂O₂, O₃, molecular O₂, and O₂ plasma as the oxidizing reactant.^{4,14,17,22-24} Among these, vanadyl triisopropoxide (VTIP; V^{5+}) is the most popular vanadium precursor used for the ALD growth process.4 Conventional ALDgrown VO_x thin films are amorphous in nature,^{25,26} except for limited cases where crystalline films were successfully obtained.4,22,27 Meanwhile, postdeposition annealing (PDA) in an appropriate ambient condition has been used to obtain single phase crystalline films.4,26,28

In an earlier work we reported the transformation of ALDgrown amorphous VO_x films into crystalline VO₂ and V₂O₅ by annealing in forming gas (FG; 95% N₂ + 5% H₂) and O₂, respectively, and their electrochemical and metal-insulator transition properties were investigated.²⁹ However, a detailed investigation of the local atomic structure was not undertaken to evaluate the formation of vanadium oxides with phase purity

^aIPIT, Department of Physics, Jeonbuk National University, Jeonju 54896, Korea. E-mail: zax@jbnu.ac.kr

^bDepartment of Materials Science and Engineering, Optoelectronics Convergence Research Center, Chonnam National University, Gwangju 61186, Republic of Korea. E-mail: jheo@jnu.ac.kr

Paper

and appropriate stoichiometry. Structural characterizations of the ALD VO_x films in previous reports used conventional X-ray diffraction (XRD).^{4,30,31} VO_x systems, including VO₂ and V₂O₅, have distinct crystal structures depending on the stoichiometry,^{11,30,32} and, furthermore, in the case of VO₂, there exist various phases, including A, B, M, and R, that possess distinct crystal structures as well.³²

However, in the oxides prepared by ALD, certain residue, such as carbonates, or slightly nonstoichiometric regions often remain due to an insufficient purging time,^{4,31} thus hindering the uniform long-range ordering of the atoms. In this case, the signals from the less crystalline or defective regions might not be captured evenly. This could hinder the accurate assessment of the mechanism by which the VO₂ phases (V⁴⁺) are stabilized in the ALD films made from the VTIP (V⁵⁺) precursor. Therefore, in this work, an alternative method, X-ray absorption spectroscopy (XAS) was employed to examine the chemical and structural properties of atoms regardless of the microstructural ordering.

XAS can provide information on the chemistry and local structure of each atomic species, which are averaged within the area of the beam spot (larger than $10 \times 10 \ \mu$ m). In contrast to XRD, which reflects the crystal structures of long-range-ordered phases only, XAS can reveal not only the well-ordered structures but also the less-ordered or amorphous structures, so that a complete assessment of the VO_x phases in the grown films can be accomplished. In addition, by using circularly polarized Xrays with a tunable external magnetic field (B), the difference between the spectra measured under opposite B directions (called X-ray magnetic circular dichroism, XMCD) can probe for possible ferromagnetic ordering. There have been reports on a weak ferromagnetism in VO2 (ref. 33) or V2O5 (ref. 34) films, which most plausibly originates from remnant V d electrons due to oxygen deficiency.34,35 By using the V L-edge XMCD, the magnetic moment of V ions (not O or other impurities) can be obtained exclusively because XAS at the photon energies of the V L-edge dictates that the signals must be from the V ions. Thus, XMCD can measure the oxygen deficiency of the ALD VO_x films qualitatively, free from the effects of other impurities. Therefore, in this work, XAS (and XMCD) was performed on the ALD VO_x films to identify their averaged chemistry and local structures.

Experimental

Ten nanometer thick VO_x thin films were deposited on a Si substrate in a laminar-flow-type thermal ALD reactor (Atomic Classic, CN1, Korea) at a substrate temperature of 135 °C. VTIP (EG Chemical, Korea) and deionized water were used as the precursor and reactant, respectively. One ALD sequence was as follows: VTIP pulse (2 s), VTIP purge (15 s), H₂O pulse (5 s), and H₂O purge (20 s). More details of the growth process are described elsewhere.²⁹ The as-deposited films were then annealed at 500 °C for 1 h in an FG (95% N₂ + 5% H₂) or O₂ atmosphere in a box furnace (Hantech, C-A14P, Korea).

Soft XAS at V L- and O K-edges were performed at the 2A beamline at the Pohang Light Source. The direction of the

incident X-rays was normal to the sample plane and a circular polarization (99%) was used. The base pressure of the measurement chamber was ${\sim}5 \times 10^{-9}$ torr. The XAS data were collected for the three samples first at the room temperature (RT, 27 °C) and later at an elevated temperature (87 °C) to scrutinize a possible temperature-dependent phase evolution. The heating process in the vacuum had negligible influence on the spectral lineshapes of the as-deposited and O₂-annealed samples, while it only slightly shifted the spectrum of the FGannealed sample. Negligible chemical changes subject to heating under such a low pressure reflect utmost thermal stability in as-deposited VO_x and V₂O₅. For the XMCD measurements, the samples were rotated by 23° with respect to the incident X-rays, and an external magnetic field of $B = \pm 0.7$ T was applied parallel or antiparallel to the sample normal direction.

Results and discussion

Fig. 1 shows the V L_{2,3}- and O K-edge XAS spectra of the asdeposited, O2-annealed, and FG-annealed samples. The lineshapes of the three spectra are very different from each other, reflecting distinct local structures near the V and O ions. Overall, the spectra can be split into three regions: V L_3 -edge (515-521 eV, V $2p_{3/2} \rightarrow 3d$), V L₂-edge (521-529 eV, V $2p_{1/2} \rightarrow$ 3d), and O K-edge (529–550 eV, O 1s \rightarrow O 2p hybridized with V 3d or 4sp).36 The lineshapes of the V L-edge regions are determined primarily by the electron-electron interactions within the photoexcited V ions (Slater integrals, 3d Coulomb repulsion U, 2p–3d interactions, etc.) as well as the interactions between V and the neighboring O ions (crystal field, hybridization, etc.).37 Thus, the chemistry and local structures of V ions can be examined by analyzing the V L-edge features. In principle, the lineshapes of the V L₂-edge region should be similar to those of the V L₃-edge region except for a small contribution from the 3d spin-orbit coupling.38 Thus, the difference in appearance between the L₃- and L₂-edge regions originates predominately from the difference in the lifetime-related broadening of



Fig. 1 V L- and O K-edge XAS spectra of as-deposited VO_x, as well as the FG- and O₂-annealed VO_x, measured at 27 °C. Fundamentally different lineshapes between the spectra clearly show the evolution of local structures from the annealing process.

features.³⁹ A detailed assessment of the V L-edge features is provided in subsequent figures.

In most of the 3d TMOs, such as TiO_x , FeO_x , or CoO_x ,^{40–42} the average valence of the TM ions can be roughly estimated by the energy of the most intense peak in the TM L₃- or L₂-edge spectrum. The energy of the most intense peak for the as-deposited VO_x is 518.4 eV, which is the same as that of V_2O_5 , as shown in Fig. 2b. Thus, it is expected that the average valence of V ions should be close to +5. However, the energy of the most intense peak for VO₂ (V⁴⁺), shown in Fig. 3, is also similar to that of V_2O_5 , although there exists some variance in the peak energies among the polymorphs.⁷ Therefore, unlike most of the other 3d TM oxides, it is difficult to determine from the L₃/L₂-edge peak positions whether annealing alters the average valences in the VO_x samples.

Meanwhile, the O K-edge region reflects mainly the unoccupied O 2p states that are hybridized with the V 3d (529–535 eV) or 4sp (535–550 eV) states, which are almost free from the effects of the core hole in the photoexcited final state.³⁷ The peak area of each feature in the O K-edge region reflects the number of unoccupied levels of the V 3d sub-states (t_{2g} or e_g in the octahedral point group notation) multiplied by the strength of the V 3d–O 2p orbital hybridizations. It is clearly seen that the intensities of the peaks near 529.5 eV for the three samples are different from each other. This suggests the number of unoccupied V 3d states is different among the samples, *i.e.*, the chemical formula of the VO_x varies subject to the annealing itself or the gas environment during annealing. This manifests the possibility of tuning the composition of ALD VO_x via the PDA process.²⁹

To scrutinize the chemistry and local structures of the VO_x, the spectra taken at two different temperatures (RT and 87 °C) are displayed in Fig. 2 and 3. Fig. 2a and b show the spectra of the as-deposited and O₂-annealed VO_x, respectively. For the asdeposited sample, the lineshapes of the spectra are overall much broader than those for the O₂-annealed one. This is



Fig. 2 Spectra of the (a) as-deposited and (b) O_2 -annealed VO_x measured at 27 and 87 °C. The spectrum of V_2O_5 from ref. 8 is included for comparison. The results indicate that the local structure of as-deposited VO_x is a mixture of VO_2 (overall lineshape) and V_2O_5 (triangles), while that of the O_2 -annealed VO_x is predominantly V_2O_5 , regardless of the measurement temperature.



Fig. 3 Spectra of FG-annealed VO_x taken at 27 and 87 °C, and spectra of references VO₂(A), VO₂(B), and VO₂(M).^{7,8} The local structure of FG-annealed VO_x is likely a combination of the VO₂(B) and VO₂(M) phases. The temperature evolution can be a signature of the transition from an insulator to a metallic phase, or a slight reduction of the V⁴⁺ ion due to vacuum heating (*i.e.*, VO_{2- δ}) during the measurement.

probably due to the significant structural disorders in the asdeposited VO_x, which is supported by the lack of prominent peaks in the XRD data.²⁹ Additionally, the intensities of the first peaks in the O K-edge region, which is related to the V 3d (t_{2g}) states, are weaker than those for the O₂-annealed (Fig. 2b) or FGannealed sample (Fig. 1). This can also be attributed to the lower crystallinity of the as-deposited sample.

Despite the significant structural disorder, the chemical states of the V and O ions in the as-deposited sample are most likely mixtures of those of the two annealed samples. As shown in Fig. 1, the overall lineshape of the spectrum of the asdeposited sample is nearly similar to the FG-annealed sample, and the small features in the L3-edge spectra, highlighted by triangles in Fig. 2a, are coincident with those of the O2-annealed sample. For clarity, the spectrum of the as-deposited film (27 °C) is displayed additionally in Fig. 2a after subtracting a half intensity of the VO₂ spectrum (in Fig. 3) so that the VO₂-subtracted spectrum would highlight the composition other than VO₂. Overall peak features in the difference spectrum are similar to those of the V2O5 spectra (Fig. 2b) manifesting substantial contribution of disordered V2O5 in the as-deposited film. The coexistence of two difference phases is reasonable in that the poor crystallinity or amorphous mixed state can evolve into a pure crystalline phase (for instance, either VO_2 or V_2O_5) subject to the thermodynamic equilibrium with the gas environment during annealing. Interestingly, the spectra of the asdeposited sample taken at both temperatures are very similar to each other. This implies that the evolution in the chemistry and local structure of the as-deposited VO_x was negligible even after the vacuum heating to 87 °C. Therefore, it can be concluded that the ALD VO_x is resistant to moderate heat, even though it is in a mixed phase.

For comparison, the spectrum of α -V₂O₅ powder from ref. 8 is included in Fig. 2b. The spectra of the O₂-annealed sample have very similar lineshapes to that of the V₂O₅ powder (but with considerably enhanced experimental energy resolution), indicating that the composition of the film is indeed α -V₂O₅.

Paper

Fig. 3 shows the spectra of the FG-annealed sample taken at RT and 87 °C. For comparison, the spectra of the VO₂ polymorphs (VO₂ A, B, and M phases) taken from ref. 7 and 8 are included in the figure. The spectra at both temperatures are similar to those of the VO₂ phases while they are very different from that of V₂O₅ (see Fig. 2b). Additionally, the peak near 529.5 eV is weaker than that of V₂O₅ (V⁵⁺; d⁰), indicating a smaller number of the unoccupied t_{2g} levels. These findings suggest that the FG-annealed VO_x is VO₂ (V⁴⁺; d¹). The lineshape of the spectra are most similar to that of VO₂(B), reflecting the dominance of the VO₂(B) phase. However, it is difficult to discern whether small amounts of the other phases (A or M) were incorporated or not.

The dominance of VO₂(B) appears inconsistent with a recent report,²⁹ in which XRD data showed the existence of crystalline VO₂(M), and its insulator-metal transition, when voltage was applied. However, XAS reflects the averaged local structure regardless of the crystallinity of each microstate, whereas XRD only shows the structure the crystallites. Thus, the RT data may contain a small contribution from the VO₂(M) phase as well. Schematics of the (local) structures of VO₂(B) and VO₂(M)^{43,44} are included in Fig. 3.

Interestingly, the V L-edge peaks in the high temperature (87 $^{\circ}$ C) data show a rather rigid redshift by \sim 0.1 eV compared to those in the RT data. This could be attributed to a slight reduction of V⁴⁺ ions (*i.e.*, $VO_{2-\delta}$) that preserves the local structure of $VO_2(B)$. Such partial reduction could occur during the vacuum heating; the pressure of the measurement chamber was $\sim 5 \times 10^{-9}$ torr, and the duration for the vacuum heating (87 °C) was approximately 1 h. Alternatively, the redshift could be attributed to the phase transformation of the B or M phase to a metallic rhombohedral phase $[VO_2(R)]$.⁴⁵ This is reasonable in that d orbitals in a metallic state would spread toward the bandgap, which can in principle lead to a redshift of the unoccupied states. On the other hand, the O Kedge peak (for instance, at 529.5 eV) did not suffer such a shift because the chemistry of O^{2-} would not be affected noticeably by either the O deficiency or metallicity. Therefore, it can be concluded that both mechanisms (reduction and insulator-tometal transition) can account for the temperature dependence.

It is noteworthy that the ALD film in the as-deposited state was prepared from a VTIP source, in which the valence of V ions is +5. In contrast, the averaged valence of V ions in the asdeposited sample is between +4 (VO₂) and +5 (V₂O₅), indicating that the V ions are reduced compared to those in the source. Also, FG annealing involves an additional reduction of V ions by the partial release of O atoms. Indeed, as shown in Fig. 3, the V valence of the FG-annealed sample is +4 (VO₂). Thus, it is reasonable to assume that the as-deposited or FG-annealed samples would bear significant oxygen deficiencies (*y*) based on the V₂O₅ (V⁵⁺) stoichiometry (*e.g.*, V₂O_{5-2y}). However, this is not the case for the ALD VO_x films, primarily owing to the existence of metastable VO₂ phases.

Fig. 4 shows the XAS and XMCD spectra of as-deposited and FG-annealed samples taken with a magnetic field of $B = \pm 0.7$ T. The XMCD signals [(B = +0.7 T)-(B = -0.7 T)] show no

View Article Online RSC Advances



Fig. 4 XAS spectra taken at RT with $B = \pm 0.7$ T and the XMCD spectra (B = +0.7 T) - (B = -0.7 T) for (a) as-deposited and (b) FG-annealed VO_x. The XMCD signals (magnified by 1000 times) show no noticeable features except for noise, suggesting the absence of oxygen vacancies in both samples.

noticeable features except for noise, even when they are magnified by 1000 times, conclusively proving that there is no ferromagnetic ordering of d electrons in the V ions in both samples. The absence of V d magnetism in either the asdeposited $(VO_2 + V_2O_5)$ or FG-annealed (VO_2) film rules out the possibility of a ferromagnetic ordering of itinerant electrons,34,46 as in dilute magnetic semiconductors,47,48 because of the negligible carrier concentrations below the detection limit (here, on the order of 0.1% of the d electron number). If a substantial number of oxygen vacancies were created while preserving the V_2O_5 local structure in the as-deposited VO_x or after FG annealing, it must leave d electrons on V ions, serving as the source of possible inter-site spin interactions. Therefore, the films cannot be regarded as intermediate defective systems, such as $VO_{2-\delta}$ or $V_2O_{5-\nu}$, but as a stable composite of stoichiometric VO2 and V2O5 (in the as-deposited sample) and a VO₂ (B + M) phase (in the FG-annealed sample). This implies that the prevalence of V^{4+} (VO₂) in the two samples, being different from V⁵⁺ in the precursor, originates from the stability of the VO₂ local structures, not the oxygen vacancy itself.

Note that the results of the XAS analyses show that the chemistry and local structures of the ALD VO_x films can be tuned effectively by applying PDA under the appropriate gas environment, *i.e.*, the forming gas for VO_2 and the O_2 gas for V_2O_5 . This confirms that ALD with a subsequent PDA process under a specific gas environment is a promising route to control the phases in VO_2 or V_2O_5 thin films.

Conclusions

In conclusion, soft XAS analyses on ALD VO_x films revealed that the films exhibit various local structural phases subject to the PDA process: (i) the film in the as-deposited state is a composite of disordered VO₂ + V₂O₅, and (ii) during FG annealing, it transforms into VO₂ with local structures of B or B + M phases, while (iii) during O₂ annealing, it transforms into V₂O₅. The XMCD results confirmed the absence of oxygen vacancies in the ALD VO_x films, implying that the apparent reduction of V ions $(V^{4+} \text{ in VO}_2)$ from those in the precursor (V^{5+}) is not associated with the oxygen defects but is allowed by the stability of the local VO₂ structure itself.

Conflicts of interest

There are no conflicts to declare.

Acknowledgements

This work was supported by Basic Science Research Program (2018R1D1A1B07043427) and Priority Research Centers Program (2018R1A6A1A03024334) through the National Research Foundation of Korea (NRF) funded by the Ministry of Education of Korea.

References

- 1 C. Imberti, P. Zhang, H. Huang and P. J. Sadler, *Angew. Chem.*, 2020, **132**, 61–73.
- 2 K. S. Kumar, G. L. Prajapati, R. Dagar, M. Vagadia, D. S. Rana and M. Tonouchi, *Adv. Opt. Mater.*, 2019, 1900958.
- 3 A. Sawa, Mater. Today, 2008, 11, 28-36.
- 4 V. Prasadam, N. Bahlawane, F. Mattelaer, G. Rampelberg, C. Detavernier, L. Fang, Y. Jiang, K. Martens, I. Parkin and I. Papakonstantinou, *Mater. Today Chem.*, 2019, 12, 396–423.
- 5 Z. Shao, X. Cao, H. Luo and P. Jin, *NPG Asia Mater.*, 2018, **10**, 581–605.
- 6 P. Shvets, O. Dikaya, K. Maksimova and A. Goikhman, J. Raman Spectrosc., 2019, 50, 1226–1244.
- 7 S. Lee, T. L. Meyer, C. Sohn, D. Lee, J. Nichols, D. Lee, S. S. A. Seo, J. W. Freeland, T. W. Noh and H. N. Lee, *APL Mater.*, 2015, 3, 126109.
- 8 W.-L. Jang, Y.-M. Lu, C.-L. Chen, Y.-R. Lu, C.-L. Dong, P.-H. Hsieh, W.-S. Hwang, J.-L. Chen, J.-M. Chen and T.-S. Chan, *Phys. Chem. Chem. Phys.*, 2014, **16**, 4699–4708.
- 9 M. Liu, B. Su, Y. Tang, X. Jiang and A. Yu, *Adv. Energy Mater.*, 2017, 7, 1700885.
- 10 D. McNulty, D. N. Buckley and C. O'Dwyer, J. Power Sources, 2014, 267, 831–873.
- 11 J. Nag and R. Haglund Jr, *J. Phys.: Condens. Matter*, 2008, **20**, 264016.
- 12 K. Schneider, M. Lubecka and A. Czapla, *Sens. Actuators, B*, 2016, **236**, 970–977.
- 13 W. Zeng, N. Chen and W. Xie, *CrystEngComm*, 2020, **22**, 851–869.
- 14 F. Mattelaer, K. Geryl, G. Rampelberg, T. Dobbelaere, J. Dendooven and C. Detavernier, *RSC Adv.*, 2016, 6, 114658–114665.
- 15 M. S. Whittingham, Chem. Rev., 2004, 104, 4271-4302.
- 16 E. Freeman, A. Kar, N. Shukla, R. Misra, R. Engel-Herbert, D. Schlom, V. Gopalan, K. Rabe and S. Datta, 70th Device Research Conference, 2012.
- K. Zhang, M. Tangirala, D. Nminibapiel, V. Pallem, C. Dussarrat, W. Cao, H. Elsayed-Ali and H. Baumgart, *ECS Trans.*, 2013, **50**, 175–182.

- 18 D. Kim and H. Kwok, Appl. Phys. Lett., 1994, 65, 3188-3190.
- 19 L. Crociani, G. Carta, M. Natali, V. Rigato and G. Rossetto, *Chem. Vap. Deposition*, 2011, **17**, 6–8.
- 20 P. O. Oviroh, R. Akbarzadeh, D. Pan, R. A. M. Coetzee and T.-C. Jen, *Sci. Technol. Adv. Mater.*, 2019, 20, 465–496.
- 21 H. H. Sønsteby, A. Yanguas-Gil and J. W. Elam, *J. Vac. Sci. Technol.*, *A*, 2020, **38**, 020804.
- 22 P. Dagur, A. U. Mane and S. Shivashankar, *J. Cryst. Growth*, 2005, **275**, e1223–e1228.
- 23 E. Østreng, O. Nilsen and H. Fjellvåg, J. Phys. Chem. C, 2012, 116, 19444–19450.
- 24 R. Zhao, Y. Gao, Z. Guo, Y. Su and X. Wang, *ACS Appl. Mater. Interfaces*, 2017, **9**, 1885–1890.
- 25 K. Le Van, H. Groult, A. Mantoux, L. Perrigaud, F. Lantelme, R. Lindström, R. Badour-Hadjean, S. Zanna and D. Lincot, *J. Power Sources*, 2006, **160**, 592–601.
- 26 T. Singh, S. Wang, N. Aslam, H. Zhang, S. Hoffmann-Eifert and S. Mathur, *Chem. Vap. Deposition*, 2014, **20**, 291–297.
- 27 X. Chen, E. Pomerantseva, P. Banerjee, K. Gregorczyk, R. Ghodssi and G. Rubloff, *Chem. Mater.*, 2012, 24, 1255– 1261.
- 28 A. P. Peter, K. Martens, G. Rampelberg, M. Toeller, J. M. Ablett, J. Meersschaut, D. Cuypers, A. Franquet, C. Detavernier and J. P. Rueff, *Adv. Funct. Mater.*, 2015, 25, 679–686.
- 29 G. Y. Song, C. Oh, S. Sinha, J. Son and J. Heo, ACS Appl. Mater. Interfaces, 2017, 9, 23909–23917.
- 30 A. C. Kozen, H. Joress, M. Currie, V. R. Anderson, C. R. Eddy Jr and V. D. Wheeler, *J. Phys. Chem. C*, 2017, **121**, 19341– 19347.
- 31 M. S. Weimer, I. S. Kim, P. Guo, R. D. Schaller, A. B. Martinson and A. S. Hock, *Chem. Mater.*, 2017, 29, 6238–6244.
- 32 S. Lee, I. N. Ivanov, J. K. Keum and H. N. Lee, *Sci. Rep.*, 2016, 6, 19621.
- 33 T.-H. Yang, S. Nori, S. Mal and J. Narayan, *Acta Mater.*, 2011, **59**, 6362–6368.
- 34 Z. Xiao and G. Guo, J. Chem. Phys., 2009, 130, 214704.
- 35 R. Molaei, R. Bayati, S. Nori, D. Kumar, J. T. Prater and J. Narayan, *Appl. Phys. Lett.*, 2013, **103**, 252109.
- 36 M. Abbate, H. Pen, M. Czyżyk, F. De Groot, J. Fuggle, Y. Ma, C. Chen, F. Sette, A. Fujimori and Y. Ueda, *J. Electron Spectrosc. Relat. Phenom.*, 1993, **62**, 185–195.
- 37 F. De Groot and A. Kotani, *Core level spectroscopy of solids*, CRC Press, 2008.
- 38 G. Van der Laan and B. Thole, Phys. Rev. Lett., 1988, 60, 1977.
- 39 G. van der Laan and B. Thole, Phys. Rev. B: Condens. Matter Mater. Phys., 1991, 43, 13401.
- 40 G. Henderson, X. Liu and M. Fleet, *Phys. Chem. Miner.*, 2002, 29, 32–42.
- 41 F. Jiménez-Villacorta, C. Prieto, Y. Huttel, N. Telling and G. van der Laan, *Phys. Rev. B: Condens. Matter Mater. Phys.*, 2011, **84**, 172404.
- 42 M. Merz, P. Nagel, C. Pinta, A. Samartsev, H. v. Löhneysen, M. Wissinger, S. Uebe, A. Assmann, D. Fuchs and S. Schuppler, *Phys. Rev. B: Condens. Matter Mater. Phys.*, 2010, 82, 174416.

Paper

- 43 C. Leroux, G. Nihoul and G. Van Tendeloo, *Phys. Rev. B:* Condens. Matter Mater. Phys., 1998, 57, 5111.
- 44 M. Zayed, A. Elabbar and O. Yassin, Phys. B, 2020, 582, 411887.
- 45 J. Laverock, L. Piper, A. Preston, B. Chen, J. McNulty, K. Smith, S. Kittiwatanakul, J. Lu, S. Wolf and P.-A. Glans, *Phys. Rev. B: Condens. Matter Mater. Phys.*, 2012, 85, 081104.
- 46 D. Guo, C. Hu, Q. Yang, H. Hua, W. Li and C. Kong, *Mater. Res. Bull.*, 2014, **53**, 102–106.
- 47 T.-H. Yang, S. Nori, H. Zhou and J. Narayan, *Appl. Phys. Lett.*, 2009, **95**, 102506.
- 48 S. Nori, T.-H. Yang and J. Narayan, JOM, 2011, 63, 29.