RSC Advances



PAPER

View Article Online
View Journal | View Issue



Cite this: RSC Adv., 2020, 10, 40055

Facile route to synthesize Fe₃O₄@acacia-SO₃H nanocomposite as a heterogeneous magnetic system for catalytic applications†

Reza Taheri-Ledari, pa Mir Saeed Esmaeili, Zahra Varzi, Reza Eivazzadeh-Keihan, Ali Maleki sand Ahmed Esmail Shalan stranger

In this work, a novel catalytic system for facilitating the organic multicomponent synthesis of 9-phenyl hexahydroacridine pharmaceutical derivatives is reported. Concisely, this catalyst was constructed from acacia gum (gum arabic) as a natural polymeric base, iron oxide magnetic nanoparticles (Fe₃O₄ NPs), and sulfone functional groups on the surface as the main active catalytic sites. Herein, a convenient preparation method for this nanoscale composite is introduced. Then, essential characterization methods such as various spectroscopic analyses and electron microscopy (EM) were performed on the fabricated nano-powder. The thermal stability and magnetic properties were also precisely monitored *via* thermogravimetric analysis (TGA) and vibrating-sample magnetometry (VSM) methods. Then, the performance of the presented catalytic system (Fe₃O₄@acacia–SO₃H) was further investigated in the referred organic reaction by using various derivatives of the components involved in the reaction. Optimization, mechanistic studies, and reusability screening were carried out for this efficient catalyst as well. Overall, remarkable reaction yields (94%) were obtained for the various produced derivatives of 9-phenyl hexahydroacridine in the indicated optimal conditions.

Received 18th September 2020 Accepted 19th October 2020

DOI: 10.1039/d0ra07986c

rsc.li/rsc-advances

1. Introduction

Recently, powder technology has received much attention in heterogeneous catalytic systems; powders have great potential to be applied in complex organic synthesis reactions and are conveniently separated during the purification processes through their heterogeneity. One of the best-known members of this family of materials is magnetic nanoscale powder, which has been widely used for various scientific purposes such as drug delivery, disease diagnosis, water desalination, environment cleaning, and chemical catalysis. In our previous work, we have reported several different catalytic systems constructed with the individual iron oxide (Fe₃O₄) powder (in nanoscale) and applied them in various catalytic processes. These nanoparticles could also be composed of other fibrous materials and could be immobilized into polymeric matrices. Through this method, the

Acacia gum, also called "gum arabic", is obtained from wild trees, and its main origin is Somalia. From the organic chemical aspect, there are several hydroxyl groups in the structure of this polymer that can be used as appropriate sites for covalent binding and catalytic applications.²³ From the physicomechanical aspect, the suitable stability of acacia gum led us to apply it as an appropriate substrate for immobilization of magnetic nanoparticles. Previously, acacia gum was used as a matrix for catalytic systems. For instance, Banerjee and Chen used this polymer to design a nanoscale absorbent system for the removal of copper ions from water resources. They also magnetized acacia gum through the composition of Fe₃O₄ NPs for an easy separation from the mixture.²⁴ In this work, we attempted to perform a chemical

general properties of the catalytic systems such as the physicomechanical features of the individual Fe_3O_4 powder are improved. In this regard, numerous studies have been performed, and it has been revealed that the efficiency of the Fe_3O_4 powder can be significantly modified through its composition with other materials. $^{16-20}$ For instance, a composition of graphene oxide, Fe_3O_4 and silver nanoparticles was prepared and applied for enhanced photocatalytic degradation of phenols in the past year. 21 Moreover, Javanbakht *et al.* composited magnetic nanoparticles with a chitosan matrix for the efficient removal of lead(II) from water resources. 22 Here, we attempted to prepare a suitable composite of Fe_3O_4 nanoparticles and "acacia gum" powder, and we applied this composition to facilitate the organic synthesis of 9-phenyl hexahydroacridine (HHA) pharmaceuticals.

^aCatalysts and Organic Synthesis Research Laboratory, Department of Chemistry, Iran University of Science and Technology (IUST), Tehran 16846-13114, Iran. E-mail: maleki@iust.ac.ir; Fax: +98 21 73021584; Tel: +98 21 77240640-50

^bCentral Metallurgical Research and Development Institute (CMRDI), P. O. Box 87, Helwan, Cairo 11421, Egypt. E-mail: a.shalan133@gmail.com

BCMaterials, Basque Center for Materials, Applications and Nanostructures, Martina Casiano, UPV/EHU Science Park, Barrio Sarriena s/n, Leioa 48940, Spain

[†] Electronic supplementary information (ESI) available: The table of the materials and equipment applied in this project and the original spectra of the selected synthesized 9-phenyl hexahydroacridine compounds. This section can be found in the online version. See DOI: 10.1039/d0ra07986c

Fig. 1 (a) Chemical structure of the acacia gum polymer and (b) general structure of tetramethyl-9-phenyl-hexahydroacridine-1,8(2*H*,5*H*)-dione.

modification of acacia gum by sulfonation of the hydroxyl functional groups and use the product as an acidic catalytic system for the facilitated synthesis of HHA derivatives. The chemical structure of the acacia gum polymer is presented in Fig. 1(a).

To date, various types of hydroacridine derivatives have been developed and investigated for their therapeutic properties. For example, it has been revealed that 5,6-dihydroacridine derivatives possess antidiabetic and antioxidant properties. 25,26 Therefore, it is highly important to prepare appropriate conditions for fast and direct synthesis of hydroacridine derivatives. Generally, HHAs and a wide spectrum of active pharmaceutical ingredients (APIs) are synthesized via multicomponent coupling reactions. Today, to obtain purer products with high reaction yields and to shorten the reaction time, many strategies are being introduced and applied. One of the most effective strategies is to use heterogeneous metallic catalytic systems.27-29 Briefly, through the existence of heteroatoms in the structure of the preliminary reactants of multicomponent reactions, constructive electronic interactions provide suitable conditions for chemical bonding. In this regard, sulfonated polymeric networks appear to be efficient for catalysis of organic synthesis reactions. For instance, a polymerimpregnated sulfonated carbon composite was recently reported as an acidic catalytic system for assisting the alkylation of phenol.³⁰ In this study, our aim was to sulfonate acacia gum and apply it to facilitate the multicomponent synthesis reactions of tetramethyl-phenyl-hexahydroacridine-1,8(2*H*,5*H*)-dione. The general structure of these pharmaceuticals is presented in Fig. 1(b).

Concisely, we introduce a convenient method to synthesize an ${\rm Fe_3O_4}$ (a) acacia– ${\rm SO_3H}$ heterogeneous magnetic catalytic system. Then, it is clearly shown that the synthesis of HHA derivatives is highly facilitated through applying this efficient catalyst. 87–94% reaction yields were obtained for different derivatives of HHA in reaction times of less than two hours. Moreover, convenient separation and excellent reusability were observed for this system through its magnetic properties.

2. Results and discussion

2.1. Preparation method of the Fe_3O_4 @acacia- SO_3H nanopowder

As presented in Fig. 2, iron(II) and iron(III) chloride salts were dissolved in deionized water at room temperature. Then, acacia




Fig. 2 Schematic of the preparation route of the Fe₃O₄@acacia-SO₃H nano-powder.




Fig. 3 (a) Fourier-transform infrared spectra of (i) the neat acacia gum, (ii) Fe_3O_4 @acacia binary composite, and (iii) Fe_3O_4 @acacia- SO_3H nanopowder; (b) energy-dispersive X-ray spectra of (i) the Fe_3O_4 @acacia binary composite and (ii) the fabricated Fe_3O_4 @acacia- SO_3H nano-powder.

gum powder was added and was also dissolved. In the next stage, iron ions were precipitated via co-deposition and produced Fe_3O_4 nanoparticles, which were well composed with the polymeric texture of acacia. 31 Via this in situ method, a better composition was obtained, and the dark particles of Fe_3O_4 were well immobilized. For this purpose, ammonia solution was used to raise the pH value. Moreover, after separation and drying of the precipitate, the particles of Fe_3O_4 (a) acacia were dispersed in chloroform and the temperature was reduced by an ice bath. Due to the exothermic reaction of sulfonic acid, gentle addition of this material at cool temperatures is required. During the preparation process, the Fe_3O_4 nanoparticles appear to electrostatically combine with the acacia textures because both species contain several hydroxyl groups in their chemical

structures. In the case of sulfone groups, they are most likely covalently attached to the acacia and Fe_3O_4 nanoparticles.³² In the next stage, after completion of the addition of sulfonic acid and stirring for 120 min, the particles of Fe_3O_4 @acacia- SO_3H composite were magnetically separated, washed, and dried in an oven.

2.2. Characterization of the Fe₃O₄@acacia-SO₃H nanopowder

2.2.1. FT-IR and EDX studies. To investigate the presence of essential functional groups in the structure of the Fe₃O₄@acacia–SO₃H nano-powder, Fourier-transform infrared (FT-IR) spectra of the neat acacia gum (spectrum i), Fe₃O₄@acacia binary composite (spectrum ii), and Fe₃O₄@acacia–SO₃H




Fig. 4 (a) Thermogravimetric analysis curves and (b) room-temperature M-H curves of the (i) Fe₃O₄@acacia binary composite and (ii) fabricated Fe₃O₄@acacia-SO₃H nano-powder.

nano-powder (spectrum iii) were acquired and are presented in Fig. 3(a). As can be seen in the spectra, the presence of the O-H, C-H (hybridation sp³), and C-O bands was confirmed by the peaks appearing at 3400, 2929, 1050 and 1250 cm⁻¹, respectively. Also, it appears that some of the hydroxyl groups in the structure of the acacia gum were converted to C=O. This claim is proven by the peak that appeared at \sim 1660 cm⁻¹ in the spectrum (i). The composition of the Fe₃O₄ NPs was confirmed by the peak appearing at \sim 590 cm⁻¹ in the spectrum (ii), which is related to the Fe-O bond. As observed in the spectrum (ii), the sharp broad peak of hydroxyl groups in the structure of acacia gum became deformed; this result may be due to the physicochemical composition of the Fe₃O₄ NPs. According to literature, the peak related to the S=O bond is appeared in the range of 1000-1200 cm⁻¹. Accordingly, as shown in the spectrum (iii), this peak appeared and confirmed the successful sulfonation of the Fe₃O₄@acacia binary composite. To obtain more confirmation of the successful execution of the sulfonation process, energydispersive X-ray (EDX) analysis was also performed. As Fig. 3(b) shows, 5.3% of the total weight of the Fe₃O₄@acacia-SO₃H nanocomposite was formed of sulfur after carrying out the sulfonation process. The existence of the other essential elements, such as carbon, oxygen, and iron, related to the desired structures of the Fe₃O₄(a)acacia binary composite and Fe₃O₄@acacia-SO₃H nano-powder are also proven by EDX analysis.

2.2.2. TGA and VSM studies. To check thermal stability of our prepared Fe₃O₄@acacia-SO₃H nano-powder, thermogravimetric analysis (TGA) was performed in a thermal range of 0-3500 °C (Fig. 4(a)). This method also gives some information about the combination of the Fe₃O₄ NPs and the sulfonated acacia via monitoring of the decomposition process. For the Fe₃O₄@acacia binary composite (curve i), it can be clearly observed that proportional to the temperature rise, two distinct shoulders in the thermal ranges of 0-700 °C and 800-1700 °C appeared; then, the weight percentage gradually decreased from \sim 1700 $^{\circ}$ C onwards. The first shoulder can be related to the dehydroxylation process of the acacia gum. Reportedly, the organic layers and the hydroxyl groups are separated from the structure as hydrate molecules up to 700 °C.33 In the next stage, in which \sim 55% of the total weight was lost, the acacia gum likely decomposed and the individual Fe₃O₄ NPs started to collapse from ~1700 °C. In curve (ii), which belongs to the fabricated Fe₃O₄@acacia-SO₃H nano-powder, it can be clearly observed that the stability of the organic functional groups was significantly enhanced and the dehydroxylation process was prolonged to \sim 1500 °C instead of 700 °C. Then, the decomposition process started from ~1600 °C, and the weight was gradually reduced. It can also be seen that only 40% of the total weight was lost up to 3500 °C; this indicates that the general stability of the fabricated nano-powder was enhanced via the composition process. The magnetic property of the desired product was also studied by vibrating-sample magnetometry (VSM), and a comparison was made with the Fe₃O₄(a)acacia binary composite through their magnetic-hysteresis (M-H) curves (Fig. 4(b)). As shown, the magnetic property of the




Fig. 5 X-ray diffraction patterns of (a) neat acacia gum, (b) the Fe_3O_4 NPs, and (c) the fabricated Fe_3O_4 @acacia $-SO_3H$ nano-powder.

 Fe_3O_4 @acacia binary composite (curve i) decreased slightly (\sim 4.0 emu g $^{-1}$) after performing the sulfonation process. The most probable reason is removal of some of the Fe_3O_4 magnetic NPs that were not strongly attached to the polymeric fibers during the sulfonation process. However, magnetic saturation for the fabricated Fe_3O_4 @acacia $-SO_3H$ nano-powder occurred at \sim 23.5 emu g $^{-1}$ by applying a magnetic field with 10 000 (Oe) power, and this value is enough to perform a convenient magnetic separation process.

2.2.3. XRD study. The X-ray diffraction (XRD) pattern of the prepared Fe₃O₄@acacia-SO₃H nano-powder was also investigated to check the effects of the composited ingredients on the general crystal structure (Fig. 5). With a quick look at the spectrum, the presence of a broad peak starting from $2\theta = 20^{\circ}$ and continuing to 40° is confirmed. According to the literature, this broad peak is related to the crystal structure of neat acacia gum.34 This result indicates that the acacia polymeric network does not include a well-defined crystal structure in comparison with the inorganic components. Also, there are some other peaks in the XRD spectrum that are relatively sharp and can be considered as indicative signals of the Fe3O4 inorganic crystal structure. Via a comparison with the reference pattern of the Fe₃O₄ NPs (JCPDS #99-0073), it was revealed that the peaks appearing at $2\theta = 30.7, 36.2, 43.4, 57.7, \text{ and } 63.4^{\circ} \text{ belong to the}$ crystal structure of the composited Fe₃O₄ NPs. These peaks are also associated with the Miller indices (2 2 0), (3 1 1), (4 0 0), (5 1 1), and (4 4 0), respectively.

2.2.4. EM study. One of the most preferred methods for investigating the sizes, morphologies, and compositions of microscale and nanoscale materials is electron microscopy

(EM). This is because EM gives direct information from the samples without any need for further interpretation or inaccurate estimations. Fig. 6 illustrates the field-emission scanning electron microscopy (FESEM) (images a and b) and transmission electron microscopy (TEM) images (images c and d) of the fabricated Fe₃O₄@acacia-SO₃H nano-powder at different magnifications. As can be observed in all the images, the mean size of the captured Fe₃O₄ NPs between the acacia textures is around 86 nm. Also, high uniformity in the sizes and shapes of the particles as well as a monotonous distribution onto the acacia gum fibers are nicely illustrated in image (a). Obviously, this good dispersion of the particles provides an extremely active surface area for catalytic applications. The TEM images also clearly disclosed that the spherical-shaped NPs were entrapped in the polymeric matrix. This composition may lead to higher mechanical stability in catalytic systems. This stability will be better highlighted in the recycling process investigation.

2.3. Catalytic application of the Fe₃O₄@acacia-SO₃H nanopowder in the organic synthesis of 9-phenyl hexahydroacridine pharmaceutical derivatives

As discussed in the Introduction section, the main goal of the design and fabrication of the Fe_3O_4 @acacia– SO_3H nano-powder was to provide a suitably active substrate with high heterogeneity to increase the convenience of the organic synthesis of 9-phenyl hexahydroacridine pharmaceutical derivatives. Here, it is clearly demonstrated that high reaction yields were obtained through applying the present catalytic system. Moreover, the reaction time significantly decreased in comparison with the catalyst-free conditions. A brief comparison was made between our novel designed catalytic system and other recently reported systems that highlights the high efficiency of the present nanocomposite in organic catalysis (Table 1). Scheme 1 presents a general view of the targeted organic reaction that was intended to be catalyzed by the Fe_3O_4 @acacia– SO_3H nano-powder.




Fig. 6 (a and b) Field-emission scanning electron microscopy and (c and d) transmission electron microscopy images of the fabricated Fe_3-O_4 @acacia $-SO_3H$ nano-powder.

2.3.1. Optimization. Concisely, various conditions, including catalyst-free reactions, reactions catalyzed by the neat ${\rm Fe_3O_4}$ NPs and acacia gum powder individually, and catalytic systems with different amounts of ${\rm Fe_3O_4}$ @acacia– ${\rm SO_3H}$, various reaction media and different reaction times were precisely monitored in the synthesis reaction of 9-(4-methoxyphenyl)-3,3,6,6-tetramethyl-3,4,6,7,9,10-hexahydroacridine-1,8(2*H*,5*H*)-dione, which was considered as a model reaction. Table 1 briefly reports the obtained results from each case and also shows that 94% yield was obtained through using 0.02 g of ${\rm Fe_3O_4}$ @acacia– ${\rm SO_3H}$ nanocomposite under reflux conditions.

2.3.2. Synthesis of 9-phenyl hexahydroacridines catalyzed by Fe₃O₄@acacia–SO₃H nano-powder. To investigate the catalytic performance of the fabricated Fe₃O₄@acacia–SO₃H nanocatalyst, various derivatives of the aldehyde component, including bromine, chlorine, methyl, methoxy, and nitro groups, were studied under the optimal conditions. For initial

assessment of the desired products, melting point measurements were used. Then, some of the products were selected and identified *via* spectroscopic methods. Table 2 reports the synthesized products *via* the presented catalytic process.

2.3.3. Suggested mechanism of the catalytic activity of the Fe_3O_4 @acacia- SO_3H nano-powder. The Fe_3O_4 @acacia- SO_3H nano-powder is an acidic catalytic system in which the catalysis proceeds via H-bonding interactions with the involved ingredients in the synthesis reactions. As a plausible mechanism, Fe_3O_4 @acacia- SO_3H starts with activation of the aldehyde component in the first stage. Dimedone enters the cycle by performing a nucleophilic attack on the activated aldehyde (stage 2). Next, a π -conjugated system is formed during a dehydration process (stage 3). Afterward, in stage four, another dimedone performs a nucleophilic attack on the structure of the conjugated compound; then, NH_4 enters the cycle and forms the structure of the target 9-phenyl

Table 1 Optimization information for the catalyzed synthesis reaction of $9-(4-\text{methoxyphenyl})-3,3,6,6-\text{tetramethyl}-3,4,6,7,9,10-\text{hexahydroacridine}-1,8(2H,5H)-\text{dione}^a$

Entry	Cat. system	Cat. weight (g)	Medium	Temp. (°C)	Time (min)	Yield ^b (%)
1	_	_	EtOH	25	110	N.R.
2	_	_	EtOH	75	110	N.R.
3	Fe ₃ O ₄ NPs	0.02	EtOH	75	110	Trace
4	Acacia gum	0.02	EtOH	75	110	Trace
5	Fe ₃ O ₄ @acacia-SO ₃ H	0.01	EtOH	75	110	88
6	Fe ₃ O ₄ @acacia-SO ₃ H	0.02	EtOH	75	110	94^c
7	Fe ₃ O ₄ @acacia-SO ₃ H	0.02	EtOH	75	300	94
8	Fe ₃ O ₄ @acacia-SO ₃ H	0.03	EtOH	75	110	94
9	Fe ₃ O ₄ @acacia-SO ₃ H	0.03	EtOH	50	110	91
10	Fe ₃ O ₄ @acacia-SO ₃ H	0.02	H_2O	80	110	62
11	Fe ₃ O ₄ @acacia-SO ₃ H	0.02	DMF	130	110	75
12	Fe ₃ O ₄ @acacia-SO ₃ H	0.02	DCM	35	110	79
13	Fe ₃ O ₄ @acacia-SO ₃ H	0.02	Toluene	130	110	76
14	Fe ₃ O ₄ @acacia-SO ₃ H	0.02	CH_3CN	75	110	79
15	Nano-Fe ₃ O ₄ -TiO ₂ -SO ₃ H	0.01	Solvent free	110	55	86 (ref. 35)
16	$Fe_3O_4@SiO_2-MoO_3H$	0.02	Solvent free	90	40	90 (ref. 36)
17	Cell-Pr-NHSO ₃ H	0.05	Ethanol	Reflux	48	88 (ref. 37)

^a Abbreviations: Cat.: catalyst; Temp.: temperature, DMF: dimethylformamide; DCM: dichloromethane; N.R.: no reaction. The reaction progress was controlled by thin-layer chromatography, and the desired hexahydroacridine product was purified *via* flash-column chromatography. ^b Isolated yield. ^c Optimum conditions.

Scheme 1 General schematic of the organic synthesis reaction of the 9-phenyl hexahydroacridine derivatives catalyzed by the Fe_3O_4 @acacia- SO_3H nanocatalyst.

 $\textbf{Table 2} \quad \text{Various derivatives of 9-phenyl hexahydroacridine synthesized } \textit{via} \text{ the catalytic process using the } \\ \text{Fe}_3O_4 @ \text{acacia-SO}_3 \\ \text{H} \text{ nanocatalyst } \\ \text{Nanocatalyst } \\ \text$

					Melting point (°C)		
Entry	Product structure	Product code	Time (min)	Yield ^a (%)	Found	Reported	Ref.
1	Me Me Me	a	110	93	279–281	277–279	38
2	Me Me Me Me CI	b	145	87	264-266	263–264	39
3	Me Me Me Me	c	135	91	290-292	295–297	40
4	Me Me Me	d	150	87	318-320	319-321	41
5	Me Me Me Me	e	125	91	211-213	210-213	41
6	Me Me Me	f	120	92	301-303	300-302	42

Table 2 (Contd.)

					Melting point (°C)		
Entry	Product structure	Product code	Time (min)	$Yield^{a}$ (%)	Found	Reported	Ref.
7	Me Me Me	g	150	86	286–288	287–289	36
8	Me Me Me Me	h	150	86	281–283	282-284	43
9	OMe O Me Me Me Me	i	110	94	288-290	287–290	44
10	Me Me Me Me	j	140	90	321-324	322-324	45
^a Isolated	l yield.						

·

hexahydroacridine. Scheme 2 schematically presents the explained catalytic cycle. $^{46-51}$

2.3.4. Recyclability of the Fe₃O₄@acacia-SO₃H catalytic system. The stability of the fabricated catalytic system was precisely investigated by successive running of the catalytic process in the synthesis reaction of product **i**. As can be seen in Fig. 7(a), acceptable reaction yields were obtained in a total of ten runs of the reaction. After recycling and reusing the nanoparticles ten times, FT-IR and EDX spectra of the recovered nanocomposite were prepared and investigated. From these

analyses, it was clearly revealed that no significant changes occurred in the structure of the Fe $_3$ O $_4$ @acacia–SO $_3$ H catalytic system. As can be observed in Fig. 7(b and c), all of the distinct indicative peaks appeared in both spectra. Moreover, inductively coupled plasma (ICP) analysis was performed to investigate the metal leaching from the system. After completion of the catalytic process (after run 1), the particles were separated and the supernatant was filtered and analyzed. Briefly, it was observed that only 0.15 mg of the iron element leached from 0.05 g of the catalytic system.

Scheme 2 Plausible mechanism of the catalytic activity of the fabricated Fe_3O_4 @acacia $-SO_3H$ nanocatalyst in the synthesis reactions of 9-phenyl hexahydroacridine derivatives.

3. Experimental

3.1. Materials and equipment

All commercially available chemicals, solvents, reagents and were purchased from Sigma-Aldrich and Merck Company. All the applied materials and equipment are summarized in Table S1.†

3.2. Practical methods

3.2.1. Preparation of Fe₃O₄@acacia binary composite. In a round bottom flask (50 mL), FeCl₂·4H₂O and FeCl₃·6H₂O salts

(1.0 mmol and 2.0 mmol, respectively) were dissolved in deionized water (10 mL) via vigorous stirring at room temperature. Then, acacia gum powder (0.6 g) was added in several portions and also dissolved. In the next stage, the reaction mixture was gradually heated to around 80 °C under a neutral atmosphere of N₂. Then, ammonia solution (13 mL) was added dropwise until the pH value reached \sim 12. The dark mixture was then stirred under the same conditions for an additional 1 h. Finally, the magnetic particles were collected via holding an external magnet at the bottom of the flask after cooling to room temperature. The particles were washed with ethanol and water several times and dried in an oven at 60 °C.




Fig. 7 (a) Recycling diagram, (b) Fourier-transform infrared spectrum, and (c) energy-dispersive X-ray spectrum of the recovered $Fe_3O_4@-acacia-SO_3H$ catalytic system.

3.2.2. Preparation of Fe_3O_4 @acacia– SO_3H nano-powder. In a round bottom flask (50 mL), the particles of Fe_3O_4 @acacia (0.6 g) were dispersed in chloroform (10 mL), and the temperature was reduced by an ice bath. In a separate flask, chlorosulfonic acid (99%) (2.0 mL) was mixed with chloroform (2.0 mL), and the resulting solution was added dropwise to the main reaction flask with stirring. After completion of the addition, the ice bath was removed, and vigorous stirring was continued for an additional 2 h at room temperature. Ultimately, the product was magnetically separated, washed, and dried as described above.

3.2.3. General procedure for the catalyzed synthesis of 9-phenyl hexahydroacridine pharmaceutical derivatives. In a round bottom flask (25 mL), aldehyde (1.0 mmol), dimedone (2.0 mmol), ammonium acetate salt (1.1 mmol), and Fe $_3$ O $_4$ @-acacia–SO $_3$ H nano-powder (0.02 g) were mixed in ethanol (2.0 mL), and the mixture was refluxed. After the appropriate time had passed (110 min), the particles of the catalytic system were magnetically removed and the desired product was purified via flash-column chromatography. The original 1 H and 13 C-NMR spectra of the selected products are shown in Fig. S1–S20 in the ESI † section.

3.2.4. Recycling of the catalyst. After completion of the first round, the Fe_3O_4 @acacia- SO_3H particles were magnetically separated and the rest were separated via decanting. Then, the particles were washed well with deionized water and ethanol (20 mL) four successive times. Afterward, the particles were died in a vacuum oven for 24 h. To reuse the particles, redispersion was initially performed by an ultrasound cleaner bath (50 kHz, 200 W L⁻¹); then, the reactants were added to the flask.

3.3. Spectral data for selected products

3,3,6,6-Tetramethyl-9-phenyl-3,4,6,7,9,10-hexahydroacridine-1,8(2*H*,5*H*)-dione (product a): M. P (°C): 279–281. ¹H NMR (300 MHz, DMSO), δ (ppm): 9.30 (s, 1H), 7.00–7.13 (m, 5H), 4.60 (s, 1H), 2.40–2.48 (m, 2H), 2.27 (d, 2H), 2.12 (d, 2H), 2.00 (d, 2H), 0.98 (s, 6H), 0.83 (s, 6H). ¹³C NMR (75 MHz, DMSO), δ (ppm): 194.3, 149.3, 147.1, 127.6, 127.5, 125.4, 111.4, 50.2, 32.9, 32.2, 29.1, 26.4.

9-(2-Chlorophenyl)-3,3,6,6-tetramethyl-3,4,6,7,9,10-hexahydroacridine-1,8(2*H*,5*H*)-dione (product **b**): M. P (°C): 264–266.
¹H NMR (300 MHz, DMSO), δ (ppm): 9.59 (s, 1H), 7.25–7.27 (d, 1H), 7.10–7.20 (m, 1H), 7.04–7.08 (m, 1H), 6.99–7.01 (m, 1H), 5.05 (s, 1H), 2.71–2.10 (m, 8H), 0.98 (s, 6H), 0.92 (s, 6H).
NMR (75 MHz, DMSO), δ (ppm): 196.4, 152.4, 142.6, 132.0, 129.7, 128.2, 115.2, 50.6, 40.8, 32.2, 31.4, 29.3, 27.2.

9-(4-Chlorophenyl)-3,3,6,6-tetramethyl-3,4,6,7,9,10-hexahydroacridine-1,8(2*H*,5*H*)-dione (product **c**): M. P (°C): 290–292.
¹H NMR (300 MHz, DMSO), δ (ppm): 9.92 (s, 1H), 7.27–7.30 (d, 2H), 7.18–7.19 (d, 2H), 4.50 (s, 1H), 2.50–2.59 (dd, 4H), 2.25–2.28 (d, 2H), 2.07–2.10 (d, 2H), 1.04 (s, 6H), 0.90 (s, 6H).
¹³C NMR (75 MHz, DMSO), δ (ppm): 196.1, 149.3, 147.1, 131.7, 129.6, 129.3, 128.2, 113.1, 50.2, 33.6, 32.8, 29.1, 27.3.

9-(2,4-Dichlorophenyl)-3,3,6,6-tetramethyl-3,4,6,7,9,10-hex-ahydroacridine-1,8(2*H*,5*H*)-dione (product **d**): M. P (°C): 318–320. 1 H NMR (300 MHz, DMSO), δ (ppm): 9.95 (s, 1H), 7.34 (s, 1H), 7.28–7.33 (d, 1H), 7.19–7.22 (d, 1H), 5.58 (s, 1H), 2.38–2.43

(m, 2H), 2.34 (d, 2H), 2.32 (d, 2H), 2.31 (d, 2H), 1.14 (s, 6H), 1.07 (s, 6H). 13 C NMR (75 MHz, DMSO), δ (ppm): 189.8, 135.3, 134.1, 130.0, 129.5, 126.7, 115.4, 47.0, 46.9, 46.3, 31.7, 31.2, 28.9, 27.8.

9-(3-Methylphenyl)-3,3,6,6-tetramethyl-3,4,6,7,9,10-hexahydroacridine-1,8(2*H*,5*H*)-dione (product **e**): M. P (°C): 211–213.

¹H NMR (300 MHz, DMSO), δ (ppm): 8.07 (s, 1H), 7.26 (s, 1H), 7.09–7.11 (d, 1H), 7.03–7.08 (m, 1H), 6.86–6.88 (d, 1H), 5.05 (s, 1H), 2.32–2.40 (m, 2H), 2.26 (d, 2H), 2.22 (d, 2H), 2.16 (d, 2H), 1.05 (s, 6H), 0.95 (s, 6H).

¹³C NMR (75 MHz, DMSO), δ (ppm): 196.1, 149.5, 146.7, 137.3, 129.1, 128.0, 126.9, 125.2, 113.3, 51.1, 40.8, 33.6, 32.7, 29.8, 27.2, 21.8.

9-(3-Methoxyphenyl)-3,3,6,6-tetramethyl-3,4,6,7,9,10-hexahydroacridine-1,8(2*H*,5*H*)-dione (product **f**): M. P (°C): 301–303. 1 H NMR (300 MHz, DMSO), δ (ppm): 8.94 (s, 1H), 7.25 (s, 1H), 7.22 (d, 1H), 7.01 (m, 1H), 6.98 (d, 1H), 5.07 (s, 1H), 3.91 (s, 3H), 2.22–2.27 (m, 2H), 2.17 (d, 2H), 2.11 (d, 2H), 2.04 (d, 2H), 1.12 (s, 6H), 0.95 (s, 6H). 13 C NMR (75 MHz, DMSO), δ (ppm): 196.1, 158.72, 149.9, 143.8, 134.9, 128.5, 127.7, 125.2, 112.8, 50.8, 40.2, 33.0, 32.3, 29.4, 27.9, 20.9.

9-(4-Nitrophenyl)-3,3,6,6-tetramethyl-3,4,6,7,9,10-hexahydroacridine-1,8(2*H*,5*H*)-dione (product **g**): M. P (°C): 286–288. 1H NMR (300 MHz, DMSO), δ (ppm): 9.90 (s, 1H), 7.19–7.21 (d, 2H), 7.12–7.14 (d, 2H), 4.76 (s, 1H), 2.42–2.49 (d, 4H), 2.14–2.32 (d, 2H), 1.95–1.98 (d, 2H), 0.99 (s, 6H), 0.84 (s, 6H). ¹³C NMR (75 MHz, DMSO), δ (ppm): 194.4, 149.5, 146.1, 129.9, 129.5, 127.5, 115.5, 111.1, 50.1, 40.0, 32.6, 32.2, 29.0, 26.4.

3,3,6,6-Tetramethyl-9-(3-nitrophenyl)-3,4,6,7,9,10-hexahydroacridine-1,8(2*H*,5*H*)-dione (product **h**): M. P (°C): 281–283.
¹H NMR (300 MHz, DMSO), δ (ppm): 9.31 (s, 1H), 8.00–8.01 (d, 2H), 7.65–7.66 (d, 1H), 7.54–7.57 (t, 1H), 4.65 (s, 1H), 2.50–2.59 (dd, 4H), 2.27–2.30 (d, 2H), 2.08–2.12 (d, 2H), 1.04 (s, 6H), 0.91 (s, 6H).
¹³C NMR (75 MHz, DMSO), δ (ppm): 196.0, 149.4, 149.0, 131.1, 129.7, 122.3, 112.9, 51.0, 40.9, 33.9, 32.8, 29.7, 27.3, 21.1.

9-(4-Methoxyphenyl)-3,3,6,6-tetramethyl-3,4,6,7,9,10-hexahydroacridine-1,8(2*H*,5*H*)-dione (product i): M. P (°C): 288–290. 1 H NMR (300 MHz, DMSO), δ (ppm): 9.20 (s, 1H), 7.05–7.07 (t, 2H), 6.76–6.80 (t, 2H), 4.46 (s, 1H), 3.70 (s, 3H), 2.56 (d, 2H), 2.49–2.51 (m, 2H), 2.27 (d, 2H), 2.09 (d, 2H), 1.03 (s, 6H), 0.91 (s, 6H). 13 C NMR (75 MHz, DMSO), δ (ppm): 196.2, 157.5, 149.6, 139.2, 128.8, 125.2, 113.0, 50.8, 40.36, 32.6, 32.4, 29.5, 26.9.

9-(4-Bromophenyl)-3,3,6,6-tetramethyl-3,4,6,7,9,10-hexahydroacridine-1,8(2*H*,5*H*)-dione (product **j**): M. P (°C): 321–324. 1 H NMR (300 MHz, DMSO), δ (ppm): 9.33 (s, 1H), 7.23–7.26 (dd, 2H), 6.87–6.92 (m, 2H), 4.73 (s, 1H), 2.26–2.46 (m, 4H), 2.19–2.22 (m, 2H), 2.15 (m, 4H), 1.10 (s, 6H), 0.99 (s, 6H). 13 C NMR (75 MHz, DMSO), δ (ppm): 194.4, 149.6, 149.3, 147.1, 127.9, 127.8, 126.0, 111.9, 50.7, 32.2, 31.2, 29.2, 27.3.

4. Conclusions

In this work, we designed and fabricated a novel catalytic system with high heterogeneity and magnetic features to facilitate the MCR synthetic reactions of 9-phenyl hexahydroacridine pharmaceutical derivatives. A combination of acacia gum (gum arabic) with iron oxide magnetic particles on the nanoscale was used as a magnetized natural matrix. From the physicochemical aspect, through effective H-binding

Paper **RSC Advances**

interactions, the organic and inorganic ingredients were firmly fixed and combined well with each other. EM imaging approaches indeed disclosed the composition of the composite. Then, the prepared Fe₃O₄@acacia binary composite was equipped with sulfone groups, which are considered to be the main active catalytic sites. Afterward, the high catalytic performance of the formed cluster-shaped composite was investigated in the organic synthesis reactions of 9-phenyl hexahydroacridine derivatives. The mechanical and thermal stability of the fabricated Fe₃O₄@acacia-SO₃H nano-powder was also studied, and this substantial stability was highlighted in the recycling process. Overall, herein, we have made an effort to comprehensively study the structural features of the Fe₃O₄@acacia-SO₃H nano-powder and demonstrate the catalytic performance of this product. Due to the high convenience of the synthesis process and the low prices of the used raw materials, this product is recommended for industrial applications.

Conflicts of interest

The authors declare no conflict of interest.

Acknowledgements

The authors gratefully acknowledge the partial support from the Research Council of the Iran University of Science and Technology (IUST). Furthermore, AES is grateful for the National Research grants from MINECO "Juan de la Cierva" [FJCI-2018-037717].

References

- 1 A. Gulati, J. Malik, Mandeep and R. Kakkar, Peanut shell biotemplate to fabricate porous magnetic Co₃O₄ coral reef and its catalytic properties for p-nitrophenol reduction and oxidative dye degradation, Colloids Surf., A, 2020, 604, 125328.
- 2 R. Taheri-Ledari, J. Rahimi and M. Ali, Mater. Res. Express, 2020, 7, 015067.
- 3 W. Zhang, R. Taheri-Ledari, Z. Hajizadeh, E. Zolfaghari, M. R. Ahghari, A. Maleki, M. R. Hamblin and Y. Tian, Enhanced activity of vancomycin by encapsulation in hybrid magnetic nanoparticles conjugated to a cellpenetrating peptide, Nanoscale, 2020, 12, 3855-3870.
- 4 N. Kang, D. Xu, Y. Han, X. Lv, Z. Chen, T. Zhou, L. Ren and Magnetic targeting core/shell Fe₃O₄/Au nanoparticles for magnetic resonance/photoacoustic dualmodal imaging, Mater. Sci. Eng., C, 2019, 98, 545-549.
- 5 R. Ledari, W. Zhang, M. Radmanesh, S. S. Mirmohammadi, A. Maleki, N. Cathcart and V. Kitaev, Small, 2020, 2002733.
- 6 Z. Hajizadeh, K. Valadi, R. Taheri-Ledari and A. Maleki, Convenient Cr(vI) Removal from Aqueous Samples: Executed by a Promising Clay-Based Catalytic System, Magnetized by Fe₃O₄ Nanoparticles and Functionalized with Humic Acid, ChemistrySelect, 2020, 5, 2441-2448.

- Maleki, F. Hassanzadeh-Afruzi, Z. Varzi and 7 A. M. S. Esmaeili, Magnetic dextrin nanobiomaterial: an organic-inorganic hybrid catalyst for the synthesis of biologically active polyhydroquinoline derivatives by asymmetric Hantzsch reaction, Mater. Sci. Eng., C, 2020, 109, 110502.
- 8 A. Maleki, R. Taheri-Ledari and M. Soroushnejad, Surface functionalization of magnetic nanoparticles via palladiumcatalyzed Diels-Alder approach, ChemistrySelect, 2018, 3, 13057-13062.
- 9 A. E. Shalan, M. Rasly and M. M. Rashad, Organic acid precursor synthesis and environmental photocatalysis applications of mesoporous anatase TiO2 doped with different transition metal ions, J. Mater. Sci.: Mater. Electron., 2014, 25(7), 3141-3146.
- 10 S. Parvaz, R. Taheri-Ledari, M. S. Esmaeili, M. Rabbani and A. Maleki, A brief survey on the advanced brain drug administration by nanoscale carriers: with a particular focus on AChE reactivators, Life Sci., 2020, 240, 117099.
- 11 A. Maleki, R. Taheri-Ledari, J. Rahimi, M. Soroushnejad and Z. Hajizadeh, Facile peptide bond formation: effective interplay between isothiazolone rings and silanol groups at silver/iron oxide nanocomposite surfaces, ACS Omega, 2019, 4, 10629-10639,
- 12 A. Maleki, R. Taheri-Ledari, R. Ghalavand and R. Firouzi-Haji, Palladium-decorated o-phenylenediaminefunctionalized Fe₃O₄/SiO₂ magnetic nanoparticles: a promising solid-state catalytic system used for Suzuki-Miyaura coupling reactions, J. Phys. Chem. Solids, 2020, 136, 109200.
- 13 R. Taheri-Ledari, A. Maleki, E. Zolfaghari, M. Radmanesh, H. Rabbani, A. Salimi and R. Fazel, High-performance sono/nano-catalytic system: Fe₃O₄@Pd/CaCO₃-DTT core/ shell nanostructures, a suitable alternative for traditional reducing agents for antibodies, Ultrason. Sonochem., 2020, 61, 104824.
- 14 R. Taheri-Ledari, J. Rahimi and A. Maleki, Synergistic catalytic effect between ultrasound waves and pyrimidine-2,4-diamine-functionalized magnetic nanoparticles: applied synthesis of 1,4-dihydropyridine pharmaceutical derivatives, Ultrason. Sonochem., 2019, 59, 104737.
- 15 K. Valadi, S. Gharibi, R. Taheri-Ledari and A. Maleki, Ultrasound-assisted synthesis of 1,4-dihydropyridine by an efficient derivatives volcanic-based nanocomposite, Solid State Sci., 2020, 101, 106141.
- 16 J. Rahimi, R. Taheri-Ledari, M. Niksefat and A. Maleki, Enhanced reduction of nitrobenzene derivatives: effective strategy executed by Fe₃O₄/PVA-10% Ag as a versatile hybrid nanocatalyst, Catal. Commun., 2020, 134, 105850.
- 17 A. Maleki, M. Niksefat, J. Rahimi and R. Taheri-Ledari, Multicomponent synthesis of pyrano[2,3-d]pyrimidine derivatives via a direct one-pot strategy executed by novel designed cooperated Fe₃O₄@polyvinyl alcohol magnetic nanoparticles, Mater. Today Chem., 2019, 13, 110-120.
- 18 R. Taheri-Ledari, S. M. Hashemi and A. Maleki, Highperformance sono/nano-catalytic system: CTSN/Fe₃O₄-Cu

- nanocomposite, a promising heterogeneous catalyst for the synthesis of *N*-arylimidazoles, *RSC Adv.*, 2019, **9**, 40348–40356.
- 19 S. S. Soltani, R. Taheri-Ledari, S. M. F. Farnia, A. Maleki and A. Foroumadi, Synthesis and characterization of a supported Pd complex on volcanic pumice laminates textured by cellulose for facilitating Suzuki-Miyaura cross-coupling reactions, *RSC Adv.*, 2020, **10**, 23359–23371.
- 20 R. Taheri-Ledari and A. Maleki, Antimicrobial therapeutic enhancement of levofloxacin *via* conjugation to a cell-penetrating peptide: an efficient sonochemical catalytic process, *J. Pept. Sci.*, 2020, **26**, e3277.
- 21 G. U. Rehman, M. Tahir, P. S. Goh, A. F. Ismail and I. U. Khan, Controlled synthesis of reduced graphene oxide supported magnetically separable Fe₃O₄@rGO@AgI ternary nanocomposite for enhanced photocatalytic degradation of phenol, *Powder Technol.*, 2019, 356, 547–558.
- 22 V. Javanbakht, S. M. Ghoreishi, N. Habibi and M. Javanbakht, A novel magnetic chitosan/clinoptilolite/magnetite nanocomposite for highly efficient removal of Pb(II) ions from aqueous solution, *Powder Technol.*, 2016, 302, 372–383.
- 23 A. M. Islam, G. O. Phillipsl, A. Sljivo, M. J. Snowden and P. A. Williams, A review of recent developments on the regulatory, structural and functional aspects of gum Arabic, *Food Hydrocolloids*, 1997, 11, 493–505.
- 24 S. S. Banerjee and D. H. Chen, Fast removal of copper ions by gum Arabic modified magnetic nano-adsorbent, *J. Hazard. Mater.*, 2007, 147, 792–799.
- 25 Á. Magyar and Z. Hell, Molecular Sieve Supported Lanthanum Catalyst for the Efficient Synthesis of Polyhydroquinolines *via* Hantzsch Synthesis, *Period. Polytech., Chem. Eng.*, 2017, **61**, 278–282.
- 26 K. T. Naveen, K. B. Sai and K. Chandana, Synthesis, Characterization and screening of novel 5,6-dihydroacridine derivatives as potent antidiabetic and antioxidant agent, *J. Basic Appl. Res. Int.*, 2016, 2, 176–184.
- 27 A. Maleki, Z. Varzi and F. Hassanzadeh-Afruzi, Preparation and characterization of an eco-friendly ZnFe₂O₄@alginic acid nanocomposite catalyst and its application in the synthesis of 2-amino-3-cyano-4*H*-pyran derivatives, *Polyhedron*, 2019, **171**, 193–202.
- 28 Z. Varzi and A. Maleki, Design and preparation of ZnS-ZnFe₂O₄: a green and efficient hybrid nanocatalyst for the multicomponent synthesis of 2,4,5-triaryl-1*H*-imidazoles, *Appl. Organomet. Chem.*, 2019, 33, e5008.
- 29 H. Veisi, N. Dadres, P. Mohammadi and S. Hemmati, Green synthesis of silver nanoparticles based on oil-water interface method with essential oil of orange peel and its application as nanocatalyst for A³ coupling, *Mater. Sci. Eng., C*, 2019, **105**, 110031.
- 30 P. K. Khatri, M. Manchanda, I. K. Ghosh and S. L. Jain, Polymer impregnated sulfonated carboncomposite solid acid catalyst for alkylation of phenol with methyl-*tert*-butyl ether, *RSC Adv.*, 2015, 5, 3286–3290.
- 31 M. S. Esmaeili, Z. Varzi, R. Eivazzadeh-Keihan, A. Maleki and H. Ghafuri, Design and development of natural and

- biocompatible raffinose-Cu₂O magnetic nanoparticles as a heterogeneous nanocatalyst for the selective oxidation of alcohols, *Mol. Catal.*, 2020, 492, 111037.
- 32 A. Bagheri, P. Salarizadeh, M. S. Asre Hazer, P. Hosseinabadi, S. Kashefi and H. Beydaghi, The effect of adding sulfonated SiO₂ nanoparticles and polymer blending on properties and performance of sulfonated poly ether sulfone membrane: fabrication and optimization, *Electrochim. Acta*, 2019, **295**, 875–890.
- 33 C. Işik, G. Arabaci, Y. I. Doğaç, İ. Deveci and M. Teke, Synthesis and characterization of electrospun PVA/Zn²⁺ metal composite nanofibers for lipase immobilization with effective thermal, pH stabilities and reusability, *Mater. Sci. Eng.*, *C*, 2019, **99**, 1226–1235.
- 34 T. Şişmanoğlu, S. Karakuş, Ö. Birer, G. S. P. Soylu, A. Kolan, E. Tan, Ö. Ürk, G. Akdut and A. Kilislioglu, Preparation and characterization of antibacterial Senegalia (Acacia) senegal/ iron-silica bio-nanocomposites, *Appl. Surf. Sci.*, 2015, 354, 250-255.
- 35 A. Amoozadeh, S. Golian and S. Rahmani, TiO₂-coated magnetite nanoparticle-supported sulfonic acid as a new, efficient, magnetically separable and reusable heterogeneous solid acid catalyst for multicomponent reactions, *RSC Adv.*, 2015, 5, 45974–45982.
- 36 M. Kiani and M. Mohammadipour, Fe₃O₄@SiO₂–MoO₃H nanoparticles: a magnetically recyclable nanocatalyst system for the synthesis of 1,8-dioxo-decahydroacridine derivatives, *RSC Adv.*, 2017, 7, 997–1007.
- 37 S. Karhale, C. Bhenki, G. Rashinkar and V. Helavi, Covalently anchored sulfamic acid on cellulose as heterogeneous solid acid catalyst for the synthesis of structurally symmetrical and unsymmetrical 1,4-dihydropyridine derivatives, *New J. Chem.*, 2017, 41, 5133–5141.
- 38 G. M. Ziarani, A. Badiei, M. Hassanzadeh and S. Mousavi, Synthesis of 1,8-dioxo-decahydroacridine derivatives using sulfonic acid functionalized silica (SiO₂-Pr-SO₃H) under solvent free conditions, *Arabian J. Chem.*, 2014, 7, 335–339.
- 39 D. Patil, D. Chandam, A. Mulik, P. Patil, S. Jagadale, R. Kant, V. Gupta and M. Deshmukh, Novel Brønsted Acidic Ionic Liquid ([CMIM][CF₃COO]) Prompted Multicomponent Hantzsch Reaction for the Eco-Friendly Synthesis of Acridinediones: An Efficient and Recyclable Catalyst, *Catal. Lett.*, 2014, 144, 949–958.
- 40 A. Magyar and Z. Hell, An Efficient One-Pot Four-Component Synthesis of 9-Aryl-Hexahydroacridine-1,8-Dione Derivatives in the Presence of a Molecular Sieves Supported Iron Catalyst, *Catal. Lett.*, 2019, **149**, 2528–2534.
- 41 S. Asgharnasl, R. Eivazzadeh-Keihan, F. Radinekiyan and A. Maleki, Preparation of a novel magnetic bionanocomposite based on factionalized chitosan by creatine and its application in the synthesis of polyhydroquinoline, 1,4-dyhdropyridine and 1,8-dioxodecahydroacridine derivatives, *Int. J. Biol. Macromol.*, 2020, 144, 29–46.
- 42 E. Eidi, M. Z. Kassaee and Z. Nasresfahani, Nanocrystalline TiO_2 , via green combustion synthesis, as an efficient and reusable catalyst for the preparation of 1,8-

Paper

dioxooctahydroxanthenes and 1,8-dioxodecahydroacridines, *Appl. Organomet. Chem.*, 2015, **29**, 793–797.

- 43 M. S. Mirhosseyni, F. Nemati and A. Elhampour, Hollow Fe₃O₄@DA-SO₃H: an efficient and reusable heterogeneous nano-magnetic acid catalyst for synthesis of dihydropyridine and dioxodecahydroacridine derivatives, *J. Iran. Chem. Soc.*, 2017, **14**, 791–801.
- 44 A. Amoozadeh, S. Rahmani, M. Bitaraf, F. B. Abadi and E. Tabrizian, Nano-zirconia as an excellent nano support for immobilization of sulfonic acid: a new, efficient and highly recyclable heterogeneous solid acid nanocatalyst for multicomponent reactions, *New J. Chem.*, 2016, **40**, 770–780.
- 45 M. A. Zolfigol, F. Karimi, M. Yarie and M. Torabi, Catalytic application of sulfonic acid-functionalized titana-coated magnetic nanoparticles for the preparation of 1,8-dioxodecahydroacridines and 2,4,6-triarylpyridines *via* anomeric-based oxidation, *Appl. Organomet. Chem.*, 2018, 32, e4063.
- 46 S. Karhale, C. Bhenki, G. Rashinkar and V. Helavi, Covalently anchored sulfamic acid on cellulose as heterogeneous solid acid catalyst for the synthesis of structurally symmetrical and unsymmetrical 1,4-dihydropyridine derivatives, *New J. Chem.*, 2017, 41, 5133–5141.

- 47 A. Bamoniri and S. Fouladgar, SnCl₄-functionalized nano-Fe₃O₄ encapsulated-silica particles as a novel heterogeneous solid acid for the synthesis of 1,4dihydropyridine derivatives, *RSC Adv.*, 2015, 5, 78483–78490.
- 48 A. Bamoniri, B. B. F. Mirjalili and S. Fouladgar, Sonochemically synthesis of 1,4-dihydropyridine derivatives using nano-silica supported tin tetrachloride as a reusable solid acid catalyst, *J. Taiwan Inst. Chem. Eng.*, 2016, 63, 396–403.
- 49 Z. Zarei and B. Akhlaghinia, Zn^{II} doped and immobilized on functionalized magnetic hydrotalcite (Fe₃O₄/HT-SMTU-Zn^{II}): a novel, green and magnetically recyclable bifunctional nanocatalyst for the one-pot multi-component synthesis of acridinediones under solvent-free conditions, *New J. Chem.*, 2017, 41, 15485–15500.
- 50 A. Zhu, R. Liu, C. Du and L. Li, Betainium-based ionic liquids catalysed multicomponent Hantzsch reactions for the efficient synthesis of acridinediones, *RSC Adv.*, 2017, 7, 6679–6684.
- 51 L. M. Ramos, M. O. Rodrigues and B. A. D. Neto, *Org. Biomol. Chem.*, 2019, 17, 7260–7269.