Cite this: *RSC Adv.*, 2020, 10, 40619

Enhanced active oxidative species generation over Fe-doped defective TiO₂ nanosheets for boosted photodegradation†

Xintong Gao,^a Shuai Zhang,^b Jingchao Liu,^c Shiqi Xu^a and Zenghe Li^{*,a}

Semiconductor photocatalysis is widely proposed for decomposing multiple pollutants *via* photo-generated oxidative species. However, the photocatalytic degradation performance in practical settings still remains unsatisfactory due to the limited production of active oxidative species (AOS). In this work, a defect engineering strategy was developed to explore the superiority of oxygen vacancies (Vo) and their structural regulation to enhance AOS production for boosting photodegradation. Taking anatase TiO₂ as a model photocatalyst, ultrathin TiO₂ nanosheets containing abundant Vo and appropriate Fe doping exhibited an unprecedented 134 times higher activity in the degradation of Rhodamine B (RhB) (rate as high as 0.3073 min⁻¹) than bulk anatase and were superior to most reported photocatalysts. The defect-rich ultrathin TiO₂ nanosheets could be further applied in high-efficiency degradation of tetracycline hydrochloride (TC-HCl) with the degradation rate of 0.0423 min⁻¹. The *in situ* electron paramagnetic resonance, advanced spectroscopic characterization and electrochemical measurement revealed the key role of Vo and Fe doping in facilitating the production of photo-generated holes and superoxide radicals ([•]O₂⁻) that were identified to be effective to decompose both RhB and TC-HCl. This research provides insight into defect engineering promoting AOS generation and gives inspiration for the design of efficient photocatalysts for photooxidation applications.

Received 23rd September 2020
Accepted 3rd November 2020

DOI: 10.1039/d0ra08116g

rsc.li/rsc-advances

1. Introduction

With the rapid development of manufacturing and pharmaceutical industries, dyes and antibiotics from polluted water have attracted widespread attention in the field of public health.^{1–4} Commercial water disinfection strategies, such as physical adsorption and biodegradation,^{5,6} have unavoidable side effects, which would increase treatment cost and environmental problems. Solar photocatalysis technology uses highly active oxidative species (AOS) produced by semiconductors to drive the degradation of antibiotics and dye molecules, showing unique advantages and broad application prospects in water purification.⁷ Although AOS-driven degradation have been developed, its scalable application is still hampered by the intrinsic limitations of semiconductor photocatalysts, including the limited sunlight absorption, undesired photo-

generated electron-hole recombination and inefficient reactant molecules (*e.g.* O₂, H₂O₂) activation, severely restricting the generation of AOS and the efficiency of pollutants decomposition.⁸

Recent theoretical calculations and experimental results showed that surface anion defects can significantly affect the optical/electronic properties of semiconductor photocatalysts.^{9–11} Taking oxygen vacancies (Vo) on the surface of a semiconductor photocatalyst as a proof-of-concept, a certain concentration of surface Vo could induce defect energy levels between the valence band (VB) and conduction band (CB), that are deemed to be effective to narrow band gap of the photocatalytic material and promote separation and transfer of photo-generated electrons and holes.¹² In addition, Vo and its derivative coordinatively unsaturated metal sites featuring with electron-rich property have been proven being efficient in activating chemically inert reactant molecules (*e.g.* O₂, H₂O₂) and thereby facilitating the AOS production for pollutants degradation.^{13,14} However, when two or more reactant molecules co-exist on the surface of photocatalysts, it is still challenging to activate target reactants only by Vo for AOS generation with high selectivity and efficiency, in particular to advanced oxidation processes that involve in H₂O₂ or peroxosulfate.¹⁵ The competitive adsorption of O₂ and other oxidants on the Vo would lead to low-efficiency and non-selective production of target AOS, thus lowering degradation efficiency.¹⁶ To overcome the

^aKey Laboratory of Environmentally Harmful Chemical Analysis, College of Chemistry, Beijing University of Chemical Technology, Beijing, 100029, China. E-mail: lizh@mail.buct.edu.cn

^bKey Laboratory of Photochemical Conversion and Optoelectronic Materials, Technical Institute of Physics and Chemistry, Chinese Academy of Sciences, Beijing, 100190, China

^cState Key Laboratory of Chemical Resource Engineering, Beijing University of Chemical Technology, Beijing, 100029, China

† Electronic supplementary information (ESI) available. See DOI: 10.1039/d0ra08116g

aforementioned bottleneck, it is crucial to further regulate the defect structure for optimized catalytic activity.

Taken account of chemical reaction on the surface of photocatalysts, it generally requires the adsorption of reactants on the Vo and strong interaction between active metal sites and reactants (electrons transfer), realizing reactants activation for subsequent reactions. Hence, optimizing Vo-surrounding metal sites may represent an effective strategy to refine defect structure for enhanced catalytic activity and AOS production,^{17,18} especially for the metal species that show specific reactivity to reactant molecules. Among a variety of metal species for modifying photocatalysts, Fe-doping arose broad interest since its positive impact on the photocatalytic activity of materials.^{19,20} Zhang *et al.* reported that Fe-doping and highly exposed (001) facet furnished the anatase TiO₂ hierarchical spheres with excellent photodegradation activity, in which subtle Fe-doping has been shown to enhance visible light absorption of anatase TiO₂ and boost photo-generated charge separation/charge.¹⁹ More importantly, it is widely accepted that Fe²⁺/Fe³⁺ pair is the active specie for accelerating the selective conversion of H₂O₂ into hydroxyl radicals, whilst Vo and neighboring unsaturated metal sites (*e.g.* Ti^{δ+}, δ < 4) could expedite O₂ activation for the efficient generation of [•]O₂[−],^{21–23} probably establishing an access to selectivity-activity balance, in expectation to the high-efficiency AOS production and pollutants degradation. Thence, modulating the defect structure in Vo-containing anatase by introducing the Fe²⁺/Fe³⁺ pair is likely to bridge the selectivity-activity gap and represent an ideal model for exploring the role of Vo in AOS-driven degradation of organic pollutants.

In recent years, two-dimensional (2D) materials have demonstrated unique physicochemical properties with great potential for photocatalysis, lithium-ion storage and relevant application.^{24–26} To be specific, 2D materials offer the ultrahigh surface area for sufficient contact with reactants and shorter bulk-to-surface distance for efficient charge transportation. Cui *et al.* exploited a universal alkaline-free strategy to synthesize 2D TiO₂ nanobelts, which exhibited greatly increasing electrolyte/electrode contact area and shorten diffusion distance of Li ions, in turn delivering excellent electrochemical performance.²⁴ In addition, surface defects (*e.g.*, Vo) can be easily created on 2D materials with resulting low-coordination metal sites, which were proven to be efficient in facilitating inert small molecules (*e.g.*, O₂, N₂) conversion.^{8,18} Based on the above discussion, 2D materials serve as an ideal platform to explore the effect of surface defects and metal doping on the photocatalytic activity. Herein, we selected ultrathin TiO₂ nanosheets as a model material for tunable Fe doping, in which both of Vo and Fe doping contribute to efficient AOS generation and boosted degradation of dye and antibiotics.

2. Results and discussion

A facile hydrothermal method was used (details were offered in the ESI) to synthesize the ultrathin TiO₂ nanosheets with different amounts of Fe ions (here expressed as X%-TiO₂, where X is the Fe/Ti molar ratio in percentage). As shown in Fig. 1a, X-

Fig. 1 (a) XRD patterns for different X%-TiO₂ nanosheets (X = 0, 1.5, 2.5, 3.5, 4.5) and bulk-TiO₂. (b–d) HRTEM images of 3.5%-TiO₂ nanosheets at different magnifications. (e) STEM image and the corresponding EDX elemental mappings of (f) Fe, (g) Ti and (h) O in 3.5%-TiO₂ nanosheets.

ray diffraction (XRD) patterns for X%-TiO₂ nanosheets (X = 0, 1.5, 2.5, 3.5, 4.5) and a bulk anatase TiO₂ (denoted as Bulk-TiO₂) were consistent with anatase TiO₂ (JCPDS-21-1272) and metallic Fe or Fe oxides were absent in all the X%-TiO₂ nanosheets. High-resolution transmission electron microscope (HRTEM) images for 3.5%-TiO₂ (Fig. 1b and c) and 0%-TiO₂ (Fig. S1a, ESI†) exhibited the thinner and smaller nanosheets morphology relative to the bulk reference (Fig. S1b†). The average thickness of 3.5%-TiO₂ nanosheets was determined to be ~4.5 nm by atomic force microscopy (Fig. S2†). Further, 3.5%-TiO₂ nanosheets showed a lattice fringe with a pitch of 0.35 nm (Fig. 1d), which can be attributed to the typical (101) plane of anatase TiO₂. Scanning transmission electron microscope (STEM) equipped with energy dispersive X-ray (EDX) elemental mappings (Fig. 1e–h) confirmed the successful incorporation of Fe and the uniform distribution of Fe, Ti, and O elements in 3.5%-TiO₂ nanosheets. The Fe content in all the X%-TiO₂ was quantified by inductively coupled plasma atomic emission spectrometry (ICP-AES) (Table S1†), with the result that the actual Fe contents in the X%-TiO₂ nanosheets were almost identical to the nominal contents of Fe doping, indicating the good control of the Fe contents in TiO₂ nanosheets by a facile hydrothermal synthesis.

The chemical states of the elements present in the 3.5%-TiO₂ were analyzed by X-ray photoelectron spectroscopy (XPS) (Fig. 2a). As shown in Fig. 2b, the main peaks located at around 709.58 and 722.89 eV were linked to the Fe 2p_{3/2} and Fe 2p_{1/2}, respectively.^{27,28} They can be further fitted with six peaks: two peaks locating at 710 and 723.20 eV assigned to Fe³⁺ with the satellite peaks at 714.53 and 729.89 eV as the fingerprint of Fe³⁺,^{28,29} and the additional peaks at 708.50 and 722.00 eV associated with Fe²⁺.³⁰ The XPS data for Ti 2p (Fig. 2c) showed the characteristic Ti 2p_{3/2} peak at 458.91 eV and 458.63 eV, corresponded to Ti⁴⁺ and Ti³⁺, and the other two Ti 2p_{1/2} peaks at 464.73 eV and 464.27 eV belonged to Ti⁴⁺ and Ti³⁺, respectively.³¹ The presence of Ti³⁺ probably resulted from Ti⁴⁺ gaining electrons from nearby Vo.³¹ For the O 1s spectrum (Fig. 2d), three peaks at 530.07 eV, 531.21 eV, 532.42 eV could be identified by spectral deconvolution, which were assigned to lattice oxygen, oxygen-deficient region, and chemisorbed oxygen species, respectively.^{32,33} According to XPS results, it could be

Fig. 2 XPS spectra of (a) survey, (b) Fe 2p, (c) Ti 2p, and (d) O 1s in the 3.5%-TiO₂ nanosheets.

inferred that Vo might be present in the ultrathin nanosheets and mixed-valent iron ions were potential to be converted into each other during the photochemical reaction.^{27,34}

Compared to the bulk TiO₂, the ultrathin TiO₂ nanosheets intrinsically possess more defect structures (e.g. Vo) for decreasing surface energy of nanomaterials in theory, which was further verified by a series of characterizations. Based on the detail analysis of XRD patterns (Fig. 3a), it was found that the anatase (101) diffraction peak broadened and weakened relative to the bulk counterpart, reflecting the ultrathin TiO₂ nanosheets (0%-TiO₂) with relatively smaller and thinner nanostructures. Furthermore, the anatase (101) reflection for 0%-TiO₂ shifted to lower 2θ angle than that for the bulk sample, such detectable variation could be explained as the presence of local structural distortion and Vo in the 0%-TiO₂ nanosheets as

reported previously.³⁵ However, with the introduction of iron ions into TiO₂ nanosheets, merely a slight shift of the (101) reflection peak was detected (Fig. 1a and 3a), it can be inferred that Fe doping would not induce the formation of Vo in the ultrathin TiO₂ nanosheets. The anatase structures were further investigated by the Raman spectroscopy (Fig. 3b and S3†). The typical Raman peaks and consistent active modes for all the samples were observed at 143 cm⁻¹, 515 cm⁻¹ and 638 cm⁻¹, respectively.^{18,35} Noticeably, the variation in the position and width of Raman peak for the anatase was related to quantum size effect of nanomaterials.³⁵ In the case of 0%-TiO₂ nanosheets, the Raman peak at 143 cm⁻¹ was found to broaden and shift toward high frequency shift relative to that of Bulk-TiO₂ (Fig. 3b), which could be interpreted to the effect of surface strain and Vo in the ultrathin nanosheets.^{18,35} As for the Fe-doped TiO₂ nanosheets (X%-TiO₂, X = 1.5, 2.5, 3.5, 4.5), Raman modes for iron bonds and obvious change in Raman peaks were not observed, which validated that Fe doping could not induce phase separation and additional Vo formation in ultrathin TiO₂ nanosheets. The existence of Vo in X%-TiO₂ was subsequently probed by electron paramagnetic resonance (EPR) spectroscopy. As displayed in the Fig. 3c, 0%-TiO₂ exhibited distinguishing EPR signal at approximately *g* = 2.003 associated with Vo,¹⁸ further consolidating the existence of Vo in 0%-TiO₂ nanosheets (in agreement with the XRD and Raman findings above). Moreover, compared with Bulk-TiO₂, 0%-TiO₂ exhibited higher EPR signal at *g* = 2.003 (Fig. 3c) and higher oxygen-deficient region at 531.21 eV in the O 1s XPS spectra (Fig. S4a and b†),^{32,33} which further proved that the concentration of Vo in 0%-TiO₂ nanosheets is higher than that of bulk TiO₂. The EPR spectrum of 3.5%-TiO₂ nanosheets showed two distinct Fe³⁺ signals at *g* = 4.27 and 1.99 (Fig. 3d).^{36,37} These two signals could be ascribed to Fe³⁺ substituted for Ti⁴⁺ in the TiO₂ lattice (*g* = 1.99) and to Fe³⁺ substituted in the lattice nearby a charge-compensating anion vacancy (*g* = 4.27).^{36–38} The abundance of Vo and its structural modulation by Fe doping were anticipated to facilitate photo-generated charge separation/transfer and reactants activation, thus providing the favorable requirements for enhanced photocatalytic activity.

To explore the role of Vo and Fe doping in photocatalytic reactions, we evaluated the photocatalytic performance of X%-TiO₂ nanosheets, Bulk-TiO₂ and Degussa P25 for dye/antibiotics decomposition under UV-vis light irradiation (Fig. 4). Compared with Bulk-TiO₂, 0%-TiO₂ nanosheets with rich Vo showed a 5-fold increase in the photocatalytic degradation rate of Rhodamine B (RhB) (Fig. 4a), proving the key role of Vo in accelerating the photocatalytic process. With the introduction of iron ions, the photocatalytic performance of X%-TiO₂ nanosheets was further improved, with the RhB degradation rate following the order: 3.5%-TiO₂ > 2.5%-TiO₂ > 4.5%-TiO₂ > P25 > 1.5%-TiO₂ > 0%-TiO₂ > Bulk-TiO₂. The optimized 3.5%-TiO₂ realized the almost complete degradation of RhB in only 20 minutes with the removal efficiency of 99.53%, and the corresponding degradation rate as high as 0.3073 min⁻¹ (the plot slope) that were 134 times higher than Bulk-TiO₂, twice higher than benchmark P25 (Fig. 4b), and was superior to most of reported photocatalysts (Table S2†). Moreover, the strategy of

Fig. 3 Enlarged view of (a) XRD patterns and (b) Raman spectra for X%-TiO₂ nanosheets and Bulk-TiO₂. EPR spectra for (c) 0%-TiO₂, Bulk-TiO₂ and (d) 3.5%-TiO₂ nanosheets.

Fig. 4 (a) Time profiles of RhB degradation and (b) the corresponding plot of $\ln[C/C_0]$ vs. time for $X\%$ -TiO₂ nanosheets, Bulk-TiO₂ and P25. The solid lines indicate the linear fittings to $\ln[C/C_0] = -kt + \alpha$. (c) Time profiles of TC-HCl degradation and (d) the corresponding plot of $\ln[C/C_0]$ vs. time for 3.5%-TiO₂ nanosheets and Bulk-TiO₂. (C and C_0 present the initial concentration before irradiation and the residual concentration of RhB and TC-HCl).

defect-enhanced photocatalytic activity can be further applied to antibiotics disintegration. The 3.5%-TiO₂ nearly decomposed tetracycline hydrochloride (TC-HCl) in 60 minutes photocatalytic reaction (removal efficiency = 92.65%, degradation rate = 0.0423 min^{-1}) (Fig. 4c and d). To examine the photocatalytic stability of 3.5%-TiO₂ nanosheets, the recycling experiments for the degradation of RhB and TC-HCl solution were performed. As shown in Fig. S5,[†] the 3.5%-TiO₂ photocatalyst showed no obvious decrease in RhB and TC-HCl photodegradation activity over successive four photocatalytic cycles, indicating the outstanding photocatalytic stability of 3.5%-TiO₂. Considering that specific surface area may also contribute to the photocatalytic performance, Brunauer–Emmett–Telle (BET) specific surface area of each sample was measured and used to normalize the photocatalytic performance. As shown in Fig. S6a and b,[†] the specific surface area of all the $X\%$ -TiO₂ nanosheets were larger than that of Bulk-TiO₂, in which 3.5%-TiO₂ nanosheets possessed the highest specific surface area ($198.85 \text{ m}^2 \text{ g}^{-1}$) that was approximately 2.8 times higher than Bulk-TiO₂ ($71.40 \text{ m}^2 \text{ g}^{-1}$), but it was not sufficient to account for the 134-fold increase in photocatalytic degradation rate. Consequently, it would be safe to conclude that specific surface area of each photocatalyst was not the decisive factor dictating the photocatalytic performance, whilst Vo and Fe doping made great contribution to superior photocatalytic performance.

To probe the role of Vo and Fe doping in photocatalytic process, we examined three principal properties: light absorption, charge separation/transfer and surface reaction. The light absorption capacity of photocatalysts determines the generation (amount) of charge carriers. As evidenced by UV-vis diffuse reflectance spectra (UV-DRS) (Fig. S7a and b[†]), ultrathin 0%-TiO₂ nanosheets with plentiful Vo displayed stronger light absorption than Bulk-TiO₂, and Fe doping can further enhance visible-light absorption of ultrathin TiO₂ nanosheets, which

could be ascribed to the interaction between Fe³⁺ d electrons and the CB or VB of TiO₂.^{39–41} In brief, Vo and Fe doping were verified to improve light absorption properties of anatase, enabling efficient generation of photo-excited charge carriers.

The next step, the separation and transfer of photo-excited charge carriers, is of great significance to improve the availability of surface electrons and holes, thereby dominating overall photocatalytic reaction rate. The photoluminescence (PL) data for $X\%$ -TiO₂ nanosheets and Bulk-TiO₂ were initially collected to investigate the role of Vo and Fe doping in this regard (Fig. 5a). The emission bands of all the samples were in the wavelength of 350–500 nm, which could be explained as the luminescence from localized surface states due to electron–hole recombination.⁴² Compared with Bulk-TiO₂, all the $X\%$ -TiO₂ nanosheets showed the depressed emission bands and the intensity of PL signals of $X\%$ -TiO₂ weakened with increasing Fe doping (the weakest PL peak appeared in the 3.5%-TiO₂). It turned out that Vo and Fe doping could effectively inhibit the photo-excited electron–hole recombination. To evaluate charge separation/transfer in anatase TiO₂, photocurrent responses and electrochemical impedance spectrum (EIS) experiments were performed (Fig. 5b and c), with the result that both 3.5%-TiO₂ and 0%-TiO₂ exhibited higher photocurrent density and smaller semicircle of Nyquist plots than that seen for Bulk-TiO₂ under almost identical testing conditions, corroborating the imperative role of Vo and Fe doping in facilitating separation and migration of photo-excited electrons and holes. The energy band structure of photocatalysts was also a non-negligible factor affecting photocatalytic performance. Subsequently, Mott–Schottky (MS) analyses were implemented to obtain the flat band potentials for Bulk TiO₂, 0%-TiO₂ and 3.5%-TiO₂. The flat band potential of 3.5%-TiO₂ was calculated to be -0.54 V vs. the reversible hydrogen electrode (RHE), which was more negative than that determined for 0%-TiO₂ (-0.45 V vs. RHE) and Bulk-TiO₂ (-0.32 V vs. RHE) (Fig. 5d). It pointed to that Vo and Fe doping could up-shift Fermi level and CB minimum of anatase TiO₂, thus imparting TiO₂ with high reduction potential

Fig. 5 (a) PL spectra of $X\%$ -TiO₂ nanosheets and Bulk-TiO₂. (b) Photocurrent responses of 3.5%-TiO₂, 0%-TiO₂ and Bulk-TiO₂ under UV-vis illumination (c) EIS Nyquist plots and (d) Mott–Schottky plots for 3.5%-TiO₂, 0%-TiO₂ and Bulk-TiO₂.

of photo-excited electrons that were beneficial to activate O_2 molecules for efficient generation of $\cdot O_2^-$ radicals.

Considering potential mechanism of photocatalytic reaction, main oxidative species in the 3.5%-TiO₂ photocatalytic system were detected through trapping experiments. It was found that the photocatalytic performance of 3.5%-TiO₂ nanosheets varied with the addition of specific scavengers. In Fig. 6a and b, the photocatalytic performance was apparently suppressed in the presence of PBQ ($\cdot O_2^-$ capture) or EDTA (h^+ capture), highlighting the pivotal role of $\cdot O_2^-$ and h^+ in accelerating the degradation of RhB and TC-HCl, while $\cdot OH$ may not directly participate in degradation reaction, due to trivial change in degrading rate when using TBA ($\cdot OH$ scavenger). Band alignment for 3.5%-TiO₂ indicated that both $\cdot O_2^-$ and the photo-generated holes of 3.5%-TiO₂ possess sufficient oxidation ability to oxidize RhB and TC-HCl (Fig. S8†), further corroborating the results of trapping experiments. On the basis of discussion above, we assumed that upon UV-vis irradiation, 3.5%-TiO₂ could produce more active $\cdot O_2^-$ and h^+ than that generated from 0%-TiO₂ and Bulk-TiO₂, which was further verified by EPR technique. As displayed in Fig. 6c, all the tested photocatalysts exhibited six characteristic peaks of DMPO- $\cdot O_2^-$ adducts with the EPR intensity in the order of 3.5%-TiO₂ > 0%-TiO₂ > Bulk-TiO₂, it hinted at the presence of $\cdot O_2^-$ in present system and the production of $\cdot O_2^-$ promoted by Vo and Fe doping. Combining the experimental results (Fig. 5) with corresponding discussion, Vo and Fe doping were proven to be efficient in promoting separation and transfer of photo-generated electron-hole pairs, warranting more surface holes generation. Therefore, it is reasonable to conclude that Vo and Fe doping present in 3.5%-TiO₂ were responsible for boosting the production of $\cdot O_2^-$ and h^+ that were the decisive oxidative species for degrading RhB and TC-HCl. To further reveal how Vo and Fe doping promote AOS production, we carried out EPR tests of 3.5%-TiO₂ with/without light irradiation (Fig. 6d). The EPR signals at $g = 4.27$ and $g = 1.99$ were attenuated under UV-

vis illumination, which could be inferred to the conversion of Fe^{3+} into Fe^{2+} during the photocatalytic process.³⁶ We then proposed possible photocatalytic mechanisms: (1) upon UV-vis irradiation, photo-generated electrons in 3.5%-TiO₂ were excited from VB to CB and holes remained in the VB; (2) Fe^{3+} and Vo could act as electron acceptor (the conversion of Fe^{3+} to Fe^{2+}) to inhibit electron-hole recombination due to the presence of defect energy levels between VB and CB;³¹ (3) O_2 molecules were activated by photo-generated electrons from electron-rich Fe^{2+} and/or Vo, then converted into $\cdot O_2^-$;^{43,44} and H_2O_2 might be oxidized to $\cdot O_2^-$ by photogenerated h^+ (Fig. S9†);⁴⁵ (4) the photo-generated holes and $\cdot O_2^-$ were responsible for degrading RhB and TC-HCl;⁴⁶ (5) partial Fe^{2+} turned into Fe^{3+} by H_2O_2 through Fenton-like process or by O_2 though partial oxidation, finalizing a reaction cycle.⁴⁷

3. Conclusions

In summary, ultrathin X%-TiO₂ nanosheets with rich Vo and tunable Fe doping were prepared by a facile hydrothermal method for efficient photocatalytic degradation. Compared with Bulk-TiO₂, X%-TiO₂ nanosheets showed much higher photocatalytic activity in RhB degradation (degradation rate = 0.3073 min⁻¹) and TC-HCl degradation (degradation rate of 0.0423 min⁻¹), which could be attributed to the key role of Vo and Fe doping in promoting AOS production. The in-depth investigation and characterizations revealed that Vo and Fe doping could not only furnish anatase TiO₂ with enhanced light absorption and boosted separation and migration of photo-generated electron-hole pairs, but also expedite O_2 activation by abundant Vo and reactive Fe^{2+} with high-reduction-potential electrons for $\cdot O_2^-$ production. In addition, H_2O_2 may also be oxidized to $\cdot O_2^-$ by photogenerated h^+ . As a consequence, $\cdot O_2^-$ and h^+ obtained on the surface of 3.5%-TiO₂ were highly efficient in accelerating photocatalytic degradation of RhB and TC-HCl, as supported by radicals-trapping experiments and *in situ* EPR tests. This research provides an in-depth understanding of defect-promoted AOS generation and a practical design strategy of photocatalysts to optimize this process for broad photooxidation application.

Conflicts of interest

There are no conflicts to declare.

Fig. 6 The trapping experiments for photocatalytic degradation of (a) RhB and (b) TC-HCl by 3.5%-TiO₂ nanosheets. (c) EPR spectra recorded for 3.5%-TiO₂, 0%-TiO₂ and Bulk-TiO₂ in the presence of 5,5-dimethyl-1-pyrroline-N-oxide (DMPO) without adding H_2O_2 . (d) EPR spectra of 3.5%-TiO₂ nanosheets with/without light irradiation.

Funding statement

This work was supported by Zenghe Li as a funder, corresponding author at Beijing Key Laboratory of Environmentally Harmful Chemical Analysis, College of Chemistry, Beijing University of Chemical Technology, Beijing, 100029, PR China.

Notes and references

- 1 C. A. D'Amato, R. Giovannetti, M. Zannotti, E. Rommozzi, S. Ferraro, C. Seghetti, M. Minicucci, R. Gunnella and A. Di Cicco, *Appl. Surf. Sci.*, 2018, **441**, 575–587.
- 2 H. Wang, Y. Wu, M. Feng, W. Tu, T. Xiao, T. Xiong, H. Ang, X. Yuan and J. W. Chew, *Water Res.*, 2018, **144**, 215–225.
- 3 N. Oturan, J. Wu, H. Zhang, V. K. Sharma and M. A. Oturan, *Appl. Catal., B*, 2013, **140–141**, 92–97.
- 4 F. Deng, L. Zhao, X. Luo, S. Luo and D. D. Dionysiou, *Chem. Eng. J.*, 2018, **333**, 423–433.
- 5 U. Iriarte-Velasco, J. I. Álvarez-Uriarte, N. Chimeno-Alanís and J. R. González-Velasco, *Ind. Eng. Chem. Res.*, 2008, **47**, 7868–7876.
- 6 M. Ahmad, M. Yousaf, A. Nasir, I. A. Bhatti, A. Mahmood, X. Fang, X. Jian, K. Kalantar-Zadeh and N. Mahmood, *Environ. Sci. Technol.*, 2019, **53**, 2161–2170.
- 7 A. Savateev, I. Ghosh, B. König and M. Antonietti, *Angew. Chem., Int. Ed.*, 2018, **57**, 15936–15947.
- 8 X. Sun, X. Luo, X. Zhang, J. Xie, S. Jin, H. Wang, X. Zheng, X. Wu and Y. Xie, *J. Am. Chem. Soc.*, 2019, **141**, 3797–3801.
- 9 H. Yang, H. Liu, Z. Hu, J. Liang, H. Pang and B. Yi, *Chem. Eng. J.*, 2014, **245**, 24–33.
- 10 M. Aslam, M. T. Qamar, M. T. Soomro, I. M. I. Ismail, N. Salah, T. Almeelbi, M. A. Gondal and A. Hameed, *Appl. Catal., B*, 2016, **180**, 391–402.
- 11 E. Gao and W. Wang, *Nanoscale*, 2013, **5**, 11248–11256.
- 12 X. Pan, M.-Q. Yang, X. Fu, N. Zhang and Y.-J. Xu, *Nanoscale*, 2013, **5**, 3601–3614.
- 13 A. Ahmed, M. Naseem Siddique, U. Alam, T. Ali and P. Tripathi, *Appl. Surf. Sci.*, 2019, **463**, 976–985.
- 14 H. Xu, Y. Hu, D. Huang, Y. Lin, W. Zhao, Y. Huang, S. Zhang and Y. Tong, *ACS Sustainable Chem. Eng.*, 2019, **7**, 5784–5791.
- 15 B. Tryba, A. W. Morawski, M. Inagaki and M. Toyoda, *Appl. Catal., B*, 2006, **63**, 215–221.
- 16 A. A. Isari, A. Payan, M. Fattahi, S. Jorfi and B. Kakavandi, *Appl. Surf. Sci.*, 2018, **462**, 549–564.
- 17 J.-J. Li, M. Zhang, B. Weng, X. Chen, J. Chen and H.-P. Jia, *Appl. Surf. Sci.*, 2020, **507**, 145133.
- 18 Y. Zhao, Y. Zhao, R. Shi, B. Wang, G. I. N. Waterhouse, L.-Z. Wu, C.-H. Tung and T. Zhang, *Adv. Mater.*, 2019, **31**, 1806482.
- 19 T. Liu and H. Zhang, *RSC Adv.*, 2013, **3**, 16255–16258.
- 20 X. Zhu, H. Xu, Y. Yao, H. Liu, J. Wang, Y. Pu, W. Feng and S. Chen, *RSC Adv.*, 2019, **9**, 40003–40012.
- 21 M. Pera-Titus, V. García-Molina, M. A. Baños, J. Giménez and S. Esplugas, *Appl. Catal., B*, 2004, **47**, 219–256.
- 22 J. Araña, O. González Díaz, M. Miranda Saracho, J. M. Doña Rodríguez, J. A. Herrera Melián and J. Pérez Peña, *Appl. Catal., B*, 2001, **32**, 49–61.
- 23 C.-C. Chen, S.-H. Hu and Y.-P. Fu, *J. Alloys Compd.*, 2015, **632**, 326–334.
- 24 W. Wen, J.-m. Wu, Y.-z. Jiang, S.-l. Yu, J.-q. Bai, M.-h. Cao and J. Cui, *Sci. Rep.*, 2015, **5**, 11804.
- 25 C. Chen, L. Kuai, Y. Chen, Q. Wang, E. Kan and B. Geng, *RSC Adv.*, 2015, **5**, 98254–98259.
- 26 X. Zhang, D. Li, J. Wan and X. Yu, *RSC Adv.*, 2016, **6**, 17906–17912.
- 27 G. Cheng, X. Liu, X. Song, X. Chen, W. Dai, R. Yuan and X. Fu, *Appl. Catal., B*, 2020, **277**, 119196.
- 28 J. Liu, D. Qian, H. Feng, J. Li, J. Jiang, S. Peng and Y. Liu, *J. Mater. Chem. A*, 2014, **2**, 11372–11381.
- 29 N. S. McIntyre and D. G. Zetaruk, *Anal. Chem.*, 1977, **49**, 1521–1529.
- 30 J. Xie, R. Jin, A. Li, Y. Bi, Q. Ruan, Y. Deng, Y. Zhang, S. Yao, G. Sankar, D. Ma and J. Tang, *Nat. Catal.*, 2018, **1**, 889–896.
- 31 H. Khan and I. K. Swati, *Ind. Eng. Chem. Res.*, 2016, **55**, 6619–6633.
- 32 L. Sun, R. Li, W. Zhan, Y. Yuan, X. Wang, X. Han and Y. Zhao, *Nat. Commun.*, 2019, **10**, 2270.
- 33 L. Wang, M. Ghoussoub, H. Wang, Y. Shao, W. Sun, A. A. Tountas, T. E. Wood, H. Li, J. Y. Y. Loh, Y. Dong, M. Xia, Y. Li, S. Wang, J. Jia, C. Qiu, C. Qian, N. P. Kherani, L. He, X. Zhang and G. A. Ozin, *Joule*, 2018, **2**, 1369–1381.
- 34 T. Wu, X. Zhu, Z. Xing, S. Mou, C. Li, Y. Qiao, Q. Liu, Y. Luo, X. Shi, Y. Zhang and X. Sun, *Angew. Chem., Int. Ed.*, 2019, **58**, 18449–18453.
- 35 A. Molea, V. Popescu, N. A. Rowson, I. Cojocaru, A. Dinescu, A. Dehelean and M. Lazăr, *Ind. Eng. Chem. Res.*, 2015, **54**, 7346–7351.
- 36 M. Graetzel and R. F. Howe, *J. Phys. Chem. C*, 1990, **94**, 2566–2572.
- 37 K. Nagaveni, M. S. Hegde and G. Madras, *J. Phys. Chem. B*, 2004, **108**, 20204–20212.
- 38 Q. Jin, M. Fujishima and H. Tada, *J. Phys. Chem. C*, 2011, **115**, 6478–6483.
- 39 X. Yang, C. Cao, L. Erickson, K. Hohn, R. Maghirang and K. Klabunde, *Appl. Catal., B*, 2009, **91**, 657–662.
- 40 Y. Cong, J. Zhang, F. Chen, M. Anpo and D. He, *J. Phys. Chem. C*, 2007, **111**, 10618–10623.
- 41 M. I. Litter and J. A. Navío, *J. Photochem. Photobiol., A*, 1996, **98**, 171–181.
- 42 X. Huang, L. Wang, J. Zhou and N. Gao, *Water Res.*, 2014, **57**, 1–7.
- 43 Y. Shi, X. Wang, X. Liu, C. Ling, W. Shen and L. Zhang, *Appl. Catal., B*, 2020, **277**, 119229.
- 44 L. Zhang, Q. Liu, Y. Chai, F. Yang, M. Cao and W.-L. Dai, *J. Phys. Chem. C*, 2018, **122**, 12900–12912.
- 45 T. Hirakawa and Y. Nosaka, *Langmuir*, 2002, **18**, 3247–3254.
- 46 X. Zhang, L. Li, Y. Zeng, F. Liu, J. Yuan, X. Li, Y. Yu, X. Zhu, Z. Xiong, H. Yu and Y. Xie, *ACS Appl. Nano Mater.*, 2019, **2**, 7255–7265.
- 47 J. Wang, Z. Liu† and R. Cai, *Environ. Sci. Technol.*, 2008, **42**, 5759–5764.