

## CORRECTION

[View Article Online](#)  
[View Journal](#) | [View Issue](#)



Cite this: *J. Mater. Chem. A*, 2020, **8**, 6372

## Correction: Machine-learning-assisted screening of pure-silica zeolites for effective removal of linear siloxanes and derivatives

Shiru Lin,<sup>a</sup> Yekun Wang,<sup>b</sup> Yinghe Zhao,<sup>a</sup> Luis R. Pericchi,<sup>b</sup> Arturo J. Hernández-Maldonado<sup>\*c</sup> and Zhongfang Chen<sup>\*a</sup>

DOI: 10.1039/d0ta90062a

[rsc.li/materials-a](https://rsc.li/materials-a)

Correction for 'Machine-learning-assisted screening of pure-silica zeolites for effective removal of linear siloxanes and derivatives' by Shiru Lin *et al.*, *J. Mater. Chem. A*, 2020, **8**, 3228–3237.

The authors regret that in the main manuscript and ESI, the unit for average loading was reported incorrectly. The correct unit for average loading should be “molecules per cell” instead of “mol” or “mol<sup>−1</sup>”, which includes:

- (1) Page 3229, right column, line 5, “average adsorption loading (mol<sup>−1</sup>)” should be “average adsorption loading (molecules per cell)”.
- (2) Page 3230, left column, line 24, “average adsorption loading (mol<sup>−1</sup>)” should be “average adsorption loading (molecules per cell)”.
- (3) Page 3230, right column, line 3, “average adsorption loading (mol<sup>−1</sup>)” should be “average adsorption loading (molecules per cell)”.
- (4) Table S1, “adsorption loading (L/mol)” should be “adsorption loading (L/molecules per cell)”.
- (5). The corrected Fig. 1, Fig. 6, and Fig. S12 are provided below:

<sup>a</sup>Department of Chemistry, University of Puerto Rico, Rio Piedras, San Juan, PR 00931, USA. E-mail: [zhongfangchen@gmail.com](mailto:zhongfangchen@gmail.com)

<sup>b</sup>Department of Mathematics, University of Puerto Rico, Rio Piedras, San Juan, PR 00931, USA

<sup>c</sup>Department of Chemical Engineering, University of Puerto Rico, Mayagüez Campus, Mayagüez, PR 00681, USA






Fig. 1 The average adsorption energy and loading values of 500 PSZs towards four PCs, where triangles represent the top 20% zeolites (class-1) ranked by adsorption energy, while the square points are the other 80% zeolites (class-0), and the light yellow sections denote the top 90% class-1 zeolites ranked by adsorption loading.




Fig. 6 (a) The adsorption energies and (b) adsorption loading of the first set of randomly chosen 10 zeolites from the predicted 230 four-class-1 zeolites, where the upper lines correspond to the top 20% adsorption energies (a) and top 30% adsorption loadings (b) in the training data of 500.






Fig. S12 (a) The adsorption energies and (b) adsorption loading of the second set of randomly chosen 10 zeolites from the predicted 230 four-class-1 zeolites, where the upper lines correspond to the top 20% adsorption energies (a) and top 30% adsorption loading (b) in the training data of 500.

The Royal Society of Chemistry apologises for these errors and any consequent inconvenience to authors and readers.

