CORRECTION

[View Article Online](#)
[View Journal](#) | [View Issue](#)

Cite this: *J. Mater. Chem. B*, 2020, **8**, 5549

DOI: 10.1039/d0tb90089c

rsc.li/materials-b

Correction: A highly selective dual-therapeutic nanosystem for simultaneous anticancer and antiangiogenesis therapy

Lizhen He,^a Yanyu Huang,^a Yanzhou Chang,^a Yuanyuan You,^a Hao Hu,^a Kam W. Leong^{*b} and Tianfeng Chen^{*a}

Correction for 'A highly selective dual-therapeutic nanosystem for simultaneous anticancer and antiangiogenesis therapy' by Lizhen He *et al.*, *J. Mater. Chem. B*, 2017, **5**, 8228–8237, DOI: 10.1039/C7TB02163A.

The authors regret that incorrect images were used in Fig. 1d and h (electron microscopic images and N 1s spectrum of RGD@Se-MSNs) and Fig. 7c (H&E staining images of major organs from HepG-2 xenograft nude mice) in the original version of the manuscript. The corrected Fig. 1 and 7 are shown below. The captions remain the same.

The Royal Society of Chemistry apologises for these errors and any consequent inconvenience to authors and readers.

^a Department of Chemistry, Jinan University, Guangzhou, 510632, China. E-mail: tchentf@jnu.edu.cn

^b Department of Biomedical Engineering, Columbia University, New York, NY 10027, USA. E-mail: kw12121@columbia.edu

Fig. 1 Rational design (a), delivery (b) and action mechanisms (c) of RGD@Se-MSNs nanosystem for dual targeting and therapy of tumor growth and angiogenesis. (d) SEM and TEM micrographs of RGD@Se-MSNs. (e) N_2 adsorption-desorption isotherm of MSNs and RGD@Se-MSNs. XPS analysis (f), O 1s (g) and N 1s (h) spectra of SeC, MSNs and RGD@Se-MSNs.

Fig. 7 (a) Selenium content in plasma *versus* time after intravenous injection of free SeC and RGD@Se-MSNs. (b) Biodistribution of Se in tumor tissue and main organs of the xenograft nude mice treated with 1 mg kg^{-1} RGD@Se-MSNs for 14 days. (c) H&E staining of major organs from HepG-2 xenograft nude mice treated with 1 mg kg^{-1} (calculated as Se) of RGD@Se-MSNs for 14 days.