



Cite this: *Green Chem.*, 2021, **23**, 4524

Received 13th April 2021,  
Accepted 3rd June 2021  
DOI: 10.1039/d1gc01284c

[rsc.li/greenchem](http://rsc.li/greenchem)

# Carbon dot/TiO<sub>2</sub> nanocomposites as photocatalysts for metallaphotocatalytic carbon–heteroatom cross-couplings†

Zhouxiang Zhao,<sup>a,b</sup> Susanne Reischauer,<sup>a,b</sup> Bartholomäus Pieber<sup>✉</sup> <sup>✉</sup> and Martina Delbianco<sup>✉</sup> <sup>✉</sup>

Carbon dots have been previously immobilized on titanium dioxide to generate photocatalysts for pollutant degradation and water splitting. Here we demonstrate that these nanocomposites are valuable photocatalysts for metallaphotocatalytic carbon–heteroatom cross-couplings. These sustainable materials show a large applicability, high photostability, excellent reusability, and broadly absorb across the visible-light spectrum.

## Introduction

Carbon dots (CDs) are quasi-spherical fluorescent carbon-based materials with a size of typically less than 10 nm.<sup>1–5</sup> CDs are easily prepared through top-down or bottom-up approaches from a variety of carbon sources that permit to adjust their chemical compositions and tune their photoluminescence (PL) properties.<sup>6,7</sup> Their chemical inertness and biocompatibility has prompted applications in sensing, bioimaging, and nanomedicine.<sup>7–11</sup> Moreover, the surface functional groups enabled applications as sustainable nano-organocatalysts for synthetic transformations. The superficial carboxylic acid, hydroxy, or amino functionalities were exploited in acid–base, hydrogen bond, or amine-catalysed reactions.<sup>12–15</sup>


CDs are also promising metal-free photocatalysts for pollutant degradation, H<sub>2</sub> evolution and CO<sub>2</sub> conversion, owing to their photostability, light-harvesting ability and electron-transfer efficiency.<sup>16–19</sup> The high solubility of CDs in water makes them a suitable alternative to hydrophobic organic materials, such as carbon nitride and graphite.<sup>20</sup> This feature permitted to use CDs in combination with nickel catalysis for H<sub>2</sub> evolution in aqueous solution.<sup>21,22</sup>

However, due to their short PL lifetimes,<sup>23,24</sup> examples of CDs as photocatalysts for selective organic synthesis are scarce<sup>14,15</sup> when compared to common photocatalysts, such as ruthenium (Ru) and iridium (Ir) polypyridyl complexes that


have long-lived triplet excited states.<sup>25–27</sup> To overcome the problems associated with the short-lived excited states, CDs can be immobilized on heterogeneous semiconductors, such as titanium dioxide, to generate a composite material that absorbs visible-light and generates a long-lived charge-separated species.<sup>28–30</sup> Still, the applications of such composites remained limited to water splitting, CO<sub>2</sub> reduction, and pollutant degradation (Fig. 1A).<sup>31–33</sup>

The combination of a photo- and a nickel catalyst (termed metallaphotocatalysis) triggers many important carbon–heteroatom and carbon–carbon cross-couplings using light as sustainable energy source.<sup>34</sup> Suitable photocatalysts for these reactions range from ruthenium and iridium polypyridyl com-

**A** CD/TiO<sub>2</sub> nanocomposites for water splitting and pollutant degradation



**B** This work: CD/TiO<sub>2</sub> nanocomposites as photocatalysts for cross-couplings



- Low economic cost and toxicity
- Excellent stability
- Facile nanocomposite preparation
- Broad absorption of visible-light

**Fig. 1** Schematic representation of CD/TiO<sub>2</sub> nanocomposites as photocatalysts for water splitting, pollutant degradation (A) and metallaphotocatalytic carbon–heteroatom cross-couplings (B).

<sup>a</sup>Department of Biomolecular Systems, Max Planck Institute of Colloids and Interfaces, Am Mühlenberg 1, 14476 Potsdam, Germany.

E-mail: [martina.delbianco@mpikg.mpg.de](mailto:martina.delbianco@mpikg.mpg.de), [bartholomaeus.pieber@mpikg.mpg.de](mailto:bartholomaeus.pieber@mpikg.mpg.de)

<sup>b</sup>Department of Chemistry and Biochemistry, Freie Universität Berlin, Arnimallee 22, 14195 Berlin, Germany

†Electronic supplementary information (ESI) available. See DOI: 10.1039/d1gc01284c



plexes and organic dyes to heterogeneous semiconductors.<sup>34</sup> Moreover, nickel complexes and photocatalysts were combined in bifunctional heterogeneous materials, such as metal-organic frameworks,<sup>35,36</sup> or organic polymers.<sup>37</sup>

Titanium dioxide can be sensitized with organic dyes to serve as a visible light photocatalyst for selective organic transformations.<sup>38,39</sup> Recently, it was shown that the immobilization of a Ni(II) catalyst and an organic dye on the surface of metal oxides provides a heterogeneous catalytic system for metallaphotocatalytic carbon-carbon and carbon-heteroatom cross-couplings that overcomes the problems associated with short-lived singlet excited states of organic dyes.<sup>40</sup> Following this seminal work, we show that CDs are a valuable alternative to organic dyes in such catalytic systems due to (i) their low economic cost and toxicity, (ii) their facile immobilization on semiconductors, (iii) their broad absorption across the visible-light spectrum, and (iv) their superior photo- and chemical stability (Fig. 1B).<sup>21,30</sup>

## Results and discussion

### Preparation of CD1/TiO<sub>2</sub> nanocomposite

Carbohydrates are an attractive carbon source for CD synthesis owing to their low cost, high solubility in water, easy carbonisation at relatively low temperatures, and presence of heteroatoms.<sup>41</sup> We therefore began our investigations by preparing **CD1** from glucosamine hydrochloride (GlcN·HCl), following a microwave-based carbonisation method (Fig. 2A).<sup>42</sup> Doping


with  $\beta$ -alanine ( $\beta$ -Ala) ensured a high amount of surface carboxylic acid groups (Fig. S6 and S7†).<sup>42</sup> The zeta potential in the range of  $-11.1$  to  $+18.7$  mV suggested the presence of several functional groups (carboxylic acids, alcohols, and amino groups) on the surface of **CD1** (Fig. S8†).<sup>42,43</sup>

Transmission electron microscopy (TEM) confirmed a spherical shape of the CD nanoparticles with a diameter of about 4 nm (Fig. 2B and Fig. S2†). The X-ray diffraction (XRD) profile showed a single broad peak ( $2\theta = 23^\circ$ ), indicating the amorphous structure of **CD1** (Fig. S9†). A colloidal solution of **CD1** in H<sub>2</sub>O emitted blue light under UV light irradiation ( $\lambda_{\text{ex}} = 366$  nm) (Fig. S3†). Spectroscopic analysis showed an absorption peak at 276 nm (Fig. S5†) and a PL emission maximum at  $\sim 460$  nm ( $\lambda_{\text{ex}} = 360$  nm, Fig. S4†). A PL lifetime of 4.45 ns was measured by fitting the PL decay curve of **CD1** (Fig. S10†).

**CD1** was immobilized on the surface of TiO<sub>2</sub> P25 by stirring a mixture of the two components in water (mass ratio 1 : 1; Fig. 2A). The resulting brown powder (**CD1**/TiO<sub>2</sub>) was analysed by scanning electron microscopy (SEM) and energy dispersive X-ray spectroscopy (EDX) (Fig. S15†). The morphology and size of the nanocomposites remained similar to unfunctionalized TiO<sub>2</sub>. The increased carbon content confirmed the immobilization of **CD1**. UV-Vis spectroscopy of the resulting material confirmed its extended absorption in the visible-light region (Fig. 2C).


### Applicability of CD1/TiO<sub>2</sub> as photocatalyst

The applicability of **CD1**/TiO<sub>2</sub> as photocatalyst for metallaphotocatalytic cross-couplings was tested for the C–O arylation of



**Fig. 2** Schematic representation of the preparation of **CD1** and **CD1**/TiO<sub>2</sub> nanocomposite (A). TEM image of **CD1** (B). UV-Vis absorption (solid state) and photographs of TiO<sub>2</sub> and **CD1**/TiO<sub>2</sub> nanocomposite (C). GlcN·HCl = Glucosamine hydrochloride.  $\beta$ -Ala =  $\beta$ -Alanine.





**Fig. 3** Optimized conditions and control experiments for the cross-coupling of Boc-Pro-OH with methyl 4-iodobenzoate using CD1/TiO<sub>2</sub> nanocomposite (A). Application of CD1/TiO<sub>2</sub> as photocatalyst for C–O, C–S, and C–N cross-couplings (B).

*N*-(*tert*-butoxycarbonyl)-L-proline (Boc-Pro-OH) with methyl 4-iodobenzoate using visible-light (Fig. 3A).<sup>40,44</sup> A Ni(II) complex that contains carboxylic acid groups was employed to bind to the nanocomposite. The selective formation of 83% of the desired ester product (**1**) was observed when the reaction was irradiated with blue (440 nm) light for 24 h (entry 1). Control experiments confirmed the necessity of TiO<sub>2</sub>, CD1, and the carboxylic acid functionalized ligand, 2,2'-bipyridine-4,4'-dicarboxylic acid (dcbpy) (entries 2–5).

A previous report that used molecular dyes with short excited state lifetimes instead of CD1 showed that insulating materials, such as SiO<sub>2</sub>, can be used instead of TiO<sub>2</sub> for the same reaction.<sup>40</sup> In this case, it was proposed that the close proximity between dye molecules and the nickel complex is responsible for productive catalysis. Using a CD1/SiO<sub>2</sub> nanocomposite, we only observed a modest yield of 7% of the desired product (entry 6), suggesting that an electronic communication between the excited CD and the immobilized nickel complex “through” a semiconducting material is crucial.

Using CD1/TiO<sub>2</sub> an almost quantitative formation of **1** required 40 h (entry 7). The broad absorption of the nanocomposite also enabled cross-coupling at longer wavelengths (525 nm), albeit with longer reaction times (entry 8). It is worth noting that CD1/TiO<sub>2</sub> is also highly active using very low loadings (Table S6†), and that the nanocomposite is bench-stable and does not lose its catalytic activity upon storage at room temperature for 26 weeks (Table S5†).

To our delight, CD1/TiO<sub>2</sub> served as an active photocatalyst for a range of metallaphotocatalytic carbon–heteroatom cross-couplings.<sup>34</sup> Moderate to excellent yields were obtained for the coupling of aryl halides with an alcohol, a thiol, a sodium sulfonate, and a sulfonamide using slightly adapted conditions (Fig. 3B).

### Photostability and recyclability studies

Next, we sought to compare the photostability of the CD1/TiO<sub>2</sub> nanocomposite with TiO<sub>2</sub> that was functionalized with the organic dye fluorescein (Fluo/TiO<sub>2</sub>) (Fig. 4). The functionalized semiconductors were pre-irradiated with blue light for a defined amount of time and subsequently used as photocatalysts in the metallaphotocatalytic C–O arylation of Boc-Pro-OH. The photocatalytic performance of CD1/TiO<sub>2</sub> remained unchanged even after 72 h exposure to light. In contrast, Fluo/TiO<sub>2</sub> produced significantly lower yields after 6 h irradiation. The yield obtained with the Fluo/TiO<sub>2</sub> photocatalyst did not decrease linearly with the irradiation time, but seemed to reach a plateau after 6–12 h pre-irradiation. We assume that the prolonged irradiation could promote the formation of fluorescein degradation products that still serve as a sensitizer.<sup>45,46</sup>

The CD1/TiO<sub>2</sub> nanocomposite was characterized before and after the catalytic reaction (Table S3†). Inductively coupled plasma - optical emission spectrometry (ICP-OES) revealed the presence of nickel in the CD1/TiO<sub>2</sub> nanocomposite after the C–O cross-coupling (Fig. 3A, entry 7). This indicated that the nickel complex remained immobilized on CD1/TiO<sub>2</sub>, prompt-






Fig. 4 Photobleaching experiments to compare the photostability of CD1/TiO<sub>2</sub> and Fluo/TiO<sub>2</sub>. The two photocatalysts were pre-irradiated with blue light and then used in the metallaphotocatalytic C–O arylation. Yields were determined via <sup>1</sup>H-NMR using 1,3,5-trimethoxybenzene as internal standard. Fluo = fluorescein.




Fig. 5 Reusability of CD1/TiO<sub>2</sub> nanocomposite decorated with a nickel complex in the metallaphotocatalytic C–O arylation.

ing us to explore the recyclability of the bifunctional heterogeneous catalyst (Fig. 5). Recyclability experiments were performed using the reaction conditions reported in Fig. 3A (entry 1). After each cycle, the heterogeneous material was separated, washed, and reused in the next C–O cross-coupling. Excellent catalytic performances were observed even after four recycling cycles. Importantly, the addition of nickel salt or nickel complex after each cross-coupling cycle, which was previously required in a related approach,<sup>40</sup> was not only unnecessary, but significantly decreased the catalytic activity. This may be ascribed to Ni accumulation and formation of nickel-black upon irradiation by high-energy light (Fig. S28†).<sup>47</sup>


Overall, these results underscore the potential of CD1/TiO<sub>2</sub> nanocomposites as a robust, cheap, and green photocatalyst for applications in organic chemistry.

### Screening of different CD photosensitizers

Having demonstrated the potential of CD1 as photosensitizer for dual photoredox/Ni catalysis, we assessed the effect of

different carbon sources and doping agents on the photocatalytic reaction (Fig. 6A). A first set of CDs was synthesized maintaining GlcN·HCl as the carbon source and screening different doping agents. 1,3-Diaminobenzene, l-cysteine (l-Cys), poly(ethylene glycol) (average *M<sub>n</sub>* 400) (PEG), and glycine (Gly) were tested. Each compound was selected to introduce respectively aromatic groups,<sup>48</sup> sulphur atoms, polymers to enhance surface passivation,<sup>49</sup> or amino acid analogues of β-Ala. A second set of CDs was based on β-Ala as doping agent and different carbon sources. Three monosaccharides (glucose (Glc), *N*-acetyl-glucosamine (GlcNAc), galactose (Gal)), a disaccharide (D-lactose (Lac)) and a polysaccharide (pullulan) were tested to explore the influence of chain length and sugar structure on the photocatalytic performance. All CD precursors resulted in spherical nanoparticles with diameters smaller than 10 nm (Fig. S11†). Most CDs showed similar photophysical properties, with the exception of CD2 that emitted bright green light under UV light irradiation (*λ<sub>ex</sub>* = 366 nm) (Fig. S12 and S13†) and had an absorption maximum





**Fig. 6** Chemical structures of carbon sources and doping agents used for CD synthesis (A). UV-Vis absorption spectra (solid state) of CD/TiO<sub>2</sub> nanocomposites (B). Evaluation of different CD/TiO<sub>2</sub> nanocomposites as photocatalyst for the metallaphotocatalytic C–O arylation of Boc-Pro-OH with methyl 4-iodobenzoate (C).



at 363 nm (Fig. S14†). All CDs were immobilized on TiO<sub>2</sub> P25 to prepare nine CD/TiO<sub>2</sub> nanocomposites able to absorb light in the visible region (Fig. 6B and Fig. S18†). While most UV-Vis spectra share a similar profile, CD2/TiO<sub>2</sub> nanocomposites exhibit a strong absorption band with a maximum at 466 nm. The photocatalytic performances of all nanocomposites were compared (Fig. 6C). Despite the broad and intense absorption in the visible range, CD2/TiO<sub>2</sub> resulted in low yields, whereas all other nanocomposites showed good to excellent results. For a fair comparison it should be noted that, even though all nanocomposites were prepared starting with an initial 1:1 mass ratio of CD:TiO<sub>2</sub>, differences in immobilization might play a role in the photocatalytic results.

These results show that the system is highly flexible and that CD photosensitizers can be prepared from several starting materials, without affecting the catalytic performances. For example, excellent results were obtained for CD9 and CD10 prepared using lactose and pullulan as carbon source, respectively. These materials are highly abundant and cheap (lactose is a waste product of the dairy industry that is produced at >6 million ton scale every year) suggesting the possibility of turning naturally sourced polysaccharides from waste materials into valuable catalysts. Fine tuning of the elemental composition and its effect on the photocatalytic reaction will be explored in follow up studies.

## Conclusions

Carbohydrate-based CDs were immobilized on TiO<sub>2</sub> to prepare nanocomposites, offering a cheap and robust alternative to organic dyes. This approach allowed us to overcome the issues associated with the short excited state lifetime of CDs. We demonstrated that CDs are valuable photocatalysts for metallaphotocatalytic carbon–heteroatom cross-couplings. High conversions were observed under irradiation by either blue or green light. Photobleaching experiments confirmed that the catalytic performances of the CD/TiO<sub>2</sub> nanocomposites are not affected by long-time light irradiation prior to their use in catalytic reactions. Recycling experiments showed the excellent reusability of this catalytic system in C–O cross-coupling reactions. CDs could be prepared from different carbohydrate sources and doping agents, without significant difference in the catalytic performance. This is particularly important in the perspective of using polysaccharide waste materials to generate valuable photocatalysts.

## Conflicts of interest

There are no conflicts to declare.

## Acknowledgements

We gratefully acknowledge the Max-Planck Society for generous financial support. M.D. and Z.Z. acknowledge financial support from the MPG-FhG Cooperation Project Glyco3Dysplay, the

German Federal Ministry of Education and Research (BMBF, grant number 13XP5114) and the China Scholarship Council. S.R. and B.P. acknowledge financial support by a Liebig Fellowship of the German Chemical Industry Fund (Fonds der Chemischen Industrie, FCI). B.P. thanks the Deutsche Forschungsgemeinschaft (DFG, German Research Foundation) for financial support (PI 1635/2-1). Open Access funding provided by the Max Planck Society.

## Notes and references

- 1 X. Xu, R. Ray, Y. Gu, H. J. Ploehn, L. Gearheart, K. Raker and W. A. Scrivens, *J. Am. Chem. Soc.*, 2004, **126**, 12736.
- 2 G. A. M. Hutton, B. C. M. Martindale and E. Reisner, *Chem. Soc. Rev.*, 2017, **46**, 6111.
- 3 Z. L. Wu, Z. X. Liu and Y. H. Yuan, *J. Mater. Chem. B*, 2017, **5**, 3794.
- 4 J. Zhan, B. Geng, K. Wu, G. Xu, L. Wang, R. Guo, B. Lei, F. Zheng, D. Pan and M. Wu, *Carbon*, 2018, **130**, 153.
- 5 L. Vallan, E. P. Urriolabeitia, F. Ruiperez, J. M. Matxain, R. Canton-Vitoria, N. Tagmatarchis, A. M. Benito and W. K. Maser, *J. Am. Chem. Soc.*, 2018, **140**, 12862.
- 6 S. Y. Lim, W. Shen and Z. Gao, *Chem. Soc. Rev.*, 2015, **44**, 362.
- 7 K. Jiang, S. Sun, L. Zhang, Y. Lu, A. Wu, C. Cai and H. Lin, *Angew. Chem., Int. Ed.*, 2015, **54**, 5360.
- 8 Z. Shen, C. Zhang, X. Yu, J. Li, Z. Wang, Z. Zhang and B. Liu, *J. Mater. Chem. C*, 2018, **6**, 9636.
- 9 B. Zhi, Y. Cui, S. Wang, B. P. Frank, D. N. Williams, R. P. Brown, E. S. Melby, R. J. Hamers, Z. Rosenzweig, D. H. Fairbrother, G. Orr and C. L. Haynes, *ACS Nano*, 2018, **12**, 5741.
- 10 S. Sri, R. Kumar, A. K. Panda and P. R. Solanki, *ACS Appl. Mater. Interfaces*, 2018, **10**, 37835.
- 11 H. Zhao, J. Duan, Y. Xiao, G. Tang, C. Wu, Y. Zhang, Z. Liu and W. Xue, *Chem. Mater.*, 2018, **30**, 3438.
- 12 B. Majumdar, S. Mandani, T. Bhattacharya, D. Sarma and T. K. Sarma, *J. Org. Chem.*, 2017, **82**, 2097.
- 13 X. Pei, D. Xiong, H. Wang, S. Gao, X. Zhang, S. Zhang and J. Wang, *Angew. Chem., Int. Ed.*, 2018, **57**, 3687.
- 14 Y. Han, H. Huang, H. Zhang, Y. Liu, X. Han, R. Liu, H. Li and Z. Kang, *ACS Catal.*, 2014, **4**, 781.
- 15 G. Filippini, F. Amato, C. Rosso, G. Ragazzon, A. Vega-Peñaloza, X. Companyó, L. Dell'Amico, M. Bonchio and M. Prato, *Chem*, 2020, **6**, 3022.
- 16 S. Hu, R. Tian, L. Wu, Q. Zhao, J. Yang, J. Liu and S. Cao, *Chem. – Asian J.*, 2013, **8**, 1035.
- 17 P. Yang, J. Zhao, J. Wang, H. Cui, L. Li and Z. Zhu, *Chemphyschem*, 2015, **16**, 3058.
- 18 J. Wu, S. Ma, J. Sun, J. I. Gold, C. Tiwary, B. Kim, L. Zhu, N. Chopra, I. N. Odeh, R. Vajtai, A. Z. Yu, R. Luo, J. Lou, G. Ding, P. J. Kenis and P. M. Ajayan, *Nat. Commun.*, 2016, **7**, 13869.
- 19 L. Cao, S. Sahu, P. Anilkumar, C. E. Bunker, J. Xu, K. A. S. Fernando, P. Wang, E. A. Gulians, K. N. Tackett, II and Y. P. Sun, *J. Am. Chem. Soc.*, 2011, **133**, 4754.



- 20 H. Li, X. He, Z. Kang, H. Huang, Y. Liu, J. Liu, S. Lian, C. H. Tsang, X. Yang and S. T. Lee, *Angew. Chem., Int. Ed.*, 2010, **49**, 4430.
- 21 B. C. Martindale, G. A. Hutton, C. A. Caputo and E. Reisner, *J. Am. Chem. Soc.*, 2015, **137**, 6018.
- 22 Y. Liu, Y. Zhao, Q. Wu, X. Wang, H. Nie, Y. Zhou, H. Huang, M. Shao, Y. Liu and Z. Kang, *Chem. Eng. J.*, 2021, **409**, 128184.
- 23 Z. Zhou, P. Tian, X. Liu, S. Mei, D. Zhou, D. Li, P. Jing, W. Zhang, R. Guo, S. Qu and A. L. Rogach, *Adv. Sci.*, 2018, **5**, 1800369.
- 24 S. Li, K. Ji, M. Zhang, C. He, J. Wang and Z. Li, *Nanoscale*, 2020, **12**, 9533.
- 25 D. M. Schultz and T. P. Yoon, *Science*, 2014, **343**, 1239176.
- 26 C. K. Prier, D. A. Rankic and D. W. MacMillan, *Chem. Rev.*, 2013, **113**, 5322.
- 27 L. Marzo, S. K. Pagire, O. Reiser and B. König, *Angew. Chem., Int. Ed.*, 2018, **57**, 10034.
- 28 Y. X. Weng, L. Li, Y. Liu, L. Wang and G. Z. Yang, *J. Phys. Chem. B*, 2003, **107**, 4356.
- 29 S. Agrawal, N. J. English, K. R. Thampi and J. M. MacElroy, *Phys. Chem. Chem. Phys.*, 2012, **14**, 12044.
- 30 L. Xu, X. Bai, L. Guo, S. Yang, P. Jin and L. Yang, *Chem. Eng. J.*, 2019, **357**, 473.
- 31 R. Shi, Z. Li, H. Yu, L. Shang, C. Zhou, G. I. N. Waterhouse, L. Z. Wu and T. Zhang, *ChemSusChem*, 2017, **10**, 4650.
- 32 J. Zhang, X. Zhang, S. Dong, X. Zhou and S. Dong, *J. Photochem. Photobiol., A*, 2016, **325**, 104.
- 33 M. Li, M. Wang, L. Zhu, Y. Li, Z. Yan, Z. Shen and X. Cao, *Appl. Catal., B*, 2018, **231**, 269.
- 34 C. Zhu, H. Yue, J. Jia and M. Rueping, *Angew. Chem., Int. Ed.*, 2021, **60**, 2.
- 35 G. Lan, Y. Quan, M. Wang, G. T. Nash, E. You, Y. Song, S. S. Veroneau, X. Jiang and W. Lin, *J. Am. Chem. Soc.*, 2019, **141**, 15767.
- 36 Y.-Y. Zhu, G. Lan, Y. Fan, S. S. Veroneau, Y. Song, D. Micheroni and W. Lin, *Angew. Chem., Int. Ed.*, 2018, **57**, 14090.
- 37 Y. Pan, N. Zhang, C.-H. Liu, S. Fan, S. Guo, Z.-M. Zhang and Y.-Y. Zhu, *ACS Catal.*, 2020, **10**, 11758.
- 38 D. Franchi and Z. Amara, *ACS Sustainable Chem. Eng.*, 2020, **8**, 15405.
- 39 S. Gisbertz and B. Pieber, *ChemPhotoChem*, 2020, **4**, 456.
- 40 S. Reischauer, V. Strauss and B. Pieber, *ACS Catal.*, 2020, **10**, 13269.
- 41 S. Hill and M. C. Galan, *Beilstein J. Org. Chem.*, 2017, **13**, 675.
- 42 S. A. Hill, D. Benito-Alifonso, S. A. Davis, D. J. Morgan, M. Berry and M. C. Galan, *Sci. Rep.*, 2018, **8**, 12234.
- 43 S. A. Hill, D. Benito-Alifonso, D. J. Morgan, S. A. Davis, M. Berry and M. C. Galan, *Nanoscale*, 2016, **8**, 18630.
- 44 B. Pieber, J. A. Malik, C. Cavedon, S. Gisbertz, A. Savateev, D. Cruz, T. Heil, G. Zhang and P. H. Seeberger, *Angew. Chem., Int. Ed.*, 2019, **58**, 9575.
- 45 U. Kriiger and R. Memming, *Ber. Bunsenges. Phys. Chem.*, 1974, **78**, 670.
- 46 Q. Zheng and L. D. Lavis, *Curr. Opin. Chem. Biol.*, 2017, **39**, 32.
- 47 S. Gisbertz, S. Reischauer and B. Pieber, *Nat. Catal.*, 2020, **3**, 611.
- 48 S. A. Hill, S. Sheikh, Q. Zhang, L. Sueiro Ballesteros, A. Herman, S. A. Davis, D. J. Morgan, M. Berry, D. Benito-Alifonso and M. C. Galan, *Nanoscale Adv.*, 2019, **1**, 2840.
- 49 L. Li and T. Dong, *J. Mater. Chem. C*, 2018, **6**, 7944.

