

COMMUNICATION

[View Article Online](#)
[View Journal](#) | [View Issue](#)





Cite this: *Polym. Chem.*, 2021, **12**, 5937

Received 21st May 2021,
Accepted 11th October 2021

DOI: 10.1039/d1py00687h

rsc.li/polymers

Synthesis and anionic polymerization of isosorbide mono-epoxides for linear biobased polyethers†

Livia Matt, ^a Ilme Liblikas,^a Olivier Bonjour, ^b Patric Jannasch ^{*a,b} and Lauri Vares ^{*a}

A series of regioisomeric isosorbide mono-epoxides, as well as diastereomerically pure mono-epoxy derivatives, have been prepared and studied. Anionic ring-opening polymerization of methoxy-capped monomers produced linear polyethers tethered with isosorbide units. These reasonably high molecular weight polymers exhibited glass transition temperatures at around 10–15 °C and thermal stability up to ~300 °C, which indicated that the mono-epoxides are promising building blocks for well-defined biobased polymers.

Due to the growing environmental concerns, the motivation to find green alternatives for different chemicals and materials has increased enormously. One compound that has received considerable attention in recent years is isosorbide (**1**, Scheme 1),¹ a platform chemical produced from sorbitol on a commercial scale.² Sorbitol, in turn, is produced by reduction of glucose. Structurally, isosorbide is a chiral, rigid, V-shaped bicyclic compound³ bearing two non-equivalent secondary hydroxyl groups in *endo* and *exo* configurations, respectively. Due to the structural characteristics and availability,⁴ isosorbide has been studied and found use in, *e.g.*, the medical⁵ and cosmetics⁶ industries, as well as in asymmetric synthesis.⁷ In the recent decades, however, the number of studies of isosorbide as a building block for new materials has grown sharply.⁸ In particular, it has been widely considered as a potential bio-derived alternative in various high-performance condensation polymers such as polycarbonates, polyesters and polyurethanes.^{9,10} In addition, the synthesis and polymerization of isosorbide diglycidyl ether (see Scheme 1) has been extensively studied.¹¹ This compound, also known as isosorbide bisepoxide, has attracted significant interest due to its

structural similarities to bisphenol A diglycidyl ether, a commonly used component in plastic materials.¹² Regrettably, bisphenol A has proven to have endocrine disruptive effect,¹³ and bio-derived isosorbide is considered to be a potentially safer substitute.¹⁴ Isosorbide diglycidyl ether can be obtained directly by reacting isosorbide with epichlorohydrin (ECH) in aqueous sodium hydroxide, or by a two-step process of sequential allylation and oxidation.¹⁵ Such isosorbide bisepoxides have been extensively used in the formation of different epoxy networks,^{15,16} including hydrogels¹⁷ and resins with isosorbide-based amines.¹⁸ Moreover, isosorbide diglycidyl ether has been used as a precursor for other bifunctional monomers. For instance, corresponding dimethacrylic monomers have been introduced into different polymer structures,¹⁹ and isosorbide dicyclocarbonates have been used in polyurethane synthesis.²⁰


In most cases, the *exo* and *endo* hydroxyl groups in isosorbide have not been differentiated and, in the case of polymers, the isosorbide unit has been fully incorporated into the polymer backbone. Regioselective functionalization is less investigated. It has been acknowledged that the *endo* OH-group at C5 forms intramolecular hydrogen bond and has therefore a higher nucleophilicity.²¹ The *exo*-OH group, on the other hand, is sterically less hindered compared to *endo*-OH.²² Hence, this non-equality opens possibility to regioselectively functionalize either the C2 or the C5 position. For instance, an acetylation of isosorbide with acetic anhydride has been reported with moderate selectivity: *exo*-acetate can be preferentially obtained using KOH at 120–140 °C, whereas using PbO as an additive at room temperature gives a preference towards the *endo*-acetate formation.²³ These mono-acetylated isosorbide derivatives can be used as intermediates for several other mono-functionalized isosorbide compounds, because the deacetylation under basic conditions can readily be performed in high yields.^{24,25} Similarly, benzylation²⁶ and tosylation²⁷ of isosorbide also give modest preference towards the C5 derivative. Additionally, a majority of biocatalytic procedures have shown selectivity towards the *endo* hydroxyl group in isosorbide.²⁸

^aInstitute of Technology, University of Tartu, Nooruse 1, Tartu 50411, Estonia.

E-mail: lauri.vares@ut.ee, patric.jannasch@chem.lu.se

^bDepartment of Chemistry, Lund University, Box 124, Lund 221 00, Sweden

†Electronic supplementary information (ESI) available: Experimental procedures, ¹H and ¹³C NMR spectra, polymers' solubility table, TGA profiles, SEC and DSC curves. See DOI: 10.1039/d1py00687h



Scheme 1 Synthetic pathway to isosorbide mono-epoxides 6–9.

Recently, a highly regioselective Lipzyme RM IM-catalyzed 5-OH methacrylation of isosorbide was reported by our group.²⁹

Such regioselective functionalization enables the preparation of polymers with the rigid isosorbide units as pendant groups. Usually, these polymers are obtained by chain-growth polymerization methods. Conversely, most polymers of isosorbide derivatives have so far been synthesized *via* step-growth polymerization, which are generally very energy extensive processes where often severely discoloured products are formed.³⁰ Investigations on chain-growth polymerizations of isosorbide derivatives under milder conditions have been rather scarce. In particular, ring-opening polymerizations have not been given much attention.^{9,31} For example, isosorbide mono-epoxides may be polymerized *via* cationic or anionic ring-opening mechanism to obtain polyethers with pendant isosorbide groups. Polyethers prepared from mono-epoxides such as ethylene oxide and propylene oxide are used in a wide variety of areas, ranging from surfactants, additives, coatings and surface modifying agents.³² Moreover, the heteroatoms in the

polyether backbone increase the potential for biodegradability of the polymer.³³

To our surprise, the synthesis of isosorbide mono-epoxides (*i.e.*, isosorbide monoglycidyl ethers) has hardly been studied.³⁴ Thus, no polymerization of isosorbide mono-epoxy derivatives has been reported yet. In the present communication, we report on a straightforward method to prepare both C2 and C5 epoxy-derivatives of isosorbide. In addition to the racemic epoxide units, we demonstrate the synthesis of pure isosorbide diastereomers bearing epoxides with either the (*R*)- or (*S*)-configuration. The utility of new monomers has been demonstrated in anionic ring-opening polymerization of two of the isosorbide mono-epoxides.


The synthesis of the isosorbide mono-epoxides is outlined in Scheme 1. We speculated that the free hydroxyl groups in the isosorbide epoxides might hinder the subsequent polymerizations to linear polymers. Therefore, we decided to methylate the free hydroxyl groups in the final monomer structure.

We started our work by the alkylation of isosorbide with allyl bromide according to a previously reported procedure.²⁵



The epoxidation of allylic compounds using *m*-CPBA affords derivatives with racemic epoxide units. Hence, another approach must be employed in order to obtain isosorbide derivatives with enantiomerically pure epoxy groups. One possibility is to introduce the chirally pure epoxy-moiety directly into the molecular structure using a corresponding chiral synthon such as (*R*)- and (*S*)-epichlorohydrin (ECH). Thus, to obtain (*S*)- and (*R*)-epoxy derivatives ((*S*)-**8**, (*R*)-**8**, (*S*)-**9**, and (*R*)-**9**, Scheme 2), the corresponding methyl-protected isosorbide derivatives **10** and **11** had to be synthesized first. As there is no direct regioselective method for the mono-methylation of isosorbide,^{27,28} these intermediates (**10** and **11**) were prepared from isosorbide using either selective 5-benylation or 2-tetrahydropyranylation followed by methylation and the subsequent removal of benzyl and tetrahydropyranyl groups, respectively, as described in detail in ESI† (Schemes S1 and S2).

Thermogravimetric analysis (TGA) under N₂ indicated the onset of thermal decomposition of polyethers **P8** and **P9** at around 300 °C, as revealed by the derivative thermogravimetric (DTG) curves. The highest mass-loss rates were reached at T_p = 390 and 394 °C for **P8** and **P9**, respectively (ESI, Fig. S2†). Interestingly, the glass transition temperature (T_g) determined by differential scanning calorimetry (DSC) was 10 and 15 °C for **P8** and **P9**, correspondingly (ESI, Fig. S3†). Compared to T_g 's of other common polyethers like poly(ethylene glycol) (−67 °C), poly(propylene glycol) (−74 °C), poly(epichloro-



Scheme 3 Polymerization of isosorbide mono-epoxides **8** and **9** to form polyethers **P8** and **P9**, respectively. [epoxide]/[NOct₄Br]/[i-Bu₃Al] = 100/0.43/2.33, [epoxide] = 3 M. Monomer conversions were determined from crude polymer ¹H NMR spectra.

hydrin) ($-22\text{ }^{\circ}\text{C}$),³⁹ the T_g values of the current linear isosorbide polyethers **P8** and **P9** are rather high because of the rigid isosorbide groups. The reasons for the slightly different properties of **P8** and **P9** may be caused by the differences in stereochemistry and will be further studied in the future. The solubility of polymers **P8** and **P9** was evaluated in multiple solvents, arranged according to their hydrogen-bonding capacity and solubility parameter δ (ESI, Table S1†). Both polyethers were soluble in methanol, DMSO, THF, chloroform, and toluene, but insoluble in H_2O , n -butanol, Et_2O , and acetonitrile at room temperature.

These initial results indicate that the polymerization of isosorbide mono-epoxides can afford very interesting polymers. Thus, this motivates the further investigation of these biodevised monomers, including copolymerizations to obtain new materials and the possibility for biodegradability of corresponding isosorbide polyethers which would be particularly enticing to study.

In conclusion, we have prepared and characterized a series of novel isosorbide mono-epoxides, where the remaining free hydroxyl group in isosorbide was capped as a methyl ether. Additionally, a method to synthesize diastereomerically pure isosorbide mono-epoxides was developed. The usefulness of the novel isosorbide mono-epoxides was demonstrated in anionic ring-opening polymerization leading to polyethers with comparatively high molecular weight and T_g . This clearly demonstrates that isosorbide-based mono-epoxides are promising new building blocks in the field of biobased polymers tailored to replace conventional fossil-based materials in various applications.

Conflicts of interest

There are no conflicts to declare.

Acknowledgements

We acknowledge the financial support by the European Regional Development Fund, the Estonian Research Council via MOBTT21 and ResTA7 projects, and the Swedish Research Council Formas (2016-00468). We thank Thanh Huong Pham for initial DSC and TGA analyses.

Notes and references

- R. C. Hockett, H. G. Fletcher, E. L. Sheffield and R. M. Goepf, *J. Am. Chem. Soc.*, 1946, **68**, 927–930.
- C. Dussenne, T. Delaunay, V. Wiatz, H. Wyart, I. Suisse and M. Sauthier, *Green Chem.*, 2017, **19**, 5332–5344.
- G. Flèche and M. Huchette, *Starch/Staerke*, 1986, **38**, 26–30.
- Addit. Polym.*, 2015, **6**(6), 8–9, DOI: 10.1016/s0306-3747(15)30073-7.
- DrugBank: isosorbide mononitrate, <https://go.drugbank.com/drugs/DB01020>, (accessed May 10, 2021).
- SpecialChem: dimethyl isosorbide, <https://cosmetics.specialchem.com/inci/dimethyl-isosorbide#>, (accessed May 10, 2021).
- M. Kadraoui, T. Maunoury, Z. Derriche, S. Guillearme and C. Saluzzo, *Eur. J. Org. Chem.*, 2015, 441–457.
- M. Al-Naji, H. Schlaad and M. Antonietti, *Macromol. Rapid Commun.*, 2021, **42**, 2000485.
- (a) F. Fenouillot, A. Rousseau, G. Colomines, R. Saint-Loup and J. P. Pascault, *Prog. Polym. Sci.*, 2010, **35**, 578–622; (b) M. Rose and R. Palkovits, *ChemSusChem*, 2012, **5**, 167–176; (c) D. J. Saxon, A. M. Luke, H. Sajjad, W. B. Tolman and T. M. Reineke, *Prog. Polym. Sci.*, 2020, **101**, 101196.
- DURABIO, <https://www.mcpg-global.com/en/asia/products/brand/durabiotm/>, (accessed May 10, 2021).
- J. D. Zech and J. W. Le Maistre, 3272845A, 1966.
- H. Q. Pham and M. J. Marks, in *Ullmann's Encyclopedia of Industrial Chemistry*, Wiley-VCH Verlag GmbH & Co. KGaA, Weinheim, 2005, vol. 13, pp. 155–244.
- R. Steinmetz, N. A. Mitchner, A. Grant, D. L. Allen, R. M. Bigsby and N. Ben-Jonathan, *Endocrinology*, 1998, **139**, 2741–2747.
- F. Liguori, C. Moreno-Marrodon and P. Barbaro, *Chem. Soc. Rev.*, 2020, **49**, 6329–6363.
- X. Feng, A. J. East, W. B. Hammond, Y. Zhang and M. Jaffe, *Polym. Adv. Technol.*, 2011, **22**, 139–150.
- (a) C. Lorenzini, D. L. Versace, E. Renard and V. Langlois, *React. Funct. Polym.*, 2015, **93**, 95–100; (b) S. Zheng, D. A. Bellido-Aguilar, J. Hu, Y. Huang, X. Zhao, Z. Wang, X. Zeng, Q. Zhang and Z. Chen, *Prog. Org. Coat.*, 2019, **136**, 105265; (c) S. Zheng, D. A. Bellido-Aguilar, X. Wu, X. Zhan, Y. Huang, X. Zeng, Q. Zhang and Z. Chen, *ACS Sustainable Chem. Eng.*, 2019, **7**, 641–649; (d) Q. Li, S. Ma, J. Wei, S. Wang, X. Xu, K. Huang, B. Wang, W. Yuan and J. Zhu, *Macromol. Res.*, 2020, **28**, 480–493; (e) C. Musa, A. Kervoelen, P.-E. Danjou, A. Bourmaud and F. Delattre, *Mater. Lett.*, 2020, **258**, 126818; (f) C. Lemesle, S. Bellayer, S. Duquesne, A.-S. Schuller, L. Thomas, M. Casetta and M. Jimenez, *Appl. Surf. Sci.*, 2021, **536**, 147687.
- J. Cheng, P. Zhang, T. Liu and J. Zhang, *Polymer*, 2015, **78**, 212–218.
- (a) J. Hong, D. Radojčić, M. Ionescu, Z. S. Petrović and E. Eastwood, *Polym. Chem.*, 2014, **5**, 5360–5368; (b) C. Li, J. Dai, X. Liu, Y. Jiang, S. Ma and J. Zhu, *Macromol. Chem. Phys.*, 2016, **217**, 1439–1447.
- (a) J. Łukaszczuk, B. Janicki and A. Frick, *J. Mater. Sci.: Mater. Med.*, 2012, **23**, 1149–1155; (b) S. Shin, Y.-J. Kim, M. Toan, J.-G. Kim, T. Nguyen and J. K. Cho, *Eur. Polym. J.*, 2017, **92**, 338–345; (c) T. Nguyen, B. Kim, Y.-J. Kim, S.-H. Lee, S. Shin and J. K. Cho, *Int. J. Adhes. Adhes.*, 2018, **80**, 60–65.
- V. Besse, R. Auvergne, S. Carlotti, G. Boutevin, B. Otazaghine, S. Caillol, J.-P. Pascault and B. Boutevin, *React. Funct. Polym.*, 2013, **73**, 588–594.
- J. S. Brimacombe, A. B. Foster, M. Stacey and D. H. Whiffen, *Tetrahedron*, 1958, **4**, 351–360.



- 22 A. C. Cope and T. Y. Shen, *J. Am. Chem. Soc.*, 1956, **78**, 3177–3182.
- 23 P. Stoss, P. Merrath and G. Schlüter, *Synthesis*, 1987, 174–176.
- 24 R. Tamion, F. Marsais, P. Ribereau, G. Queguiner, D. Abenhaim, A. Loupy and L. Munnier, *Tetrahedron: Asymmetry*, 1993, **4**, 1879–1890.
- 25 D. Abenham, A. Loupy, L. Munnier, R. Tamion, F. Marsais and G. Quéguiner, *Carbohydr. Res.*, 1994, **261**, 255–266.
- 26 A. Loupy and D. A. Monteux, *Tetrahedron*, 2002, **58**, 1541–1549.
- 27 R. U. Lemieux and A. G. McInnes, *Can. J. Chem.*, 1960, **38**, 136–140.
- 28 (a) R. Seemayer, N. Bar and M. P. Schneider, *Tetrahedron: Asymmetry*, 1992, **3**, 1123–1126; (b) D. Mukesh, D. Sheth, A. Mokashi, J. Wagh, J. M. Tilak, A. A. Banerji and K. R. Thakkar, *Biotechnol. Lett.*, 1993, **15**, 1243–1246; (c) Z. Chalecki and E. Guibé-Jampel, *Synth. Commun.*, 1997, **27**, 3847–3852.
- 29 L. Matt, J. Parve, O. Parve, T. Pehk, T. H. Pham, I. Liblikas, L. Vares and P. Jannasch, *ACS Sustainable Chem. Eng.*, 2018, **6**, 17382–17390.
- 30 J. Wu, P. Eduard, L. Jasinska-Walc, A. Rozanski, B. A. J. Noordover, D. S. van Es and C. E. Koning, *Macromolecules*, 2013, **46**, 384–394.
- 31 D. J. Saxon, M. Nasiri, M. Mandal, S. Maduskar, P. J. Dauenhauer, C. J. Cramer, A. M. LaPointe and T. M. Reineke, *J. Am. Chem. Soc.*, 2019, **141**, 5107–5111.
- 32 J. Herzberger, K. Niederer, H. Pohlitz, J. Seiwert, M. Worm, F. R. Wurm and H. Frey, *Chem. Rev.*, 2016, **116**, 2170–2243.
- 33 M. Okada, *Prog. Polym. Sci.*, 2002, **27**, 87–133.
- 34 (a) P. Stoss, G. Schlüter and R. Axmann, *Arzneim.-Forsch./Drug Res.*, 1990, **40**, 13–18; (b) P. Stoss and M. Leitold, DE3421072A1, 1984; (c) A. Lavergne, Y. Zhu, V. Molinier and J.-M. Aubry, *Colloids Surf., A*, 2012, **404**, 56–62.
- 35 N. G. Luk'yanenko, A. V. Lobach and O. N. Leus, *Russ. J. Org. Chem.*, 2003, **39**, 1042–1047.
- 36 Y. Le Huérou, J. Doyon and R. L. Grée, *J. Org. Chem.*, 1999, **64**, 6782–6790.
- 37 (a) V. Rejsek, D. Sauvanier, C. Billouard, P. Desbois, A. Deffieux and S. Carlotti, *Macromolecules*, 2007, **40**, 6510–6514; (b) S. Carlotti, A. Labbe, V. Rejsek, S. Doutaz, M. Gervais and A. Deffieux, *Macromolecules*, 2008, **41**, 7058–7062.
- 38 Y. Chen, J. Shen, S. Liu, J. Zhao, Y. Wang and G. Zhang, *Macromolecules*, 2018, **51**, 8286–8297.
- 39 Polymer Properties Database: Glass Transition Temperatures, <http://polymerdatabase.com/polymer%20physics/Polymer%20Tg%20C.html>, (accessed April 27, 2021).

