

RESEARCH ARTICLE

View Article Online

View Journal | View Issue

Cite this: *Inorg. Chem. Front.*, 2021, **8**, 1102Insight into the structure–property relationship of UO_2 nanoparticles†Evgeny Gerber, ^{a,b,c} Anna Yu. Romanchuk, ^c Stephan Weiss, ^b Stephen Bauters, ^{a,b} Bianca Schacherl, ^d Tonya Vitova, ^d René Hübner, ^b Salim Shams Aldin Azzam, ^b Dirk Detollenaere, ^{e,f} Dipanjan Banerjee, ^{f,g} Sergei M. Butorin, ^h Stepan N. Kalmykov ^c and Kristina O. Kvashnina ^{*a,b,c}

Highly crystalline UO_2 nanoparticles (NPs) with sizes of 2–3 nm were produced by fast chemical deposition of uranium(IV) under reducing conditions at pH 8–11. The particles were then characterized by microscopy and spectroscopy techniques including high-resolution transmission electron microscopy (HRTEM), X-ray diffraction (XRD), high-energy resolution fluorescence detection (HERFD) X-ray absorption spectroscopy at the U M_4 edge and extended X-ray absorption fine structure (EXAFS) spectroscopy at the U L_3 edge. The results of this investigation show that despite U(IV) being the dominant oxidation state of the freshly prepared UO_2 NPs, they oxidize to U_4O_9 with time and under the X-ray beam, indicating the high reactivity of U(IV) under these conditions. Moreover, it was found that the oxidation process of NPs is accompanied by their growth in size to 6 nm. We highlight here the major differences and similarities of the UO_2 NP properties to PuO_2 , ThO_2 and CeO_2 NPs.

Received 21st September 2020,

Accepted 29th November 2020

DOI: 10.1039/d0qi01140a

rsc.li/frontiers-inorganic

Introduction

Uranium dioxide remains one of the most essential uranium compounds due to its application as a nuclear fuel in most of the commercial nuclear reactors worldwide.¹ The structural chemistry and physics of the U/O system are very complicated but highly important for reactor performance, spent nuclear fuel storage and its further geological disposal. While bulk UO_2 has been intensively studied, it is still not clear if the investigated properties remain the same at the nanoscale.^{2,3} It is known that actinide (An) nanoparticles (NPs) form aggregates

of various sizes.^{4,5} In particular, UO_2 NPs may be formed by redox reactions from either the reduction of U(VI) by γ -irradiation,⁶ minerals,^{7–10} microorganisms,^{11–17} and redox-active chemicals¹⁸ or due to corrosion of metallic U in contact with water.^{4,19,20} They can also be formed *via* hydrolysis of U(IV) solutions^{21–23} or by decomposition of U(IV) compounds.²⁴

Under environmental conditions, uranium mineral NPs are found to be ubiquitous and have been identified in a number of studies.^{7,25–28} As a highly hydrolysable cation, U(IV) migrates predominantly in the form of pseudo-colloids and intrinsic colloids rather than in the soluble complexed form. UO_2 NPs formed as a result of bacteria mediated redox reactions have an influence on U migration in the far-field conditions of repositories. Accidental (like Chernobyl and Fukushima) and routine releases of radionuclides into the environment result in the formation of U oxide NPs.^{29–32} It has also been shown that the dissolution of spent nuclear fuel may result in the formation of UO_2 NPs that should be taken into account in the performance assessment of repositories,^{33,34} considering that conditions in deep geological repositories are expected to be reducing.

The peculiarities of nanoscale objects affect their properties.² Nanoscale UO_2 is readily oxidized with the formation of UO_{2+x} , while the crystal structure does not significantly alter.^{35–37} Similar AnO_{2+x} NPs with a structure close to bulk AnO_2 were also observed for plutonium,³⁸ which is not surprising as both UO_2 and PuO_2 are isostructural to the fluorite-type fcc structure with a very similar lattice parameter. However,

^aThe Rossendorf Beamline at ESRF – The European Synchrotron, CS40220, 38043 Grenoble Cedex 9, France. E-mail: kristina.kvashnina@esrf.fr

^bHelmholtz-Zentrum Dresden-Rossendorf (HZDR), Institute of Resource Ecology, PO Box 510119, 01314 Dresden, Germany

^cLomonosov Moscow State University, Department of Chemistry, 119991 Moscow, Russia

^dInstitute for Nuclear Waste Disposal (INE), Karlsruhe Institute of Technology, P.O. 3640, D-76021 Karlsruhe, Germany

^eDepartment of Chemistry, X-ray Imaging and Microspectroscopy Research Group, Ghent University, Ghent, Belgium

^fDutch-Belgian Beamline (DUBBLE), European Synchrotron Radiation Facility, 71 Avenue des Martyrs, CS 40220, 38043 Grenoble Cedex 9, France

^gDepartment of Chemistry, KU Leuven, Celestijnenlaan 200F, Box 2404, B-3001 Leuven, Belgium

^hMolecular and Condensed Matter Physics, Department of Physics and Astronomy, Uppsala University, P.O. Box 516, Uppsala, Sweden

†Electronic supplementary information (ESI) available. See DOI: 10.1039/d0qi01140a



recent publications show that PuO₂ NPs do not contain other oxidation states except for Pu(IV)^{39,40} and their structural properties are close to the bulk. Similar predictions were made for CeO₂ NPs, with the suggestion that CeO_{2-x} NPs were expected to be predominantly composed of Ce(IV), which can be reduced to Ce(III).⁴¹ Later, the absence of the Ce(III) oxidation state was confirmed for NPs even for 2 nm particles.^{42,43} This could lead to the assumption that there is a similar trend for all highly-hydrolyzed tetravalent Ln or An cations. However, to the best of our knowledge, the pure tetravalent oxidation state for UO₂ NPs has never been proven.

The main difference between U and Pu lies in multivalent behaviour. Under oxidizing conditions, PuO₂ is the sole stable oxide, but more than ten stable U binary oxides – UO_{2+x} – are known. Similar to plutonium, CeO₂ is the only stable oxide under oxidizing conditions, however both Ce(IV) and Ce(III) ions may be present in solution. Later we briefly compare the differences and similarities of various An and Ln oxide NP properties, based on the results reported here.

Experimental

Nanoparticle synthesis

UO₂ NPs were synthesized from U(IV) aqueous solution by adding ammonia under reducing conditions. Due to the highly sensitive nature of U(IV) towards oxidation, all synthetic processes, including the preparation of samples for the following characterization methods, were done in a glovebox under a nitrogen atmosphere (<10 ppm O₂).

Special care was taken to avoid any contact with oxygen before and during the measurements. U(IV) stock was prepared by galvanostatic reduction of 0.1 M U(VI) in 0.5 M HClO₄ (5 hours, 20 mA). The presence of only U(IV) and the stability of the solution were verified by UV-vis spectrometry (AvaSpec-2048x14, Avantes, Fig. S1†). Each U(IV) solution (0.1 M and 0.01 M) was divided into two parts. The first set of aliquots was added to 3 M NH₃ in the volume ratio 1 : 10 under continuous stirring. The pH of the 3 M ammonia solution was 12.5, but the pH slightly decreased due to the interaction with the U(IV) solution, most likely due to hydrolysis reactions. This set of samples was named “0.1 M/0.01 M U(IV) pH > 11”. The second set of aliquots of stock U(IV) was added to water in the volume ratio of 1 : 10, after which several drops of 3 M NH₃ were added under continuous stirring to reach pH 8. This set of samples was named “0.1 M/0.01 M U(IV) pH 8”. In all syntheses, the mixing rate and vessel geometry were kept constant. The precipitation process for all samples started shortly (within ten minutes) after addition of all reagents. A black precipitate was formed, and the reaction was continued for about 2 hours to reach equilibrium. Then, the pH and redox potential of the formed suspensions were measured (Table S1†). The UO₂ reference was made by pressing industrially obtained uranium dioxide powder into a pellet followed by sintering at 1700 °C under a H₂/Ar stream. The industrial uranium dioxide, in its turn, was obtained from UF₆ by the gas-flame method, fol-

lowed by annealing under reducing conditions at 600–650 °C.⁴⁴ The reference was characterized by X-ray diffraction (XRD) and polarography; the oxygen coefficient of UO_{2+x} was found to be on the order of $x = 0.001$.

Characterization

Transmission electron microscopy (TEM). TEM investigations were performed at the Helmholtz-Zentrum Dresden-Rossendorf (HZDR) using an image-C_s-corrected Titan 80–300 microscope (FEI) operated at an accelerating voltage of 300 kV. In particular, selected area electron diffraction (SAED) patterns using a SA aperture of 40 μm and high-resolution TEM (HRTEM) images were recorded.

Powder X-ray diffraction measurements. Powder X-ray diffraction (PXRD) data were collected at room temperature at the HZDR. XRD diffractograms were collected with a MiniFlex 600 diffractometer (Rigaku, Tokyo, Japan) equipped with a Cu Kα X-ray source (40 keV/15 mA operation for X-ray generation) and the D/teX Ultra 1D silicon strip detector in the Bragg–Brentano θ – 2θ geometry at a scanning speed of 2 degrees per min. The FWHM and peak position were determined with Fityk software.⁴⁵

X-ray absorption near edge structure (XANES) in high-energy resolution fluorescence detection (HERFD) mode at the U M₄ edge and U L₃ extended X-ray absorption fine structure (EXAFS) spectroscopy. The HERFD spectra at the U M₄ edge were collected at the CAT-ACT beamline of the KARA (Karlsruhe research accelerator) facility in Karlsruhe, Germany.⁴⁶ The incident energy was selected using the [111] reflection from a double Si crystal monochromator. The estimated flux at the sample position was on the order of 10⁹ ph s^{−1} at an incident energy of 3.8 keV.⁴⁷ The U HERFD spectra at the M₄ edge were obtained by recording the maximum intensity of the U M_β emission line (3339.8 eV) as a function of the incident energy. The emission energy was selected using the [220] reflection of one spherically bent Si crystal analyser (1 m bending radius) aligned at a 75° Bragg angle. Samples were prepared and sealed in a special argon-filled container at the licensed laboratory of HZDR and transported to KARA under inert conditions. All samples were mounted in the form of wet pastes within triple holders with an 8 μm Kapton window on the front side, serving as the first confinement. Three of such holders were mounted in one larger cell, with a 13 μm Kapton window on the front side (the second confinement, Fig. S2†). The second confinement chamber was constantly flushed with He. The entire spectrometer environment was contained within a He box to improve signal statistics. An energy range from 3710.5 to 3790.5 eV was scanned with a step size down to 0.1 eV using a 1 s dwell time per energy point. All samples were tested for short-term beam damage. First an extended timescan (>2 min with 0.1 s step) above the excitation edge was performed before data collection, to monitor any long-term variations in the fluorescence signal. Later a preliminary fast HERFD scan (<2 min) was collected and compared with all HERFD data collected per sample. Based on that procedure, the estimated X-ray exposure time has been derived for each sample.



The U L_3 edge (17 166 eV) EXAFS spectra were collected at BM26A, the Dutch–Belgium beamline (DUBBLE) at the ESRF (the European Synchrotron) in Grenoble, France.⁴⁸ The energy of the X-ray beam was tuned by using a double-crystal monochromator operating in a fixed-exit mode using a Si(111) crystal pair. Measurements were performed in transmission mode with N_2/He and Ar/He filled ionization chambers. Energy calibration was performed by recording the EXAFS spectrum of the K-edge of metallic Y ($\sim 17\,038$ eV) which was collected simultaneously with the sample scans for each sample. The samples were measured at room temperature using a double-confined, heat-sealed polyethylene holder. Energy calibration, averaging of the individual scans, EXAFS data extraction and fitting were performed with the software package Demeter.⁴⁹

Results and discussion

Due to the chemical reactivity, the ideal structure of UO_2 can be easily perturbed (even in the bulk crystal).^{35,50,51} The particle size distribution and crystallinity could also differ depending on the synthesis route.^{6,11,52–54} The HRTEM data reported in Fig. 1a and Fig. S3† confirm that regardless of U(IV) concentration and pH conditions, similar NPs are formed (with respect to their size distribution and crystallinity). A comparison of the SAED patterns (Fig. 1a and Fig. S3† (insets)) and the diffractograms from XRD measurements (Fig. 1b) with bulk UO_2 shows that the crystalline structure of the NPs is similar to that of bulk UO_2 (ICDD 03-065-0285). However, the diffraction peaks are broad, indicating the nano-size dimensions of the samples. The crystallite size was estimated from XRD with Scherrer's equation and found to be similar for all samples, varying in the range of 1.7–2.5 nm

(Table S2†) with respect to the fact that Scherrer's equation is supposed to give information about coherent domains rather than crystallites. Nevertheless, the diffraction peaks of NPs obtained at pH 8 are slightly narrower than those for pH > 11, indicating that pH has a small but notable effect on the NP size. It was unexpected as previous research showed that synthesis conditions highly impact the UO_2 shape and size. For example, Hu and coauthors⁵⁵ made UO_2 in the form of NPs, nanoribbons and nanowires, changing the precursor/organic solvent ratio and temperature. There are many other examples, where the size of the obtained UO_2 NPs varied from several nm up to several microns depending on the synthesis route (radiolytic reduction, organic precursor-assisted syntheses, U(IV) hydrolysis, biogenic reduction *etc.*) as well as starting precursors and reaction conditions.^{8,13,52–54,56–63} Our HRTEM results (Table S2†) also confirm the nanosize of the crystallites.

For U–O systems, the number of stoichiometric binary oxides and solid solutions with various compositions are known. Uranium upon oxidation may form various oxides with mixed oxidation states of U (like U_2O_5 , U_3O_7 , U_4O_9 , U_3O_8).^{64,65} The fluorite structure of UO_2 can accommodate a large amount of excess oxygen up to $UO_{2.25}$, therefore XRD, giving information about coherent scattering domains, is generally less sensitive to this kind of alteration. In other words, the XRD patterns of U_4O_9 and UO_2 are very similar and the presence of those species in UO_2 NPs cannot be detected by XRD (Fig. S4†). Further oxidation of $UO_{2.25}$ (U_4O_9) may lead to the formation of UO_{2+x} oxides with $0.25 < x \leq 0.33$ accompanied by a change of the crystal structure. Subsequent oxidation may proceed through the formation of $UO_{2.5}$ (U_2O_5) and $UO_{2.67}$ (U_3O_8) until UO_3 is formed.

To further complicate the matter, there is a peak broadening effect for NPs in XRD, making reliable analysis nearly




Fig. 1 (a) HRTEM image of 0.01 M U(IV) pH 8 NPs and the corresponding SAED pattern (inset), (b) XRD patterns of UO_2 reference and the precipitates from U(IV) with different pH and concentrations. The inset shows the schematic drawing of UO_2 NP synthesis.



impossible, especially in the case of extremely small NPs. This is where synchrotron-based high-energy resolution fluorescence detection (HERFD) X-ray absorption spectroscopy at the U M_4 edge really comes into use. Thanks to its high sensitivity, it can easily detect even the tiniest oxidation state impurities, which are present in many uranium oxides (U_4O_9 , U_3O_8 , U_3O_7).^{9,10,46,66–69} The HERFD method at the An M_4 edge probes An 3d–5f electronic transitions and is thus highly effective for the detection of the 5f electron configuration and for oxidation state identification.^{9,10,39,40,46,66,77} Moreover, the shapes of the recorded data on various mixed uranium oxides are so distinct^{66,67} that recorded HERFD spectra on uranium systems can be straightforwardly analyzed by a fingerprint approach to detect the presence of U_4O_9/U_3O_8 impurities in UO_2 NPs.

Fig. 2 shows the U M_4 edge measurements on four UO_2 NP samples compared to the spectrum of the UO_2 reference. All spectral features of UO_2 NPs are very similar, corresponding to those of the UO_2 reference, thus confirming the results from XRD and HRTEM. The shape of the main absorption peak in the HERFD spectrum of the UO_2 reference shows an asymmetric profile, which was observed before,⁶⁶ however for NP spectra the asymmetry of the peak increases, leading to a high-energy shoulder (Fig. S5†). It is expected that the asymmetry of the peak originated from partial oxidation and the presence of oxidized uranium species. However, the theoretical calculations of the U(IV) M_4 HERFD spectra (cf. ESI, Fig. S6†) show that nanoscale distortion or even different coordination environments have a strong correlation with the high-energy shoulder in U M_4 HERFD. It is not easy to distinguish between the influence of the presence of a higher oxidation state in NPs and the distortion contributions to the asymmetry of the peak. However, theoretical results clearly indicate that the distortion at the surface and random changes of the coordination number for surface atoms will affect the intensity (increase and decrease) of the higher energy U M_4 HERFD shoulder.




Fig. 2 U M_4 HERFD experimental data recorded for the four UO_2 NP samples and compared with a UO_2 reference.

Regardless of the asymmetry origin, one can conclude that U(IV) is the dominant oxidation state for UO_2 NPs. To the best of our knowledge, this has never been shown and reported for UO_2 NPs at a high sensitivity that HERFD gives for redox speciation.

The crystallinity of the NPs was investigated for structural disorder by uranium L_3 -edge EXAFS studies (cf. Fig. S7 and Table S3†). EXAFS is actively used for uranium^{8,10,63,68,70} to investigate the local chemical environment. It has also been used previously to determine the oxidation state of uranium due to the different U(x)–O bond lengths (where x is the oxidation state of uranium) and static disorder contributions. Our U L_3 -EXAFS data and shell fit results indicate a UO_2 -like structure, with characteristic distances of 2.33 Å and 3.85 Å for U–O and U–U, respectively (Fig. S7†). The absence of other shorter or longer U–O distances suggests that there is no need to invoke different U oxidation states or a substantially different structure (e.g. U_4O_9 or U(V)–O). However, the reduced CN for the U–O shell and high Debye–Waller factors are suggestive of the particle-size effect and static and thermal disorder, which was previously observed on similar particles.^{8,9,13,63,71}

Taking into account: (1) the significant disorder revealed by EXAFS and (2) the theoretical prediction of the distortion effects on the high-energy shoulder of the U M_4 HERFD spectra, surface distortion might be the predominant reason for the experimental observation of the intensity variation of the high-energy shoulder in U M_4 HERFD data between various UO_2 NPs.

Reactivity of the UO_2 NPs

The reactivity of UO_2 NPs under different conditions was studied previously. It was found that sintering leads to NP growth.^{6,13} Rath *et al.* found that UO_2 NPs obtained with γ -irradiation oxidize in several hours under air conditions, while Singer *et al.* and Wang *et al.* did not find any changes after 2 months of ageing or several days of air exposure.^{11,53,60} However, visual observations of the change in residue colour by UV-vis spectroscopy or the U L_3 edge XANES (used in previous studies) may not be sufficient to detect other oxidation states of uranium.

Here we investigate in detail the reactivity and phase stability of the synthesized UO_2 NPs. First, we noticed the impact of the synchrotron X-ray beam on the freshly synthesized materials. In order to verify the damage of samples by X-ray irradiation, all samples were scanned several times at the exact same position to examine how the beam exposure affects the samples. Fig. 3a shows the average of the first U M_4 spectral scans on UO_2 NPs synthesized from 0.01 M U(IV) pH > 11 and its comparison with the last scans after 45–60 minutes of X-ray exposure. With each subsequent scan (which takes 5 min) the shoulder of the HERFD high-energy side increases and can even be resolved as an individual component, indicating the partial oxidation of the sample to U(V) and U(VI). Other samples were oxidized under exposure as well, leading to the conclusion that beam exposure is responsible for uranium oxidation in NPs. In order to obtain data on freshly made






Fig. 3 HERFD M_4 edge spectra: (a) for 0.01 M $U(IV)$ pH > 11 before and after beam damage with references. (b) For fresh and 1-year-aged 0.1 M samples with references. The HERFD spectra of the UO_3 and U_4O_9 references have been reproduced from data, reported by Leinders *et al.* and have shown here for clarity.⁶⁷

materials, HERFD measurements have been made on the newly synthesized UO_2 NPs (reported in Fig. 2), with a short X-ray exposure time (15 min in total over several scans) on samples sealed in a special inert gas-filled container (more info is given in the Experimental section and ESI†).

The recorded $U M_4$ HERFD data on oxidized UO_2 NPs are reported in Fig. 3 and compared with the spectra of UO_2 , U_4O_9 and UO_3 (reproduced from Leinders *et al.*⁶⁷). It should be noted that despite the longer duration of L_3 -edge EXAFS measurements beam damage does not take place in this case due to the lower unfocused beam intensity, compared to M_4 -edge HERFD measurements. Several scans made on the same sample position were reproducible and oxidation (or significant differences from the UO_2 structure) was not detected.

Moreover, the stability of NPs over time has also been studied. Two samples synthesized from 0.1 M $U(IV)$ concentrations were kept as wet pastes under inert conditions and ambient temperature for a year in closed 2 mL plastic tubes with a tiny amount of water left after washing the NPs. Afterwards these samples were analysed with HRTEM, XRD and M_4 edge HERFD techniques. It was found that the size of NPs increases (Table S2 and Fig. S8, S9†) after aging (likely due to the dissolution–precipitation processes⁵⁷), while partial oxidation was observed by HERFD (Fig. 3b). An increase of $U(V)$ contribution in the damaged NPs is shown (Fig. 3a), though it is clear by the difference in peak intensity ratios that the NPs have not fully converted to pure U_4O_9 . Bulk U_4O_9 has equal amounts of $U(IV)$ and $U(V)$, yet the peak intensities in HERFD are not the same due to the different probability of the absorption process, *i.e.* different absolute absorption cross-sections of $U(IV)$ and $U(V)$.⁶⁷ Therefore, a significant amount of $U(IV)$ is still retained in our damaged samples. The HERFD spectra on

the aged NPs show higher contribution of $U(V)$ compared to $U(IV)$. Overall, it leads to the conclusion that small NPs oxidize to U_4O_9 and grow up to 6 nm over time. The size of 6 nm was determined from the XRD data and is in agreement with the HRTEM size estimations (Table S2†).

The strong influence of the X-ray beam and the aging behaviour of the UO_2 NPs are clear evidence of the low stability of the samples; therefore, special care must be taken to avoid sample oxidation and destructive effects of the X-ray beam. The reasonable solution is to keep samples under reducing conditions as long as possible before performing any experiments, to record relatively quick scans and to choose new sample positions for every scan to limit sample exposure. Measurements under cryogenic conditions might also overcome the issue of beam damage, but this has not been tested yet on the UO_2 NPs.

Comparison between various An and Ln oxide NPs

Tetravalent cations (Cat) undergo extensive hydrolysis accompanied by the formation of mono- and oligomeric species. Eventually $CatO_2$ NPs originate from aqueous solutions. Besides uranium, the formation of small (2–4 nm) crystalline NPs was observed for cerium,⁴³ thorium,⁷² neptunium⁷³ and plutonium.⁷⁴ Dioxides of these elements demonstrate similar crystallographic properties: a fluorite-type structure with a similar lattice parameter. However, the redox properties of these elements are different. Thorium is redox inactive, while Ce, U, Np and Pu may be present in different oxidation states. The correlation between UO_2 and PuO_2 NPs is of high interest as both $U(IV)$ and $Pu(IV)$ are mobile in their colloid form.^{5,75,76} The redox conditions in deep geological repositories are expected to be reducing. Therefore, $U(IV)$, being stable under these conditions, could be a reference for $Pu(IV)$



as well, due to the similarities in An(IV) ionic radii and crystallographic properties of their dioxides. Our investigation shows that there are many resemblances between these An(IV) NPs. It was shown³⁹ that neither super stoichiometric AnO_{2+x} nor other higher oxide phases are present in PuO_2 NPs though it could be expected due to the stability of Pu(IV) under these conditions. Similar behaviour can be predicted for NpO_2 NPs; however, to the best of our knowledge the presence of other oxidation states in NpO_2 NPs has not been studied yet by the HERFD method.

In contrast to Pu and especially Np, Ce(III) is stable in aqueous solutions; therefore, one can expect that Ce(III) is present in the hydrolysis products. Nevertheless, it was found^{42,43} that CeO_2 NPs do not contain even slight amounts of Ce(III), leading to the conclusion that CeO_2 NPs formed by fast chemical deposition retain Ce(IV) as the dominating oxidation state regardless of their redox affinity. In this study we confirmed that it is also valid for UO_2 NPs, synthesized by the fast chemical deposition method at pH 8–11. These results do not include the possibility that the formation of other phases or other oxidation states takes place under different synthesis conditions.

Conclusions

It is reasonable to believe that the properties of UO_2 in bulk and at the nanoscale are different. Due to a larger surface-to-volume ratio, UO_2 NPs are expected to be more reactive and, therefore, to exist as UO_{2+x} , with some of the U oxidized at the surface.^{35–37} However, it was found that U(IV) is the dominant oxidation state of the UO_2 NPs, synthesized by the fast chemical deposition method at pH 8–11, but their stability is significantly lower than bulk UO_2 in terms of time and oxidation sensitivity. They are easily oxidized not only in air, but also slowly under inert conditions or during X-ray exposure. Therefore, special care has to be taken while investigating reactions with UO_2 NPs and their properties.

The electronic and local structures of the freshly synthesized UO_2 NPs with a size of 2–3 nm were revealed by combination of the U $L_{3\text{-edge}}$ EXAFS, U $M_{4\text{-edge}}$ HERFD, XRD and HRTEM methods. We show here that the structural and electronic properties of fresh ultra-small UO_2 NPs (2–3 nm) are similar to those of bulk UO_2 when inert or reducing conditions are maintained. It was found that high reactivity of UO_2 NPs in time and under X-ray beam exposure leads to the formation of the U_4O_9 species complemented by the growth of the NP size to 6 nm. We believe that these findings are beneficial for the fundamental understanding of nuclear fuels and for tailoring the functionality of UO_2 since most previous studies focused on large-bulk UO_2 .

Conflicts of interest

There are no conflicts to declare.

Acknowledgements

This research was funded by the European Commission Council under ERC [grant no. 759696]. E. G. acknowledges the support from RFBR (project number no. 19-33-90127). S. N. K. acknowledges the support by the Russian Ministry of Science and Education under grant no. 075-15-2019-1891. S. M. B. acknowledges the support from the Swedish Research Council (grant 2017-06465). The authors thank HZDR for the beamtime at the CAT-ACT beamline of KARA. Moreover, we acknowledge the help of J. Rothe, A. Beck, J. Galanzew and T. Prüßmann at the CAT-ACT beamline of KARA during the HERFD experiment at the U M_4 edge and we would like to thank the Institute for Beam Physics and Technology (IBPT) for the operation of the storage ring, the Karlsruhe Research Accelerator (KARA). Furthermore, the use of the HZDR Ion Beam Centre TEM facilities is acknowledged.

References

- 1 R. C. Ewing, Long-term storage of spent nuclear fuel, *Nat. Mater.*, 2015, **14**, 252–257.
- 2 M. F. Hochella, D. W. Mogk, J. Ranville, I. C. Allen, G. W. Luther, L. C. Marr, B. P. McGrail, M. Murayama, N. P. Qafoku, K. M. Rosso, N. Sahai, P. A. Schroeder, P. Vikesland, P. Westerhoff and Y. Yang, Natural, incidental, and engineered nanomaterials and their impacts on the Earth system, *Science*, 2019, **363**, eaau8299.
- 3 H. Wu, Y. Yang and Y. C. Cao, Synthesis of Colloidal Uranium-Dioxide Nanocrystals, *J. Am. Chem. Soc.*, 2006, **128**, 16522–16523.
- 4 T. S. Neill, K. Morris, C. I. Pearce, L. Abrahamsen-Mills, L. Kovarik, S. Kellet, B. Rigby, T. Vitova, B. Schacherl and S. Shaw, Silicate stabilisation of colloidal UO_2 produced by uranium metal corrosion, *J. Nucl. Mater.*, 2019, **526**, 151751.
- 5 *Actinide Nanoparticle Research*, ed. S. N. Kalmykov and M. A. Denecke, Springer Berlin Heidelberg, Berlin, Heidelberg, 2011.
- 6 T. M. Nenoff, B. W. Jacobs, D. B. Robinson, P. P. Provencio, J. Huang, S. Ferreira and D. J. Hanson, Synthesis and Low Temperature In Situ Sintering of Uranium Oxide Nanoparticles, *Chem. Mater.*, 2011, **23**, 5185–5190.
- 7 J. R. Bargar, K. H. Williams, K. M. Campbell, P. E. Long, J. E. Stubbs, E. I. Suvorova, J. S. Lezama-Pacheco, D. S. Alessi, M. Stylo, S. M. Webb, J. A. Davis, D. E. Giammar, L. Y. Blue and R. Bernier-Latmani, Uranium redox transition pathways in acetate-amended sediments, *Proc. Natl. Acad. Sci. U. S. A.*, 2013, **110**, 4506–4511.
- 8 E. J. O'Loughlin, S. D. Kelly, R. E. Cook, R. Csencsits and K. M. Kemner, Reduction of Uranium(VI) by Mixed Iron(II)/Iron(III) Hydroxide (Green Rust): Formation of UO_2 Nanoparticles, *Environ. Sci. Technol.*, 2003, **37**, 721–727.
- 9 I. Pidchenko, K. O. Kvashnina, T. Yokosawa, N. Finck, S. Bahl, D. Schild, R. Polly, E. Bohnert, A. Rossberg,



- J. Göttlicher, K. Dardenne, J. Rothe, T. Schäfer, H. Geckeis and T. Vitova, Uranium Redox Transformations after U(VI) Coprecipitation with Magnetite Nanoparticles, *Environ. Sci. Technol.*, 2017, **51**, 2217–2225.
- 10 Z. Pan, B. Bártošová, T. LaGrange, S. M. Butorin, N. C. Hyatt, M. C. Stennett, K. O. Kvashnina and R. Bernier-Latmani, Nanoscale mechanism of UO_2 formation through uranium reduction by magnetite, *Nat. Commun.*, 2020, **11**, 4001.
- 11 D. M. Singer, F. Farges and G. E. Brown, in *AIP Conference Proceedings*, AIP, 2007, vol. 882, pp. 277–279.
- 12 Y. Suzuki, S. D. Kelly, K. M. Kemner and J. F. Banfield, Nanometre-size products of uranium bioreduction, *Nature*, 2002, **419**, 134–134.
- 13 D. M. Singer, F. Farges and G. E. Brown, Biogenic nanoparticulate UO_2 : Synthesis, characterization, and factors affecting surface reactivity, *Geochim. Cosmochim. Acta*, 2009, **73**, 3593–3611.
- 14 M. I. Boyanov, K. E. Fletcher, M. J. Kwon, X. Rui, E. J. O'Loughlin, F. E. Löffler and K. M. Kemner, Solution and Microbial Controls on the Formation of Reduced U(IV) Species, *Environ. Sci. Technol.*, 2011, **45**, 8336–8344.
- 15 L. Newsome, K. Morris and J. R. Lloyd, The biogeochemistry and bioremediation of uranium and other priority radionuclides, *Chem. Geol.*, 2014, **363**, 164–184.
- 16 J. R. Bargar, R. Bernier-Latmani, D. E. Giammar and B. M. Tebo, Biogenic Uraninite Nanoparticles and Their Importance for Uranium Remediation, *Elements*, 2008, **4**, 407–412.
- 17 L. Newsome, K. Morris, D. Trivedi, N. Atherton and J. R. Lloyd, Microbial reduction of uranium(VI) in sediments of different lithologies collected from Sellafield, *Appl. Geochem.*, 2014, **51**, 55–64.
- 18 K.-U. Ulrich, A. Singh, E. J. Schofield, J. R. Bargar, H. Veeramani, J. O. Sharp, R. Bernier-Latmani and D. E. Giammar, Dissolution of Biogenic and Synthetic UO_2 under Varied Reducing Conditions, *Environ. Sci. Technol.*, 2008, **42**, 5600–5606.
- 19 E. L. Fuller, N. R. Smyrl, J. B. Condon and M. H. Eager, Uranium oxidation: Characterization of oxides formed by reaction with water by infrared and sorption analyses, *J. Nucl. Mater.*, 1984, **120**, 174–194.
- 20 M. D. Kaminski, N. M. Dimitrijevic, C. J. Mertz and M. M. Goldberg, Colloids from the aqueous corrosion of uranium nuclear fuel, *J. Nucl. Mater.*, 2005, **347**, 77–87.
- 21 G. Rousseau, M. Fattahi, B. Grambow, F. Boucher and G. Ouvrard, Coprecipitation of thorium with UO_2 , *Radiochim. Acta*, 2002, **90**, 523–527.
- 22 T. Fanghänel and V. Neck, Aquatic chemistry and solubility phenomena of actinide oxides/hydroxides, *Pure Appl. Chem.*, 2002, **74**, 1895–1907.
- 23 V. Neck and J. I. Kim, Solubility and hydrolysis of tetravalent actinides, *Radiochim. Acta*, 2001, **89**, 1–16.
- 24 O. Walter, K. Popa and O. D. Blanco, Hydrothermal decomposition of actinide(IV) oxalates: a new aqueous route towards reactive actinide oxide nanocrystals, *Open Chem.*, 2016, **14**, 170–174.
- 25 P. Liu, X. Luo, M. Wen, J. Zhang, C. Zheng, W. Gao and F. Ouyang, Geoelectrochemical anomaly prospecting for uranium deposits in southeastern China, *Appl. Geochem.*, 2018, **97**, 226–237.
- 26 R. M. Hazen, R. C. Ewing and D. A. Sverjensky, Evolution of uranium and thorium minerals, *Am. Mineral.*, 2009, **94**, 1293–1311.
- 27 M. Schindler, A. J. Lussier, J. Bellrose, S. Rouvimov, P. C. Burns and T. K. Kyser, Mobilization and agglomeration of uraninite nanoparticles: A nano-mineralogical study of samples from the Matoush Uranium ore deposit, *Am. Mineral.*, 2017, **102**, 1776–1787.
- 28 S. Fuchs, D. Schumann, A. E. Williams-Jones and H. Vali, The growth and concentration of uranium and titanium minerals in hydrocarbons of the Carbon Leader Reef, Witwatersrand Supergroup, South Africa, *Chem. Geol.*, 2015, **393–394**, 55–66.
- 29 B. Salbu, K. Janssens, O. C. Lind, K. Proost, L. Gijssels and P. R. Danesi, Oxidation states of uranium in depleted uranium particles from Kuwait, *J. Environ. Radioact.*, 2005, **78**, 125–135.
- 30 P. Pöml and B. Burakov, Study of the redistribution of U, Zr, Nb, Tc, Mo, Ru, Fe, Cr, and Ni between oxide and metallic phases in the matrix of a multiphase Chernobyl hot-particle extracted from a soil sample of the Western Plume, *Radiochim. Acta*, 2018, **106**, 985–990.
- 31 A. Ochiai, J. Imoto, M. Suetake, T. Komiya, G. Furuki, R. Ikehara, S. Yamasaki, G. T. W. Law, T. Ohnuki, B. Grambow, R. C. Ewing and S. Utsunomiya, Uranium Dioxides and Debris Fragments Released to the Environment with Cesium-Rich Microparticles from the Fukushima Daiichi Nuclear Power Plant, *Environ. Sci. Technol.*, 2018, **52**, 2586–2594.
- 32 V. Kashparov, B. Salbu, S. Levchuk, V. Protsak, I. Maloshtan, C. Simonucci, C. Courbet, H. L. Nguyen, N. Sanzharova and V. Zabrotsky, Environmental behaviour of radioactive particles from chernobyl, *J. Environ. Radioact.*, 2019, **208–209**, 106025.
- 33 K. Spahiu, J. Devoy, D. Cui and M. Lundström, The reduction of U(VI) by near field hydrogen in the presence of $\text{UO}_{2(s)}$, *Radiochim. Acta*, 2004, **92**, 597–601.
- 34 M. Rovira, S. El Aamrani, L. Duro, J. Giménez, J. de Pablo and J. Bruno, Interaction of uranium with in situ anoxically generated magnetite on steel, *J. Hazard. Mater.*, 2007, **147**, 726–731.
- 35 G. Leinders, J. Pakarinen, R. Delville, T. Cardinaels, K. Binnemans and M. Verwerft, Low-Temperature Oxidation of Fine UO_2 Powders: A Process of Nanosized Domain Development, *Inorg. Chem.*, 2016, **55**, 3915–3927.
- 36 S. Szenknect, D. Alby, M. López García, C. Wang, R. Podor, F. Miserque, A. Mesbah, L. Duro, L. Zetterström Evins, N. Dacheux, J. Bruno and R. C. Ewing, Coffinite formation from UO_{2+x} , *Sci. Rep.*, 2020, **10**, 12168.
- 37 S. R. Spurgeon, M. Sassi, C. Ophus, J. E. Stubbs, E. S. Ilton and E. C. Buck, Nanoscale oxygen defect gradients in UO_{2+x}



- surfaces, *Proc. Natl. Acad. Sci. U. S. A.*, 2019, **116**, 17181–17186.
- 38 J. M. Haschke, T. H. Allen and L. A. Morales, Reaction of Plutonium Dioxide with Water: Formation and Properties of PuO_{2+x} , *Science*, 2000, **287**, 285–287.
 - 39 E. Gerber, A. Y. Romanchuk, I. Pidchenko, L. Amidani, A. Rossberg, C. Hennig, G. B. M. Vaughan, A. Trigub, T. Egorova, S. Bauters, T. Plakhova, M. O. J. Y. Hunault, S. Weiss, S. M. Butorin, A. C. Scheinost, S. N. Kalmykov and K. O. Kvashnina, The missing pieces of the PuO_2 nanoparticle puzzle, *Nanoscale*, 2020, **12**, 18039–18048.
 - 40 K. O. Kvashnina, A. Y. Romanchuk, I. Pidchenko, L. Amidani, E. Gerber, A. Trigub, A. Rossberg, S. Weiss, K. Popa, O. Walter, R. Caciuffo, A. C. Scheinost, S. M. Butorin and S. N. Kalmykov, A Novel Metastable Pentavalent Plutonium Solid Phase on the Pathway from Aqueous Plutonium(VI) to PuO_2 Nanoparticles, *Angew. Chem., Int. Ed.*, 2019, **58**, 17558–17562.
 - 41 O. N. Batuk, D. V. Szabo, M. A. Denecke, T. Vitova and S. N. Kalmykov, Synthesis and characterization of thorium, uranium and cerium oxide nanoparticles, *Radiochim. Acta*, 2013, **101**, 233–239.
 - 42 J.-D. Cafun, K. O. Kvashnina, E. Casals, V. F. Puentes and P. Glatzel, Absence of Ce^{3+} Sites in Chemically Active Colloidal Ceria Nanoparticles, *ACS Nano*, 2013, **7**, 10726–10732.
 - 43 T. V. Plakhova, A. Y. Romanchuk, S. M. Butorin, A. D. Konyukhova, A. V. Egorov, A. A. Shiryayev, A. E. Baranchikov, P. V. Dorovatovskii, T. Huthwelker, E. Gerber, S. Bauters, M. M. Sozarukova, A. C. Scheinost, V. K. Ivanov, S. N. Kalmykov and K. O. Kvashnina, Towards the surface hydroxyl species in CeO_2 nanoparticles, *Nanoscale*, 2019, **11**, 18142–18149.
 - 44 O. N. Batuk, S. N. Kalmykov, V. G. Petrov, E. V. Zakharova, Y. A. Teterin, A. Y. Teterin, V. I. Shapovalov and M. J. Haire, Neptunium interaction with uranium dioxide in aqueous solution, *J. Nucl. Mater.*, 2007, **362**, 426–430.
 - 45 M. Wojdyr, Fityk : a general-purpose peak fitting program, *J. Appl. Crystallogr.*, 2010, **43**, 1126–1128.
 - 46 J. Rothe, M. Altmaier, R. Dagan, K. Dardenne, D. Fellhauer, X. Gaona, E. G.-R. Corrales, M. Herm, K. O. Kvashnina, V. Metz, I. Pidchenko, D. Schild, T. Vitova and H. Geckeis, Fifteen Years of Radionuclide Research at the KIT Synchrotron Source in the Context of the Nuclear Waste Disposal Safety Case, *Geosciences*, 2019, **9**, 91.
 - 47 A. Zimina, K. Dardenne, M. A. Denecke, D. E. Doronkin, E. Huttel, H. Lichtenberg, S. Mangold, T. Pruessmann, J. Rothe, T. Spangenberg, R. Steininger, T. Vitova, H. Geckeis and J.-D. Grunwaldt, CAT-ACT—A new highly versatile X-ray spectroscopy beamline for catalysis and radionuclide science at the KIT synchrotron light facility ANKA, *Rev. Sci. Instrum.*, 2017, **88**, 113113.
 - 48 M. Borsboom, W. Bras, I. Cerjak, D. Detollenaere, D. Glastra van Loon, P. Goettkindt, M. Konijnenburg, P. Lassing, Y. K. Levine, B. Munneke, M. Oversluizen, R. van Tol and E. Vlieg, The Dutch–Belgian beamline at the ESRF, *J. Synchrotron Radiat.*, 1998, **5**, 518–520.
 - 49 B. Ravel and M. Newville, ATHENA, ARTEMIS, HEPHAESTUS: Data analysis for X-ray absorption spectroscopy using IFEFFIT, *J. Synchrotron Radiat.*, 2005, **12**, 537–541.
 - 50 L. Desgranges, G. Baldinozzi, G. Rousseau, J.-C. Nièpce and G. Calvarin, Neutron Diffraction Study of the in Situ Oxidation of UO_2 , *Inorg. Chem.*, 2009, **48**, 7585–7592.
 - 51 D. A. Andersson, G. Baldinozzi, L. Desgranges, D. R. Conradson and S. D. Conradson, Density Functional Theory Calculations of UO_2 Oxidation: Evolution of UO_{2+x} , U_4O_{9-y} , U_3O_7 , and U_3O_8 , *Inorg. Chem.*, 2013, **52**, 2769–2778.
 - 52 S. Hasan and T. K. Ghosh, Synthesis of Uranium Oxide Nanoparticles in Aqueous Solutions, *Nucl. Technol.*, 2011, **173**, 310–317.
 - 53 Y. Wang, Q. Chen and X. Shen, Preparation of low-temperature sintered UO_2 nanomaterials by radiolytic reduction of ammonium uranyl tricarbonate, *J. Nucl. Mater.*, 2016, **479**, 162–166.
 - 54 M. C. Rath, S. Keny and D. B. Naik, Direct Synthesis of UO_2 Nanoparticles in Aqueous Solutions Through Photochemical Method, *J. Nanosci. Nanotechnol.*, 2016, **16**, 9575–9582.
 - 55 S. Hu, H. Li, H. Liu, P. He and X. Wang, Nanocrystals of Uranium Oxide: Controlled Synthesis and Enhanced Electrochemical Performance of Hydrogen Evolution by Ce Doping, *Small*, 2015, **11**, 2624–2630.
 - 56 A. Leticia Soldati, D. Carolina Lago and M. Oscar Prado, in *Nuclear Materials*, IntechOpen, 2020.
 - 57 A. J. Popel, B. T. Tan, T. Gouder, G. I. Lampronti, J. Day, R. Eloirdi, A. Seibert and I. Farnan, Surface alteration evidence for a mechanism of anoxic dissolution of UO_2 , *Appl. Surf. Sci.*, 2019, **464**, 376–379.
 - 58 L. Balice, D. Bouëxière, M. Cologna, A. Cambriani, J. Vigier, E. De Bona, G. Domenico, C. Kübel, O. Walter and K. Popa, Nano and micro $\text{U}_{1-x}\text{Th}_x\text{O}_2$ solid solutions : From powders to pellets, *J. Nucl. Mater.*, 2018, **498**, 307–313.
 - 59 N. P. Martin, C. Volkringer, N. Henry, X. Trivelli, G. Stoclet, A. Ikeda-Ohno and T. Loiseau, Formation of a new type of uranium poly-oxo cluster $\{\text{U}_{38}\}$ based on a controlled release of water via esterification reaction, *Chem. Sci.*, 2018, **9**, 5021–5032.
 - 60 M. C. Rath, D. B. Naik and S. K. Sarkar, Reversible growth of UO_2 nanoparticles in aqueous solutions through 7 MeV electron beam irradiation, *J. Nucl. Mater.*, 2013, **438**, 26–31.
 - 61 D. Hudry, C. Apostolidis, O. Walter, T. Gouder, E. Courtois, C. Kübel and D. Meyer, Non-aqueous Synthesis of Isotropic and Anisotropic Actinide Oxide Nanocrystals, *Chem. – Eur. J.*, 2012, **18**, 8283–8287.
 - 62 D. Hudry, C. Apostolidis, O. Walter, T. Gouder, E. Courtois, C. Kübel and D. Meyer, Controlled Synthesis of Thorium and Uranium Oxide Nanocrystals, *Chem. – Eur. J.*, 2013, **19**, 5297–5305.
 - 63 L. M. Moreau, A. Herve, M. D. Straub, D. R. Russo, R. J. Abergel, S. Alayoglu, J. Arnold, A. Braun,



- G. J. P. Deblonde, Y. Liu, T. D. Lohrey, D. T. Olive, Y. Qiao, J. A. Rees, D. K. Shuh, S. J. Teat, C. H. Booth and S. G. Minasian, Structural properties of ultra-small thorium and uranium dioxide nanoparticles embedded in a covalent organic framework, *Chem. Sci.*, 2020, **11**, 4648–4668.
- 64 D. L. Clark, M. P. Neu, W. Runde and D. W. Keogh, in *Kirk-Othmer Encyclopedia of Chemical Technology*, John Wiley & Sons, Inc., Hoboken, NJ, USA, 2006.
- 65 T. Gouder, R. Eloirdi and R. Caciuffo, Direct observation of pure pentavalent uranium in U_2O_5 thin films by high resolution photoemission spectroscopy, *Sci. Rep.*, 2018, **8**, 8306.
- 66 K. O. Kvashnina, S. M. Butorin, P. Martin and P. Glatzel, Chemical State of Complex Uranium Oxides, *Phys. Rev. Lett.*, 2013, **111**, 253002.
- 67 G. Leinders, R. Bes, J. Pakarinen, K. Kvashnina and M. Verwerft, Evolution of the Uranium Chemical State in Mixed-Valence Oxides, *Inorg. Chem.*, 2017, **56**, 6784–6787.
- 68 G. Leinders, R. Bes, K. O. Kvashnina and M. Verwerft, Local Structure in U(IV) and U(V) Environments: The Case of U_3O_7 , *Inorg. Chem.*, 2020, **59**, 4576–4587.
- 69 L. Desfougeres, É. Welcomme, M. Ollivier, P. M. Martin, J. Hennuyer, M. O. J. Y. Hunault, R. Podor, N. Clavier and L. Favregeon, Oxidation as an Early Stage in the Multistep Thermal Decomposition of Uranium(IV) Oxalate into U_3O_8 , *Inorg. Chem.*, 2020, **59**, 8589–8602.
- 70 S. D. Conradson, D. Manara, F. Wastin, D. L. Clark, G. H. Lander, L. A. Morales, J. Rebizant and V. V. Rondinella, Local Structure and Charge Distribution in the UO_2 – U_4O_9 System, *Inorg. Chem.*, 2004, **43**, 6922–6935.
- 71 J. C. Renshaw, L. J. C. Butchins, F. R. Livens, I. May, J. M. Charnock and J. R. Lloyd, Bioreduction of Uranium: Environmental Implications of a Pentavalent Intermediate, *Environ. Sci. Technol.*, 2005, **39**, 5657–5660.
- 72 L. Amidani, T. V. Plakhova, A. Y. Romanchuk, E. Gerber, S. Weiss, A. Efimenko, C. J. Sahle, S. M. Butorin, S. N. Kalmykov and K. O. Kvashnina, Understanding the size effects on the electronic structure of ThO_2 nanoparticles, *Phys. Chem. Chem. Phys.*, 2019, **21**, 10635–10643.
- 73 R. Husar, R. Hübner, C. Hennig, P. M. Martin, M. Chollet, S. Weiss, T. Stumpf, H. Zänker and A. Ikeda-Ohno, Intrinsic formation of nanocrystalline neptunium dioxide under neutral aqueous conditions relevant to deep geological repositories, *Chem. Commun.*, 2015, **51**, 1301–1304.
- 74 A. Y. Romanchuk, T. V. Plakhova, A. V. Egorov, T. B. Egorova, P. V. Dorovatovskii and Y. V. Zubavichus, Redox-mediated formation of plutonium oxide nanoparticles, *Dalton Trans.*, 2018, **47**, 11239–11244.
- 75 H. Geckeis, B. Grambow, A. Loida, B. Luckscheiter, E. Smailos and J. Quinones, Formation and Stability of Colloids under Simulated Near Field Conditions, *Radiochim. Acta*, 1998, **82**, 123–128.
- 76 H. Zänker and C. Hennig, Colloid-borne forms of tetravalent actinides: A brief review, *J. Contam. Hydrol.*, 2014, **157**, 87–105.
- 77 G. Kauric, O. Walter, A. Beck, B. Schacherl, O. Dieste Bianco, J.-F. Vigier, E. Zuleger, T. Vitova and K. Popa, Synthesis and characterization of nanocrystalline $U_{1-x}Pu_xO_{2(+y)}$ mixed oxides, *Mater. Today Adv.*, 2020, **8**, 1000105.

