


Cite this: *RSC Adv.*, 2021, 11, 20423

Understanding liquefaction in halide perovskites upon methylamine gas exposure†

Wencai Zhou,^a Zilong Zheng,^a Yue Lu,^{*a} Manling Sui,^a Jun Yin^b and Hui Yan^a

Methylamine (CH_3NH_2 , MA) gas-induced fabrication of organometal $\text{CH}_3\text{NH}_3\text{PbI}_3$ based perovskite thin films are promising photovoltaic materials that transform the energy from absorbed sunlight into electrical power. Unfortunately, the low stability of the perovskites poses a serious hindrance for further development, compared to conventional inorganic materials. The solid-state perovskites are liquefied and recrystallized from CH_3NH_2 . However, the mechanism of this phase transformation is far from clear. Employing first principles calculations and *ab initio* molecular dynamics simulations, we investigated the formation energy of primary defects in perovskites and the liquefaction process in CH_3NH_2 vapor. The results indicated that defect-assisted surface dissolution leads to the liquefaction of perovskite thin films in CH_3NH_2 vapor. Two primary defects were studied: one is the Frenkel pair defect (including both negatively charged interstitial iodide ion (I_i^-) and iodide vacancy (V_i^+) at the PbI_2 -termination surface, and the other is the Schottky defects (methylammonium vacancy, V_{MA}) at the MAI-termination surface. Moreover, the defect-induced disorder in the microstructure reduces the degeneration of energy levels, which leads to a blue shift and broader absorption band gap, as compared to the clean perovskite surface. The mechanism of how defects impact the surface dissolution could be applied for the further design of high-stability perovskite solar cells.

Received 23rd February 2021
Accepted 4th May 2021

DOI: 10.1039/d1ra01458g

rsc.li/rsc-advances

1. Introduction

Halide perovskite solar cells (PSCs) have been regarded as one of the most promising materials for their exceptional optoelectronic properties, including high absorption coefficients, long charge carrier lifetime, and flexibility in material growth and architecture.^{1–5} The transition probability between the band edges is mainly derived from intra-atomic Pb s-orbitals to Pb p-orbitals in PSCs and results in a higher optical absorption coefficient, compared with GaAs-based solar cells.⁶ The band splitting induced by the strong spin–orbit coupling, leading to an indirect transition for non-radiative recombination from conduction band to valence band, responsible for long charge carrier lifetime in PSCs.⁷

Although the solar to electrical power conversion efficiency (PCE) has improved remarkably from 3.8% (ref. 8) to 25.2% (ref. 9) during the past 10 years, the stability of perovskite materials is the most critical issue for commercial solar cells applications, for instance, instabilities of the crystal structure and photoelectric properties.^{10–15} Therefore, the defect-related stability generated in the fabrication process, and the nature of defects

in organometal halide perovskites are the focus of extensive experimental and theoretical investigations.

Moreover, the defect states have a significant influence on the photoelectric performance,^{16–18} and it is necessary to improve the general understanding of fundamental characteristics of defects in PSCs. For instance, deep levels of intrinsic point defects in the band gap of PSCs can act as the centers of defect-assisted Shockley–Read–Hall (SRH) non-radiative recombination. Yin *et al.*¹⁹ found the dominant point defects in PSCs to be shallow level states, which have low formation energies and benign property, compared with deep levels. The defect clusters at the interfacial surface or grain boundaries in polycrystalline perovskite films were explored *via* experimental observations, and those defect-assisted trapping states could result in hysteresis in current–voltage characteristics.^{20–22} Following a defect-assisted model, Uratani *et al.*²³ investigated the charge carrier trapping process with interface phase separation based on first principles calculations. Considering Lewis acids/bases have unoccupied orbitals/lone-pair electrons, which can passivate the under-coordinated $\text{I}^-/\text{Pb}^{2+}$ ion on the MAI/ PbI_2 terminated surface, which helps reduce the charge trapping and subsequent *J–V* hysteresis.^{24–26} For instance, the nitrogen-atoms in methylamine could provide a lone pair of electrons as a weak Lewis base, and Zhou *et al.*²⁷ proposed the application of methylamine gas in the fabrication of perovskite films in 2015. During the methylamine gas conversion of the films, MAPbI_3 perovskites generate a stable liquid-state intermediate, and then start to recrystallize following

^aFaculty of Materials and Manufacturing, Beijing University of Technology, Beijing 100124, China. E-mail: zilong.zheng@bjut.edu.cn; luyue@bjut.edu.cn

^bDivision of Physical Science and Engineering, King Abdullah University of Science and Technology, Thuwal 23955-6900, Kingdom of Saudi Arabia

† Electronic supplementary information (ESI) available. See DOI: 10.1039/d1ra01458g



methylamine gas exposure. Methylamine-assisted (MAPbI₃) perovskite films exhibit much low defect density, long carrier lifetime, excellent environmental stability, and much better photoelectric performance. The MA gas-induced liquefaction has been widely applied in numerous processes, such as device preparation^{28,29} and recycling.^{30,31} Although various reports have been proposed for the solid-liquid phase transformation progress, the intrinsic mechanism remains far from clear.^{27–33} It has been known that the MA molecules have interactions with the inorganic [PbI₆]^{4–} framework, given the coordination between lone pair electrons on nitrogen-atoms in methylamine and unoccupied orbitals in Pb²⁺ cations. Therefore, the MA-gas induced liquefaction was reported as a substitution of iodine with MA³² and NH₃ molecules.^{30,31} It has been reported that the liquefaction process is associated with a MA-MA⁺ dimer-induced phase transition from three dimensional (3D) α phase to 1D δ phase, and the MA-MA⁺ dimer structure was also reported by He and Pan simultaneously.³⁰ The interaction between MA molecules with MA⁺ cations indicates that the engineering of the A site of the halide perovskite is also important as the B site in the MA-gas induced fabrication.²⁸ The experimental study provides a great contribution towards uncovering the PSC liquefaction mechanism, and could be widely applied for PSC fabrication. Moreover, it is significant for understanding the PSC liquefaction process in theory as well. Hence, it is urgent to determine the role of CH₃NH₂ vapor in the liquefaction process, and guide in designing better engineering for the perovskite film fabrication.

In this study, we investigated the defect formation energies and methylamine molecule adsorption energies on perovskite surfaces (including PbI₂-termination and MAI-termination) based on the density functional theory (DFT). Then, considering the low defect formation energy of methylammonium vacancy (V_{MA}), we studied defect-assisted surface dissolution combined with the interactions between methylamine gas and perovskite surfaces using *ab initio* molecular dynamics simulations (AIMD). Finally, we explored the disorder and energy-shift of the absorption band gap, resulting from perovskite surface dissolution.

II. Method

First principles calculations were performed with DFT methods as implemented in the Vienna *Ab initio* Simulation Package (VASP),³⁴ and the long-range van der Waals interactions proposed by Grimme *et al.* (DFT-D3) to add a correction to the conventional Kohn-Sham DFT energy.³⁵ DFT calculations were performed *via* standard Perdew–Burke–Ernzerhof (PBE) generalized gradient approximation (GGA),³⁶ within the framework of the projector-augmented-wave (PAW) method.³⁷ The cut-off energy was set to 500 eV, and we established 1 × 1 × 2 supercells with additional methylamine molecules to calculate the adsorption energies. In order to eliminate the properties of defects, we then increased the system to 2 × 2 × 2 supercells to calculate the defect formation energies, activation potential barriers of transition state, and defect-assisted methylamine penetrating dynamic progress. The modeling MAPbI₃ clean surfaces were constructed using

a thickness of three-layer MAPbI₃ slabs with an additional 15 Å vacuum region (Fig. 1(a)). The atomic positions were fully relaxed with the conjugate gradient method until the atomic forces were less than 0.01 eV Å^{–1}. The adsorption energy (E_{ads}) of the equilibrium structures was calculated using the following equation,

$$E_{\text{ads}} = \frac{E_{\text{CH}_3\text{NH}_2 + \text{MAPbI}_3} - E_{\text{MAPbI}_3} - N \times E_{\text{CH}_3\text{NH}_2}}{N}$$

where $E_{\text{CH}_3\text{NH}_2}$, E_{MAPbI_3} , and $E_{\text{CH}_3\text{NH}_2 + \text{MAPbI}_3}$ are the total energies of a free methylamine molecule (CH₃NH₂), clean MAPbI₃ surface, and MAPbI₃ surface with adsorbed CH₃NH₂ molecules *via* the converged self-consistent field (SCF) method, respectively. N is the total number of the adsorbed CH₃NH₂ molecules on the clean MAPbI₃ surface in the system.

The transition state calculation was carried out *via* the climbing nudged elastic band (CINEB) method.³⁸ More than 5 configurations were applied between the initial state and the final state, and the force threshold was set to 0.05 eV Å^{–1}.

The AIMD simulations were performed using the CP2K/Quickstep package.³⁹ MD simulations were performed with NVT ensemble at room temperature of 300 K. The total simulation time is 30 picoseconds with a time step of 1 femtosecond. The wave functions of the valence electrons were expanded in terms of Gaussian functions with molecularly optimized double ζ polarized basis sets (m-DZVP),⁴⁰ which ensure a small basis set superposition error, and core electrons were described with norm-conserving Goedecker, Teter, and Hutter (GTH) pseudopotentials.⁴¹

III. Results and discussion

Two typical crystal structures of the MAPbI₃ perovskite could exist at room temperature, namely tetragonal phase and cubic phase. The former one is more stable than the latter.⁴²




Fig. 1 (a) Additional methylamine molecules (green color) absorbing (red region) and penetrating (yellow region) on the PbI₂-termination MAPbI₃ (001) clean surface. (b) Adsorption energy (per methylamine) as a function of the adsorbed methylamine numbers (N from 1 to 4) based on each (c) equilibrium structure.



Table 1 Adsorption energy (E_{ads}) and distances between the perovskite clean surface and adsorbed CH_3NH_2 molecule

	E_{ads} (eV)	Distance (Å)
PbI_2 -termination	−1.06	2.52
MAI-termination	−0.51	1.65

Therefore, in this study, we only focused on the surface dissolution in the tetragonal phase. From previous work, the (001) surface is one of the most common surfaces in perovskites,⁴³ and our results indicated the optimized lattice parameters are $a = 8.09$ Å, $b = 8.73$ Å, and $c = 12.86$ Å, which are in good agreement with the experimental measurement.^{44–46} To have a better illustration of the diffusion progress, we took the PbI_2 -termination (001) surface as an example, and marked the area of the vacuum region and inner structure, as shown in Fig. 1(a).

As the initial configurations, we made one CH_3NH_2 molecule over 4 Å above on both PbI_2 -termination surface and MAI-termination surface, respectively. Then, we obtained the equilibrium adsorbing structures based on DFT energy minimization, as shown in adsorption energy and bond lengths in Table 1. On the PbI_2 -termination surface, CH_3NH_2 has a strong interaction with Pb^{2+} via a covalent bond, which is lower in energy (−1.06 eV), and CH_3NH_2 kept located in the vacuum region at the equilibrium configuration for adsorption. Considering the high-concentration methylamine gas, we established the modeling system by increasing numbers up to four adsorbed methylamine molecules (Fig. 1(b)). It should be noted that four is the maximum number of adsorbed CH_3NH_2 on the 1×1 slab because of steric effects. The adsorption energy (assigned in each CH_3NH_2) increases to −0.71 eV. The configuration of the Pb^{2+} ion is $5d^86s^0$, which can accept four lone pair electrons, while two can fill up the 5d-orbital and the other two fill up the 6s-orbital.

Alternatively, the maximum bond number between each Pb atom and adsorbed CH_3NH_2 is less than two, considering one nitrogen-atom of adsorbed CH_3NH_2 can provide two lone pair electrons. When more than two CH_3NH_2 molecules absorb on one Pb atom, there is no bond connection between them, additional CH_3NH_2 was stabilized *via* intermolecular hydrogen bonds among CH_3NH_2 . Therefore, the absolute value of adsorption energy, $|E_{\text{ads}}|$, decreases from 1.06 eV to 0.71 eV, when more CH_3NH_2 adsorbed. Therefore, in the preparation of perovskites, the high-concentration methylamine treatment process may not be applicable for liquefaction on the PbI_2 -termination surface.

Moreover, numerous lone pair electrons filling up Pb^{2+} unoccupied orbitals result in the reduction of the dipole interaction and bridging the polar ionic Pb–I bond (Fig. 1(c)). The generation of the Frenkel pair (interstitial iodide ion (I_i^-) and iodide vacancy (V_i^+)) is more favorable *via* the free I^- ion.

On the other hand, we investigated the adsorption on a MAI-termination perovskite surface, and E_{ads} is −0.51 eV, which is mainly induced by intermolecular hydrogen bond interactions between CH_3NH_2 molecules, wherein one is outside the perovskite surface, and the other is inside, as shown in the configuration in Fig. 2 on the left. The stable dimer structure agrees well with the recent experimental reports.^{28,30,31} The absolute value of E_{ads} is actually the same as the energy of the $\text{N}\cdots\text{H}$ bond (around 0.5 eV),⁴⁷ where the molecules are not constrained by the lattice structure.

In order to understand the mechanism of the CH_3NH_2 penetration process on the MAI-termination surface, the transition states between the two equilibrium configurations, adsorbed and penetrated structures, were obtained (Fig. 2). The activation potential barrier is as high as 1.14 eV ($E_{\text{ads}} + E_{\text{TS}}$), indicating that the CH_3NH_2 penetration process is hardly




Fig. 2 Energies and configurations along with the reaction path from the reactant equilibrium structure (CH_3NH_2 adsorbing on the perovskite surface), transition state (TS) structure to the product equilibrium structure (CH_3NH_2 penetrating into the surface). Zero point of total energy defined by the configuration, in which there is no interaction between adsorbed CH_3NH_2 and perovskite surface.




Fig. 3 Model configures (a) of both the clean perovskite surface and MA-vacancy defective surface in AIMD simulations. (b) Distances between adsorbed CH_3NH_2 (green color) and perovskite surfaces as a function of time (negative values represent the CH_3NH_2 molecule penetrating into the perovskite surface). The energy distributions of optical band gaps (c) obtained from AIMD simulations.






Fig. 4 (a) Radical distribution functions of Pb–I bonds and (b) configurations obtained from AIMD simulations every 10 picoseconds (0 ps, 10 ps, 20 ps, and 30 ps), respectively. The green molecules are the adsorbed methylamine molecules, and the bottom panel (c) was exported in 30 ps AIMD simulations, where one adsorbed methylamine molecule was penetrating into the perovskite surface, following vacancy defect generation.

possible, and methylamine treatment should be avoided on the clean MAI-termination surface.

Given the defects on the perovskite surface are unavoidable, the mechanism of defect-assisted CH_3NH_2 gas penetration into the perovskite could be available. To verify this hypothesis, initially, we obtained the defect formation on both the PbI_2 -termination and MAI-termination surfaces *via* the DFT method. Employing the point defect model, the MA, Pb, and I vacancies (V_{MA} , V_{Pb} , and V_{I}) are included, and the values of their formation energies are 0.51 eV (of V_{MA}), 0.73 eV (of V_{Pb}) and 0.90 eV (of V_{I}) from the small to the large. The lowest defect formation energy of V_{MA} implies that it is highly likely to exist on the MAI-termination perovskite surface (Table 2).

Therefore, we further performed AIMD simulations on the MAI-termination surface with CH_3NH_2 gas exposure to compare with the CH_3NH_2 dissolution process, (i) on the clean surface and (ii) on MA-vacancy defective surface, as shown in the model configuration in Fig. 3(a).

A $2 \times 2 \times 2$ supercell for perovskites was established, which contained 16 adsorbed CH_3NH_2 molecules on the perovskite surface, as the model for high-concentration CH_3NH_2 . 16 is the maximum number of CH_3NH_2 molecules, which covered the entire model 2×2 surface. For better illustration, the clean surface denotes the MA gas adsorbed on the pristine MAI-terminated surface, and the defective surface indicates the MAI-terminated surface with additional V_{MA} defect. Due to defect, the absorbed CH_3NH_2 molecule started diffusing into

the inner structure in 5 picosecond; however, it was pushed out immediately. It then penetrated into the surface in the 16 ps region, and remained localized in the inner structure. The dynamic distance between adsorbed CH_3NH_2 and MA-vacancy defective surface confirmed the process, (Fig. 3(b)), while the negative values of distances indicate CH_3NH_2 penetration into the surface. Furthermore, we calculated the statistical distribution of the band edge level and the bandgap variation and fit the status with the Gaussian function. The structural disorder on the defective perovskite surface is large, which reduces the degeneration of the conduction band (CB) level and valence band level (VB). As a result, the optical band gaps become broad. Therefore, the AIMD simulation presented a blue-shift and broader absorption band gap for MA-vacancy defective perovskites, given the enhanced disorder character of the inorganic framework.

On the clean surface, the difference is the adsorbed CH_3NH_2 barely diffuse into the inner structure, and remain located outside the perovskite surface. The small structural disorder leads to the optical band gaps becoming sharper, see Fig. 3(c).

Moreover, considering the strong absorption between CH_3NH_2 and the clean PbI_2 -termination surface, see Table 1, we explored the CH_3NH_2 diffusion process *via* AIMD simulations with at room temperature of 300 K, while the snapshots were exported every 10 ps, and configurations represented in Fig. 4(b).

Induced by the thermal fluctuations and adsorption dynamics, the PbI_2 -termination surface underwent slight distortion, as shown in the results of AIMD simulations. The breaking Pb–I bonds enable I^- ion to move slightly from the ideal position outside the perovskite surface, and generate a positive charge iodine vacancy (V_{I}^+) at the original site, resulted in the formation of a Frenkel pair defect. However, unlike defect-assisted MAI-termination surface dissolution in CH_3NH_2 gas exposure, our simulation implied that the adsorbed CH_3NH_2 molecule cannot penetrate into the inner structure from the PbI_2 -termination surface even with defect assistance. This could be because of the large binding interaction between the surface Pb^{2+} ion with diffused CH_3NH_2 molecules. To further investigate the ordered/disordered character in materials, we obtained the radical distribution function (RDF) of Pb–I bonds, as shown in Fig. 4(a). The calculated RDF did not change significantly in AIMD simulations, which indicated that the amount of generated Frenkel pair defects ($\text{I}_\text{I}^-/\text{V}_\text{I}^+$) on the

Table 2 Defect formation energies of the intrinsic neutral vacancy defect on the PbI_2 -termination and MAI-termination surfaces

	Defect	Formation energy (eV)	
		I-rich	Pb-rich
PbI_2 -termination	V_{Pb}	0.73	2.56
	V_{I}	2.71	0.90
MAI-termination	V_{MA}	0.51	1.44
	V_{I}	2.63	1.71



PbI₂-termination surface was much less, and insufficient to assist CH₃NH₂ diffusion into the perovskite surface. In CH₃NH₂ gas exposure, the dissolution on the PbI₂-termination surface hardly occurred.

IV. Conclusions

In summary, we investigated the methylamine gas adsorption and diffusion process on organometal Halide (MAPbI₃) perovskite surfaces based on the density functional theory and *ab initio* molecular dynamics simulations. The plumbum atom (Pb) has a strong covalent bond with the methylamine molecule, and the binding energy is as strong as 1.1 eV, which prevents MA gas from diffusing through the perovskite surface or dissolving on the PbI₂-termination surface when exposed to MA gas. On the MAI-termination surface, the defect formation energy of MA vacancy is as low as 0.5 eV, which implies it is likely to exist in perovskites. Our simulations implied the adsorbed methylamines could be encouraged to penetrate into the defective MAI-termination surface, rather than from the clean surface, which means that the defect-assisted surface dissolution may lead to the liquefaction of perovskite thin films in methylamine vapor. The energies of adsorption and defect formation indicated a high-concentration methylamine treatment process may be applied for defective perovskite surface. Moreover, following methylamine adsorption, defect-assisted surface dissolution result in a blue-shift and broader absorption band gap. The mechanism of defect-assisted perovskite surface dissolution could be applied for further defects engineering in high-stability perovskite solar cells.

Conflicts of interest

There are no conflicts to declare.

Acknowledgements

This work was financially supported by the National Natural Science Foundation of China (No. 62034001, 22033006, 52073005). We also acknowledge for the financial support from Key Laboratory of Advanced Functional Materials, Education Ministry of China, and supercomputer center of Institute of Advanced Energy Materials and Devices in BJUT.

References

- 1 J. Huang, Y. Yuan, Y. Shao and Y. Yan, *Nat. Rev. Mater.*, 2017, **2**, 17042.
- 2 X. Li, D. Bi, C. Yi, J.-D. Décoppet, J. Luo, S. M. Zakeeruddin, A. Hagfeldt and M. Grätzel, *Science*, 2016, **353**, 58–62.
- 3 Y. Wu, X. Yang, W. Chen, Y. Yue, M. Cai, F. Xie, E. Bi, A. Islam and L. Han, *Nat. Energy*, 2016, **1**, 16148.
- 4 H. Tsai, W. Nie, J.-C. Blancon, C. C. Stoumpos, R. Asadpour, B. Harutyunyan, A. J. Neukirch, R. Verduzco, J. J. Crochet, S. Tretiak, L. Pedesseau, J. Even, M. A. Alam, G. Gupta, J. Lou, P. M. Ajayan, M. J. Bedzyk, M. G. Kanatzidis and A. D. Mohite, *Nature*, 2016, **536**, 312–316.
- 5 T. Leijtens, G. E. Eperon, A. J. Barker, G. Grancini, W. Zhang, J. M. Ball, A. R. S. Kandada, H. J. Snaith and A. Petrozza, *Energy Environ. Sci.*, 2016, **9**, 3472–3481.
- 6 W.-J. Yin, J.-H. Yang, J. Kang, Y. Yan and S.-H. Wei, *J. Mater. Chem. A*, 2015, **3**, 8926–8942.
- 7 F. Zheng, L. Z. Tan, S. Liu and A. M. Rappe, *Nano Lett.*, 2015, **15**, 7794–7800.
- 8 A. Kojima, K. Teshima, Y. Shirai and T. Miyasaka, *J. Am. Chem. Soc.*, 2009, **131**, 6050.
- 9 NREL, <https://www.nrel.gov/pv/assets/pdfs/best-research-cell-efficiencies.20200925.pdf>, 2020.
- 10 B. W. Park, N. Kedem, M. Kulbak, D. Y. Lee, W. S. Yang, N. J. Jeon, J. Seo, G. Kim, K. J. Kim, T. J. Shin, G. Hodes, D. Cahen and S. I. Seok, *Nat. Commun.*, 2018, **9**, 3301.
- 11 B. Conings, J. Drijkoningen, N. Gauquelin, A. Babayigit, J. D'Haen, L. D'Olieslaeger, A. Ethirajan, J. Verbeeck, J. Manca, E. Mosconi, F. D. Angelis and H.-G. Boyen, *Adv. Energy Mater.*, 2015, **5**, 6160–6164.
- 12 E. Tenuta, C. Zheng and O. Rubel, *Sci. Rep.*, 2016, **6**, 37654.
- 13 S. N. Habisreutinger, D. P. McMeekin, H. J. Snaith and R. J. Nicholas, *APL Mater.*, 2016, **4**, 643.
- 14 T. A. Berhe, W.-N. Su, C.-H. Chen, C.-J. Pan, J.-H. Cheng, H.-M. Chen, M.-C. Tsai, L.-Y. Chen, A. A. Dubale and B.-J. Hwang, *Energy Environ. Sci.*, 2016, **9**, 323–356.
- 15 N.-G. Park, M. Grätzel, T. Miyasaka, K. Zhu and K. Emery, *Nat. Energy*, 2016, **1**, 16152.
- 16 M. V. Kovalenko, L. Protesescu and M. I. Bodnarchuk, *Science*, 2017, **358**, 745–750.
- 17 H. Huang, M. I. Bodnarchuk, S. V. Kershaw, M. V. Kovalenko and A. L. Rogach, *ACS Energy Lett.*, 2017, **2**, 2071–2083.
- 18 X. Zheng, B. Chen, J. Dai, Y. Fang, Y. Bai, Y. Lin, H. Wei, X. C. Zeng and J. Huang, *Nat. Energy*, 2017, **2**, 17102.
- 19 W. J. Yin, T. Shi and Y. Yan, *Adv. Mater.*, 2014, **26**, 4653–4658.
- 20 H. J. Snaith, A. Abate, J. M. Ball, G. E. Eperon, T. Leijtens, N. K. Noel, S. D. Stranks, J. T.-W. Wang, K. Wojciechowski and W. Zhang, *J. Phys. Chem. Lett.*, 2014, **5**, 1511–1515.
- 21 B. Chen, M. Yang, S. Priya and K. Zhu, *J. Phys. Chem. Lett.*, 2016, **7**, 905–917.
- 22 Q. Chen, H. Zhou, T.-B. Song, S. Luo, Z. Hong, H.-S. Duan, L. Dou, Y. Liu and Y. Yang, *Nano Lett.*, 2014, **14**, 4158–4163.
- 23 H. Uratani and K. Yamashita, *J. Phys. Chem. Lett.*, 2017, **8**, 742–746.
- 24 P. L. Qin, G. Yang, Z. W. Ren, S. H. Cheung, S. K. So, L. Chen, J. Hao, J. Hou and G. Li, *Adv. Mater.*, 2018, **30**, e1706126.
- 25 Y. Lin, L. Shen, J. Dai, Y. Deng, Y. Wu, Y. Bai, X. Zheng, J. Wang, Y. Fang, H. Wei, W. Ma, X. C. Zeng, X. Zhan and J. Huang, *Adv. Mater.*, 2017, **29**, 1604545.
- 26 L. Liu, W.-H. Fang, R. Long and O. V. Prezhdo, *J. Phys. Chem. Lett.*, 2018, **9**, 1164–1171.
- 27 Z. Zhou, Z. Wang, Y. Zhou, S. Pang, D. Wang, H. Xu, Z. Liu, N. P. Padture and G. Cui, *Angew. Chem., Int. Ed. Engl.*, 2015, **54**, 9705–9709.
- 28 X. Huang, R. Chen, G. Deng, F. Han, P. Ruan, F. Cheng, J. Yin, B. Wu and N. Zheng, *J. Am. Chem. Soc.*, 2020, **142**, 6149–6157.



- 29 D.-N. Jeong, D.-K. Lee, S. Seo, S. Y. Lim, Y. Zhang, H. Shin, H. Cheong and N.-G. Park, *ACS Energy Lett.*, 2019, **4**, 1189–1195.
- 30 X. Y. Feng, K. W. Ng, S. P. Wang, W. Z. Chen, Z. Z. Zhang, W. Chen, Y. Y. Zhao, B. Tu, Z. K. Tang, H. Pan and Z. B. He, *J. Mater. Chem. A*, 2020, **8**, 13585–13593.
- 31 X. Feng, Q. Guo, J. Xiu, Z. Ying, K. W. Ng, L. Huang, S. Wang, H. Pan, Z. Tang and Z. He, *Cell Rep. Phys. Sci.*, 2021, **2**, 100341.
- 32 D. Bogachuk, L. Wagner, S. Mastroianni, M. Daub, H. Hillebrecht and A. Hinsch, *J. Mater. Chem. A*, 2020, **8**, 9788–9796.
- 33 Y. Jiang, E. J. Juarez-Perez, Q. Ge, S. Wang, M. R. Leyden, L. K. Ono, S. R. Raga, J. Hu and Y. Qi, *Mater. Horiz.*, 2016, **3**, 548–555.
- 34 G. Kresse and J. Furthmüller, *Phys. Rev. B: Condens. Matter Mater. Phys.*, 1996, **54**, 11169–11186.
- 35 S. Grimme, J. Antony, S. Ehrlich and H. Krieg, *J. Chem. Phys.*, 2010, **132**, 154104.
- 36 J. P. Perdew, K. Burke and M. Ernzerhof, *Phys. Rev. Lett.*, 1996, **77**, 3865–3868.
- 37 P. E. Blöchl, *Phys. Rev. B: Condens. Matter Mater. Phys.*, 1994, **50**, 17953–17979.
- 38 G. Henkelman, B. P. Uberuaga and H. Jónsson, *J. Chem. Phys.*, 2000, **113**, 9901–9904.
- 39 J. VandeVondele, M. Krack, F. Mohamed, M. Parrinello, T. Chassaing and J. Hutter, *Comput. Phys. Commun.*, 2005, **167**, 103–128.
- 40 J. VandeVondele and J. Hutter, *Comput. Phys. Commun.*, 2007, **127**, 114105.
- 41 S. Goedecker, M. Teter and J. Hutter, *Phys. Rev. B: Condens. Matter Mater. Phys.*, 1996, **54**, 1703–1710.
- 42 Y. Kawamura, H. Mashiyama and K. Hasebe, *J. Phys. Soc. Jpn.*, 2002, **71**, 1694.
- 43 X. Liu and K. Sohlberg, *Complex Met.*, 2014, **1**, 103–121.
- 44 T. Baikie, Y. Fang, J. M. Kadro, M. Schreyer, F. Wei, S. G. Mhaisalkar, M. Graetzel and T. J. White, *J. Mater. Chem. A*, 2013, **1**, 5628–5641.
- 45 S. Piskunov, E. A. Kotomin, E. Heifets, J. Maier, R. I. Eglitis and G. Borstel, *Surf. Sci.*, 2005, **575**, 75–88.
- 46 S. Colella, E. Mosconi, P. Fedeli, A. Listorti, F. Gazza, F. Orlandi, P. Ferro, T. Besagni, A. Rizzo, G. Calestani, G. Gigli, F. De Angelis and R. Mosca, *Chem. Mater.*, 2013, **25**, 4613–4618.
- 47 B. A. Gong, B. Jing, Q. Z. Li, Z. B. Liu, W. Z. Li, J. B. Cheng, Q. C. Zheng and J. Z. Sun, *Theor. Chem. Acc.*, 2010, **127**, 303–309.

