


 Cite this: *RSC Adv.*, 2021, **11**, 25004

Surface acidity of tin dioxide nanomaterials revealed with ^{31}P solid-state NMR spectroscopy and DFT calculations†

 Wenjing Zhang,^a Zhiye Lin,^{†a} Hanxiao Li,^{‡b} Fang Wang,^a Yujie Wen,^a Meng Xu,^a Yang Wang,^a Xiaokang Ke,^a Xifeng Xia,^c Junchao Chen^{*a} and Luming Peng^{‡*a}

Tin dioxide (SnO_2) nanomaterials are important acid catalysts. It is therefore crucial to obtain details about the surface acidic properties in order to develop structure–property relationships. Herein, we apply ^{31}P solid-state NMR spectroscopy combined with a trimethylphosphine (TMP) probe molecule, to study the facet-dependent acidity of SnO_2 nanosheets and nanoshuttles. With the help of density functional theory calculations, we show that the tin cations exposed on the surfaces are Lewis acid sites and their acid strengths rely on surface geometries. As a result, the (001), (101), (110), and (100) facets can be differentiated by the ^{31}P NMR shifts of adsorbed TMP molecules, and their fractions in different nanomaterials can be extracted according to deconvoluted ^{31}P NMR resonances. The results provide new insights on nanosized oxide acid catalysts.

 Received 9th April 2021
 Accepted 13th July 2021

DOI: 10.1039/d1ra02782d

rsc.li/rsc-advances

1. Introduction

With a relatively large band gap of 3.6 eV, tin dioxide (SnO_2) is an intrinsic n-type semiconductor.^{1,2} SnO_2 and SnO_2 based-materials have been widely used in a variety of fields including gas-sensing,³ photovoltaics,⁴ energy storage,^{2,5} and acid catalysis.^{6,7} In particular, SnO_2 nanomaterials, which are associated with a larger surface area and may expose specific facets, exhibit improved catalytic properties compared to their bulk counterparts.^{8,9} Therefore, it is important to understand the details about the acidic properties of SnO_2 nanomaterials in order to develop better SnO_2 -based catalysts.

The most widely applied methods for determining the acidic properties of solids include NH_3 -temperature programmed desorption (TPD)¹⁰ and pyridine-infrared spectroscopy (IR).¹¹ NH_3 -TPD data gives general information on the relative concentration and strength of different acid sites, however, they cannot differentiate Lewis and Brønsted acid sites.¹² Although pyridine-IR can be used to identify the type of acid sites, it is impossible to obtain quantitative results (*i.e.*, the

concentrations of Lewis and Brønsted acid sites), owing to the overlapping band if both acid sites are present.¹³ Therefore, a method that is able to provide both qualitative and quantitative information on Lewis and Brønsted acid sites is preferable. Solid-state nuclear magnetic resonance (NMR) spectroscopy is a powerful method with which to study detailed local structure and properties of solids.^{14–21} Combined with appropriate probe molecules such as trimethylphosphine (TMP), the smallest alkyl phosphine that can be bound the acid sites of oxide surfaces, solid-state NMR data can provide rich information on the location, type, strength as well as concentration of acid sites.^{22–24} This approach has been extensively used to study metal oxide based catalysts and porous catalytic materials, such as zeolites and mesoporous materials.^{25,26}

Despite the importance of exposed facets on the catalytic properties,²⁷ only very recently, this method was extended to study the facet-dependent acidity of oxide nanomaterials, including TiO_2 ,²⁸ ZnO ,²⁹ and CeO_2 .¹³ Based on ^{31}P chemical shift of TMP molecules adsorbed, different surface species at each facet can be identified and their fractions can be extracted according to spectral deconvolution.^{29,30} Since the facet dependent acidity was not studied for SnO_2 nanostructures, in this work, we adopt NMR spectroscopy combined with DFT calculation to study the surface acid sites of two SnO_2 nanostructures, *i.e.*, nanosheets and nanoshuttles, and obtain facet-dependent acidity information. ^{31}P NMR spectra show that SnO_2 nanosheets possess stronger Lewis acidity than nanoshuttles, which is supported with DFT calculation results on adsorption energies.

^aKey Laboratory of Mesoscopic Chemistry of MOE, Collaborative Innovation Center of Chemistry for Life Sciences, School of Chemistry and Chemical Engineering, Nanjing University, 163 Xianlin Road, Nanjing 210023, China. E-mail: cjcuua@163.com; luming@nju.edu.cn

^bChinesisch-Deutsche Technische Fakultät, Qingdao University of Science and Technology, 99 Songling Road, Qingdao 266061, China

^cAnalysis and Testing Center, Nanjing University of Science and Technology, Nanjing 210094, China

† Electronic supplementary information (ESI) available. See DOI: 10.1039/d1ra02782d

‡ These authors contributed equally.



2. Experimental section

2.1 Synthesis of SnO₂ nanosheets

In a typical synthesis, 225.6 mg SnCl₂·2H₂O was added into 80 mL ethylenediamine, and the mixture was vigorously stirred for 30 minutes before it was transferred into a 100 mL Teflon-lined autoclave. The autoclave was sealed and heated at 180 °C in an oven for 24 h. After the autoclave was cooled down to room temperature, the yellow precipitate was washed with distilled water and ethanol for five times, and then dried in a vacuum oven at 60 °C overnight to obtain SnO₂ nanosheets.³¹

2.2 Synthesis of SnO₂ nanoshuttles

Typically, 285.2 mg SnCl₂·2H₂O was added into a mixture of 40 mL ethanol and 40 mL ammonia solution (pH ≈ 11). The solution was stirred vigorously for 1 h before it was transferred into a 100 mL Teflon-lined autoclave. The autoclave was sealed tightly and then heated at 120 °C in an oven for 6 h. SnO₂ nanoshuttles were obtained after washing and drying the yellow solids with similar procedures used for SnO₂ nanosheets.³²

2.3 Characterization

X-ray diffraction (XRD) was operated on a Philips X'pert Pro diffractometer with Ni filter and Cu K α irradiation ($\lambda = 0.15418$ nm) at 40 mA and 40 kV. The 2θ scanning range was 10–80°. High resolution transmission electron microscopy (HRTEM) images were recorded at 200 kV on a JEOL JEM-2010 instrument. Fourier transform infrared (FT-IR) spectra were obtained with a Thermo Nicolet 8700 FT-IR spectrometer with diamond ATR accessory. X-ray photoelectron spectra (XPS) were collected on an ESCALAB 250 instrument with Al K α irradiation ($h\nu = 1486.6$ eV) as the excitation source. The Brunauer–Emmett–Teller (BET) surface areas of the samples were determined from nitrogen adsorption and desorption data at 77 K using a Micromeritics ASAP 2000 instrument. The contents of Na and N/C were determined with an Optima 5300DV inductively coupled plasma mass spectrometer (ICP-MS) and a Heraeus CHN-0-Rapid elemental analyser, respectively.

2.4 TMP adsorption

In a typical process of TMP adsorption, 200 mg sample was placed in a glass tube. The tube was sealed and then connected to a vacuum line. The sample was first activated under 1×10^{-3} torr at 100 °C for 3 h before 40 mbar of TMP was introduced. The tube was kept at room temperature for 0.5 h, before it was evacuated for another 0.5 h to remove physisorbed TMP molecules.²⁴ The sample was then transferred into a N₂-filled glove box and packed zirconia rotors for NMR tests.

2.5 ³¹P solid-state NMR spectroscopy

³¹P solid state NMR experiments were performed on a Bruker Avance III 400 MHz spectrometer equipped with a 9.4 T superconducting magnet and a double-tuned 4.0 mm magic angle spinning (MAS) probe at room temperature (25 °C). The Larmor

frequencies of ¹H and ³¹P nuclei were 400.13 and 161.98 MHz, respectively. A single pulse sequence with ¹H decoupling was used for data acquisition with a spinning speed of 14 kHz. A short excitation pulse of 2.6 μ s, corresponding to 90 degree flip angle and an optimized recycle delay of 6.0 s were used. ³¹P chemical shifts were referenced to ammonium dihydrogen phosphate (ADP) at 0.81 ppm.

2.6 Computational details

Density functional theory (DFT) calculations were performed with the Vienna *ab initio* simulation package (VASP).^{33,34} The Perdew–Burke–Ernzerhof (PBE)³⁵ functional was applied to treat the electron exchange and correlation effects by the generalized gradient approximation (GGA).³⁶ The electron–ion interaction was evaluated by the projector augmented plane wave (PAW) method with a frozen-core approximation.³⁷ The Brillouin zone integration was approximated by a sum over special k -points using the Monkhorst–Pack grids.³⁸ The Gaussian smearing method with a value of 0.1 eV and a cutoff energy of 450 eV was used for all calculations. The Kohn–Sham equations were solved self-consistently. The energy tolerance was set to 1.0×10^{-4} eV and the maximum Hellmann Feynman force tolerance was set to 0.05 eV \AA^{-1} for structural optimization.

In calculating molecule adsorption, we established the 6 layers-(001), 4 layers-(101), 4 layers-(110) and 7 layers-(100) surface of SnO₂ (Fig. S1†). Except (110) surface ($p(2 \times 1)$ super cells), $p(2 \times 2)$ super cells were applied for the other surfaces. For sampling the Brillouin zone, $3 \times 3 \times 1$, $3 \times 4 \times 1$, $2 \times 3 \times 1$ and $4 \times 4 \times 1$ Monkhorst–Pack k -point grid were used for the (001), (100), (101) and (110) surfaces, respectively. To avoid interactions between slabs, all of the above slab models are established with the vacuum space of 12 \AA .

The adsorption energies of the TMP molecules were calculated as follows:

$$E_{\text{ads}} = E_{\text{TMP/SnO}_2} - (E_{\text{TMP}} + E_{\text{SnO}_2}),$$




Fig. 1 XRD patterns of SnO₂ nanosheets and nanoshuttles.




Fig. 2 TEM images of (a and b) SnO₂ nanosheets and (c and d) nanoshuttles.

where $E_{\text{TMP}/\text{SnO}_2}$ is the total energies of the adsorption model, E_{SnO_2} and E_{TMP} are the energy of slab and free molecules, respectively.

3. Results and discussion

3.1 Basic characterization

The X-ray diffraction (XRD) patterns of both materials prepared hydrothermally (Fig. 1) can be indexed to rutile phase SnO₂ with a tetragonal structure (JCPDS no. 41-1445). The broad widths diffraction peaks indicate their grain sizes are in nanoscale.

TEM images in Fig. 2a and c show that the two SnO₂ samples are nano-sized sheets and shuttles, respectively. The

SnO₂ nanosheets are either stretched or aggregated (Fig. 2a), and an inter-planar spacing of 0.33 nm is readily observed in the HRTEM image (Fig. 2b), corresponding to the (110) surface of rutile SnO₂, which is the most stable low-index surface.³² The shuttle-like SnO₂ (Fig. 2c) is about 700 nm long with a maximum diameter of approx. 100 nm and the lattice spacing of (110) surface can be found at the end of the shuttle. It is also expected that other common facets, such as (001), (101) and (100), may also be present on the two SnO₂ nanostructures.^{39,40}

The FT-IR transmission spectra of both SnO₂ nanosheets and nanoshuttles in Fig. 3a show six bands stemming from the vibrations and overtones of Sn–O, Sn–O–Sn and surface hydroxyl groups, respectively.⁴¹ The most intense peak centered at around 590 cm⁻¹ is owing to the stretching vibration of Sn–O–Sn. Similarly, another stretching vibration peak at approx. 3380 cm⁻¹ corresponds to surface hydroxyl groups. The intensity of this band, however, is significantly weaker than SnO₂ nanoparticles previously reported,⁴² suggesting that the concentration of surface Sn–OH is very low. Quantitative ¹H NMR data (Fig. S2 and Table S2†) confirmed that the coverages of proton on SnO₂ nanosheets and nanoshuttles were 1.84 and 1.44%. The influence of hydrogen species is therefore neglected. The peaks at ~970 and 2420 cm⁻¹ are assigned to the overtones of the SnO₂ lattice and Sn–OH configuration, respectively. Other bands appear at 1240 and 1640 cm⁻¹ respectively belong to the bending vibrations of Sn–OH and molecular water. In addition to these FT-IR peaks relevant to SnO₂, no other signals are observed. X-ray photoelectron spectra (XPS) were also recorded to study the surface states of SnO₂ nanosheets and nanoshuttles. As shown in Fig. 3b, the detected




Fig. 3 (a) FT-IR spectra, (b and c) XPS spectra and (d) N₂ adsorption/desorption isotherms of SnO₂ nanosheets and nanoshuttles.



elements in XPS survey spectrum only included Sn (Sn 3p, Sn 3d, and Sn 4d), O (O KLL and O 1s) and C (C 1s).⁴³ In Fig. 3c, two splitting peaks attributed to Sn 3d_{3/2} (494.96 eV) and Sn 3d_{5/2} (486.48 eV) exhibit a difference of 8.48 eV, consistent with the spin-orbit coupling value of Sn⁴⁺.⁴⁴ Their symmetric peaks indicate that there is few surface Sn²⁺, or surface oxygen vacancy.⁴⁵ In addition, the tiny C 1s signals are related to carbon contamination according to previous publications. Elemental analysis in Table S1† also confirms that the amounts of the possible impurities in SnO₂ nanosheets and nanoshuttles are small and therefore, their influences can be neglected. The Brunauer-Emmett-Teller (BET) surface areas were measured as 74.1 and 117.0 m² g⁻¹, respectively, for nanosheets and nanoshuttles (Fig. 3d). The H3-type hysteric loop in the curve of SnO₂ nanosheets verifies the existence of flake particles which

formed slit pores with a wide range of pore-size distribution (Fig. S3†) from 8 to 20 nm. The BET curve of SnO₂ nanoshuttles displays a H2-type hysteric loop and its pore-size distribution (Fig. S3†) ranges from 5 to 25 nm.

3.2 ³¹P NMR spectroscopy and DFT calculations

The SnO₂ nanosheets and nanoshuttles were then adsorbed with TMP molecules and investigated with ³¹P solid state NMR spectroscopy (Fig. 4a). In general, physisorbed TMP molecules lead to a sharp signal at around -60 ppm, while TMP molecules adsorbed at Brønsted and Lewis acid sites generate distinct ³¹P peaks at -5 to -2 and -10 to -55 ppm, respectively.²⁵ No NMR resonance is observed at -60 ppm for both samples, indicating there is no physisorbed TMP molecule on the surface. The




Fig. 4 (a) ³¹P solid-state NMR spectra of SnO₂ nanosheets and nanoshuttles adsorbed with TMP (left) and extracted fractions of four low-index facets (right). (b) Surface structures of four facets ((001), (101), (110) and (100)) adsorbed with TMP, corresponding adsorption energy and internuclear distances (P-Sn).



signals are quite broad in both spectra, with the majority of the intensity coming from around -6 to -34 ppm, implying Lewis acid sites dominate the surface of both SnO_2 nanosheets and nanoshuttles, which should arise from exposed surface Sn cations.⁴⁶ The centers of gravity of the spectra of nanosheets and nanoshuttles are at approx. -18.1 and -21.6 ppm, respectively. Since the higher the shift, the stronger the Lewis acidity, the above observation suggests that the Lewis acidity is stronger in SnO_2 nanosheets than nanoshuttles.

Spectral deconvolution was performed to further explore more structure and properties of the two nanomaterials. In both data, two major peaks are observed at around -14 and -23 ppm, while there are additional weak peaks at approx. -6 and -29 ppm (Fig. 4a and Table S2[†]), indicating four different acid sites can be distinguished. The resonances at lower frequencies (-14 , -23 and -29 ppm) can be readily assigned to three different Lewis acid sites, while the peak at -6 ppm is between the frequency range of common Lewis and Brønsted acid sites. Previous pyridine-IR studies show that only Lewis acid sites are present on the surface of SnO_2 , thus this weak peak is assigned to another Lewis acid site.¹¹

³¹P NMR studies on other metal oxide nanostructures clearly show that ³¹P chemical shift is dependent on the facet TMP adsorbed.^{28–30} Therefore, the four peaks may correspond to TMP bound to Lewis acid sites, which are expected to be Sn cations, at different facets of SnO_2 nanostructures. (001), (101), (100), and (110) surfaces are the commonly observed low-index facets for SnO_2 ^{39,40} and the DFT calculations on the TMP adsorption energy were performed (Fig. 4b). Fig. S4[†] provides the charge density difference of acid sites. The calculation results confirm that TMP molecules are adsorbed on the surface Sn cations in all of the four facets. TMP adsorbed on the 4-coordinated Sn^{4+} ($\text{Sn}_{4\text{C}}$) on (001) surface is associated with the largest adsorption energy of -1.78 eV, followed by TMP adsorbed on $\text{Sn}_{5\text{C}}$ on (101), (110), and (100) surfaces with energies of -1.62 , -1.46 , and -1.13 eV, respectively. The internuclear distance between P and Sn also increases with the same order (Fig. 4b). Since a stronger adsorption for TMP gives rise to a more positive ³¹P chemical shift,¹⁶ it is reasonable to attribute the resonances at around -6 , -14 , -23 and -29 ppm to TMP adsorbed on the tin cations on (001), (101), (110), and (100) surfaces, respectively. It has also been shown that ³¹P chemical shift exhibits a linear correlation with the adsorption energies.^{29,47–49} Using physisorbed TMP molecules on other oxides (³¹P chemical shift is -62.2 ppm and adsorption energy is 0)⁵⁰ as a reference, the experimentally observed ³¹P chemical shifts are plotted against the calculated adsorption energies (Fig. 5). Clearly, there is a strong linear correlation, which can be described by the equation: $y = -62.9 - 30.3x$, where x and y are adsorption energy (eV) and ³¹P chemical shift (ppm), respectively. Therefore, this result further supports our spectral assignments.

In both samples, the (110) facet has the largest fraction, which is in agreement with the understanding that (110) is often the most stable surface in rutile structure.³⁹ In contrast, the fraction of (001) facet in SnO_2 nanosheets is much higher than nanoshuttles, which can be related to the sample preparation procedure. Ethylenediamine, which was used in




Fig. 5 Correlations of observed ³¹P chemical shifts and calculated adsorption energies.

preparing SnO_2 nanosheets, prefers to adsorb on SnO_2 (001) surfaces,³¹ prompting the formation of more high energy (001) surfaces in SnO_2 nanosheets. The total fraction of (001) and (101) facets, which have stronger Lewis acidity, is higher than 50% for SnO_2 nanosheets, while this value is only around 30% for SnO_2 nanoshuttles. Such difference is expected to make a difference in acid catalysis.

4. Conclusion

Facet dependent acidity of SnO_2 nanosheets and nanoshuttles were investigated with TMP probe molecule assisted ³¹P solid-state NMR spectroscopy combined with DFT calculations for the first time. Strong Lewis acid sites dominate the surface of SnO_2 and four different sites arising from different facets can be distinguished. The fractions of (001) and (101) facets, associated with stronger Lewis acidity, are larger in SnO_2 nanosheets than SnO_2 nanoshuttles, which can be ascribed to the different conditions in sample preparation. These results should shed light on the rational design of better nanosized oxide acid catalysts.

Author contributions

W. Zhang, Z. Lin, J. Chen and L. Peng, contributed the design of the experiment, analysis of data and writing of the paper. Z. Lin, and H. Li carried out synthesis and characterization of the samples. W. Zhang, Y. Wen, M. Xu, Y. Wang, X. Ke and X. Xia performed the solid state NMR experiments. F. Wang carried out the DFT calculation. All the authors have given their approval to the final version of the manuscript.

Conflicts of interest

Authors declare no competing interests.



Acknowledgements

This work was supported by the National Natural Science Foundation of China (NSFC) (21972066, 91745202, and 21573103), NSFC – Royal Society Joint Program (21661130149), the Fundamental Research Funds for the Central Universities (1124020512) and National Science Fund for Talent Training in Basic Science (J1103310). The authors thanks Botao Teng for the help with DFT calculations. L. P. thanks the Royal Society and Newton Fund for a Royal Society – Newton Advanced Fellowship.

Notes and references

- C. Wang, G. Du, K. Ståhl, H. Huang, Y. Zhong and J. Z. Jiang, *J. Phys. Chem. C*, 2012, **116**, 4000–4011.
- S. Ding, D. Luan, F. Y. C. Boey, J. S. Chen and X. W. Lou, *Chem. Commun.*, 2011, **47**, 7155–7157.
- S. Das and V. Jayaraman, *Prog. Mater. Sci.*, 2014, **66**, 112–255.
- S. Gubbala, V. Chakrapani, V. Kumar and M. K. Sunkara, *Adv. Funct. Mater.*, 2008, **18**, 2411–2418.
- M. V. Reddy, T. T. Linh, D. T. Hien and B. V. R. Chowdari, *ACS Sustainable Chem. Eng.*, 2016, **4**, 6268–6276.
- A. Liu, M. Zhu and B. Dai, *Appl. Catal., A*, 2019, **583**, 117134.
- F. Rashidashmagh, Y. Doekhi-Bennani, M. Tizghadam-Ghazani, J. P. Hoek, A. Mashayekh-Salehi, B. S. G. J. Heijman and K. Yaghmaeian, *J. Hazard. Mater.*, 2021, **404**, 124154.
- P. Manjula, R. Boppella and S. V. Manorama, *ACS Appl. Mater. Interfaces*, 2012, **4**, 6252–6260.
- H. Wang and A. L. Rogach, *Chem. Mater.*, 2014, **26**, 123–133.
- V. V. Kovalenko, A. A. Zhukova, M. N. Rumyantseva, A. M. Gaskov, V. V. Yushchenko, I. I. Ivanova and T. Pagnier, *Sens. Actuators, B*, 2007, **126**, 52–55.
- Y. Zeng, Z. Liu and Z. Qin, *J. Hazard. Mater.*, 2009, **162**, 682–687.
- H. Knözinger, H. Krietenbrink and P. Ratnasamy, *J. Catal.*, 1977, **48**, 436–439.
- Z. Tan, G. Li, H. Chou, Y. Li, X. Yi, A. H. Mahadi, A. Zheng, S. C. E. Tsang and Y. Peng, *ACS Catal.*, 2020, **10**, 4003–4011.
- Y. Wu, X. Chen, D. Huang, L. Zhang, Y. Ren, G. Tang, X. Chen, B. Yue and H. He, *Catal. Sci. Technol.*, 2020, **10**, 3985–3993.
- J. Du and L. Peng, *Chin. Chem. Lett.*, 2018, **29**, 747–751.
- X. Yi, Y. Peng, W. Peng, W. Chen, Z. Liu and A. Zheng, *Acc. Chem. Res.*, 2021, **54**, 2421–2433.
- C. P. Grey and N. Dupré, *Chem. Rev.*, 2004, **104**, 4493–4512.
- A. Marchetti, J. Chen, Z. Pang, S. Li, D. Ling, F. Deng and X. Kong, *Adv. Mater.*, 2017, **29**, 1605895.
- C. Bonhomme, C. Coelho, N. Baccile, C. Gervais, T. Azaïs and F. Babonneau, *Acc. Chem. Res.*, 2007, **40**, 738–746.
- S. Li, O. Lafon, W. Wang, Q. Wang, X. Wang, Y. Li, J. Xu and F. Deng, *Adv. Mater.*, 2020, **32**, 2002879.
- A. J. Rossini, A. Zagdoun, M. Lelli, A. Lesage, C. Copéret and L. Emsley, *Acc. Chem. Res.*, 2013, **46**, 1942–1951.
- B. Guo, L. He, G. Tang, L. Zhang, L. Ye, B. Yue, S. C. E. Tsang and H. He, *Chin. J. Catal.*, 2020, **41**, 1248–1260.
- B. Guo, L. Ye, G. Tang, L. Zhang, B. Yue, S. C. E. Tsang and H. He, *Chin. J. Chem.*, 2017, **35**, 1529–1539.
- X. Yi, H. H. Ko, F. Deng, S. Liu and A. Zheng, *Nat. Protoc.*, 2020, **15**, 3527–3555.
- A. Zheng, S. B. Liu and F. Deng, *Chem. Rev.*, 2017, **117**, 12475–12531.
- Y. Peng and S. C. E. Tsang, *Nano Today*, 2018, **18**, 15–34.
- X. Xie, Y. Li, Z. Liu, M. Haruta and W. Shen, *Nature*, 2009, **458**, 746–749.
- Y. Hu, B. Guo, Y. Fu, Y. Ren, G. Tang, X. Chen, B. Yue and H. He, *Chem. Commun.*, 2015, **51**, 14219–14222.
- Y. Peng, L. Ye, J. Qu, L. Zhang, Y. Fu, I. F. Teixeira, I. J. McPherson, H. He and S. C. E. Tsang, *J. Am. Chem. Soc.*, 2016, **138**, 2225–2234.
- Y. Wu, D. Huang, Y. Fu, L. Zhang, S. Liu, G. Tang, Y. Ren, L. Ye, X. Chen, B. Yue and H. He, *Chem.–Eur. J.*, 2019, **25**, 1–5.
- Y. Sun, F. Lei, S. Gao, B. Pan, J. Zhou and Y. Xie, *Angew. Chem., Int. Ed.*, 2013, **52**, 10569–10572.
- C. Wang, Y. Zhou, M. Ge, X. Xu, Z. Zhang and J. Z. Jiang, *J. Am. Chem. Soc.*, 2010, **132**, 46–47.
- G. Kresse and J. Hafner, *Phys. Rev. B: Condens. Matter Mater. Phys.*, 1994, **49**, 14251–14269.
- J. Hafner, *J. Comput. Chem.*, 2008, **29**, 2044–2078.
- J. P. Perdew, K. Burke and M. Ernzerhof, *Phys. Rev. Lett.*, 1996, **77**, 3865–3868.
- J. P. Perdew and Y. Wang, *Phys. Rev. B: Condens. Matter Mater. Phys.*, 1992, **45**, 13244–13249.
- P. E. Blöchl, *Phys. Rev. B: Condens. Matter Mater. Phys.*, 1994, **50**, 17953–17979.
- H. J. Monkhorst and J. D. Pack, *Phys. Rev. B: Solid State*, 1976, **13**, 5188–5192.
- J. Oviedo and M. J. Gillan, *Surf. Sci.*, 2000, **463**, 93–101.
- G. Zhou, X. Wu, L. Liu, X. Zhu, X. Zhu, Y. Hao and P. K. Chu, *Appl. Surf. Sci.*, 2015, **349**, 798–804.
- D. Amalric-Popescu and F. Bozon-Verduraz, *Catal. Today*, 2001, **70**, 139–154.
- F. Gu, S. F. Wang, C. F. Song, M. K. Lü, Y. X. Qi, G. J. Zhou, D. Xu and D. R. Yuan, *Chem. Phys. Lett.*, 2003, **372**, 451–454.
- D. Yang, I. Kamienchick, D. Y. Youn, A. Rothschild and I. Kim, *Adv. Funct. Mater.*, 2010, **20**, 4258–4264.
- Y. Liu, Y. Liu, Y. Guo, J. Xu, X. Xu, X. Fang, J. Liu, W. Chen, H. Arandiyán and X. Wang, *Ind. Eng. Chem. Res.*, 2018, **57**, 14052–14063.
- J. Chen, X. Wu, L. Shen, Y. Li, D. Wu, W. Ding, X. Gong, M. Lin and L. Peng, *Chem. Phys. Lett.*, 2016, **643**, 126–130.
- J. Wei, J. Ma, Y. Zhu, X. Cai and Y. Xie, *Chin. J. Chem.*, 2001, **19**, 1063–1069.
- Y. Chu, Z. Yu, A. Zheng, H. Fang, H. Zhang, S. Huang, S. Liu and F. Deng, *J. Phys. Chem. C*, 2011, **115**, 7660–7667.
- Y. Peng, H. Chou and S. C. E. Tsang, *Chem. Sci.*, 2018, **9**, 2493–2500.
- Z. Tan, J. Zhang, Y. Chen, J. Chou and Y. Peng, *J. Phys. Chem. Lett.*, 2020, **11**, 5390–5396.
- J. Deleplanque, R. Hubaut, P. Bodart, M. Fournier and A. Rives, *Appl. Surf. Sci.*, 2009, **255**, 4897–4901.

