Journal of Materials Chemistry A



COMMUNICATION

View Article Online
View Journal | View Issue



Cite this: J. Mater. Chem. A, 2021, 9, 259

Received 16th September 2020 Accepted 3rd December 2020

DOI: 10.1039/d0ta09099a

rsc.li/materials-a

Rational design of bimetallic Rh_{0.6}Ru_{0.4} nanoalloys for enhanced nitrogen reduction electrocatalysis under mild conditions†

Lei Zhao, ‡^{abc} Xuejing Liu, ‡^{ab} Shen Zhang, ^d Jie Zhao, ^d Xiaolong Xu, ^{ab} Yu Du, ^c Xu Sun, ^{ab} Nuo Zhang, ^b ^{abc} Yong Zhang, ^b ^{abc} Xiang Ren ^b *abc and Qin Wei ^b *abc

As a carbon-free reaction process, the electrocatalytic nitrogen reduction reaction (eNRR) under mild conditions has broad prospects for green and sustainable $\rm NH_3$ production. In this work, bimetallic RhRu nanoalloys (NAs) with cross-linked curly nanosheets were successfully prepared and exhibited exciting results in the eNRR process. Furthermore, the composition effect of RhRu NAs on eNRR activity was studied systematically, and the results showed that Rh_{0.6}Ru_{0.4} NAs/CP exhibited the highest NH₃ yield rate of 57.75 $\mu g \ h^{-1}$ mg_{cat.} $^{-1}$ and faradaic efficiency of 3.39%. As an eNRR catalyst with great potential, Rh_{0.6}Ru_{0.4} NAs extend the possibility of alloynanomaterials in the eNRR field and further provide an idea for the precise structure of more effective and stable electrocatalysts.

Ammonia (NH₃) is one of the irreplaceable inorganic compounds in the world, and is widely used in the manufacture of inorganic fertilizers, dyes, explosives, pharmaceuticals and various industrial chemicals.¹⁻⁴ In addition, NH₃ is regarded as an ideal carbon-free energy carrier due to its high energy density (4.32 kW h L⁻¹) and hydrogen content (17.8 wt%).⁵⁻⁷ Therefore, the synthetic NH₃ industry is of great significance to national economy and social development. At present, the industrial synthesis of NH₃ still relies on the Haber–Bosch method. However, this scheme is often accompanied by a large amount of energy consumption and greenhouse gas emissions.⁸⁻¹⁰ Hence, seeking a green and sustainable alternative has become an urgent scientific challenge, especially in achieving high efficiency, low energy consumption, and low emissions of

synthetic NH₃ under mild conditions. Several alternative methods have been developed to produce NH₃ under mild conditions or using renewable energy sources, including biological nitrogen reduction reactions, ^{11,12} photocatalytic nitrogen reduction reactions ^{13,14} and the electrocatalytic nitrogen reduction reaction (eNRR). ^{15–18} Among them, the eNRR can be performed at room temperature and pressure, utilizing electricity generated from sustainable energy (such as solar and wind energy) sources, and the eNRR only requires water and nitrogen as raw materials. Therefore, the eNRR is a neoteric green and sustainable pathway for NH₃ synthesis, and has great potential for large-scale NH₃ production in the near future.

However, the troublesome problem is the high energy barrier of N≡N bond cleavage in N₂ molecules. This means that the activation of inert N2 requires an effective and stable electrocatalyst to trigger it.19,20 Hence, a reasonable design of an electrocatalyst is essential to excitation of the inner N≡N bond for eNRR improvement. Precious metal materials (such as Ag,21 Au,22 and Pd23-based catalysts) have been proven to be good electrocatalysts for the eNRR because the precious metal surface can adsorb reactants more easily than other materials and the adsorption strength is moderate, which facilitates the formation of intermediate "active compounds".24-26 Previous theoretical predictions have shown that rhodium (Rh) and ruthenium (Ru), located at the top of the Skulason volcano map, have the most active eNRR surfaces among various metals.27 Surprisingly and interestingly, there have been only a handful of reports about this potential eNRR catalyst up to now. It is worth pointing out that element alloying is an effective method for catalytic activity improvement. Changes in the geometry and electronic structure of the single metal components in an alloy can contribute to adjusting the binding configuration of important intermediate species, thereby realizing the enhancement of catalytic performance.28-30 Hence, it is highly desired to develop alloy catalysts for the eNRR, but it still remains a challenge.

Here, RhRu nanoalloys (NAs) were introduced into highefficiency eNRR catalysts under mild conditions for the first

^aKey Laboratory of Interfacial Reaction & Sensing Analysis, University of Shandong, Jinan 250022, Shandong, China. E-mail: chem_renx@163.com; sdjndxwq@163.com ^bSchool of Chemistry and Chemical Engineering, University of Jinan, Jinan 250022, Shandong, China

^cCollaborative Innovation Center for Green Chemical Manufacturing and Accurate Detection, Jinan 250022, Shandong, China

dShandong Huankeyuan Environmental Engineering Co., Ltd., Jinan, Shandong, China

 $[\]dagger$ Electronic supplementary information (ESI) available: Experimental section and figures. See DOI: 10.1039/d0ta09099a

 $[\]ddagger$ Lei Zhao and Xuejing Liu contributed equally to this work.

time, and the composition-dependent eNRR activity was also investigated. Due to the abundant active sites of the cross-linked frizzy nanosheet structure and the electronic structure with synergistic effects between alloy components, the synthesized RhRu NAs had high catalytic activity and excellent selectivity for the eNRR. Among the as-synthesized catalysts, Rh_{0.6}Ru_{0.4} NAs exhibited the best NH₃ yield rate ($R_{\rm NH_3}$) as high as 57.75 µg h⁻¹ mg_{cat.} with a faradaic efficiency (FE) of 3.39% in 0.1 M N₂-saturated Na₂SO₄ solution at -0.2 V (ν s. RHE). In addition, the catalyst also showed high selectivity and electrochemical stability throughout the eNRR process. Density functional theory (DFT) calculations were performed to further understand the eNRR catalytic mechanism on Rh_{0.6}Ru_{0.4} NAs.

Rh_{0.6}Ru_{0.4} NAs for the eNRR test were synthesized by onestep co-reduction of Rh and Ru salt solutions using formaldehyde solution as the reducing agent. For better comparison, the RhRu NAs with different Rh/Ru ratios were synthesized by the same method except for the amount of Rh and Ru salts (see the ESI† for preparative details). Fig. 1a and S1† show the X-ray diffraction (XRD) patterns of four samples with different compositions. Obviously, the XRD patterns of these four samples all display three good diffraction peaks corresponding to (111), (200) and (220) originating from a single face-centered cubic (fcc) lattice. Note that there is no obvious peak shift with the composition change in the RhRu NA system, which is due to the atomic radius of Rh and Ru being 125 pm.31 The X-ray photoelectron spectroscopy (XPS) survey spectrum of Rh_{0.6}Ru_{0.4} NAs is shown in Fig. S2† where the peaks of Rh 3d, Ru 3d and Ru 3p can be clearly observed. In the Rh 3d region (Fig. 1b), the binding energies (BEs) at 314.97 and 310.23 eV are matched well with Rh $3d_{3/2}$ and Rh $3d_{5/2}$ in Rh_{0.6}Ru_{0.4} NAs. The two peaks with binding energies at 314.90 eV and 310.20 eV are




Fig. 1 (a) XRD patterns of the obtained $Rh_{0.6}Ru_{0.4}$ NAs. The high-resolution XPS spectra of (b) Rh 3d and (c) Ru 3p electrons for $Rh_{0.6}Ru_{0.4}$ NAs. (d) SEM image and (e) enlarged SEM image for $Rh_{0.6}Ru_{0.4}$ NAs. (f) TEM image and (g) HRTEM image taken from $Rh_{0.6}Ru_{0.4}$ NAs. (h) SEM image and corresponding EDX elemental mapping images for $Rh_{0.6}Ru_{0.4}$ NAs.

assigned to metallic Rh, and the other two peaks at 316.24 eV and 311.52 eV are attributed to oxidized Rh(III).32 In Fig. 1c, the BEs of Ru $3p_{1/2}$ and Ru $3p_{3/2}$ at 486.76 eV and 464.59 eV are consistent with Ru(0), in keeping with the reported Ru.33 As shown in the scanning electron microscope (SEM) image (Fig. 1d) and the enlarged SEM image in Fig. 1e, the cross-linked frizzy nanosheets of Rh_{0.6}Ru_{0.4} NAs can be clearly observed, and can provide an abundant specific surface area to facilitate the reaction. For better comparison, the SEM images of other Rh/Ru ratio catalysts display various nanosheet structures (Fig. S3†), indicating the similar surface structure of RhRu alloys. The transmission electron microscope (TEM) image (Fig. 1f) of Rh_{0.6}Ru_{0.4} NAs further proves their interlinked nanosheet structure. In addition, the high-resolution TEM (HRTEM) image in Fig. 1g shows the clear lattice fringes with d = 0.219 nm, wellindexed to the (111) d-spacing from the Rietveld refinement, $d_{111} = 0.22$ nm. Similarly, the fringe with a lattice spacing of 0.192 nm can be indexed to the (200) plane of the fcc RhRu alloys.31 Also, the distinct diffraction ring is clearly assigned to the (111) facet of the fcc RhRu alloys in the selected area electron diffraction (SAED) pattern (Fig. S4†), which further reveals the polycrystalline character of the RhRu alloy. Meanwhile, the energy-dispersive X-ray (EDX) spectroscopy elemental mapping (Fig. 1h) further reveals the uniform distribution of Rh and Ru elements in the crosslinked nanosheet structure of Rh_{0.6}Ru_{0.4} NAs, further indicating the formation of RhRu alloys.

Fig. 2a displays the diagrammatic drawing of the electrolyzer adapted in the eNRR process, and the specific optical photograph is shown in Fig. S5 and S6.† The H-shaped electrolytic cell used for the eNRR is separated by a Nafion 211 membrane, which allows the transfer of protons but rejects the transfer of products. Before the experiment, $\rm Na_2SO_4$ as a neutral electrolyte was subjected to high-temperature annealing in advance and




Fig. 2 (a) Schematic diagram depicting the electrocatalytic setup for the eNRR test. (b) Chronoamperometry tests of Rh_{0.6}Ru_{0.4} NAs/CP for the eNRR at different potentials. (c) $R_{\rm NH_3}$ and FE of Rh_{0.6}Ru_{0.4} NAs/CP for the eNRR test at different potentials. (d) $m_{\rm NH_3}$ of Rh_{0.6}Ru_{0.4} NAs/CP and bare CP for the eNRR test at -0.2 V (vs. RHE).

the Nafion 211 membrane was also pre-treated to eliminate the interference of nitrogen-containing pollutants. Importantly, N₂ was bubbled into 0.1 M Na₂SO₄ for 30 minutes and aeration was maintained during the eNRR test to keep the electrolyte saturated with N₂. The NH₃ concentration quantification scheme adopted the indophenol method34 and the possible by-product N₂H₄ was detected by Watt and Chrisp methods.³⁵ The calibration curves are given in Fig. S7 and S8.† Linear sweep voltammetry (LSV) curves derived from Rh_{0.6}Ru_{0.4} NAs/CP (Fig. S9†) reveal a clear current density difference between the N_2 - and Ar-saturated electrolyte from 0 to -0.5 V (vs. RHE), indicating the existence of the eNRR activity of Rh_{0.6}Ru_{0.4} NAs/ CP in 0.1 M Na_2SO_4 solution. Then, the R_{NH_2} and FE of Rh_{0.6}Ru_{0.4} NAs/CP were evaluated from time-dependent current density curves in 2 hours (Fig. 2b). The electrolyte solutions after the eNRR test at various potentials were mixed with the indophenol indicator for 2 hours and the ultraviolet-visible (UV-Vis) absorption spectrum is plotted in Fig. S10.† The electrolyte solution obtained at -0.2 V (vs. RHE) exhibits the highest absorbance compared with electrolyte solutions under other conditions, indicating the highest eNRR efficiency at -0.2 V (vs. RHE). The R_{NH} and corresponding FE of Rh_{0.6}Ru_{0.4} NAs/CP at different potentials further obtained from calibration curves are shown in Fig. 2c. The highest R_{NH_3} of 57.75 µg h⁻¹ mg_{cat.}⁻¹ with a FE of 3.39% in 0.1 M N₂-saturated Na₂SO₄ solution is observed at -0.2 V (vs. RHE). The $R_{\rm NH_2}$ of Rh_{0.6}Ru_{0.4} NAs/CP is superior to that of many electrocatalysts recently reported, such as R-WO₃ nanosheets, 36 Ti₃C₂T_r nanosheets, 37 and Rh nanosheets, 38 and Table S1† reveals more comparative information about eNRR performance under mild conditions, proving that the Rh_{0.6}Ru_{0.4} NAs/CP is indeed an ideal eNRR catalyst. The results shown in Fig. 2d and the corresponding UV-Vis absorption spectrum (Fig. S11†) show that there is a significant difference in NH₃ production between Rh_{0.6}Ru_{0.4} NAs/CP and bare CP after 2 hours of electrolysis at -0.2 V, which strongly proves the effective eNRR activity of Rh_{0.6}Ru_{0.4} NAs/CP. What's more, negligible N₂H₄ was detected in the electrolytes after 2 hours of the eNRR process at various potentials as presented in Fig. S12,† indicating the outstanding selectivity of Rh_{0.6}Ru_{0.4} NAs/CP for the eNRR process.

The effect of the alloy composition on its eNRR catalytic activity was investigated and compared. We studied the eNRR activity of alloy catalysts with different Rh/Ru ratios in 0.1 M N2saturated Na₂SO₄ electrolyte at -0.2 V (vs. RHE). Fig. S13† shows the UV-Vis absorption spectrum of the four catalysts with different Rh/Ru ratios, from which the corresponding R_{NH} and FE can be further deduced. It can be seen that the alloy catalysts of all components have high $R_{\rm NH_2}$ and FE (Fig. 3a), which proves that the alloy catalysts have excellent average eNRR activity. Specifically, the alloy catalysts exhibit a high eNRR activity with the increase of the Ru content. The Rh_{0.6}Ru_{0.4} NAs/CP shows the largest $R_{\rm NH_3}$ (57.75 µg h⁻¹ mg_{cat.}⁻¹) and FE (3.39%) among all the tested catalysts. In order to confirm that the detected NH₃ originated from the eNRR on Rh_{0.6}Ru_{0.4} NAs/CP, three sets of control experiments were carried out under the variables of open circuit potential, Ar-saturated electrolyte, and N2-saturated electrolyte. Fig. 3b shows the R_{NH_3} and FE under different




Fig. 3 (a) $R_{\rm NH_2}$ and FE for the eNRR test at -0.2 V (vs. RHE) and various Rh/Ru ratios. (b) $R_{\rm NH_2}$ and FE for the eNRR test under different conditions. (c) $R_{\rm NH_3}$ and FE for ${\rm Rh_{0.6}Ru_{0.4}\ NAs/CP}$ with alternating 2 hour cycles between Ar- and N_2 -saturated electrolytes. (d) R_{NH_2} and FE at -0.2 V (vs. RHE) for 2 hours of initial $Rh_{0.6}Ru_{0.4}$ NAs/CP and Rh_{0.6}Ru_{0.4} NAs/CP for 12 hours of electrocatalysis. (e) Recycling stability tests on $Rh_{0.6}Ru_{0.4}$ NAs/CP at -0.2 V (vs. RHE) for 6 cycles. (f) $R_{\rm NH_3}$ and FE of Rh_{0.6}Ru_{0.4} NAs/CP for the eNRR test at different N₂ flow rates.

electrochemical conditions and the corresponding UV-Vis absorption spectra of the electrolyte solutions are given in Fig. S14.† It can be seen that only a trace amount of NH3 was detected under the conditions of open circuit potential and the Ar-saturated electrolyte, which may come from the inevitable pollution sources (for example, environment, equipment and membranes). For the alternating cycle electrolysis experiment of the N2-/Ar-saturated electrolyte solution, NH3 was only detected in the N2-saturated electrolytes (Fig. 3c). Moreover, an isotope labeling experiment was carried out to track the source of nitrogen using the Rh_{0.6}Ru_{0.4} NAs/CP electrode at a potential of -0.2 V (vs. RHE) by feeding $^{15}N_2$, from which the double coupling peaks corresponding to the 15NH4+ standard can be seen (Fig. S15†). It is strongly proved that ammonia was produced by the eNRR process through the Rh_{0.6}Ru_{0.4} NAs/CP electrode. In summary, the Rh_{0.6}Ru_{0.4} NAs/CP has reliable eNRR activity under reasonable potential and N2-saturated electrolyte solution conditions. Fig. 3d shows that the Rh_{0.6}Ru_{0.4} NAs/CP after long-term electrolysis can still afford the catalytic performance as before, proving its good catalytic stability, and Fig. S16† shows the corresponding time-current density curve. As shown in Fig. 3e, the consecutive six cycles of electrolysis do not lead to obvious changes in the $R_{\rm NH_2}$ and FE, thus reconfirming its good electrocatalytic stability. After the eNRR test, the XRD analysis (Fig. S17†) illustrates that the catalyst is still

 $Rh_{0.6}Ru_{0.4}$ NAs, and the SEM image (Fig. S18†) proves that the rich nanosheet structure is well preserved. All results confirm the excellent electrochemical stability of the $Rh_{0.6}Ru_{0.4}$ NAs/CP electrode. In addition, Fig. 3f illustrates the negligible NH_3 yield and FE changes, proving that the diffusion of N_2 was a non-rate determining step.

To gain atomistic insight into the origin of electrochemical activity of N₂ reduction on RhRu nanoalloys, we employed DFT calculations to investigate the catalytic NRR mechanism on the RhRu(111) with a Rh: Ru atom ratio of 1:1, Rh(111) and Ru(111) surfaces. By comparing the adsorption of N_2 at the top, bridge and the hollow sites first, it's found that the vertical adsorption of N₂ at the top sites of the RhRu(111), Rh(111) and Ru(111) surfaces is the most stable and the Gibbs free energy changes (ΔG) are -0.48 eV, -0.31 eV, and -0.38 eV, respectively (Fig. 4a and S19†). Thus, the RhRu(111) surface has a stronger interaction with N₂ with an elongated length of 1.134 Å and can easily adsorb N₂ molecules. Furthermore, Bader charge transfer analysis demonstrated that about 0.06e is transferred from the Ru atom to the nearest neighboring atoms. The difference charge density of *N2 (Fig. 4b) clearly illustrated the charge transfer from N2 to positively charged Ru, resulting in the enhanced N2 adsorption activity. As shown in Fig. 4c, the RhRu(111) surface is easier to reduce N2 into *NNH along the distal pathway and the reduction of *N2 to adsorbed *NNH is the potential-determining step (PDS) with a lower energy barrier of 0.95 eV. The subsequent reduction processes are exergonic steps except for the reduction of *N (*NH) into *NH (*NH₂) and release of the NH3 molecule with uphill free energy changes of 0.08 eV (0.31 eV) and 0.73 eV. The *N2 and *NH3 species are stably adsorbed on the top site while the *NH₂ species has




Fig. 4 (a) The optimized structure of N_2 adsorbed vertically on the Ru top site of the RhRu(111) surface in side view. (b) Difference charge density of N_2 adsorption on the RhRu(111) surface with a Rh : Ru atom ratio of 1 : 1. The yellow and cyan regions represent electron accumulation and depletion, respectively, and the isosurface value is 0.0012 e bohr $^{-3}$. (c) Calculated free energy diagrams for N_2 electroreduction on the RhRu(111) surface with a Rh : Ru atom ratio of 1 : 1 in a 4 \times 4 supercell. (d) The optimized intermediates by the distal pathway in top view. The adsorption site is denoted by an asterisk (*) and the H, N, Rh and Ru atoms are shown in pink, blue, yellow and brown colors, respectively.

a stable adsorption on the bridge site (Fig. 4d). Our simulation results provided a reasonable explanation on the origin of the enhanced NRR activity for the RhRu nanoalloy that the synergy between Ru and Rh could ensure the stronger N₂ adsorption and a lower energy barrier of the PDS.

In short, the cross-linked frizzy nanosheet structure of $Rh_{0.6}Ru_{0.4}$ NAs was successfully prepared through a one-step coreduction strategy and acted as an efficient electrocatalyst for N_2 fixation to NH_3 under environmental conditions. Thanks to the electronic interaction, geometric effects between the bimetals, and the abundant specific surface area, the RhRu NAs exhibit satisfactory eNRR activity. Further studies on the relationship between the activity and composition showed that $Rh_{0.6}Ru_{0.4}$ NAs/CP exhibited the highest $R_{\rm NH_3}$ of 57.75 $\mu g \, h^{-1} \, mg_{\rm cat.}^{-1}$ and FE of 3.39%, respectively. This research not only provides an efficient alloy nanocatalyst toward electrocatalytic N_2 fixation, but also opens up a new way to the rational design and development of alloy-based effective electrocatalysts for artificial NH_3 synthesis.

Conflicts of interest

There are no conflicts to declare.

Acknowledgements

This study was supported by the National Key Scientific Instrument and Equipment Development Project of China (No. 21627809), Jinan Scientific Research Leader Workshop Project (2018GXRC024 and 2018GXRC021), the Innovation Team Project of Colleges and Universities in Jinan (No. 2019GXRC027), and Special Foundation for Taishan Scholar Professorship of Shandong Province.

References

- 1 K. Chu, Y. Liu, Y. Li, Y. Guo and Y. Tian, ACS Appl. Mater. Interfaces, 2020, 12, 7081–7090.
- 2 X. Zhu, S. Mou, Q. Peng, Q. Liu, Y. Luo, G. Chen, S. Gao and X. Sun, *J. Mater. Chem. A*, 2020, **8**, 1545–1556.
- 3 T. Wu, W. Kong, Y. Zhang, Z. Xing, J. Zhao, T. Wang, X. Shi, Y. Luo and X. Sun, *Small Methods*, 2019, 3, 8.
- 4 T. Wu, H. Zhao, X. Zhu, Z. Xing, Q. Liu, T. Liu, S. Gao, S. Lu, G. Chen, A. M. Asiri, Y. Zhang and X. Sun, *Adv. Mater.*, 2020, 32, 2000299.
- 5 H. Jin, L. Li, X. Liu, C. Tang, W. Xu, S. Chen, L. Song, Y. Zheng and S. Qiao, *Adv. Mater.*, 2019, **31**, 8.
- 6 L. Li, C. Tang, B. Xia, H. Jin, Y. Zheng and S. Qiao, ACS Catal., 2019, 9, 2902–2908.
- 7 M. Nazemi, P. Ou, A. Alabbady, L. Soule, A. Liu, J. Song, T. A. Sulchek, M. Liu and M. A. El-Sayed, *ACS Catal.*, 2020, 10, 10197–10206.
- 8 X. Ren, G. Cui, L. Chen, F. Xie, Q. Wei, Z. Tian and X. Sun, *Chem. Commun.*, 2018, **54**, 8474–8477.
- X. Zhu, Z. Liu, H. Wang, R. Zhao, H. Chen, T. Wang, F. Wang,
 Y. Luo, Y. Wu and X. Sun, *Chem. Commun.*, 2019, 55, 3987–3990.

- 10 X. Lv, F. Wang, J. Du, Q. Liu, Y. Luo, S. Lu, G. Chen, S. Gao, B. Zheng and X. Sun, Sustainable Energy Fuels, 2020, 4, 4469– 4472.
- 11 J. Kim and D. C. Rees, Biochemistry, 1994, 33, 389-397.

Communication

- 12 F. Mus, A. B. Alleman, N. Pence, L. C. Seefeldt and J. W. Peters, *Metallomics*, 2018, **10**, 523–538.
- 13 P. Xing, S. Wu, Y. Chen, P. Chen, X. Hu, H. Lin, L. Zhao and Y. He, *ACS Sustainable Chem. Eng.*, 2019, 7, 12408–12418.
- 14 Y. Liao, J. Qian, G. Xie, Q. Han, W. Dang, Y. Wang, L. Lv, S. Zhao, L. Luo, W. Zhang, H. Jiang and J. Tang, *Appl. Catal.*, B, 2020, 273, 119054.
- 15 L. Zhao, J. Zhao, J. Zhao, L. Zhang, D. Wu, H. Wang, J. Li, X. Ren and Q. Wei, *Nanotechnology*, 2020, **31**, 29LT01.
- 16 F. Wang, X. Lv, X. Zhu, J. Du, S. Lu, A. A. Alshehri, K. A. Alzahrani, B. Zheng and X. Sun, *Chem. Commun.*, 2020, 56, 2107–2110.
- 17 B. Liu, Y. Zheng, H. Peng, B. Ji, Y. Yang, Y. Tang, C. Lee and W. Zhang, *ACS Energy Lett.*, 2020, 5, 2590–2596.
- 18 Y. Liu, Y. Luo, Q. Li, J. Wang and K. Chu, *Chem. Commun.*, 2020, **56**, 10227–10230.
- 19 X. Cui, C. Tang and Q. Zhang, Adv. Energy Mater., 2018, 8, 1800369.
- 20 M. Nazemi, S. R. Panikkanvalappil and M. A. El-Sayed, *Nano Energy*, 2018, **49**, 316–323.
- 21 H. Huang, L. Xia, X. Shi, A. M. Asiri and X. Sun, Chem. Commun., 2018, 54, 11427–11430.
- 22 K. Zhang, R. Guo, F. Pang, J. He and W. Zhang, *ACS Sustainable Chem. Eng.*, 2019, 7, 10214–10220.
- 23 G. Deng, T. Wang, A. A. Alshehri, K. A. Alzahrani, Y. Wang, H. Ye, Y. Luo and X. Sun, *J. Mater. Chem. A*, 2019, 7, 21674–21677.

- 24 Y. Chen, R. Guo, X. Peng, X. Wang, X. Liu, J. Ren, J. He, L. Zhuo, J. Sun, Y. Liu, Y. Wu and J. Luo, *ACS Nano*, 2020, 14, 6938–6946.
- 25 Z. Wang, Y. Li, H. Yu, Y. Xu, H. Xue, X. Li, H. Wang and L. Wang, *ChemSusChem*, 2018, 11, 3480-3485.
- 26 J. Wang, L. Yu, L. Hu, G. Chen, H. Xin and X. Feng, *Nat. Commun.*, 2018, 9, 1795.
- 27 E. Skúlason, T. Bligaard, S. Gudmundsdóttir, F. Studt, J. Rossmeisl, F. Abild-Pedersen, T. Vegge, H. Jónsson and J. K. Nørskov, *Phys. Chem. Chem. Phys.*, 2012, 14, 1235–1245.
- 28 H. Jiang and Q. Xu, J. Mater. Chem., 2011, 21, 13705-13725.
- 29 Y. Liu, L. Huang, X. Zhu, Y. Fang and S. Dong, *Nanoscale*, 2020, **12**, 1811–1816.
- 30 Q. Zhang, Y. Shen, Y. Hou, L. Yang, B. Chen, Z. Lei and W. Zhang, *Electrochim. Acta*, 2019, **321**, 134691.
- 31 M. Bondesgaard, N. L. N. Broge, A. Mamakhel, M. Bremholm and B. B. Iversen, *Adv. Funct. Mater.*, 2019, 29, 1905933.
- 32 Z. Ding, K. Wang, Z. Mai, G. He, Z. Liu and Z. Tang, *Int. J. Hydrogen Energy*, 2019, 44, 24680–24689.
- 33 M. Rakap, J. Alloys Compd., 2015, 649, 1025-1030.
- 34 X. Li, T. Li, Y. Ma, Q. Wei, W. Qiu, H. Guo, X. Shi, P. Zhang, A. M. Asiri, L. Chen, B. Tang and X. Sun, *Adv. Energy Mater.*, 2018, 8, 1801357.
- 35 G. W. Watt and J. D. Chrisp, *Anal. Chem.*, 1952, 24, 2006–2008.
- 36 W. Kong, R. Zhang, X. Zhang, L. Ji, G. Yu, T. Wang, Y. Luo, X. Shi, Y. Xu and X. Sun, *Nanoscale*, 2019, 11, 19274–19277.
- 37 J. Zhao, L. Zhang, X. Xie, X. Li, Y. Ma, Q. Liu, W. Fang, X. Shi, G. Cui and X. Sun, J. Mater. Chem. A, 2018, 6, 24031–24035.
- 38 H. Liu, S. Han, Y. Zhao, Y. Zhu, X. Tian, J. Zeng, J. Jiang, B. Y. Xia and Y. Chen, *J. Mater. Chem. A*, 2018, **6**, 3211–3217.