Journal of Materials Chemistry A



Check for updates

Cite this: J. Mater. Chem. A, 2021, 9, 5915

Received 19th October 2020 Accepted 7th January 2021

DOI: 10.1039/d0ta10181h

rsc.li/materials-a

Well-defined Cu₂O photocatalysts for solar fuels and chemicals

Sourav Rej,†^a Matteo Bisetto,†^b Alberto Naldoni^b*^{ac} and Paolo Fornasiero^{*b}

The shape-controlled synthesis of cuprous oxide (Cu₂O) photocatalysts with both low or high index crystal planes has received increasing attention due to their unique facet-dependent properties. Since they are cheap and earth abundant, these well-defined Cu₂O nanostructures are extensively used for different photocatalytic reactions, also because of their strong visible light absorption capability. However, further development will still be needed to enhance the efficiency and photostability of Cu₂O to expand its industrial application. We start this review by summarizing the synthetic advancement in the facet engineering of Cu₂O and other associated hybrid Cu₂O-based heterostructures with a special emphasis put on their growth mechanism. We then discuss different facet-dependent properties, which are relevant to photocatalysis. In the subsequent section, we present a critical discussion on the photocatalytic performance of faceted Cu₂O nanostructures during organic synthesis, hydrogen production, and carbon dioxide photoreduction. The relation between photocatalytic efficiency and product selectivity with exposed crystal facets or with different compositions of hybrid nanostructures is also discussed. Finally, important strategies are proposed to overcome the photostability issue, while outlining the course of future development to further boost the technological readiness of well-defined Cu₂O-based photocatalysts.

^aRegional Centre of Advanced Technologies and Materials, Czech Advanced Technology and Research Institute, Palacký University, 779 00 Olomouc, Czech Republic. E-mail: alberto.naldoni@upol.cz

^bDepartment of Chemical and Pharmaceutical Sciences, ICCOM-CNR Trieste Research Unit, INSTM-Trieste, University of Trieste, Via L. Giorgieri 1, 34127 Trieste, Italy. E-mail: pfornasiero@units.it Institute of Fundamental and Frontier Sciences, University of Electronic Science and Technology of China, Chengdu 610054, China

† Both of these authors contribute equally in this work.



Sourav Rej received his PhD degree (2015) from National Tsing Hua University, Taiwan in shape-controlled synthesis of nanocrystals and their catalytic applications under the supervision of Prof. Michael H. Huang. After completing his appointment in the Institute of Bioengineering & Nanotechnology, A*STAR, Singapore; he started his next postdoctoral position in the photoelectrochemistry group

at the Regional Centre of Advanced Technologies and Materials, Palacký University, Czech Republic. Now his research interests focus on utilization of plasmonic materials and other associated hybrid nanostructures for solar energy conversion.



Matteo Bisetto obtained his master's degree in materials science (2019) from the University of Padova (Italy). During his thesis, he worked on the development of nanostructured electrodes for PEC Water Splitting in collaboration with the research group of Professor A. Vomiero from LTU of Luleå (Sweden). He began his PhD in Nanotechnology at the University of Trieste in 2019 under the

ROYAL SOCIETY

OF CHEMISTRY

View Article Online

supervision of Prof. P. Fornasiero and T. Montini. Now his research focuses on the development of well-defined shaped nanostructures for catalytic applications. Journal of Materials Chemistry A



Fig. 1 (a) Typical mechanism involved in a photocatalytic process. Adapted with permission from ref. 2, Copyright 2018 Wiley-VCH. (b) Band gap values and band energy alignment with water splitting redox potentials of different common p-type (red) and n-type (blue) semiconductors vs. NHE and at pH 0. Adapted with permission from ref. 1, Copyright 2013 Wiley-VCH.

1 Introduction

Recent development of efficient photocatalytic materials was significantly accelerated in order to effectively deploy green, energy efficient, and sustainable technologies.1-6 Generally, these materials are inorganic metal oxide semiconductors and, because of their particular band structure, they allow absorption of a broad part of visible light from the solar spectrum. Furthermore, the electronic structure of these materials provides unique optical behavior and conductivity properties.^{1,3,4} A typical photocatalytic mechanism consists of three consecutive steps (Fig. 1a): (i) absorption of light with appropriate energy and generation of an electron (e^{-}) hole (h^{+}) pair, which, respectively, (de)localizes in the conduction band (CB) and the valence band (VB) of the semiconductor; (ii) electron and hole separation and migration to the catalyst surface in order to participate in the reduction and oxidation reactions, respectively, at the semiconductor-solution interface; and (iii) if the electron-hole pairs don't take part in the redox reaction, they then undergo the recombination process. The first two steps majorly determine the photocatalytic efficiency of the semiconductor material, whereas the third step is responsible for the performance as such. Thus, to facilitate the solar-to-chemical energy conversion efficiency, different strategies have been developed. They include controlling the morphology, size, and compositions of the photocatalyst for various reactions such as organic reactions, hydrogen production *via* water splitting (or photoreforming of sacrificial agents), and CO₂ reduction.⁷⁻¹⁴

The synthesis of inorganic metal oxide nanocrystals with a well-defined structure has been extensively studied over the last few decades.¹⁵⁻¹⁸ The opportunity to control the morphology and size of nanocrystals will benefit the light absorbing properties and charge carrier management, thus enhancing the photocatalytic activity and product selectivity in the end.¹⁹ Moreover, different crystal facets possess different atomic arrangements, which may directly control their physical and



Alberto Naldoni is deputy head the photoelectrochemistry of group at the Regional Centre of Advanced Technologies and Materials of Palacký University Olomouc. He obtained his PhD (2010) in chemical sciences from the University of Milan before moving to the Italian National Research Council to study phophototocatalysis and electrochemical water splitting. He spent 3 years as visiting

faculty in the Nanophotonics group at the Birck Nanotechnology Center of Purdue University. His research interests focus on solar energy conversion with emphasis on plasmonics, photocatalysis, and photoelectrochemistry.



full Fornasiero is Paolo professor in inorganic chemistry at the University of Trieste. His research focuses on the application of inorganic chemistry in nanoscience for the preparation of new materials useful in the fields of energy and environmental protection. He is coauthor of more than 260 ISI publications, 16 book chapters and 4 patents. He received the 2005 Nasini Gold Medal, the

2013 Chiusoli Gold Medal, the 2016 Heinz Heinemann Award, the 2017 Kramer Award and the 2018 M. T. Messori Roncaglia Award.



Fig. 2 Conduction band and valence band potentials of Cu_2O (left side), with the redox potentials of several CO_2 , N_2 and water redox couples at pH = 0 plotted *vs.* NHE (right side). Adapted with permission from ref. 9, Copyright 2015 American Chemical Society.

catalytic properties.^{20,21} Therefore, understanding the synthesis and growth mechanism of metal oxide nanocrystals bounded with low or high index facets is really crucial to examining their facet-dependent properties. Common semiconductors like TiO₂, ZnO, WO₃, and Cu₂O attract significant attention due to their surprising photocatalytic activity caused by their suitable band gap energy (Fig. 1b).¹⁵⁻¹⁷

Among different photocatalysts, nontoxic, highly abundant cuprous oxide (Cu₂O) is a promising photocatalyst for dye degradation, organic reactions, CO₂ reduction, and H₂ production as it shows a direct band gap structure with a small band gap energy (2.2 eV), which helps this material to absorb efficiently in the visible range of the solar spectrum (Fig. 2).²² Cu₂O is the most widely synthesised p-type semiconductor for photocatalysis allowing proper control of its morphology and size obtained under mild synthetic conditions. Therefore, extensive research has been carried out to investigate the Cu₂O facet-dependent photocatalytic properties.23-29 However, the photocatalytic activity of Cu2O nanocrystals is still limited by the high recombination rate of the photoexcited electron-hole pairs and also by the photostability issue.³⁰ The photogenerated holes initiate the self-photooxidation of Cu₂O, which causes its decreased photostability.30 In order to overcome this issue, different hybrid Cu₂O-based nanostructures were developed to enhance the photocatalytic activity by concomitantly increasing the electron-hole separation efficiency. Photoexcited electrons accumulate in the reduction site where they catalyze the reduction reaction; simultaneously, the photogenerated holes are consumed in the oxidation sites by undergoing an oxidation reaction. Such synergistic behavior in the hybrid system not only enhances the photostability, but it may also increase the product selectivity.

Although there are excellent review articles that discuss the synthesis and optical and catalytic properties of well-defined Cu₂O nanocrystals, a comprehensive review focusing on the growth mechanism, surfactant removal process, unique facetdependent properties, and their photocatalytic application in solar energy conversion is still lacking.23,25-29 Hence, in this review, we aim to discuss and summarize all the aspects related to the crystal facet engineering of Cu₂O nanocrystals and their photocatalytic application with special emphasis on the stability under different photocatalytic reaction conditions. In the first section, an in-depth discussion on the growth mechanism of well-defined Cu2O nanocrystals and different synthetic procedures for the preparation of diverse nanostructures is presented. The effect of surfactants and additive ions on controlling the morphology of nanocrystals is also highlighted. Successful strategies for the removal of different kinds of surfactants from nanocrystal surfaces have also been discussed. Next, we present the influence of facets on different chemical properties such as selective adsorption behavior, photodeposition of cocatalysts, accumulation of charge carriers on different anisotropic facets, and optical properties. In the last section, we cover the most relevant photocatalytic applications, including H₂ production and CO₂ reduction, of Cu₂O nanocrystals mentioning various strategies that can be employed to improve the photocatalytic activity and stability of Cu₂O by forming diverse heterostructures.

2 Shape ϑ size-controlled synthesis of Cu₂O nanocrystals

This section starts with discussing the growth mechanism of well-defined nanocrystals from crystalline nuclei in a systematic manner. Then, synthetic strategies for diverse Cu₂O nanoarchitectures with precise shape and size control will be presented. The effect of different parameters such as solution pH, concentration of the surfactant, and role of additives will be highlighted. And lastly, different ways of removing the surfactant without altering the shape and size of Cu₂O nanocrystals will be presented.

2.1 General understanding of the growth direction and exposed crystal facets

Morphology-controlled nanocrystals can be synthesised by different wet chemical synthetic procedures.¹⁹ These chemical reactions often appear to be fairly simple, but the exact growth mechanisms inside the glass bottles are extremely complicated. The morphology of the final nanocrystals highly depends on the precise control of temperature, capping agents, different reagent concentrations and also on the sequence of the addition of reagents. Any changes in the aforementioned parameters lead to an unexpected shape and size distribution of the nanocrystals in the reaction mixture. Therefore, scaling up the synthetic processes is not trivial and the industrialization is not easy. The scientific development over the last two decades helped to understand the atomistic details of the evolution pathways in which a precursor compound is converted to atoms, nuclei, and then well-defined nanocrystals. Xia et al. demonstrated that there are three different distinct stages in the growth process: (1) nucleation, (2) evolution of nuclei into seeds, and (3) growth of seeds into nanocrystals.³¹ During the first step, in a reductive environment, the concentration of reduced metal atoms steadily increases with time. When the concentration of reduced metal atoms reaches a point of supersaturation, the atoms start to aggregate into small clusters, i.e., nuclei formation takes place. Once formed, these nuclei then grow up to a critical size where further structural modification becomes energetically unfavorable, *i.e.*, the seed formation takes place. These single-crystal seeds usually exist as truncated octahedrons (or Wulff polyhedrons) enclosed by a mixture of {111} and {100} facets as they possess a nearly spherical profile, and, thus, the smallest surface area helps to minimize the total interfacial free energy. The density, size distribution, and surface chemistry of these resulting crystalline seeds are highly dependent on the reaction environment of the solution. Once the seeds are formed, the temperature, solvent, reagents, and additives such as surfactant or inorganic ions present in the reaction mixture strongly influence the ultimate growth rate and direction of the seed particles and determine the final morphology of the nanocrystals.

The process of a seed growing to a well-defined nanocrystal follows a route to minimizing the total surface energy which is controlled by both thermodynamics and kinetics of the reaction.³¹ Under optimized synthetic conditions, different surfactants, ions or additives present in the reaction mixture selectively adsorb on a specific facet, as schematically shown in Fig. 3a. During the process of growing a seed, the facets which are not blocked by any additives grow at a higher rate than the unblocked facets.²⁶ Therefore, the fast-growing facets will

eventually disappear, resulting in a nanocrystal terminated with blocked facets. This event tailors the shape of the crystal and enables exposure of different facets. According to the Wulff-Kaishew theory, the ratio of the growth rate in the $\langle 100 \rangle$ and $\langle 111 \rangle$ directions, *i.e.*, $R_{\rm G} = rac{r_{\langle 100
angle}}{r_{\langle 111
angle}}$ is the deciding factor of the final morphology.^{32–34} Based on this, when the value of $R_{\rm G} = 0.58$ for certain reaction conditions is reached, exclusively cubeshaped nanocrystals are formed and bounded with six lowindex (100) crystal planes. This kind of environment favors the fast crystal growth along the $\langle 111 \rangle$ direction, compared to the $\langle 100 \rangle$ direction; therefore, the (111) facets disappear from the seed and the cubic shape comes out as the final product. Similarly, the octahedral shape, bounded with eight low-index (111) crystal planes, becomes dominant when $R_{\rm G} = 1.73$. Three-dimensional geometric shape evolution from cubic to octahedral morphology with different $R_{\rm G}$ values is shown in Fig. 3b. When $0.58 < R_G < 1.73$, different truncated forms of nanocrystals can be obtained in the reaction medium (Fig. 3c). Although the $R_{\rm G}$ value helps to understand the morphological evolution from the cubic to the octahedral shape, it remains difficult to understand the formation of a rhombic dodecahedral nanocrystal bounded with only {110} low-index facets using this model. However, following a more general approach, it is known that nanocrystals of different shapes can be formed following a change in the reaction cell potential according to the Nernst equation. In fact, it is necessary to have a fine tuning of the pH of the solution and of the reagent concentrations, which determine the electrochemical potential of the Cu₂O surface, to produce nanocrystals of different shapes. Hence, formation of different nanocrystals shapes can be understood as resulting from different changes in free energy ($\Delta G = -n$ FE) inside the



Fig. 3 (a) Schematic diagram of the growth mechanism of a seed into a well-defined nanocrystal. Reproduced with permission from ref. 26, Copyright 2011 Royal Society of Chemistry. (b) Value of R_G for different morphologies. Reproduced with permission from ref. 32, Copyright 2000 American Chemical Society. (c) Scheme for the shape evolution at different R_G values. Red and yellow colored spheres represent the atoms present on (100) and (111) crystal planes in a seed, respectively. Reproduced with permission from ref. 33, Copyright 2010 American Chemical Society.

reaction mixture.^{35,36} Therefore, it can be concluded that the final shape of the nanocrystal and the exposed facets are the result of the interplay between thermodynamics and kinetics of the reaction. A further development in multi-scale materials science simulations on nanoparticles may bring quantitative evaluation of physical parameters that regulate the selective growth of specific crystal facets, thus introducing more reliable design strategies.

Although there are enough theory and experimental routes to synthesizing well-defined nanocrystals, the atomic pathways of nanocrystal facet development have been mostly unknown to date because of the lack of direct microscopic observations inside the reaction mixture. Recently, in situ liquid cell transmission electron microscopy (LCTEM) allowed observing singlenanoparticle growth trajectories.³⁶ A liquid cell containing a small amount of liquid reaction mixture inside the highvacuum microscope can be used to initiate the nanocrystal growth by the introduction of an electron beam that often acts as a reductant. Wu et al. observed the growth process of a Cu₂O nanocube by reducing an alkaline copper precursor solution with an electron beam.37 The time-dependent growth process of a Cu₂O nanocube observed via an in situ LCTEM is shown in Fig. 4. When the electron beam is introduced into the precursor solution, the Cu²⁺ ions are reduced to Cu¹⁺ ions and initiate the Cu₂O nucleation in the presence of hydroxide anions, as shown by the darker region in Fig. 4a, which then eventually is converted to a nanocube via a complex mechanism. Further development will be needed in this field to gain knowledge of the detailed mechanism underlying morphology-controlled nanocrystal synthesis.38

2.2 Synthesis of diverse Cu₂O nanostructures

A large number of synthetic wet-chemical routes to producing a wide variety of well-defined Cu_2O nanocrystals have been developed over the last two decades. To better understand the effect of the role of different reagents in controlling the morphology, different relevant case studies are presented and discussed in this section.

Murphy *et al.* developed a synthetic procedure of Cu₂O nanocubes using an aqueous solution of copper sulfate (CuSO₄), NaOH, and cetyltrimethylammonium bromide (CTAB)

as the surfactant and sodium ascorbate as the reducing agent.³⁹ The shape and size of the nanocrystals can be tuned by varying the concentration of the surfactant. At low surfactant concentrations, the nanocrystals are ineffectively capped and grow randomly with a spherical morphology. When an optimum concentration is reached, it leads to adequate surface capping, and uniform cubic nanoparticles are formed. TEM images confirm that these crystals appear to be hollow from inside, which is the major drawback for this synthetic condition. At that time, the Wang group also developed a procedure to synthesize Cu₂O nanocubes and octahedra.⁴⁰ Typically, an NH₃ solution is first added to an aqueous CuCl₂ solution followed by adding NaOH, which leads to the blue precipitation of Cu(OH)₂. After that, an aqueous solution of N₂H₄ is added as the reducing agent to the above-described solution to start the formation of Cu₂O nanocrystals. The molar ratios of reagents, *i.e.*, $R_1 = \frac{[\mathrm{NH}_3]}{[\mathrm{Cu}^{2+}]}$ and $R_2 = \frac{[\mathrm{OH}^{-}]}{[\mathrm{Cu}^{2+}]}$ determine the morphology of the corresponding products by affecting the coordination between NH₃ and Cu²⁺ ions, which makes this report interesting. When $R_1 = 0, R_2 = 2, i.e.$, there is no ammonia present in the system, porous Cu₂O spheres were obtained as this morphology has the lowest surface energy. Keeping $R_2 = 2$ fixed, cube-like and octahedral Cu₂O nanocrystals were formed when $R_1 = 4$ and 7, respectively. This proved that ammonia plays a critical role in this reaction to control the final morphology of the Cu₂O nanocrystals. In the beginning, Cu²⁺ ions undergo complexation with NH₃ molecules forming $[Cu(NH_3)_4]^{2+}$; when NaOH is added, NH3 molecules are replaced by OH⁻ ions to form a blue $Cu(OH)_2$ precipitate. Under a fixed R_2 value, the maximum number of NH₃ molecules are replaced by OH⁻ ions when $R_1 =$ 4, whereas the minimum number of NH₃ molecules are replaced when $R_1 = 7$. This phenomenon leads to distinct pH values under the two different synthetic conditions. Therefore, $R_{\rm G}$ values (*i.e.*, the ratio of growth rates along the $\langle 100 \rangle$ and (111) direction) become 0.58 and 1.73 when $R_1 = 4$ and $R_2 = 7$, resulting in cube-like and octahedral nanocrystals, respectively, in the reaction medium. These synthetic conditions provide a stimulating idea on how we can control the shape of the nanocrystals by the fine pH tuning of an inorganic reaction without adding any organic surfactants. However, this approach



Fig. 4 Time-dependent *in situ* TEM images to track the growth of a single Cu₂O nanocube at (a) 0, (b) 20, (c) 60, and (d) 120 seconds of reaction time. Reproduced with permission from ref. 37, Copyright 2019 American Chemical Society.



Fig. 5 SEM images of the Cu₂O nanocrystals with various morphologies: (a) cubes, (b) truncated cubes, (c) cuboctahedra, (d) type I truncated octahedra, (e) type II truncated octahedra, (g) short hexapods, and (h) extended hexapods. Scale bar = $1 \mu m$. (i) Solution pH values for samples a-h. (j) PXRD patterns of the different shaped Cu₂O nanocrystals as shown in a-h. Reproduced with permission from ref. 41, Copyright 2009 American Chemical Society.

mainly suffers from inhomogeneity in the size and shape of the nanocrystals, and, therefore, it requires further development.

To address this problem, Huang *et al.* developed a strategy to synthesize Cu_2O nanocrystals with systematic shape evolution

by a single chemical reduction method at room temperature.⁴¹ Cubic, truncated cubic, cuboctahedral, truncated octahedral, octahedral, short and extended hexapod structures of Cu₂O nanocrystals with systematic morphological evolution have



Fig. 6 Effect of PVP concentration on the Cu₂O morphology. Reproduced with permission from ref. 42, Copyright 2010 American Chemical Society.

been synthesized by sequential addition of sodium dodecyl sulfate (SDS), an aqueous solution of CuCl₂, NaOH, and hydroxylamine hydrochloride (NH₂OH·HCl) as reductant. The mixture was aged for 2 h to obtain the products. The systematic variation in the product morphology can be achieved by changing the amount of added NH2OH·HCl, as shown in Fig. 5a-h. Different pH values obtained for different morphologies suggest a clear correlation between the pH and the $R_{\rm G}$, which proportionally controls the final shape of the nanocrystals, as shown in Fig. 5i. Keeping other parameters fixed, increasing the amount of NH2OH HCl can make the solution pH decrease from 12 for the nanocube sample to 8.7 for the short hexapod sample. Apart from SEM images, the high morphological uniformity of these Cu2O nanocrystals can be associated with their PXRD patterns, as shown in Fig. 5j. The PXRD patterns evidently show a change in the relative intensities of the (111) and the (200) peaks, which also goes along with a morphology change. Nanocubes show only a strong (200) reflection peak with an extremely weak (111) reflection peak. The intensity of the (111) peak increases progressively as

nanocrystals with more $\{111\}$ surfaces are formed. The two peaks become more comparable in intensity for the type I truncated octahedra. The (111) peak then dominates for octahedra and hexapods.

Apart from controlling the pH of the solution, the surfactant concentration can also play a crucial role in controlling the systematic shape evolution of the nanocrystals. Polyvinylpyrrolidone [PVP] is one of those surfactants that not only acts as a stabilizer to prevent the aggregation of nanocrystals but also assists the formation of well-defined Cu₂O nanocrystals.42 PVP molecules with long chains can be adsorbed on the Cu₂O surfaces via both physical and chemical bonding. In particular, PVP preferentially interacts more strongly with the {111} facets than the {100} facets, suppressing the growth of the $\{111\}$ planes more efficiently than that of the $\{100\}$ planes. Thus, as shown in Fig. 6, when the PVP concentration is low (0.5 mM), or the PVP is absent in the reaction mixture, the capping effect of PVP toward Cu₂O nanocrystals is the weakest or absent, which leads to the formation of cubic shapes. By contrast, when the PVP concentration is high (4.5 mM), it strongly coordinates



Fig. 7 Shape evolution from cubic to rhombic dodecahedral morphology with respect to the added amount of hydroxylamine hydrochloride ($NH_2OH \cdot HCI$). Reproduced with permission from ref. 46, Copyright 2012 American Chemical Society.

with the {111} facets and efficiently lowers the surface energy of the corresponding crystal planes. This enhanced coordinating effect of PVP completely blocks the growth on the {111} facets and facilitates the growth on the {100} facets, as shown previously in Fig. 3a. As the growth process takes place rapidly on the {100} facets, they disappear completely, and perfect octahedral morphology appears. Furthermore, different truncated octahedra as intermediate products can be achieved through precise control of PVP concentrations in the 0.5–4.5 mM range. Interestingly, when the PVP concentration becomes 9 mM, spherical nanocrystals are formed due to the high coverage of PVP on all the planes of Cu_2O nanocrystals as there is no preferential growth of any particular crystal plane over another.

Similar to PVP, oleic acid also shows facet-selective adsorption properties, which provides control over the final morphology of Cu₂O microcrystals.⁴³ Guo et al. demonstrated the reduction of CuSO₄ at 100 °C for 1 h with D-(+)-glucose in an aqueous NaOH/ethanol/oleic acid system to synthesize Cu₂O microcrystals. In the presence of 1 ml, 2.5 ml, and 4 ml of oleic acid, uniform cubic, octahedral, and rhombic dodecahedral (RD) Cu₂O microcrystals were obtained, respectively. This was the first report showing the synthesis of Cu₂O RD microcrystals fully bounded by {110} planes, which had a higher surface energy than the corresponding {100} and {111} planes. Later on, Zeng et al. obtained highly uniform ~70 nm Cu₂O RD nanocrystals by the reaction of copper(n) acetate, hexadecylamine, and undecane at 200 °C for 90 min.44 Hexadecylamine played multiple roles in this study, serving as: (1) a chelating ligand to form the $[Cu(NH_2C1_6H_{33})_4]^{2+}$ complex precursor with Cu^{2+} ions, (2) a phase-transferring agent to transfer divalent Cu^{2+} ions into the organic phase, (3) a reducing agent to generate Cu^{1+} ions, and (4) a surface passivating adsorbate to control the crystal morphology. In addition, ~9 μ m Cu₂O RD microcrystals were also synthesized by mixing Cu(NO₃)₂, formic acid, and NH₃ in an ethanol–water solution followed by hydrothermal treatment at 145 °C for 90 min.⁴⁵

The major drawback of these reaction conditions is that they need high temperature and strong surface binding ligands, and, therefore, further development will be needed to synthesize the RD shape at room temperature using an easily removable surfactant of a considerably small size. Huang et al. then proposed synthetic conditions that would overcome all the above-mentioned problems.⁴⁶ A systematic shape evolution from cubic to RD nanocrystals was achieved at room temperature by mixing an aqueous solution of CuCl₂, SDS surfactant, NaOH, and NH₂OH·HCl as the reductant. The systematic shape evolution was achieved only by adjusting the volume of the reducing agent, as shown in Fig. 7. The shape evolution is directly related to the final solution pH and overall reduction rate of the copper precursor. It was demonstrated that cubes are formed at a much faster rate than rhombic dodecahedra, thus linking the formation of different particle morphologies to their different growth rates. This protocol is highly important as it allows achieving a diverse nanocrystal morphology with anisotropic facets.

In addition to the role of the concentration of the surfactant and the reducing agent, different inorganic ions are also crucial to controlling the morphology of the nanocrystal. Xia *et al.* demonstrated a high temperature ethylene glycol (EG) reduction method for synthesizing Cu₂O cubic nanostructures in the presence of chloride ions as the shape directing agent (Fig. 8).⁴⁷ The *in situ* formed CuCl intermediate serves as a reservoir to control the supersaturation concentration of the Cu¹⁺ ions in the reaction mixture. Therefore, the Cu₂O formation rate



Fig. 8 Effect of Cl⁻ ions on controlling the morphology of Cu₂O nanocrystals. Reproduced with permission from ref. 47, Copyright 2008 Royal Society of Chemistry.



Fig. 9 Typical FESEM images of polyhedral Cu_2O microcrystals: (a1–c1) 50-facet, 74-facet, and 50-facet with high-index {522}, {544} and {211} facets respectively; (a2–c2) representative graphical structure. Reproduced with permission from ref. 56, Copyright 2011 Royal Society of Chemistry. Truncated concave octahedral nanocrystals and their (d1) SEM images, (d2) TEM images, (d3) selective area electron diffraction (SAED) patterns, and (d4) representative models. Reproduced with permission from ref. 62, Copyright 2018 Royal Society of Chemistry.

significantly slowed down, allowing the seeds to grow into small individual nanocrystals without significant aggregation at the early stages of the reaction. Chloride ions also stabilize the {100} planes of the Cu₂O nanocrystals and favors the formation of single-crystalline nanocubes as seeds, which can further grow in size via the Ostwald ripening process. When no chloride ions were added to the reaction mixture, the nucleation and growth of Cu₂O nanocrystals took place instantaneously. This uncontrolled growth rate results in the formation of nanoparticles of small size that agglomerated to become polycrystalline colloidal spheres of large sizes in order to reduce the surface energy. Similarly, by tuning the ratio of the concentration of hydroxide and citrate anions, cubes to octahedral-morphological evolution for Cu₂O nanocrystals were obtained on conductive substrates by a method of simple chemical deposition.³⁴ Feng et al. also used cyclic scanning electrodeposition (CSE) to convert a thin Cu film into different Cu₂O structures with the help of different ions such as NO₂⁻, NO₃⁻, SO₄²⁻, and CH₃-COO⁻ used in the electrolyte.⁴⁸ Other noticeable examples in this regard can also be seen in the literature.49-55

After an in-depth discussion on the development of Cu₂O polyhedral structures containing three different low-index facet such as {100}, {111} and {110}, it is necessary to understand the formation mechanism of high-index {*hkl*} facets (where at least one of the *h*, *k*, and *l* is equal to two or above). Surface energies (γ) corresponding to different Cu₂O crystallographic facets usually increase in the order of γ {100} < γ {111} < γ {110} < γ {*hkl*}. As these high-index facets possess higher surface energy than the corresponding low-index facet, they disappear faster during the crystal growth and are difficult to preserve on the surface of the final nanocrystal.¹⁶ The unique feature of these facets is that they consist of a high density of low-coordinated

atoms such as steps, edges, and kinks, which show higher catalytic activity by quickly coordinating with reagent molecules when compared to the low-index facets.¹⁶ Therefore, it is useful to understand the synthetic recipes and the growth mechanism for the preparation of Cu₂O nanocrystals with high-index facets.⁵⁶⁻⁶²

Yang et al. synthesised highly symmetric multi-facet polyhedral Cu2O microcrystals partially enclosed with high-index facets (i.e., including low-index {110}, {100}, {111} facets and high-index $\{544\}$, $\{522\}$, and $\{211\}$ facets) in the system of Cu²⁺/ NaOH/glucose or ascorbic acid solution at high temperature (Fig. 9a1-c2).⁵⁶ There are also other methods of synthesizing Cu₂O microcrystals with high index facets.⁵⁷⁻⁶¹ The major drawback of the aforementioned procedures is that the size of Cu₂O crystals is on the order of several microns, which means a very low specific surface area and eventually lower photocatalytic activity. To solve this problem, Li et al. synthesized Cu₂O truncated concave octahedral nanocrystals of an average edge length of 158 nm, which enclosed {511} high-index facets together with {110} and {100} facets through a system of oil in a water emulsion, as shown in Fig. 9d1-d4.62 Both the solution pH and the oleic acid are critical for the formation of truncated concave octahedral Cu₂O nanocrystals.

All the above-mentioned well-defined Cu_2O nanocrystals with both low- and high-index facets have one common drawback, *i.e.*, their size is larger than 100 nm or 1000 nm, depending upon different synthetic conditions. That means they possess a low surface area for the given weight of the catalyst, which is related to a lower catalytic activity. Therefore, it is a challenging task to develop a scalable synthetic method for ultrasmall and highly uniform Cu_2O polyhedra, keeping the facet intact. Several early trials were made to achieve this



Fig. 10 Size controlled synthesis of uniform Cu₂O nanocubes with average edge lengths of (a) 16, (b) 25, (c) 29, (d) 36, (e) 51, (f) 63, (g) 72, and (h) 86 nm. Reproduced with permission from ref. 66, Copyright 2019 American Chemical Society.

goal.⁶³⁻⁶⁶ By the reaction of an aqueous mixture of CuSO₄, trisodium citrate, and NaOH, 40 nm Cu₂O nanocubes were synthesized, but the size of the particles was still not sufficiently small and therefore the synthetic procedure provided low yields.63 Huang's group has recently developed a simple method to produce Cu₂O nanocubes and octahedra with a varying size from 16-86 nm and 34-49 nm, respectively (Fig. 10).66 The reaction was carried out at room temperature and lasted 20 min. In a typical reaction, CuSO₄, NaOH, and sodium ascorbate are added stepwise to an aqueous SDS surfactant solution. A gradual increase in the amount of sodium ascorbate helped to achieve Cu₂O nanocubes of smaller sizes; this is due to the formation of a higher number of uniform nucleation centers at higher concentrations of the reducing agent. There are still a few challenges that need to be overcome in order to achieve RD and other nanostructures with a high-index facet within the sub-50 nm range, which can enhance the catalytic activity by increasing the reactive surface area. Further, the sub-50 nm nanocrystals will have more light absorption capability than scattering, which will increases their photocatalytic performances.

It is difficult to control the morphology of Cu₂O nanocrystals if the size drops below 10 nm because they try to achieve a spherical structure to minimize the surface energy.⁶⁷⁻⁷⁴ Also, unless a suitable organic surfactant is added, the sub-10 nm nanocrystals undergo aggregation, forming bigger spherical nanocrystals.⁴⁷ O'Brien *et al.* synthesized highly uniform monodisperse Cu nanocrystals by reacting copper acetate with oleic acid and trioctylamine, while heating at 180 °C.⁶⁷ Upon further oxidation in the presence of air and ligand protection, those Cu nanocrystals were systematically converted to highly crystalline 6 nm Cu₂O nanocrystals (Fig. 11a). A thin layer of

CuO formed at the nanocrystal-ligand interface because of overoxidation. The corresponding selected area electron diffraction patterns (Fig. 11b) confirmed the cubic crystal structure of Cu₂O. Oleic acid stabilized these nanocrystals in solution, which prevented aggregation. A similar procedure was also reported to synthesize hollow and solid Cu2O nanocrystals of 8 nm and 14 nm in size, respectively.72 Further expansion of this idea may lead to many reversible catalytic interconversions of the ligands protecting Cu and Cu₂O nanocrystals in the presence of O₂ as an oxidant and H₂ as a reductant (Fig. 11d).⁶⁹ During these interconversions, the used bidentate ligands strongly coordinate both oxidized Cu and Cu2O NP surfaces by forming strong covalent bonds, which prevents them from aggregation and size distortion. One-dimensional (1D) nanomaterials such as nanowires are also highly attractive building blocks for photocatalysis because of the inherent anisotropy, which improves charge separation and photocatalytic efficiency.770 Cu2O nanowires were also developed by different wetchemical methods such as the decomposition of the metalligand complex route or the use of polyethylene glycol (PEG; M_w 20 000) and hydrazine as the reducing agent at room temperature.73 Most interestingly, Li et al. developed an easy approach to synthesizing bulk quantities of single crystalline Cu2O nanowires with tunable diameter and length. Uniform Cu₂O nanowires were prepared through the reduction of cupric acetate with o-anisidine, pyrrole, or 2,5-dimethoxyaniline as the reductant in dilute aqueous solutions under hydrothermal conditions, as shown in Fig. 11c.68 The length of the Cu₂O nanowires varied from tens of micrometers to more than one hundred micrometers.

Two-dimensional (2D) materials such as nanosheets are also very interesting due to the quick separation of electron-

hole pairs from the bulk to the surface as well as their large surface area and efficient light harvesting properties.⁷⁰ Xie *et al.* synthesized an ultrathin Cu₂O nanosheet with 4 atomic thicknesses by decomposing lamellar Cu₂O-oleate complex intermediate microplates, which are formed by periodically stacking organic molecules and inorganic layers, at a temperature of 300 °C for 8 min in air. The TEM image in Fig. 11e shows an almost transparent feature, and the clear Tyndall effect indicates the ultrathin thickness of such Cu₂O nanosheets, further verified by their atomic force microscopy (AFM) images, presented in Fig. 11f. The thickness of the nanosheets was around 0.62 nm (Fig. 11g). In addition to the powder well-defined nanocrystals, it is possible to prepare 3D Cu₂O arrays on a fluorine doped tin oxide (FTO) thin film or on a Cu mesh using sputtering or anodization and subsequent thermal annealing procedures. Such arrays mainly contain nanowire structures organized over thin films and are less employed in photocatalysis.⁷⁵⁻⁷⁸ All the abovementioned case studies provide not only a clear stepwise development of the synthesis of diverse well-defined Cu₂O nanostructures but also a good opportunity to understand the growth mechanism and role of different ions, solution pH, and surfactant concentration. The remaining synthetic challenges in this field can also be overcome on the basis of these findings.



Fig. 11 Highly single crystalline Cu₂O nanocrystals: (a) HRTEM image and (b) SAED pattern. Reproduced with permission from ref. 67, Copyright 2005 American Chemical Society. (c) SEM image of Cu₂O nanowires. Reproduced with permission from ref. 68, Copyright 2007 American Chemical Society. (d) Reversible synthesis of ultrasmall Cu NPs and Cu₂O NPs from organo-copper(i) reagent. Reproduced with permission from ref. 69, Copyright 2017 American Chemical Society. (e) TEM and (f) AFM images of the ultrathin Cu₂O nanosheets with 4 atomic thicknesses and the yellow line in f corresponds to the height profile in (g). Reproduced with permission from ref. 70, Copyright 2014 Elsevier.

2.3 Methodologies for removing capping agents

In the previous section, we discussed the role of the different surfactants and their concentrations in controlling both the shape and size of Cu₂O nanocrystals. Common surfactants such as SDS, trisodium citrate, CTAB, oleic acid, oleic amine, hexadecylamine, PVP and PEG are majorly used for the synthesis of well-defined Cu₂O nanocrystals with the control of size. These surfactants not only stabilize the crystal plane but also prevent any agglomeration during the synthesis and the isolation process of the nanocrystals. After the isolation, the nanocrystals are employed in different catalytic processes in order to evaluate their facet-dependent properties. Different crystal facets have different atomic arrangements of Cu¹⁺ and O²⁻ ions, resulting in different Cu¹⁺ ion surface atomic densities, which may lead to different catalytic activities.⁴⁶ If the surfactant molecules are still present on these facets, they can block the catalytically active sites and hinder the access of reactant molecules to the reactive sites.79-81 Moreover, under particular reaction conditions, surfactants may decompose and contribute to the

formation of hydrogen or carbon-based products, thus affecting the proper evaluation of the photocatalytic activity and product selectivity. This aspect is particularly delicate for CO_2 photoreduction and will be discussed in more detail in Section 4.4. Therefore, the removal of the capping agents from the crystal facets must precede any comparison of the facet-dependent catalytic activity. Thus, the surfactant molecules present on the crystal facet can act as poison in the catalytic reaction.

It is important to understand the interface between the capping agent and the crystal facet on a nanoscale level before moving on to the removal section.⁷⁹ There are mainly two different interfaces namely (1) the metal–ligand interface and (2) the ligand–solution interface, as shown in Fig. 12. The intermediate transition zone known as the metal–ligand interphase can have more versatile complex structures depending upon the molecular weight, structure, and functional groups of the surfactant molecules. There is a lack of literature that would evaluate the impact of different surfactant molecules on the activity and selectivity of Cu₂O nanocrystals of different shapes. Most studies have been done on Pt, Au, Pd, and Ag



Fig. 12 Schematic diagram showing the ligand orientation around a nanocrystal surface from a microscopic point of view. Influence of ligands on the nanocrystal surface and on product selectivity. Adapted with permission from ref. 79, Copyright 2016 MDPI.

nanocrystals.81 At the metal-ligand interface, two major phenomena can occur, both benefiting the catalytic reaction carried out on a metal nanocrystal. Firstly, the discrete molecular orbitals of the functional groups of the ligands can strongly interact with the metal atoms present on the nanocrystal surface and induce charge transfer from the ligand to the metal atom. This effect can modify the local charge density and facilitate any of the steps involved in the catalytic reaction such as adsorption of the reactants, bond-breaking, bond-formation, and desorption of the product molecules, making the reaction more or less selective.⁷⁹⁻⁸¹ For example, electron donation from an electron-rich capping agent to the surface metal atoms has been used to control the product selectivity of the reaction, by favoring the adsorption of electron deficient substrates and promoting the desorption of electron-rich product molecules from the surface. A second most important effect is the formation of a self-assembled monolayer (SAM) around the nanocrystal surface. Due to the strong affinity of the thiol group present in an alkane thiol, the surfactant adsorbs more strongly with the head group to the metal atoms, while the hydrocarbon tail remains oriented at a well-defined angle with respect to the surface forming the SAM structure. Such an ordered morphology of the SAM can induce a steric hindrance, which can limit the mobility of differently sized reactants and force them to rearrange the adsorption geometry close to the active site, which enables controlling the selectivity or more importantly the stereoselectivity of the products.

Apart from the above-mentioned promotional effects of the capping agent, it is still necessary to completely remove the surfactant molecules from the Cu₂O nanocrystal surface in order to compare their facet-dependent catalytic activity in different photocatalytic reactions as these capping agents can reduce the photocatalytic activity by neutralizing the photogenerated electrons or holes *via* charge transfer. A completely "clean surface" in the solution of nanocrystals cannot be truly obtained, but it can be considered to be free from long-chain sticky surfactant molecules.^{80,81} After the removal of capping agents, the clean surface is stabilized by small molecules such as solvent molecules or solute ions, which are easily substituted by reactants during catalytic reactions.

There are different, well-established methods to remove the capping agents from the nanocrystal surface.79-81 The most common procedure consists of consecutive sonication steps involving large amounts of solvents and centrifugation to collect the nanoparticles. For example, surfactants such as SDS and trisodium citrate can be easily removed by washing with a 1:1 water/ethanol mixture several times followed by centrifugation.^{82,83} Therefore, synthetic procedures that use SDS or trisodium citrate as a surfactant for the synthesis of Cu₂O nanocrystals are very promising since a clean-surface can be obtained by a simple washing procedure. Other surfactants such as CTAB, oleic acid, oleic amine, hexadecylamine, PVP, and PEG can also be removed from the nanoparticle surface, partially using extensive washing steps, which can lead to the deformation of crystal facets or to leaching. Different strategies have been developed to deal with this problem. One of the them decomposes the capping agents into small molecular fragments

by heat or light, followed by their removal by means of a gas flow or solvent.⁸⁴ This method includes high-temperature thermal annealing and UV-ozone (UVO) irradiation. Surfactants with higher molecular weight such as PVP and PEG can also be removed following this procedure.79-81 One major drawback of this procedure is the partial decomposition of the organic surfactant during the thermal treatment or UVO irradiation with the consequent generation of coke and other species, which can deactivate the catalyst facet. Another strategy makes use of the addition of pure acetic acid to amine-capped nanoparticles causing the protonation of amino groups, which weakens their interaction with the nanocrystal surface.79-81 This accelerates their detachment during the solvent-washing procedure. Surfactants such as oleylamine, hexadecylamine, and oleic acid can be washed off this way. Other strategies are based on adding excessive small molecules (such as 1-butylamine) to displace long-chain hydrocarbon organic surfactants (such as oleylamine, PVP), which also have a stronger capping ability. Due to the much lower boiling point and mass, smaller molecules can be easily removed by extensive washing or vacuum evaporation.79-81

After discussing general approaches to removing the surfactant from the surface of different inorganic nanocrystals, we will now shift the focus onto those procedures that are specifically suitable for Cu₂O nanocrystals. It is highly desirable that during the surfactant-removal process, the shape, size, composition, crystallinity, and crystal facet of a Cu₂O nanocrystal are preserved. If we change any one of these parameters, the results of studying the facet-dependent properties will be erroneous. It is also crucial to remember that Cu¹⁺ ions in Cu₂O can undergo a disproportionation reaction under different chemical environments forming Cu²⁺ or Cu⁰ states, which may lead to the chemical decomposition of the crystal or structural modification. Different inorganic ions or molecules can also cause a serious damage to well-defined Cu₂O nanocrystals, and these must be identified before conducting the surfactant removal process or pursuing any photocatalytic reactions.

When Cu₂O microcrystals are exposed to an aqueous solution of ammonia (pH \sim 11.4) for 3 or 40 min under stirring conditions, it will bring a certain change to the shape, size and composition, as demonstrated in Fig. 13a1-a3.85 After 3 min, rhombic dodecahedral Cu2O microcrystals undergo an etching process which transforms a smooth {110} surface into a rough and stepped square facet. HRTEM images confirmed that the stepped square facets belong to the Cu₂O (100) crystal plane. When the reaction time reaches 40 min, Cu₂O rhombic dodecahedral shapes were completely converted into Cu(OH)2 nanobelts (Fig. 13a3), as confirmed by PXRD and XPS. It is important to note that in an aqueous NaOH solution with the same pH value such etching processes of Cu₂O nanocrystals cannot be observed.⁸⁵ Therefore, it can be postulated that the etching process is initiated by the coordination of surface Cu¹⁺ ions present in Cu₂O microcrystals with NH₃ to form $[Cu(NH_3)_4]^{1+}$ species. They undergo an oxidation process by dissolved O₂ to produce $[Cu(NH_3)_4]^{2+}$, which then slowly precipitates in an aqueous ammonia solution to produce Cu(OH)₂. Control experiments proved that the stability of



Fig. 13 SEM image of as-synthesized (a1) Cu_2O rhombic dodecahedral (RD) nanocrystals. After exposing these microcrystals in aqueous ammonia solution for (a2) 3 min and (a3) 40 min. Reproduced with permission from ref. 85, Copyright 2011 American Chemical Society. (b1) SEM and (b3) TEM images of as-synthesized Cu_2O RD. After exposing these microcrystals in aqueous acetic acid solution for 150 min: (b2) SEM, (b4) TEM and (b5 and b6) corresponding HRTEM images with the image of lattice fringes. Reproduced with permission from ref. 86, Copyright 2011 American Chemical Society. (c) High-magnification FESEM image of a Cu_2O nanoframe obtained after exposure in air at 20 °C for 16 days. Reproduced with permission from ref. 87, Copyright 2010 Wiley-VCH. TEM images of a single cubic and octahedral Cu_2S nanocage viewed over its (d1 and d3) {100} facet and (d2 and d4) {110} edge respectively. Reproduced with permission from ref. 88, Copyright 2011 Wiley-VCH.

different low index Cu₂O crystal planes in the aqueous ammonia solution followed the order $\{100\} > \{111\} > \{110\}$, suggesting that the cubic is more stable than rhombic dodecahedral morphology in aqueous NH₃ solution.⁸⁵ A similar stability trend can also be observed when Cu₂O microcrystals are exposed to an acetic acid solution (pH = 3.5) under stirring conditions.⁸⁶ Oxidative etching of octahedral and rhombic

dodecahedral Cu₂O microcrystals in the weak acid solution leads to the formation of stepped layers of square facets exposing {100} planes (Fig. 13b1–b6), evidencing that the Cu₂O {100} planes are more stable than the Cu₂O {111} and {110} planes. But, in this case, surface chemical composition remains similar to that of Cu₂O.

Further, a truncated octahedral Cu₂O microcrystal has eight hexagonal {111} faces and six {100} faces. When these microcrystals are exposed to air in the presence of PVP, selective etching leads to the formation of a single crystalline Cu₂O nanoframe surrounded only by $\{111\}$ facets, whereas all $\{100\}$ facets are etched away completely (Fig. 13c).87 This contradictory event can be explained as follows: PVP acts as a capping agent, and preferentially adsorbs on the {111} facets of the Cu₂O crystals, which prevents the {111} planes from etching; therefore, {100} facets completely vanish, leading to the formation of hollow structures. Any sulfide anions are also detrimental to Cu₂O as they easily replace the oxide anions from the crystal lattice, which leads to the formation of Cu₂S crystals.⁸⁸ A single crystalline cubic and a truncated octahedral Cu₂S nanocage have been prepared with ultrathin walls through controlled sulfidation of the corresponding Cu₂O crystals, and the acid

etching was applied to remove the interior Cu_2O portions (Fig. 13d1-d4). This suggests that any sulfide species should always keep away from Cu_2O nanocrystals during the surfactant removal, surface modification or photocatalytic reaction.

Not only sulfide but also thiosulfate anions $(S_2O_3^{2-})$ can induce a strong coordinating etching process on Cu₂O nanocrystals. Different metal (M = Mn, Fe, Co, Ni, Zn) hydroxide nanocages can be obtained by reacting a certain amount of Cu₂O templates with MCl₂·yH₂O in an ethanol/water mixed solvent in the presence of PVP ($M_w = 30\ 000$) and Na₂S₂O₃.⁸⁹ The formation mechanism can be explained as follows: as per Pearson's hard and soft acid-base (HSAB) principle "*soft base form strong complexes with soft acid whereas hard base prefer hard acid*ⁿ.⁸⁹ Thus the thiosulfate anion (soft base) forms a stronger bond with Cu¹⁺ cations (soft base) in Cu₂O and replaces the lattice oxide anions (hard base). As a result, coordinating



Fig. 14 DRIFTS spectra of CO chemisorption at 30 °C on (a) Cu_2O octahedra capped with PVP (o- Cu_2O -PVP) and capping ligand-free Cu_2O octahedra (o- Cu_2O), (b) Cu_2O rhombic dodecahedra capped with OA (d- Cu_2O -OA) and capping ligand-free Cu_2O rhombic dodecahedra (d- Cu_2O), and (c) capping ligand-free Cu_2O cubes (c- Cu_2O). (d) FTIR spectra of the corresponding nanocrystals. Reproduced with permission from ref. 92, Copyright 2014 Wiley-VCH.

etching of Cu₂O occurs by forming a soluble $[Cu_2(S_2O_3)_x]^{2-2x}$ complex, which is followed by a synchronous complex precipitation process of M(OH)₂ around the Cu₂O template surface, leading to the formation of metal hydroxide nanocages. This process is termed "coordinating etching and precipitating" (CEP).89 Similar to acetic acid, dilute HCl can also induce facetselective etching of Cu₂O nanocrystals, leading to the formation of diverse single crystalline cubic Cu₂O nanoframes.^{90,91} Therefore, it is essential to remember that acetic acid, hydrochloric acid, ammonia, aqueous solution exposed to air, sulfide, and thiosulfate anions can cause serious damage to the shape and composition of the Cu₂O nanocrystal. They should not be used during the removal of capping agents or even in photocatalytic reactions. It should be noted that SDS or trisodium citrate would be a better choice during the synthesis of Cu₂O nanocrystals as they can be easily removed by consecutive washing with the water/ethanol mixture.

Regarding PVP, PEG, oleylamine, oleic acid, and hexadecylamine, extra care is needed during the removal steps. The successful removal of the organic surfactant can be then confirmed by FTIR, XPS, and a CO-chemisorption study. Huang *et al.* used PVP and oleic acid (OA) as capping ligands to prepare octahedral and rhombic-dodecahedral Cu₂O microcrystals, respectively, whereas no capping ligands were used for the cubic shape.⁹² PVP and OA were completely removed from the Cu₂O crystal surface by placing them in a U-shaped quartz microreactor, followed by purging in a stream of C₃H₆, O₂ and N₂ and heating to the desirable temperature to carry out a controlled oxidation treatment. Oxygen led to the oxidation of capping ligands at low temperature, whereas the coexistence of C_3H_6 , O_2 and N_2 in the atmosphere cooperatively prevented the Cu₂O surface from over-oxidation. A clear CO chemisorption peak could be observed after the removal of the surfactant but not on the capped Cu₂O microcrystals (Fig. 14a-c). FTIR (Fig. 14d), PXRD, and XPS also confirmed the successful removal of PVP and OA from the Cu₂O microcrystal surface, without changing the morphologies, surface compositions, and structures. In conclusion, with respect to the different types of surfactants used in the synthesis of Cu₂O nanocrystals, we must conduct the surfactant-removal steps very carefully, keeping in mind all the previous discussion, so that we do not damage the well-defined nanocrystals before using them in photocatalytic applications. Either multiple washing with a solvent or heat and light treatment under appropriate conditions can be more suitable for achieving this target.

3 Facet-dependent properties

Well-defined nanocrystals with different crystal facets (*i.e.* anisotropic facets) show different atomic arrangements. For this reason, they exhibit unique facet-dependent properties such as molecular adsorption, anisotropic redox reaction



Fig. 15 Surfactant assisted facet selective Au deposited on Cu_2O crystals without (a-c) and with (d-f) sodium dodecyl sulfate. Reproduced with permission from ref. 93, Copyright 2009 American Chemical Society.

sites, surface electronic structures, and optical properties. All these facet-dependent properties can have a profound impact on photocatalytic properties; therefore, they will be discussed in detail in the following section.¹⁷ We also remark that other fundamental properties that are not covered in depth in this review such as charge mobility, work function, conductivity, and formation energy of point defects are facet-dependent, and may affect photocatalytic processes at the Cu₂O surface.

3.1 Selective deposition of a co-catalyst

Semiconductor nanocrystals enclosed by anisotropic facets have different electronic band structures (*i.e.*, surface states), which promote the accumulation of the photogenerated electrons and holes on different facets for the reduction and oxidation reaction, respectively.^{15,17} The presence of a suitable co-catalyst on these redox sites can further enhance the electron-hole separation process, resulting in an enhanced photocatalytic activity. The facet-selective adsorption behavior of surfactants has been deployed to achieve selective deposition of the co-catalyst on Cu₂O nanocrystals with anisotropic facets.

To probe this phenomenon, Choi et al. electrochemically deposited micrometer-sized cubic, octahedral, and truncated octahedral Cu2O crystals on indium tin oxide (ITO) substrates.93 In the absence of a SDS surfactant, after 15 s, the electrochemical gold deposition showed that gold nanoparticles formed on both {100} and {111} planes (Fig. 15a-c) regardless of the crystal shape, *i.e.*, lack of selective growth was observed. When SDS was introduced into the reaction medium, gold nanocrystals deposition took place on all of the {100} planes belonging to the Cu_2O cubic crystals (Fig. 15d), which confirmed that SDS did not adsorb strongly on the {100} planes. However, no gold nanocrystals were found on octahedral Cu₂O crystals (Fig. 15e), which indicated that SDS molecules strongly adsorbed on the {111} planes, resulting in the effective inhibition of the nucleation of gold nanocrystals. More surprisingly, gold nanocrystals were selectively deposited only on the {100} planes of truncated octahedral Cu2O crystals, which contained both the {100} and the {111} planes (Fig. 15f), thus confirming the SDS molecule preferential adsorption on the {111} planes of the Cu₂O crystal. Therefore, we can choose different surfactant molecules to be used in combination with diverse Cu₂O morphologies in order to investigate their preferential adsorption and obtain facet-selective deposition of co-catalysts, which will help to improve the activity and selectivity of the investigated photocatalytic reactions. Even in the absence of any reducing agents, HAuCl₄ can be reduced to Au nanocrystals in the presence of Cu₂O nanocrystals at room temperature; the driving force for this in situ reduction can be explained in terms of the standard reduction potential difference between AuCl₄^{-/} Au [0.93 V vs. the standard hydrogen electrode (SHE)] and $Cu^{2+}/$ Cu¹⁺ [0.15 V vs. SHE] pairs.^{94,95} A similar galvanic displacement reaction can also be seen for H₂PdCl₄ and H₂PtCl₆ precursors. During this process, a certain degree of surface etching can occur in Cu₂O crystals, which will be spontaneously covered by newly-formed metal nanocrystals. Du et al. showed that in the absence of any surfactants, Au nanocrystals were first selectively

deposited only on all tips of an octahedral shape *via in situ* reduction, and then they covered the edges when using an increased amount of a gold precursor solution. Further, an increase of the amount of Au caused random coverage of all facets, edges, and tips of the octahedral Cu₂O nanocrystals, indicating the loss of selective deposition. The main reason behind the observed behavior is that different facets possess different surface energies that follow the order as: $\gamma_{\text{(facets)}} < \gamma_{\text{(edges)}} < \gamma_{\text{(tips)}}$. Thus, the selective deposition of metal nanocrystals on Cu₂O nanocrystals with anisotropic facets can be controlled by utilizing preferential adsorption of additives or controlling the amount of added metal precursors under suitable reaction conditions. Such hybrid nanocatalysts efficiently reduce the photogenerated electron–hole recombination, which results in an enhanced photocatalytic reaction rate.¹⁵

3.2 Distribution of electrons and holes on different facets upon illumination

Efficient separation of photogenerated electrons and holes is one of the bottlenecks in achieving very high photocatalytic activity when using a semiconductor nanocrystal.15,17,26 Photogenerated electrons should move to a reductive site to perform the reduction reaction, whereas holes need to reach oxidative sites to perform the oxidation reaction (Fig. 1a). For instance, nanospheres suffer from a high electron-hole recombination rate due to their isotropic geometry. Li et al. extensively used surface photovoltage (SPV) techniques based on Kelvin probe force microscopy (KPFM) and showed that the photogenerated charges can be separated effectively in a high-symmetry Cu₂O photocatalyst by asymmetric light irradiation.96-100 The holes and electrons were transferred to the illuminated and shadow regions, respectively, of a single photocatalytic particle. Further investigation in this regard will be needed to identify the catalytic sites on Cu₂O nanocrystals with anisotropic facets. Singleparticle single-molecule fluorescence photocatalysis could be a suitable tool for on-site observation of interfacial chemical reactions involving charge carriers and reactive oxygen species (ROS), such as singlet oxygen and the hydroxyl radicals, generated by the photoexcitation of semiconductor nanocrystals.101,102 Such studies confirmed that the presence of anisotropic facets can be beneficial to obtaining efficient spatial charge separation. Using the small sized Cu₂O crystals with anisotropic facets remains a challenge. It could help to achieve a higher photocatalytic performance in different reactions, which results from their increased high reactive surface area.

3.3 Optical properties

Before moving on to the photocatalytic applications, it is very important to understand how different sizes and shapes of Cu₂O nanocrystals affect their optical properties. Diverse synthetic strategies give us an opportunity to better understand the existence of facet-dependent optical properties in Cu₂O nanocrystals, which is barely studied.^{103,104} The absorption peak for Cu₂O nanocrystals varies from 450 nm to 700 nm, depending upon the shape and size.¹⁰⁵ Generally, while increasing the volume of a spherical Cu₂O nanocrystal, the absorption peak



Fig. 16 (a) A comparison plot for the variation of volume for Cu₂O octahedra and cubes with respect to their absorption peak positions. Reproduced with permission from ref. 106, Copyright 2016 Wiley-VCH. (b) Photoluminescence spectra of different sized Cu₂O RD nanocrystals. Excitation wavelength was 380 nm. Reproduced with permission from ref. 108, Copyright 2018 American Chemical Society. (c) Color comparison of three different shaped Cu₂O nanocrystals, confirming visually observable optical facet effects. Reproduced with permission from ref. 108, Copyright 2018 American Chemical Society.

will red-shift and broaden systematically, along with the enhanced light scattering.105 However, surprisingly, Cu2O nanocrystals with different facets of similar volume can have different absorption peak positions in the same solvent, which is a purely facet-dependent optical property.¹⁰⁶⁻¹⁰⁹ Fig. 16a compares the absorption peak position of five different comparable volumes of octahedral and cubic Cu₂O samples in absolute ethanol. Interestingly, nanocubes show a more significant absorption band redshift than octahedra of similar volumes. Moreover, the absorption band separation between the corresponding cubes and octahedra is 13-16 nm, and is independent of particle volume.¹⁰⁶ This phenomenon is directly related to the exposed crystal facet of the Cu₂O nanocrystals. The observed facet-dependent optical effect is due to a thin Cu₂O surface layer (~less than 1.5 nm) that has different band structures and different degrees of band bending with respect to the individual facets of Cu2O.109 The thicknesses of these surface layers were determined through density functional theory (DFT) calculations, which were approximately 6.2, 11.7, and 4.5 Å for the $\{111\}$, $\{100\}$, and $\{110\}$ facets of Cu₂O respectively. For the three surface atomic layers of (111), (100), and (110) planes, the density of state (DOS) plots resembled those of a metal, a semimetal, and a semiconductor, respectively. Thus, one can treat these thin surface layers of Cu₂O as being composed of different materials with different refractive indices. As the refractive index (n) of the medium is directly related to its dielectric constant *via* $\varepsilon_m = n^2$, a thin shell material with a high dielectric constant causes large redshifts. Fig. 16b present the photoluminescence spectra of three differently sized Cu₂O RD nanocrystals showing that the intensities are highest for the smallest nanocrystal.¹⁰⁸ Also Cu₂O nanocrystals with three different shapes show different colors (Fig. 16c) due to their different band gap energy.¹⁰⁸ Thus, it can be concluded

that crystal facet engineering can help to tune the band gap of a semiconductor.

Most interestingly, these thin Cu₂O surface layers exposing the (111), (100), and (110) planes with different dielectric constants not only influence the absorbance peak position of pure Cu₂O nanocrystals but can also cause a large redshift in the localized surface plasmon resonance (LSPR) peak of noble metals.¹¹⁰⁻¹¹³ Huang's group synthesized Au-Cu₂O core-shell nanocrystals with octahedral, cuboctahedral, and cubic morphology with high uniformity in size using 50 nm octahedral Au nanocrystals as a core, which showed a LSPR peak at 550 nm (Fig. 17a).¹¹⁰ The colloidal solution color gradually changed from a dark orange color to greenish blue, while the average particle size decreased (Fig. 17b). Surprisingly, the UVvis absorption spectra of the Au-Cu₂O core-shell nanocubes, cuboctahedra, and octahedra showed a fixed LSPR peak position respectively at 752, 768, and 778 nm, though there was a systematic change in the Cu₂O shell thickness for each shape. It should be noted that the SPR peak positions are also dependent on the exposed surface facets of the Cu₂O shell. Despite the different shell thicknesses and overall sizes, the LSPR peak of the Au core was more redshifted for the cubic morphology (778 nm) than for the octahedral shape (752 nm), whereas cuboctahedral felt in the middle (768 nm) as they both had the $\{100\}$ and $\{111\}$ facets. This can be due to the different Cu₂O crystal facets having a thin surface layer with different dielectric constants. Therefore, when a plasmonic wave propagates from at the interface between the metal core and the Cu₂O shell, it sees the surface layer with different dielectric constants and responds differently to this environmental change, shifting the LSPR peak position accordingly. To further verify this rare optical phenomenon, diverse types of core-shell nanocrystals were also synthesised and studied.111-114 Interestingly, different surface oxidation states or incorporation of various amino acids



Fig. 17 (a) UV-vis absorption spectra of the different sized octahedral Au nanocrystals. (b) Color comparison of different sized octahedral Au– Cu_2O core–shell nanocrystals. UV-vis absorption spectra of the five different sized Au– Cu_2O core–shell nanocrystals with (c) octahedral, (d) cuboctahedral, and (e) cubic shape having a 50 nm octahedral Au core inside them. Reproduced with permission from ref. 110, Copyright 2014 Royal Society of Chemistry.

into the crystal lattice of Cu₂O nanocrystals can also lead to different optical and band gap energies.^{115,116} The unique optical properties of such hybrid nanostructures may also be beneficial for different photocatalytic and photothermal applications as they strongly absorb in the whole solar spectrum.

4 Photocatalysis with well-defined Cu₂O nanocrystals

In this section, we will discuss the proper ways of representing common parameters that are directly related to photocatalysis. Photocatalytic applications of well-defined hybrid Cu_2O nanocrystals have been studied for different organic reactions, H_2 evolution, and CO_2 reduction. The photo-instability of Cu_2O nanocrystals remains a key challenge to overcome during catalysis. Therefore, different strategies to solve this problem have been emphasized and accompanied with a proper case study.

4.1 Figures of merit in photocatalysis

Before starting the discussion about well-defined Cu₂O nanocrystal-mediated photocatalytic processes, it is necessary to introduce the figures of merit commonly used to assess the photocatalytic performance of a newly designed photocatalyst with other reported benchmark photocatalysts. It is very common to note that the absence of this crucial information in

research papers makes it difficult to compare the photocatalytic efficiency, and also reproduce it, if necessary. Therefore, careful calculation and proper use of the most important figures of merit in research papers should be provided in order to help the research community in this field to facilitate the development of a highly efficient photocatalyst for different photocatalytic reactions.^{117–124} In this chapter, we will cover the following figures of merit: (a) turnover frequency, (b) specific surface area, and (c) apparent quantum yield and solar quantum yield.

(a) Turnover frequency (TOF). TOF is a traditional figure of merit employed in heterogeneous catalysis providing metrics for the number of molecules produced with respect to the amount of employed catalyst in a given chemical reaction in the unit time. Comparison of TOF for the given photocatalytic process can be useful for understanding how active the designed photocatalyst is, compared to others. TOF can be expressed as follows:

$$FOF(mol_{product} \ mol_{catalyst}^{-1} \ time^{-1}) = \frac{mol \ of \ product}{mol_{catalyst} \times time \ of \ reaction}$$

If a hybrid photocatalyst is made of two or more different components, it will be difficult to calculate the molar mass of such a material. In that situation, for simplicity, $mol_{catalyst}$ is often replaced with $g_{catalyst}$ and the TOF will be expressed as $mol_{product} g_{catalyst}^{-1}$ time⁻¹. This formula is very often used to

compare the performance for photocatalytic CO_2 reduction and H_2 evolution, even if the data provide essential technical information and do not allow a proper comparison of materials with different surface areas.^{117,123}

If we can identify and quantify the fully exposed active sites in a hybrid catalyst that solely carry out the catalytic reaction, then TOF can be expressed as follows

$$\begin{split} \text{TOF} & (\text{mol}_{\text{product}} \quad \frac{\text{mol}_{\text{active site}}^{-1} \quad \text{time}^{-1})}{\text{mol of product}} \\ &= \frac{\text{mol of product}}{\text{mol}_{\text{active site}} \; \times \; \text{time of reaction}} \end{split}$$

(b) Specific activity per surface area. Catalytic reactions mainly occur on the exposed catalyst surface. Thus, catalytic reaction rates (or TOF values) are directly proportional to the available surface area of the catalyst. Therefore, the surface area is an important parameter, which needs to be reported during the catalytic rate measurement.

Generally, the specific surface area is defined as the total surface area of a nanocatalyst per unit of mass. Its unit is expressed as $m^2 g^{-1}$ and it must be measured before making any comparison of the facet-dependent photocatalytic reactivity of differently shaped nanocrystals. In a photocatalytic reaction, the amount of differently shaped nanocatalysts must have the same surface area in order to make a fare comparison of facet-dependent photocatalytic reactions. This condition is not often met, and, therefore, one must report the photocatalytic activity normalized over the surface area, which can be termed specific activity per surface area.⁷

Specific activity per surface area = $\frac{\text{mol of product}}{\text{surface area of the used catalyst } \times \text{time}}$

Such practice provides greater insight into the photocatalytic activity of the investigated well-defined nanocrystals. If the synthesized nanocrystals possess a highly uniform shape and size, the surface area can be simply calculated from a particle size distribution plot and also with respect to the geometry of that particular nanostructure. However, if the nanocrystals are not uniform, the specific surface area can be measured by the adsorption–desorption isotherm adopting the Brunauer– Emmett–Teller (BET) method. This method is a more precise way to determine the specific surface area of a nanocrystal as photocatalysts often have a certain degree of mesoporosity, which may increase the final surface area of the material, but this cannot be considered when using mere geometrical calculation. Finally, determination of the surface area of supported nanostructure is far from being trivial.

(c) Apparent quantum yield (AQY). Generally, the quantum yield (QY) for a photochemical reaction is defined as the amount of reactants consumed or products formed per photon of light absorbed by the compound responsible for product formation.¹²³ If a specific monochromatic wavelength is used then QY becomes AQY. It helps to understand the wavelength-dependent photocatalytic behavior of a photocatalyst and to

compare its efficiency with that of other materials, independently from the adopted experimental conditions. To evaluate it, the experiments must be carried out under different monochromatic light irradiation.¹²⁵ Photon flux must be always reported during the demonstration of experimental procedures.

First, the reaction rate (k) needs to be expressed in (molecules per s) unit for each reaction.

Then, the incident photon flux (Φ) can be calculated as

$$\Phi = \frac{\lambda}{hc} H \left[s^{-1} m^{-2} \right]$$
 (1)

where λ is the wavelength of incident monochromatic light, $h = 6.626 \times 10^{34} \text{ J s}^{-1}$, $c = 3 \times 10^8 \text{ m s}^{-1}$ is the speed of light, and *H* is the light intensity of monochromatic irradiation. The AQY can be then calculated as

AQY%
$$\left(\frac{\text{molecules}}{\text{photon}}\right) = \frac{k}{A \times \Phi} \times 100$$
 (2)

where A (Avogadro number) = $6.023 \times 10^{23} \text{ mol}^{-1}$.

Consistently, AQY must be reported with indication of the wavelength at which it was calculated and, obviously, comparison between AQY samples must be conducted at an identical wavelength.

Similarly, the solar AQY, *i.e.*, under full solar spectrum irradiation, is calculated as

Solar AQY%
$$\left(\frac{\text{molecules}}{\text{photon}}\right) = \frac{k}{A \times \int \Phi d\lambda} \times 100$$

where the photon flux is obtained by applying eqn (1) to the standard spectral solar irradiance H (ASTM G137-03 AM 1.5G) and integrated over the whole wavelength range (280–2500 nm).

4.2 Photocatalytic organic reactions

Well-defined Cu₂O nanocrystals have been employed in many organocatalytic applications under dark conditions because of the versatile catalytic properties of the Cu¹⁺ oxidation state.^{82,83,126} In addition, Cu₂O nanocrystals have also been applied as photocatalysts for different photocatalytic processes due to the suitable light absorption properties in the visible region of the solar spectrum.15,19,26 Therefore, a wide variety of photocatalytic reactions have been studied using Cu2O nanocrystals to understand the effect of different crystal facets. Photocatalytic dye degradation of industrial dye pollutants such as methyl orange (MO) and methylene blue (MB) are used as a common probe reaction to compare the photocatalytic properties of differently exposed crystals facets for Cu₂O nanocrystals.19,41,46,127 The rate of photocatalytic dye degradation is directly related to two distinct properties of a semiconductor as follows: (1) strong adsorption of the reactant molecules on the catalytic site present in a crystal facet; (2) efficient electron-hole separation upon exposure of light and their fast migration to the active catalytic sites to generate radical species, which then carry out the oxidation of the dye. From a mechanistic point of view, photoexcited electrons reduce the surface adsorbed molecular oxygen (O_2) to form the superoxide anion radical (' O_2^-), which upon protonation generates 'OOH, H_2O_2 , and hydroxyl radicals ('OH).107 These radicals may then oxidize the



Fig. 18 (a) Band diagram and charge migration energy barriers for three shaped Cu₂O nanocrystals. (b) A schematic diagram showing the migration of photoexcited electrons and holes to the three different Cu₂O crystal facets and their corresponding photocatalytic activity. Reproduced with permission from ref. 107, Copyright 2017 Royal Society of Chemistry. (c) EPR spectra of DMPO–OH present in photoirradiated Cu₂O cubes, octahedra, and rhombic dodecahedra. Reproduced with permission from ref. 131, Copyright 2016 Wiley-VCH.

solvated MO molecules (*via* homogeneous catalysis). The photogenerated holes can either directly oxidize the surfaceadsorbed dye molecules (*via* heterogeneous catalysis) or, more frequently, react with OH^- and H_2O to form the 'OH radical, which further carries out the reaction. In addition, the complex interfacial charge transfer between the surface adsorbed dye molecules and the photoexcited charge carrier can also lead to efficient dye degradation.¹²⁸⁻¹³⁰ However, this kind of mechanism is generally overlooked and needs future investigation.

Huang *et al.* showed that the rhombic dodecahedral Cu₂O nanocrystal has a higher photocatalytic activity than octahedral nanocrystals, whereas the cubic morphology is completely inactive during the photocatalytic MO degradation.^{41,46,107} It is important to note that the amount of catalysts used in the photocatalytic dye degradation process was normalized against a fixed surface area, which is an important parameter allowing us to compare the catalytic activity of different well-defined nanostructures. The photocatalytic inactivity of Cu₂O cubic morphology suggested that photogenerated electrons and holes experience very high energy barriers (Fig. 18a) to reach the active catalytic sites at the exposed $\{100\}$ surface.^{41,46,107,127}

To explain the higher photocatalytic activity of RD compared to octahedral nanocrystals, a systematic study has been carried out by adding electron and hole scavengers during the photodegradation of MO.¹⁰⁷ The results indicated that in rhombic dodecahedral nanocrystals bounded with {110} faces, both photoexcited electrons and holes reach the surface active sites more efficiently and accelerate the formation of a larger number of active 'OH radical species, justifying the higher photodegradation rate (Fig. 18b). This {110} facet showed the lowest degree of band bending, which resulted in improved electron and hole transport to the surface active sites. Octahedral nanocrystals enclosed with the {111} facet had moderate band bending, and the photoexcited electrons were able to reach the surface active sites to produce 'OH radical species, as shown in Fig. 18b.¹⁰⁷ The photoexcited holes were blocked by the {111} facets of octahedral nanocrystals, and they did not contribute to

the production of 'OH radicals. The presence of a lower amount of active 'OH radical species in the reaction medium was the main reason for the lower photocatalytic activity of octahedral nanocrystals, compared to the rhombic dodecahedral nanocrystals. To further verify this fact, the spin trapping agent 5,5dimethyl-1-pyrroline N-oxide (DMPO) was introduced into a solution containing three differently shaped Cu₂O nanocrystals, and the electron paramagnetic resonance (EPR) spectra were recorded after the irradiation of light in the presence of oxygen.131 As shown in Fig. 18c, rhombic dodecahedral nanocrystals produced stronger EPR signals than octahedral nanocrystals, which supported the formation of a higher number of 'OH radicals in the presence of rhombic dodecahedral nanocrystals, as discussed above.131 Most interestingly, photoexcitation of cubic nanocrystals produced no EPR signals, justifying their photocatalytic inactivity. This study strongly demonstrated that the photocatalytic activity of a semiconductor material can be tuned by controlling the exposed facet of a nanocrystal. Most surprisingly, a recent study demonstrated that a dense decoration of 4-ethynylaniline around the cubic Cu₂O nanocrystals altered its band gap and modified the charge carrier transport mechanism through the {100} facet, which led to an enhanced activity.132 Therefore, the surface-bound ligands can have a profound impact on the photocatalytic activity of a semiconductor nanocrystal. The photocatalytic dye degradation efficiency of pristine Cu2O nanocrystals has further been improved by forming heterostructures.133-144 Among them, Cu2O nanocrystals decorated with Au, TiO2, and ZnO nanocrystals are the most widely studied solutions. Such hybrid architectures have also been employed to investigate their peroxidase-like activities toward photocatalytic decomposition of different bacteria under visible light illumination.134,145 All these strategies reduce the photogenerated electron and hole recombination rate and therefore enhance the photocatalytic MO degradation rate by forming a higher number of 'OH radicals in the reaction medium. The application of highly oxidizing 'OH radicals can be further extended to other industrially important



Fig. 19 (a) Scheme of the synthesis of the Cu_2O-Pd hybrid photocatalyst for tandem hydrodehalogenation. Reproduced with permission from ref. 148, Copyright 2014, American Chemical Society. (b) Tandem photocatalytic click reaction over the semiconductor–CuO nanohybrid. Reproduced with permission from ref. 149, Copyright 2016 American Chemical Society.

reactions such as photocatalytic alcohol oxidations or alkene epoxidations.^{146,147} Thus, well-defined and cheap Cu₂O nanocrystals can show product selectivity in such reactions that need to be studied in the future.

Furthermore, different hybrid nanocatalysts have been developed to provide enhanced activity and stability toward tandem photocatalytic catalytic reactions.148-154 Knecht et al. deposited Pd nanocrystals on micron sized cubic Cu2O nanocrystals via a galvanic displacement reaction where surface Cu1+ ions became oxidized to Cu2+ ions and Pd2+ ions were simultaneously reduced to Pd⁰ nanocrystals.¹⁴⁸ Overnight, the galvanic displacement reaction led to the deformation of the surface {100} planes, followed by the formation of a minor amount of CuO and Cu species at the surface of Cu₂O nanocrystals. The obtained Cu₂O-Pd hybrid nanostructures were then employed in a light-driven tandem hydrodechlorination reaction (Fig. 19a). In this process, first, the Cu₂O compartment produced H₂ via a photocatalytic water splitting reaction, while in the second step, in situ produced H₂ was activated by the Pd compartment, where a hydrodechlorination reaction was able to proceed. Conversion of 3-chlorobiphenyl to nontoxic biphenyl in the presence of light is highly important for both

organic synthesis and environmental pollution control. No product was obtained when individual Cu_2O nanocubes and Pd nanoparticles were used, suggesting the synergistic effect due to the coupling of these two materials. Decoration of Pd nanocrystals on the cubic Cu_2O nanocrystals reduced the electronhole recombination as the photoexcited electrons were transferred from the conduction band of the Cu_2O nanocrystals to the Fermi level of the Pd metal. It is interesting to note that the electron transfer becomes possible through the Cu_2O {100} plane to Pd nanocrystals due to the deformation in the exposed crystal plane and change in the surface chemical composition, as stated above.

Most surprisingly, Scaiano *et al.* further extended the concept of heterostructure by decorating CuO_x nanoclusters on TiO_2 or Nb_2O_5 semiconductors whose band gaps fall within the 3–3.5 eV range.¹⁴⁹ These hybrid nanostructures have been used as efficient catalysts for photocatalytic click reactions, especially Huisgen cycloaddition of azides and terminal alkynes to form triazoles, which has many pharmaceutical applications.⁸² The click reaction was mainly catalyzed by a Cu¹⁺ oxidation state, not by Cu²⁺. Therefore, when UV-light impinged the TiO₂ or Nb₂O₅ semiconductors, both of them (Fig. 19b) promoted

a valence band electron to the conduction band, which was then trapped by surface CuO_x nanoclusters, thus increasing the photoexcited electron-hole separation. After accumulating electrons, CuO_x nanoclusters underwent *in situ* reduction, yielding a Cu^{1+} oxidation state, which then efficiently catalysed the click reaction. Once the reaction was completed, the Cu^{1+} oxidation state was regenerated back to a Cu^{2+} state in the presence of oxygen, demonstrating a reversible regeneration of the photocatalyst. Thus, it can be concluded that a suitable support plays an important role in achieving a high photocatalytic activity and stability of the material during the course of reaction.¹⁵⁵

Recently cubic Cu₂O nanocrystals were grown on layered molybdenum disulfide (MoS₂) and graphene hybrids, which then were used as photocatalysts for a C-C bond formation reaction by oxidative coupling in the presence of oxygen (O₂).¹⁵¹ In this case, a question arose: how photoexcited electrons and holes are able to pass via the $\{100\}$ crystal plane of Cu₂O nanocubes? It is due to the deformation of the {100} crystal plane during the course of the reaction as previously illustrated in Fig. 19a. The Cu₂O nanocubes present in the hybrid nanocomposite have hollow structures and other distorted shapes in minor concentrations. In addition, a longer reaction time, in the presence of O₂, can produce the leaching of Cu¹⁺ ions from the surface and also considerable changes in the chemical composition and atomic orientation of the {100} crystal plane, which create this discrepancy. Therefore, researchers must address these crucial points before claiming that Cu₂O nanocubes are a highly active photocatalyst for different reactions.156-161 A recent study showed that when Cu2O nanocrystals with truncated nanocube morphology were used for the photocatalytic Sonogashira reaction in the presence of the K₂CO₃ and CO₂ atmosphere, a CuO layer was formed in the exposed crystal surface.161 Another fascinating hybrid photocatalyst where the Cu₂O nanocube was decorated with SnO₂ nanoparticles showed a unique post-illumination photocatalytic "memory" effect, which means it can still be catalytically active in the dark after the illumination was switched off for a certain period of time.154 This "memory effect" was possible due to the presence of reversible chemical states $(Sn^{2+} \nu s. Sn^{4+})$ in SnO₂. In this section, we have discussed common Cu2O photocatalysed organic reactions like dye degradation, click reaction, alcohol oxidation and epoxidation reaction, which are important for environmental applications and industrial organic synthesis. Notably, the application of Cu₂O in organic solvents remains of great interest due to the superior chemical and photostability of Cu₂O in these media. In the following sections we will turn our attention to photocatalytic reactions that may enable a sustainable energy transition such as H2 evolution and CO2 reduction reaction.

4.3 Photocatalytic H₂ evolution reaction

Hybrid Cu₂O-based nanocrystals are widely investigated for photocatalytic hydrogen evolution.^{162–184} In most literature reports, H_2 evolution is expressed by µmol $g_{catalyst}^{-1}$ h⁻¹. As we know catalytic reactions take place mainly on the catalyst

surface; therefore, it would be more correct to report H_2 evolution rates after normalization with surface area *i.e.* µmol $m^{-2} h^{-1}$ in addition to µmol $g_{catalyst}^{-1} h^{-1}$ unit. Such a complete picture will be more useful for comparing the H_2 evolution rate with those of other catalysts. However, in reality, there is an almost negligible number of articles that report the H_2 production for powder photocatalysts in terms of the surface area. In the future, it is recommended to apply such practice during the demonstration of H_2 evolution experiments. Similarly, it is also applicable for photocatalytic CO₂ reduction reactions, which will be discussed in the following Section 4.4.

Lee et al. showed that Cu₂O rhombic dodecahedral nanocrystals have higher photocatalytic activity than octahedral shapes whereas cubes are completely inactive for the water splitting reaction (Fig. 20a).¹⁶² However, RD nanocrystals lost their photocatalytic activity after 24 h of the photocatalytic reaction in pure water (Fig. 20b). A SEM image of these three different morphologies (Fig. 20c-e) proved the different structure distortion as a consequence of the photocatalytic activity. The RD morphology showed the highest degree of surface distortion and, after use, the highest density of thorns. These thorns are made of CuO as confirmed by XPS (Fig. 20f) and XRD. The presence of any sacrificial reagent is essential to consuming the generated photoexcited holes, with the nature and concentration of these or sacrificial electron donor being relevant for the final performance. In the absence of these sacrificial agents, RD Cu₂O nanocrystals are not able to oxidize water to oxygen; instead, they oxidize Cu₂O to CuO, producing these thorns. While the amount of CuO in the system increases, there is a change in the chemical composition and in the light absorbing properties with a progressive and dramatic decrease in the photocatalytic hydrogen evolution.¹⁶² This observation is very important to understand the photocorrosion properties of Cu₂O, which is its weakest point. Increasing the photostability remains a big challenge for the development of low cost efficient photocatalysts for solar to fuel conversion. Different strategies for overcoming the stability issue in Cu₂O systems have been developed, and will be discussed as follows.

The first strategy consists of the uniform ultrathin coating of the Cu₂O nanocrystals with a conducting and transparent layer, which allows both electron and hole transfer to its surface active sites, thus minimizing the direct contact between the Cu₂O surface and water while keeping the same photocatalytic activity.¹⁶² Generally, this strategy is more common for Cu₂O based photoelectrode constructions where atomic layer deposition helps to achieve this conformal coating.17,185 One of such attempts is shown in Fig. 20g, where Cu₂O RD nanocrystals were uniformly coated with a TiIrO_x surface passivation layer (x < 2) with a thickness of 20 nm (inset Fig. 20g). Such a layer may consist of a TiO_x layer and IrO_x ultrasmall nanocrystals.¹⁶² The overall water splitting was achieved with a H_2 : O_2 ratio of 2.13 from the TiIrO_x layer coated Cu₂O RD (Fig. 20i) nanocrystals. The H_2 production rate was comparable with that of pure rhombic dodecahedral Cu₂O, indicating efficient transfer of electrons to its surface active sites. In the same way, IrOx facilitated hole separation, thus preventing self-photocorrosion of Cu₂O, while enabling water oxidation to produce oxygen. Such





Fig. 20 (a) Comparison of H_2 production rate from overall water splitting using three different Cu_2O morphologies. (b) Recyclable test for Cu_2O RD. (c–e) After 9 h of light irradiation in DI–water without bubbling Ar, SEM images of the three different shapes. (f) Corresponding XPS spectrum of RD. SEM image of TilrO_x coated Cu_2O RD (g) before, (h) after 72 h of reaction, and (i) their recyclability test. Reproduced with permission from ref. 162, Copyright 2015 Royal Society of Chemistry. (j and l) TEM images and (k and m) XPS of Cu_2O nanocubes under two different conditions. Reproduced with permission from ref. 163, Copyright 2018 Wiley-VCH.

techniques also stabilized the shape and morphology of the Cu_2O nanocrystals (Fig. 20h) for a longer time during the photocatalytic overall water splitting reaction with a moderate decrease in the catalytic efficiency (Fig. 20i). Further investigation will be needed to find more efficient materials which will be easy to deposit and can have a profound impact on the photocatalytic efficiency of the Cu_2O nanocrystals with enhanced photostability. The second strategy includes the introduction of suitable hole scavengers in the reaction medium. The hole scavengers are efficiently oxidized by the photogenerated holes in Cu_2O nanocrystals, which in turn prevents the self-photooxidation process. An interesting study showed that when no hole scavengers were added and Cu_2O nanocubes were exposed to pure water in the presence of air and light for a certain period of time, an overall destruction of morphology occurred, as shown



Fig. 21 (a) HRTEM and (b) HAADF-STEM image of Cu₂O decorated oxygen vacancy (V₀) containing 101-faceted TiO₂ (referred to as Cu₂O/T1-V₀). (c) Comparison of H₂ production rates of 101-faceted TiO₂ (T1), 101-faceted TiO₂ having oxygen vacancies (T1-V₀), and Cu₂O/T1-V₀. (d) Recyclability test for Cu₂O/T1-V₀. (e) Graphical presentation of the interfacial charge transfer mechanism in Cu₂O/T1-V₀. Reproduced with permission from ref. 170, Copyright 2019 American Chemical Society.

in Fig. 20j.¹⁶³ The XPS analysis confirmed the Cu₂O selfphotooxidation by holes with the formation of CuO and Cu(OH)₂ species (Fig. 20k). Most surprisingly, when ethanol was introduced as a hole scavenger into the system, under the same photocatalytic conditions, the morphology and chemical composition remained almost unchanged (Fig. 20l and m). Due to the favorable redox potential of Na₂SO₃, it acts as a more effective hole scavenger than ethanol, resulting in a high photocatalytic hydrogen evolution rate in the presence of Cu₂O nanocrystals with considerable photostability.¹⁶³

The third strategy is the successful establishment of a Zscheme mechanism that efficiently neutralizes the photogenerated hole accumulation in Cu₂O, thus preventing its photooxidation.¹⁶⁸⁻¹⁷³ The Liu group developed a hybrid photocatalyst where 2 nm Cu₂O nanocrystals were uniformly photodeposited on oxygen vacancy containing 101-faceted octahedral TiO₂ nanocrystals (referred to as Cu₂O/T1-V_O; Fig. 21a and b).¹⁷⁰ Under AM 1.5G irradiation, this hybrid catalyst showed 32.6 mmol g^{-1} h⁻¹ hydrogen production rate from 10 vol% aqueous methanol solution, which is still the highest reported rate for Cu₂O/TiO₂ hybrid systems to date (Fig. 21c). It also ensured high photostability over the long-term recyclable experiments (Fig. 21d). No oxidized CuO species were detected in the recycled photocatalyst, which confirmed the efficient neutralization of holes in the Cu₂O counterpart via a successful Z-scheme mechanism, as shown in Fig. 21e. An optimum number of surface defects and homogenous distribution of 2 nm Cu₂O nanoclusters, along with 101-faceted TiO₂ octahedra, acted synergistically, which resulted in high photoactivity and enhanced photostability of Cu₂O nanoclusters. Based on these findings, further development will be needed to obtain a highly efficient, low cost and stable Cu₂O-based photocatalyst for solar H₂ production.

The fourth strategy is the modification of the Cu₂O nanocrystal surface by carbon-based materials.165,167,174,179,180 Carbon quantum dots (CQDs),¹⁸⁶ nanodiamonds (NDs),¹⁶⁵ reduced graphene oxide (rGO),¹⁸⁰ and nitrogen-doped carbons¹⁷⁴ are widely used to enhance the photocatalytic activity and photostability of Cu₂O nanocrystals. Yang et al. showed that the decoration of 50 nm spherical Cu₂O nanocrystals with 3 nm NDs enabled a H₂ production rate of 1597 μ mol g⁻¹ h⁻¹ under simulated solar light irradiation (AM 1.5G, 100 mW cm^{-2} , 1 Sun) with a solar-to-hydrogen conversion efficiency of 0.85%.165 This composite also showed considerable photocatalytic stability. Due to the highly conductive nature of ND and its strong light absorbing properties from UV to NIR regions, the photoexcited electrons from the ND surface were efficiently injected into the Cu₂O and simultaneously, the photogenerated holes from Cu₂O were injected to ND. The excess holes on the ND surface carried out the photooxidation of ethanol, whereas the excess electrons in Cu₂O carried out the photoreduction of H^+ to H_2 . Such effective separation and consumption of photoexcited electrons and holes were the main reasons for the enhanced photostability of ND decorated Cu₂O hybrid systems. In another study, glucose was used as the carbon precursor to form a protective 20 nm thick carbon layer coated on a Cu₂O nanowire, which resulted in enhanced photostability and water splitting performance.179 The photoexcited electrons were easily transported to the reaction medium via this carbon layer, whereas, because of its hydrophobic nature, it protected Cu2O from H₂O. However, organic molecules such as ethanol or methanol make their passage to the Cu2O surface through this carbon layer where they become easily oxidized by photogenerated holes, resulting in enhanced photostability. Such an approach is highly cost-effective and easily scalable; the only thing that needs to be taken into account is how to achieve the



Fig. 22 (a) Schematic model for Au_{vertex} - Cu_2O heteronanocrystals (HNC) and their SPR-induced hot electron transfer mechanism. (b) Comparison of photocatalytic H₂ evolution over different HNCs. Reproduced with permission from ref. 176, Copyright 2016 American Chemical Society. (c) An overall schematic diagram of a hot-dog like Au nanorod@ Cu_2O @TiO₂ heteronanostructure with comparison to hydrogen production activity. Reproduced with permission from ref. 177, Copyright 2017 Elsevier.

optimum thickness of the carbon layer on the $\rm Cu_2O$ nanocrystals.

A fifth strategy foresees the formation of heterostructures with plasmonic nanocrystals including sharp vertices and edges.¹⁷⁵⁻¹⁷⁸ In this regard, the Han group used hexoctahedral (HOH) Au nanocrystals enclosed by 48 triangular high-index {321} facets as plasmonic antenna and selective overgrowth of Cu₂O (reactive site) was achieved on the vertices of the HOH Au NCs with the help of facet-selective adsorption behavior of PVP surfactant (Fig. 22a).¹⁷⁶ Such hetero-nanocrystals showed a higher photocatalytic H₂ production rate than core-shell nanostructures (Fig. 22b). Such an enhanced rate for Auvertex-Cu₂O HNCs could be attributed to the LSPR-induced hot electron transfer from HOH Au nanocrystals to Cu₂O. FDTD simuconfirmed that strong electromagnetic lations field enhancements were mainly localized at the vertices of HNCs where Cu₂O nanoclusters were present, and efficient hot electron transfer took place, facilitating the proton reduction process. Due to the formation of a suitable Schottky junction between the Au and Cu₂O, the photogenerated holes from the Cu₂O nanoclusters efficiently migrated to Au nanocrystals where methanol scavenged the holes due to the availability of the exposed Au surfaces in Auvertex-Cu2O HNCs.176 These kinds of HNCs also contribute to increasing the photostability of Cu₂O. Different exotic structures such as hot-dog like Au nanorod@Cu2O@TiO2 (Fig. 22c) nanocrystals and other hybrid

systems showed enhanced photocatalytic activity with increased photostability.^{177,178,187-189}

Finally, the sixth strategy is based on the careful selection of reagents used during the photocatalytic process. As we have discussed earlier in Section 2.3, the presence of HCl, NH₃, or other strong bases such as S^{2-} or $S_2O_3^{2-}$ anions, and dissolved O₂, can seriously cause distortion or etching of the Cu₂O nanocrystals. Therefore, they should be avoided along with the use of short reaction times and low temperatures in order to increase the photostability of Cu₂O nanocrystals. Dang et al. recently showed that in the presence of Na₂SO₃ as a hole scavenger, Cu2O@Cu7S4 core@shell nanocubes showed efficient photocatalytic hydrogen production with enhanced photostability.¹⁷⁸ To summarize, studies of different hybrid photocatalysts and their electron transfer mechanisms provide a fundamental understanding of how to enhance the photocatalytic efficiency and photostability of Cu₂O by suppressing its self-photooxidation under light illumination.

4.4 Photocatalytic CO₂ reduction reaction

The photocatalytic reduction of CO_2 with H_2O to solar fuels is considered an artificial photosynthesis reaction. It attracted huge attention due to the recent global warming problems, and motivated the attempt to reduce our dependence on fossil fuels.¹⁹⁰⁻¹⁹³ Using water as the source of H_2 instead of pure H_2 gas during this photoreduction process is the most desirable



Fig. 23 (a) Role of carbon residues in the catalyst: DRIFT spectra showing the distribution of products under different photoreduction conditions. Reproduced with permission from ref. 12, Copyright 2010 American Chemical Society. (b) Different binding mode of CO_2^{--} radicals on the catalytic site. Reproduced with permission from ref. 190, Copyright 2019 American Chemical Society.

and challenging task. If we can develop such an energy-efficient system, it may be the most sustainable and environmentally green process to complete the carbon cycle.194-198 Major difficulties associated with this photoreduction process are the complex reaction mechanism, which involves different modes of adsorption of CO₂ molecules on the catalyst surface and the multi electron-multi protonation coupling-decoupling steps with high activation energy barriers for different intermediates.¹⁹⁰ These reaction steps make this reaction photocatalytically less efficient and also lead to generation of a wide variety of products such as CO, CH₃OH, HCHO, HCOOH, and CH₄ (generally termed C1 products). Complex in situ C-C coupling and further modification of C1 products generate compounds with two carbons (C2 products) such as C₂H₆, C₂H₄, CH₃CH₂-OH, CH₃CHO, and CH₃COOH.¹⁹⁰⁻¹⁹³ Due to the high activation energy barrier, C2 products are more difficult to form, as compared to C1 products, during the photocatalytic reduction reaction. However, C2 products are of higher importance in the fields of chemical, fuel, and polymer industries. Further coupling of C1 and C2 products can lead to the formation of C3 products, which is rarely formed via a photocatalysed reaction over Cu-based catalysts, but it can be achieved via an electroreduction reaction.^{199,200} Therefore, a better understanding of the reaction mechanism is necessary in order to improve the product selectivity along with achieving high conversion rates. In this regard, Mul et al. showed that photocatalysts prepared with high molecular weight carbon containing precursors or solvents were contaminated with small quantities of carbon residues even after high temperature calcination.¹² These carbon impurities have a profound impact on the photocatalytic water activation and CO₂ reduction reaction. Fig. 23a shows in situ DRIFT spectra of the cuprous oxide/TiO2 catalyst after 80 min of photoirradiation under different gaseous atmospheres. When isotopically labeled ¹³CO₂ and H₂O were used, the ratio ¹²CO: ¹³CO was surprisingly 6:1, which indicated

that the carbon residues on the catalyst surface were involved in the reactions with 13 CO and H₂O molecules in the presence of light, and produced 12 CO in excess. This is not coming from the artificial photosynthesis reaction, as shown in the following equation:

1

$${}^{3}\text{CO}_{2} + {}^{12}\text{C} \rightarrow {}^{13}\text{CO} + {}^{12}\text{CO}$$
 (3)

$$H_2O + {}^{12}C \rightarrow {}^{12}CO + H_2$$
 (4)

Many recent studies report a high activity with product selectivity for different photocatalysts. Nevertheless, in the future, authors should pay extra attention, before publishing their data, to ruling out any overestimation of the reaction rate coming from carbon contamination present in the photocatalyst surface. This overestimation can be caught by simply carrying out a blank photocatalytic test in the absence of CO_2 but in the presence of H_2O .¹² In addition, photoreduction should also need to be carried out using isotope labeled ¹³CO₂ for further confirmation of the product selectivity and reaction rate. And lastly, it is also necessary to follow the previously described surfactant removal steps (Section 2.3) during the synthesis of the photocatalyst in order to get rid of any unwanted carbon contamination.

The photoreduction of CO₂ with H₂O to these products is a thermodynamically uphill conversion with a positive Gibbs free energy, ΔG , which makes it difficult to proceed at room temperature and without any supply of high external energies. Therefore, it is of great importance to develop efficient semiconductor-based photocatalysts to achieve a desirable photocatalytic conversion rate with high product selectivity. Different ways have been considered to modify these semiconductors by the fine tuning of the band gap, morphology, and size, and with addition of suitable co-catalysts.¹⁹⁰⁻¹⁹⁸ Under



Fig. 24 Crystal structures of three low-index surface planes of Cu_2O in their most stable configuration along with different binding modes of CO_2 molecules and corresponding adsorption energy: (a1) {111}, (b1) {001}, and (c1) {110}. Black and green spheres represent carbon and oxygen atoms in a CO_2 molecule. Reproduced with permission from ref. 204, Copyright 2016 American Institute of Physics.

suitable light illumination, photoexcited electrons present on the reduction site in a hybrid catalyst typically reduce CO₂ to solar fuels, whereas the photoexcited holes present on oxidation sites react with water to produce O2. The determination of a precise mass balance between reagents and products is a critical tool to understand the mechanism of reaction and the intermediates forming over Cu₂O photocatalysts. The formation of O_2 , during CO_2 photoreduction in the presence of H_2O_1 , represents the first of many redox steps, which ultimately result in H₂, CO, CH₄, CH₃OH, or multi-carbon products. The quantification of O2 therefore may be useful to understand the reaction mechanism, but should be supported by a precise quantification of reaction intermediates/products and by isotopic labelling experiments, which are crucial to unveil the origin of atomic building blocks forming the final molecular products. For an optimum performance, the CB position of the hybrid catalyst must be much higher than the proton-assisted multielectron reduction potentials of CO2 to different products, whereas the VB edge must be much more positive than the water oxidation potential (Fig. 2).190-193 Apart from optimum control of the semiconductor band gap and energy alignment, a right choice of the co-catalyst is also necessary for enhancing the adsorption and activation of CO₂ molecules on the active sites, which in turn accelerates the photoreduction of CO_2 with high product selectivity.¹⁹⁰ As shown in Fig. 2, the photoreduction of CO₂ to the CO₂[•] radical has a large reduction potential (-1.49 V versus NHE, pH = 0) and also its geometry changes from linear to a bent shape; an increase in steric hindrance will make this preliminary one electron reduction step highly unfavorable. The formation of a destabilized bent CO₂^{•-} radical is the most important step for initiating multistep photoreduction of CO₂ and it can be stabilized on the surface active sites via three different coordination modes, as shown in Fig. 23b.¹⁹⁰ Different chemical compositions, morphologies, electronic band structures, and the exposed crystal planes have

a significant impact on these different kinds of coordination modes, which in turn have a direct effect on the CO₂ photoreduction rate and product selectivity. Extensive theoretical work by the Carter group shows that Cu₂O is a promising photocatalyst for photoconversion of CO2 to methanol.201-203 Leeuw et al. performed in-depth DFT calculations for different binding modes of CO₂ molecules on three low-index Cu₂O crystal planes and their corresponding adsorption energy.²⁰⁴ As shown in Fig. 24, the $Cu_2O(110)$: Cu–O crystal plane shows the strongest chemisorption of the CO₂ molecule, releasing ~ 170 kJ mol⁻¹ energy, which supports the formation of the bent CO₂^{•-} radical most efficiently. On the other hand, the $Cu_2O(111)$: O surface shows the weakest adsorption, and, therefore, the CO₂ molecule remains linear.²⁰⁴ The activation of the CO₂ molecule is directly proportional to the adsorption energy. The more negative is the adsorption energy of a CO₂ molecule on a particular facet of the Cu₂O nanocrystal, the more favorite will be the formation of the bent CO2⁻⁻ radical anion. These different adsorption energies and their conformation can directly influence the reaction rate and product selectivity.

Cubic, octahedral, and rhombic dodecahedral Cu₂O crystals decorated with reduced graphene oxide (rGO) nanosheets were recently synthesized, and their photoreduction of CO₂ in aqueous solution was compared.²⁰⁵ It is interesting to note that all of these hybrid photocatalysts exclusively produced CH₃OH, and other possible products such as HCHO and HCOOH were not detected in the system. The methanol production rate followed the order: cube-Cu₂O/rGO < octahedral-Cu₂O/rGO < rhombic dodecahedral-Cu₂O/rGO. Considering Fig. 18 and 24, the highest photo-conversion of CO₂ to MeOH for RD could be explained by: (1) an improved accumulation of photoexcited electrons on the {110} surface and (2) facilitated formation of the bent CO₂⁻⁻ radical anion. Wrapping with rGO provided higher stability for the Cu₂O nanocrystals during the course of the reaction and also better electron–hole separation. Recently,



Fig. 25 TEM images of (a) ZnO spheres, (b) Cu_2O nanocubes, (c) $ZnO-Cu_2O$ hybrid nanoparticles, (d) HRTEM, (e) STEM image, and (f) elemental map of an individual $ZnO-Cu_2O$ nanoparticle. (g) Comparison of photoreduction of CO_2 using the three different catalysts. (h) Band alignment and proposed electron transfer mechanism of the $ZnO-Cu_2O$ hybrid catalyst. Reproduced with permission from ref. 211, Copyright 2017 Springer Nature.

Rajh *et al.* used in-depth characterization techniques such as correlated scanning fluorescence X-ray microscopy, EPR, and environmental TEM at atmospheric pressure to prove that the (110) facet of Cu_2O was more active in the photoreduction of CO_2 with H_2O to methanol, while the (100) facet was inert during this process.²⁰⁶ Methanol was produced exclusively as the main product, which could be correlated with the fast desorption of methanol from the (110) facet. No other oxidized products such as HCHO and HCOOH were found in the system. This further emphasizes that the facet-dependent photoreduction of CO_2 requires precise control of the shape and size of the nanocrystal to achieve a high photoreduction rate and product selectivity, even more than in the case of H_2 production.

In addition to pristine Cu₂O nanocrystals, different hybrid systems have also been developed in order to enhance their better charge separation and product selectivity during the photoreduction of CO₂.^{186,207-218} A novel carbon quantum dot (CQD) decorated Cu₂O heterostructure was synthesized *via* a one-pot procedure, where ~5 nm CQDs were homogeneously decorated on the surface of an ~2 µm spherical crystalline Cu₂O

particle.186 This hybrid nanostructure showed strong absorption in the complete solar spectrum range with a band gap 1.96 eV, much lower than that of pure bulk Cu₂O (2.2 eV). The photoexcited electrons in the Cu₂O microsphere selectively reduced CO_2 into CH_3OH , whereas the holes were transferred to CQDs and oxidized H₂O to O₂. Thus, the CQD co-catalyst enhanced both the photocatalytic performance and the stability of Cu₂O microspheres. Recently, 4.4 nm Cu₂O nanocrystals supported on defective graphene were used as an efficient photocatalyst for gas-phase methanation of CO_2 in the presence of H_2 at high temperature, also known as the Sabatier reaction.²⁰⁷ This hybrid photocatalyst showed exclusive CH₄ production with an AQY at 250 °C of 7.84% in the 250-360 nm wavelength range. In the third cycle of the reaction, the photocatalytic activity decreased significantly because of the complete conversion of Cu2O-graphene to Cu-graphene. This conversion was not probably due to the photocatalytic process itself but it was related to the high temperature reductive environment. Doping has also been used as an important tool to tune the band gap of a semiconductor and to enhance the photocatalytic performance and product



Fig. 26 Au/CdSe-Cu₂O hybrid nanostructures: (a) STEM image, (b) HRTEM image, (c) STEM image of one nanostructure, and its corresponding EDS elemental map. Control photocatalytic CO_2RR experiment for (d) different samples without water (e) with different volumes of water. Reproduced with permission from ref. 214, Copyright 2020 Wiley-VCH.

selectivity. For instance, Cl-doping of Cu₂O nanorods has been used to shift the band structure of Cu₂O to a more positive valence-band position, which facilitates water oxidation.²⁰⁸ The Cl-doped Cu₂O nanorods showed excellent photoreduction of CO₂ in the presence of H₂O under visible-light irradiation with selective formation of CO.

Another possible way to increase the photoreduction performance of cuprous oxide is the suitable formation of Z scheme-based hybrids by coupling the p-type Cu_2O semiconductor with n-type wide bandgap semiconductors such as TiO₂, ZnO and W₁₈O₄₉.^{210,211,219-222} Precise control of the morphology and size can efficiently increase the photoreduction rate and product selectivity. A Z-scheme heterojunction can limit the issue of recombination of the charge carriers, improving the stability of the photocatalyst.

Grela *et al.* used octahedral Cu₂O microcrystals and decorated their 8 {111} crystal planes with TiO₂ nanocrystals uniformly.²¹⁰ When this octahedral Cu₂O–TiO₂ hybrid photocatalyst was irradiated with UV-visible light ($\lambda \ge 305$ nm) in the presence of water vapor and CO₂, the photoreduction reaction

proceeded with selective formation of CO. The role of carbon contamination in the catalyst surface was not properly investigated in this study. In addition to this, the octahedral Cu₂O-TiO₂ hybrid system also showed enhanced photo-stability in comparison with pure Cu₂O, which was due to the efficient transfer of photoexcited CB electrons to the photoexcited VB holes of Cu₂O. Thus, TiO₂ also protected Cu₂O from photocorrosion during the course of reaction. These results provided direct evidence of an efficient Z-scheme, which was further confirmed by an *in situ* analysis of the photocatalyst using XPS and EPR techniques. In addition, Song et al. also developed a hybrid photocatalyst where 40 nm ZnO nanospheres were decorated with multiple 18 nm cubic Cu₂O nanocrystals, as shown in Fig. 25c.²¹¹ These ZnO-Cu₂O hybrid photocatalysts showed a selective CH₄ formation with an estimated quantum efficiency (QE) of 1.5% using the 200 to 540 nm wavelength region. A synergistic charge transfer between the ZnO and Cu₂O counterparts led to an enhanced CO₂ photoreduction rate (Fig. 25g). To understand the enhanced photocatalytic activity, an identical reaction performed under visible light (UV cutoff



Fig. 27 (a) Schematic mechanism of the $Cu_2O/Pt/TiO_2$ -xh hybrid system and (b) its product selectivity with respect to the Cu content in the hybrid catalysts for the photoreduction of CO_2 with H_2O . Reproduced with permission from ref. 215, Copyright 2013 Wiley-VCH. (c) Scheme to describe the carrier migration behavior from BiVO₄ to Cu_2O with and without Au particles deposited on the different facets of BiVO₄. Reproduced with permission from ref. 217, Copyright 2018 Wiley-VCH.

filter $\lambda > 420$ nm) was performed, and a negligible amount of CH₄ was obtained. When the cutoff filter was removed, the formation rate for CH₄ was similar to that observed for the original reaction, which proved that the operational Z-scheme mechanism under UV-visible light illumination (as shown in Fig. 25h) had caused the hybrid photocatalyst to outperform its individual components. More diverse combinations of hybrid catalysts with different shapes and sizes need to be developed so that they can operate via the Z-scheme mechanism, thus improving the photostability of the Cu2O counterpart with enhanced photoreduction rate and product selectivity. Chen et al. used a simple self-assembly strategy to decorate Ti₃C₂ QDs onto Cu₂O nanowires to achieve selective formation of methanol.²¹² The photoexcited CB electrons of Cu₂O were readily transferred to the attached Ti₃C₂ QDs, as the latter is a highly conductive material having a $E_{\rm F}$ less negative than the CB of Cu₂O, which enhances the charge separation. Similarly, as the $E_{\rm F}$ of Ti₃C₂ QD is more negative than the redox potential of CO₂ to methanol, the accumulated electrons efficiently performed the photoreduction reaction.

Apart from the Z-scheme mechanism, the construction of hybrid 'antenna-reactor' photocatalysts also attracted huge attraction due to their enhanced photocatalytic performance compared to their individual components.^{125,213,214,223} In this system, generally plasmonic materials (such as Au, Ag, Cu, TiN, and Al) act as an 'antenna', which mainly absorbs the light and generates hot electrons (and eventually heat). These hot electrons are then transferred to the 'reactor' site (usually formed by transition metals such as Pt, Pd, Rh, Ru), which is mostly responsible for performing the photocatalytic reaction.

Halas *et al.* developed a Al–Cu₂O core–shell hybrid photocatalyst where Al was used as a low cost and earth abundant plasmonic core, while the polycrystalline Cu₂O shell acted as a catalyst for the reverse water-gas shift (rWGS) reaction (CO₂ + $H_2 \leftrightarrow CO + H_2O$).²¹³ Interestingly, at higher illumination intensities, the Al–Cu₂O core–shell hybrid photocatalyst showed a much higher CO formation rate than the individual Cu₂O and the Al counterparts. Most surprisingly, under a light driven rWGS reaction, a highly selective formation of CO took place, whereas a purely thermal-driven reaction lost the product selectivity as both CH4 and CO were found in the product mixture. Zhang et al. used a three hetero-compartment hybrid photocatalytic system where the Cu₂O hemisphere selectively covered the CdSe part of a plasmonic Au/CdSe nanodumbbell, as shown in Fig. 26a-c.²¹⁴ It is interesting to note that the use of PEG, methyl ether, and hydrazine as reducing agents led to the formation of these exotic kinds of hybrid nanostructures. Fig. 26d demonstrates that when the photoreduction of CO₂ was carried out in a mixed organic solvent ($CH_3CN : TEOA = 9 : 1$) without adding any water under visible light illumination, the Au/CdSe nanodumbbell generated only H₂ without any detectable CO or CH₄. The protons for hydrogen production might come from a trace of water in CH₃CN. However, when Cu₂O fully covered the CdSe hemisphere, a 100% CO selectivity was found without any H₂. The addition of different amounts of H₂O to the catalytic system systematically increased the production of both CO and CH_4 (Fig. 26d). The addition of H_2O to the mixture of the CH₃CN and TEOA solvents catalyzed the formation of CH₄ (a $8e^{-}/8H^{+}$ pathway) and CO (a $2e^{-}/2H^{+}$ pathway), by providing more protons and electrons into the reaction mixture. The exact electron transfer mechanism for this enhanced photocatalytic preformation is still under investigation.

As discussed above, hydrogen evolution appears as a competitive reduction reaction during the photoreduction of CO_2 . Thus, is it necessary to suppress the H_2 evolution so that we can use the photoexcited electrons more efficiently for the generation of other liquid or gaseous carbon-based solar fuels. The most studied TiO₂ (Degussa P25), loaded with Pt, leads to hydrogen evolution during the photoreduction of CO₂ in the presence of water, with small fractions of CO and CH4.215 Interestingly, Wang and his co-workers found that when a Cu₂O shell was selectively photodeposited on the Pt nanocrystals, it enhanced the production of CH_4 and CO over H_2 (Fig. 27a). By systematically increasing the Cu content in the catalyst, the selectivity for CO2 reduction increased from 30% to 85% (Fig. 27b). As no high-molecular-weight organic surfactant or solvent was used during the photodeposition process, no carbon contamination was detected on the surface of the final catalyst, and the product selectivity purely came from the photocatalytic conversion of CO₂.¹²

Inspired by this work, Yan's group demonstrated a facetdependent Schottky heterojunction by coupling a BiVO₄ truncated octahedron with a hemispherical Au@Cu2O core-shell cocatalyst.217 The truncated octahedron consists of anisotropic facets such as {010} and {110}. Photoexcited electrons can be selectively accumulated on the {010} facets, whereas holes accumulate on the {110} facets. Therefore, Au nanocrystals can be selectively deposited on the $\{010\}$ facets by photoreduction. By contrast, before Au nanocrystal deposition only on the $\{110\}$ facets, PVP surfactant is needed to block the {010} facets by preferential adsorption. The Cu₂O shell layer was subsequently deposited on Au via a simple chemical reduction, forming three different heterostructures namely BiVO₄{010}-Au-Cu₂O, BiVO₄{110}-Au-Cu₂O and BiVO₄{010}-Cu₂O (as shown in Fig. 27c). Such synthetic strategies are very challenging and need special attention.

An efficient Schottky junction was formed in the BiVO₄{010}-Au interface, facilitating the extraction of the photogenerated electrons from BiVO4 and their successful transfer to Cu2O, thus improving the charge separation of the system (Fig. 27c). $BiVO_4$ {010}-Au-Cu₂O showed a CH₄ production rate equal to 3.14 μ mol g_{cat}⁻¹ h⁻¹ (1 μ mol m⁻² h⁻¹ in terms of surface area), which was three and five times higher than that of BiVO₄{110}-Au-Cu₂O and BiVO₄ $\{010\}$ -Cu₂O, respectively. The Schottky junction between BiVO4 and Au not only facilitated better charge separation but also prevented the photocorrosion of Cu₂O by neutralizing the holes, which resulted in a high photostability of the entire system. Despite the good results, it is worth mentioning that such low CH4 and CO production rates can be associated with surface carbon contamination. Isotope labeled ¹³CO₂ photoreduction was not reported either in this study, and thus some doubts remain on the origin of the detected products. Recently, Lee et al. showed that different surface ligands on the Cu₂O/TiO₂ photocatalyst surface alter the binding strength of reaction intermediates resulting in different product selectivities during the gas-phase photocatalytic CO₂ reduction.224 Therefore, authors should consider any overestimation of the activity for photoreduction of CO₂. As discussed previously in Section 4.3, the photostability of Cu₂O during photoreduction of CO₂ in the presence of H₂O can be enhanced following the same approaches employed for H₂ production from aqueous solutions: (i) by coating Cu₂O nanostructures with an ultrathin conducting and transparent layer, (ii) by forming a successful Z-scheme system, and lastly (iii) by forming a thin carbon layer.75,220,225,226 In general, previous case studies provided an alternative strategy for developing hybrid photocatalytic systems, which can reduce the H₂ evolution reduction while improving the formation of solar fuels with suppressed photocorrosion.

5 Conclusion and remarks

Substantial progress in the understanding of synthetic procedures and growth mechanisms of faceted Cu_2O crystals opens the door to studying their facet-dependent properties. New physicochemical properties have been discovered by studying the facet-dependent properties of Cu_2O crystals, which are different from traditional viewpoints. In particular, facetengineering of Cu_2O nanocrystals provides the opportunity to tune their surface atomic arrangements and light absorbing properties and induce an increased separation of charge carriers on different anisotropic facets, which will result in an enhanced photocatalytic activity.

Comparison of the surface energies of Cu₂O crystallographic facets reveals that the order is as follows: $\gamma \{1 \ 0 \ 0\} < \gamma \{1 \ 1 \ 1\} < \gamma \{1 \ 1 \ 0\} < \gamma \{h \ k \ l\}$. Preparation of 1D, 2D, and 3D Cu₂O nanostructures has been reviewed while highlighting the role of a surfactant, solution pH, and different inorganic ions in various synthetic chemical methods. Although obtaining such well-defined morphologies requires the use of templating and capping agents, their careful removal is crucial for guaranteeing the subsequent photocatalytic activity. Clean surfaces must be obtained, and they proved to not only maximize the activity but

also ensure the absence of contaminants which can be released during the reaction and may alter the product distribution or can be involved as sacrificial electron donors leading to artefacts. Afterward, suitable steps have been suggested for efficiently removing the surfactant without distorting the facet and chemical composition of the Cu₂O nanocrystals.

This precise control of the facet enables unique properties such as facet-selective adsorption of capping agents and facetselective photodeposition of oxidation and reduction co-catalysts. It was also identified that pure Cu₂O nanocrystals showed facet-dependent optical properties. Furthermore, when coreshell nanocrystals were formed with a plasmonic core and Cu₂O shell, a large red-shift for the SPR peak of the plasmonic core was observed, which was due to the differently exposed facets of the shell and their corresponding refractive indices and dielectric constants. Such interesting tuning of the optical properties of hybrid core–shell nanocrystals can provide a highly efficient photocatalyst, absorbing from the UV-vis to NIR region of the solar spectrum.

Discussions on the necessary figures of merit in photocatalysis were also reviewed in order to avoid any mistakes during the demonstration of the photocatalytic performance. We discussed the direct relation of the enhanced photocatalytic activity to: (1) efficient adsorption and activation of reactants on the catalyst surface, (2) upon exposure of light, efficient separation of photogenerated electron-hole pairs and their migration to the active catalytic sites via the exposed crystal facet to carry out the photo-redox reaction. Then special emphasis was put on well-defined hybrid Cu2O-based nanostructures, which showed enhanced photocatalytic performance for dye degradation, organic reactions, CO₂ reduction, and H₂ production, compared to the pristine Cu₂O nanostructures. The possible charge transfer mechanisms and the product selectivity were also illustrated for different cases. We particularly emphasized the potential strategies for efficient consumption of photogenerated holes for oxidation reactions, thus reducing the selfphotooxidation of Cu₂O counterparts, which, in turn, increased the photostability. We hope that the presented in-depth discussion and suggestions will contribute to the discovery of new synthetic strategies to enable the preparation of diverse hybrid Cu₂O nanostructures and the fundamental investigation of facet-dependent properties on the nanoscale. This may finally enable the design of low cost and more efficient Cu₂Onanostructures for solar to fuel conversion technologies.

Conflicts of interest

The authors declare no conflict of interest.

Acknowledgements

M. B. and P. F. acknowledge financial support from the European Community (projects H2020 – RIA-CE-NMBP-25 Program – Grant No. 862030 – and H2020-LC-SC3-2019-NZE-RES-CC – Grant No. 884444), INSTM consortium and ICCOM-CNR. S. R. and A. N. gratefully acknowledge the support of the Czech Science Foundation (GACR) through project no. 20-17636S, the

Ministry of Education, Youth and Sports of the Czech Republic through project ERC CZ no. LL1903, and the Operational Programme Research, Development and Education – European Regional Development Fund, project no. CZ.02.1.01/0.0/0.0/15_003/0000416.

References

- 1 R. Marschall, Adv. Funct. Mater., 2014, 24, 2421-2440.
- 2 M. Xiao, Z. Wang, M. Lyu, B. Luo, S. Wang, G. Liu, H. Cheng and L. Wang, *Adv. Mater.*, 2019, **31**, 1801369.
- 3 S. Y. Tee, K. Y. Win, W. S. Teo, L.-D. Koh, S. Liu, C. P. Teng and M.-Y. Han, *Adv. Sci.*, 2017, 4, 1600337.
- 4 W. A. Smith, I. D. Sharp, N. C. Strandwitz and J. Bisquert, *Energy Environ. Sci.*, 2015, **8**, 2851–2862.
- 5 K. C. Christoforidis and P. Fornasiero, *ChemCatChem*, 2017, 9, 1523–1544.
- 6 M. Cargnello, P. Fornasiero and R. J. Gorte, *ChemPhysChem*, 2013, 14, 3869–3877.
- 7 M. Cargnello, T. Montini, S. Y. Smolin, J. B. Priebe, J. J. Delgado Jaén, V. V. T. Doan-Nguyen, I. S. McKay, J. A. Schwalbe, M.-M. Pohl, T. R. Gordon, Y. Lu, J. B. Baxter, A. Brückner, P. Fornasiero and C. B. Murray, *Proc. Natl. Acad. Sci. U. S. A.*, 2016, **113**, 3966–3971.
- 8 T. Paik, M. Cargnello, T. R. Gordon, S. Zhang, H. Yun, J. D. Lee, H. Y. Woo, S. J. Oh, C. R. Kagan, P. Fornasiero and C. B. Murray, *ACS Energy Lett.*, 2018, 3, 1904–1910.
- 9 J. L. White, M. F. Baruch, J. E. Pander, Y. Hu, I. C. Fortmeyer, J. E. Park, T. Zhang, K. Liao, J. Gu, Y. Yan, T. W. Shaw, E. Abelev and A. B. Bocarsly, *Chem. Rev.*, 2015, **115**, 12888–12935.
- 10 K. C. Christoforidis and P. Fornasiero, *ChemCatChem*, 2019, 11, 368–382.
- D. Barreca, P. Fornasiero, A. Gasparotto, V. Gombac, C. Maccato, T. Montini and E. Tondello, *ChemSusChem*, 2009, 2, 230–233.
- 12 C.-C. Yang, Y.-H. Yu, B. van der Linden, J. C. S. Wu and G. Mul, *J. Am. Chem. Soc.*, 2010, **132**, 8398–8406.
- 13 C. Hepburn, E. Adlen, J. Beddington, E. A. Carter, S. Fuss, N. Mac Dowell, J. C. Minx, P. Smith and C. K. Williams, *Nature*, 2019, 575, 87–97.
- 14 L. Mascaretti, A. Dutta, S. Kment, V. M. Shalaev,
 A. Boltasseva, R. Zbořil and A. Naldoni, *Adv. Mater.*, 2019,
 31, 1805513.
- 15 S. Bai, L. Wang, Z. Li and Y. Xiong, *Adv. Sci.*, 2017, 4, 1600216.
- 16 S. Sun, X. Zhang, J. Cui, Q. Yang and S. Liang, *Nanoscale*, 2019, **11**, 15739–15762.
- 17 S. Wang, G. Liu and L. Wang, *Chem. Rev.*, 2019, **119**, 5192–5247.
- 18 M. Cargnello, T. R. Gordon and C. B. Murray, *Chem. Rev.*, 2014, **114**, 9319–9345.
- 19 M. H. Huang and M. Madasu, *Nano Today*, 2019, 28, 100768.
- 20 M. H. Huang, S. Rej and S.-C. Hsu, *Chem. Commun.*, 2014, 50, 1634–1644.
- 21 W. Huang, Acc. Chem. Res., 2016, 49, 520-527.

- 22 Y. Shang and L. Guo, Adv. Sci., 2015, 2, 1500140.
- 23 M. H. Huang and P.-H. Lin, *Adv. Funct. Mater.*, 2012, **22**, 14–24.
- 24 M. H. Huang, S. Rej and C.-Y. Chiu, *Small*, 2015, **11**, 2716–2726.
- 25 C.-H. Kuo and M. H. Huang, Nano Today, 2010, 5, 106-116.
- 26 G. Liu, J. C. Yu, G. Q. Lu and H.-M. Cheng, *Chem. Commun.*, 2011, **47**, 6763.
- 27 S. Sun, Nanoscale, 2015, 7, 10850-10882.
- 28 S. Sun and Z. Yang, RSC Adv., 2014, 4, 3804–3822.
- 29 S. Sun, X. Zhang, Q. Yang, S. Liang, X. Zhang and Z. Yang, *Prog. Mater. Sci.*, 2018, 96, 111–173.
- 30 C. Y. Toe, J. Scott, R. Amal and Y. H. Ng, *J. Photochem. Photobiol.*, *C*, 2019, **40**, 191–211.
- 31 Y. Xia, Y. Xiong, B. Lim and S. E. Skrabalak, *Angew. Chem.*, *Int. Ed.*, 2009, **48**, 60–103.
- 32 Z. L. Wang, J. Phys. Chem. B, 2000, 104, 1153-1175.
- 33 A. Radi, D. Pradhan, Y. Sohn and K. T. Leung, ACS Nano, 2010, 4, 1553–1560.
- 34 M. D. Susman, Y. Feldman, A. Vaskevich and I. Rubinstein, *ACS Nano*, 2014, **8**, 162–174.
- 35 B.-H. Kuo, C.-F. Hsia, T.-N. Chen and M. H. Huang, *J. Phys. Chem. C*, 2018, **122**, 25118–25126.
- 36 H.-G. Liao, D. Zherebetskyy, H. Xin, C. Czarnik, P. Ercius, H. Elmlund, M. Pan, L.-W. Wang and H. Zheng, *Science*, 2014, 345, 916–919.
- 37 Y.-H. Lin, J.-Y. Chen, F.-C. Chen, M.-Y. Kuo, Y.-J. Hsu and W.-W. Wu, Anal. Chem., 2019, 91, 9665–9672.
- 38 Z. Dong, L. Zhang, S. Wang and L. Luo, *Nano Energy*, 2020, 70, 104527.
- 39 L. Gou and C. J. Murphy, Nano Lett, 2003, 3, 231-234.
- 40 H. Xu, W. Wang and W. Zhu, J. Phys. Chem. B, 2006, 110, 13829–13834.
- 41 J.-Y. Ho and M. H. Huang, J. Phys. Chem. C, 2009, 113, 14159–14164.
- 42 Y. Sui, W. Fu, H. Yang, Y. Zeng, Y. Zhang, Q. Zhao, Y. Li,
 X. Zhou, Y. Leng, M. Li and G. Zou, *Cryst. Growth Des.*,
 2010, 10, 99–108.
- 43 X. Liang, L. Gao, S. Yang and J. Sun, *Adv. Mater.*, 2009, 21, 2068–2071.
- 44 K. X. Yao, X. M. Yin, T. H. Wang and H. C. Zeng, J. Am. Chem. Soc., 2010, 132, 6131–6144.
- 45 X. Lan, J. Zhang, H. Gao and T. Wang, *CrystEngComm*, 2011, 13, 633–636.
- 46 W.-C. Huang, L.-M. Lyu, Y.-C. Yang and M. H. Huang, *J. Am. Chem. Soc.*, 2012, **134**, 1261–1267.
- 47 M. H. Kim, B. Lim, E. P. Lee and Y. Xia, *J. Mater. Chem.*, 2008, **18**, 4069–4073.
- 48 C. Liu, Y.-H. Chang, J. Chen and S.-P. Feng, *ACS Appl. Mater. Interfaces*, 2017, **9**, 39027–39033.
- 49 M. J. Siegfried and K.-S. Choi, J. Am. Chem. Soc., 2006, 128, 10356–10357.
- 50 M. J. Siegfried and K.-S. Choi, *Adv. Mater.*, 2004, **16**, 1743–1746.
- 51 C. J. Munro, E. C. Bell, M. O. Olagunju, J. L. Cohn, E. M. Zahran, L. G. Bachas and M. R. Knecht, ACS Sustain. Chem. Eng., 2019, 7, 17055–17064.

- 52 K. Self and W. Zhou, Cryst. Growth Des., 2016, 16, 5377-5384.
- 53 D. Y. Kim, C. W. Kim, J. H. Sohn, K. J. Lee, M. H. Jung, M. G. Kim and Y. S. Kang, *J. Phys. Chem. C*, 2015, **119**, 13350–13356.
- 54 H. Y. Zhao, Y. F. Wang and J. H. Zeng, *Cryst. Growth Des.*, 2008, **8**, 3731–3734.
- 55 Y.-Y. Ma, Z.-Y. Jiang, Q. Kuang, S.-H. Zhang, Z.-X. Xie, R.-B. Huang and L.-S. Zheng, *J. Phys. Chem. C*, 2008, **112**, 13405–13409.
- 56 S. Sun, C. Kong, S. Yang, L. Wang, X. Song, B. Ding and Z. Yang, *CrystEngComm*, 2011, 13, 2217–2221.
- 57 Y. Liang, L. Shang, T. Bian, C. Zhou, D. Zhang, H. Yu, H. Xu, Z. Shi, T. Zhang, L.-Z. Wu and C.-H. Tung, *CrystEngComm*, 2012, 14, 4431–4436.
- 58 M. Leng, M. Liu, Y. Zhang, Z. Wang, C. Yu, X. Yang, H. Zhang and C. Wang, *J. Am. Chem. Soc.*, 2010, 132, 17084–17087.
- 59 S. Sun, X. Song, Y. Sun, D. Deng and Z. Yang, *Catal. Sci. Technol.*, 2012, **2**, 925–930.
- 60 X. Wang, S. Jiao, D. Wu, Q. Li, J. Zhou, K. Jiang and D. Xu, *CrystEngComm*, 2013, 15, 1849–1852.
- 61 X. Wang, C. Liu, B. Zheng, Y. Jiang, L. Zhang, Z. Xie and L. Zheng, J. Mater. Chem. A, 2013, 1, 282–287.
- 62 Z. Zhao, X. Wang, J. Si, C. Yue, C. Xia and F. Li, *Green Chem.*, 2018, **20**, 832–837.
- 63 I.-C. Chang, P.-C. Chen, M.-C. Tsai, T.-T. Chen, M.-H. Yang, H.-T. Chiu and C.-Y. Lee, *CrystEngComm*, 2013, 15, 2363– 2366.
- 64 Y.-H. Tsai, K. Chanda, Y.-T. Chu, C.-Y. Chiu and M. H. Huang, *Nanoscale*, 2014, 6, 8704–8709.
- 65 Y. Cao, Y. Xu, H. Hao and G. Zhang, *Mater. Lett.*, 2014, **114**, 88–91.
- 66 S. Thoka, A.-T. Lee and M. H. Huang, ACS Sustainable Chem. Eng., 2019, 7, 10467–10476.
- 67 M. Yin, C.-K. Wu, Y. Lou, C. Burda, J. T. Koberstein, Y. Zhu and S. O'Brien, *J. Am. Chem. Soc.*, 2005, **127**, 9506–9511.
- 68 Y. Tan, X. Xue, Q. Peng, H. Zhao, T. Wang and Y. Li, *Nano Lett.*, 2007, 7, 3723–3728.
- 69 S. D. Pike, E. R. White, A. Regoutz, N. Sammy, D. J. Payne, C. K. Williams and M. S. P. Shaffer, *ACS Nano*, 2017, **11**, 2714–2723.
- 70 S. Gao, Y. Sun, F. Lei, J. Liu, L. Liang, T. Li, B. Pan, J. Zhou and Y. Xie, *Nano Energy*, 2014, 8, 205–213.
- 71 Y. Xiong, Z. Li, R. Zhang, Y. Xie, J. Yang and C. Wu, *J. Phys. Chem. B*, 2003, **107**, 3697–3702.
- 72 L.-I. Hung, C.-K. Tsung, W. Huang and P. Yang, *Adv. Mater.*, 2010, **22**, 1910–1914.
- 73 W. Wang, G. Wang, X. Wang, Y. Zhan, Y. Liu and C. Zheng, *Adv. Mater.*, 2002, **14**, 67–69.
- 74 T. Zhou, Z. Zang, J. Wei, J. Zheng, J. Hao, F. Ling, X. Tang, L. Fang and M. Zhou, *Nano Energy*, 2018, **50**, 118–125.
- 75 J.-Y. Li, L. Yuan, S.-H. Li, Z.-R. Tang and Y.-J. Xu, *J. Mater. Chem. A*, 2019, 7, 8676–8689.
- 76 J. Hou, H. Cheng, O. Takeda and H. Zhu, Angew. Chem., Int. Ed., 2015, 54, 8480–8484.

View Article Online Journal of Materials Chemistry A

- 77 C. Kim, K. M. Cho, A. Al-Saggaf, I. Gereige and H.-T. Jung, ACS Catal., 2018, 8, 4170–4177.
- 78 X. Zhao, Y. Fan, W. Zhang, X. Zhang, D. Han, L. Niu and A. Ivaska, ACS Catal., 2020, 10, 6367–6376.
- 79 S. Campisi, M. Schiavoni, C. Chan-Thaw and A. Villa, *Catalysts*, 2016, 6, 185.
- 80 Z. Niu and Y. Li, Chem. Mater., 2014, 26, 72-83.
- 81 L. M. Rossi, J. L. Fiorio, M. A. S. Garcia and C. P. Ferraz, Dalton Trans., 2018, 47, 5889–5915.
- 82 K. Chanda, S. Rej and M. H. Huang, *Chem.–Eur. J.*, 2013, **19**, 16036–16043.
- 83 K. Chanda, S. Rej and M. H. Huang, *Nanoscale*, 2013, 5, 12494–12501.
- 84 M. Cargnello, C. Chen, B. T. Diroll, V. V. T. Doan-Nguyen,
 R. J. Gorte and C. B. Murray, *J. Am. Chem. Soc.*, 2015, 137, 6906–6911.
- 85 Q. Hua, K. Chen, S. Chang, Y. Ma and W. Huang, J. Phys. Chem. C, 2011, 115, 20618–20627.
- 86 Q. Hua, D. Shang, W. Zhang, K. Chen, S. Chang, Y. Ma,
 Z. Jiang, J. Yang and W. Huang, *Langmuir*, 2011, 27, 665–671.
- 87 Y. Sui, W. Fu, Y. Zeng, H. Yang, Y. Zhang, H. Chen, Y. Li, M. Li and G. Zou, *Angew. Chem., Int. Ed.*, 2010, **49**, 4282– 4285.
- 88 C.-H. Kuo, Y.-T. Chu, Y.-F. Song and M. H. Huang, *Adv. Funct. Mater.*, 2011, **21**, 792–797.
- 89 J. Nai, Y. Tian, X. Guan and L. Guo, J. Am. Chem. Soc., 2013, 135, 16082–16091.
- 90 C.-H. Kuo and M. H. Huang, J. Am. Chem. Soc., 2008, 130, 12815–12820.
- 91 Y.-H. Tsai, C.-Y. Chiu and M. H. Huang, J. Phys. Chem. C, 2013, 117, 24611–24617.
- 92 Q. Hua, T. Cao, X.-K. Gu, J. Lu, Z. Jiang, X. Pan, L. Luo, W.-X. Li and W. Huang, Angew. Chem., Int. Ed., 2014, 53, 4856–4861.
- 93 C. G. Read, E. M. P. Steinmiller and K.-S. Choi, J. Am. Chem. Soc., 2009, 131, 12040–12041.
- 94 H. Zhu, M. Du, D. Yu, Y. Wang, M. Zou, C. Xu and Y. Fu, Dalton Trans., 2012, 41, 13795–13799.
- 95 X.-W. Liu, Langmuir, 2011, 27, 9100-9104.
- 96 R. Chen, S. Pang, H. An, J. Zhu, S. Ye, Y. Gao, F. Fan and C. Li, *Nat. Energy*, 2018, 3, 655–663.
- 97 R. Chen, F. Fan, T. Dittrich and C. Li, *Chem. Soc. Rev.*, 2018, 47, 8238–8262.
- 98 R. Chen, S. Pang, H. An, T. Dittrich, F. Fan and C. Li, *Nano Lett.*, 2019, **19**, 426–432.
- 99 R. Chen, J. Zhu, H. An, F. Fan and C. Li, *Faraday Discuss.*, 2017, **198**, 473–479.
- 100 R. Li, X. Tao, R. Chen, F. Fan and C. Li, *Chem.-Eur. J.*, 2015, 21, 14337–14341.
- 101 T. Tachikawa and T. Majima, *Chem. Soc. Rev.*, 2010, **39**, 4802.
- 102 W.-K. Wang, J.-J. Chen, Z.-Z. Lou, S. Kim, M. Fujitsuka, H.-Q. Yu and T. Majima, *Proc. Natl. Acad. Sci. U. S. A.*, 2019, **116**, 18827–18833.
- 103 M. H. Huang, G. Naresh and H.-S. Chen, *ACS Appl. Mater. Interfaces*, 2018, **10**, 4–15.

- 104 M. H. Huang, Small, 2019, 15, 1804726.
- 105 Q. Ruan, N. Li, H. Yin, X. Cui, J. Wang and H.-Q. Lin, ACS Photonics, 2018, 5, 3838–3848.
- 106 W.-H. Ke, C.-F. Hsia, Y.-J. Chen and M. H. Huang, *Small*, 2016, **12**, 3530–3534.
- 107 C.-Y. Chu and M. H. Huang, J. Mater. Chem. A, 2017, 5, 15116–15123.
- 108 J.-Y. Huang, M. Madasu and M. H. Huang, *J. Phys. Chem. C*, 2018, **122**, 13027–13033.
- 109 C.-S. Tan, S.-C. Hsu, W.-H. Ke, L.-J. Chen and M. H. Huang, *Nano Lett.*, 2015, **15**, 2155–2160.
- 110 Y.-C. Yang, H.-J. Wang, J. Whang, J.-S. Huang, L.-M. Lyu, P.-H. Lin, S. Gwo and M. H. Huang, *Nanoscale*, 2014, 6, 4316–4324.
- 111 H.-J. Wang, K.-H. Yang, S.-C. Hsu and M. H. Huang, Nanoscale, 2016, 8, 965–972.
- 112 S. Rej, H.-J. Wang, M.-X. Huang, S.-C. Hsu, C.-S. Tan, F.-C. Lin, J.-S. Huang and M. H. Huang, *Nanoscale*, 2015, 7, 11135–11141.
- 113 K.-H. Yang, S.-C. Hsu and M. H. Huang, *Chem. Mater.*, 2016, 28, 5140–5146.
- 114 C.-F. Hsia, C.-H. Chang and M. H. Huang, *Part. Part. Syst. Charact.*, 2018, 35, 1800112.
- 115 M. Tariq, M. D. Koch, J. W. Andrews and K. E. Knowles, *J. Phys. Chem. C*, 2020, **124**, 4810–4819.
- 116 I. Polishchuk, N. Bianco-Stein, A. Lang, M. Kurashvili, M. Caspary Toroker, A. Katsman, J. Feldmann and B. Pokroy, *Adv. Funct. Mater.*, 2020, **30**, 1910405.
- 117 M. Qureshi and K. Takanabe, *Chem. Mater.*, 2017, **29**, 158–167.
- 118 K. Takanabe, J. Catal., 2019, 370, 480-484.
- 119 P. V. Kamat and S. Jin, ACS Energy Lett., 2018, 3, 622-623.
- 120 K. Takanabe, ACS Catal., 2017, 7, 8006-8022.
- 121 Q. Wang and K. Domen, Chem. Rev., 2020, 120, 919-985.
- 122 Md. Hoque and M. Guzman, Materials, 2018, 11, 1990.
- 123 M. Melchionna and P. Fornasiero, ACS Catal., 2020, 10, 5493–5501.
- 124 L. Mascaretti and A. Naldoni, J. Appl. Phys., 2020, 128, 041101.
- 125 S. Rej, L. Mascaretti, E. Y. Santiago, O. Tomanec, S. Kment, Z. Wang, R. Zbořil, P. Fornasiero, A. O. Govorov and A. Naldoni, ACS Catal., 2020, 10, 5261–5271.
- 126 L. Li, C. Nan, Q. Peng and Y. Li, *Chem.-Eur. J.*, 2012, **18**, 10491–10496.
- 127 Y. Su, H. Li, H. Ma, J. Robertson and A. Nathan, *ACS Appl. Mater. Interfaces*, 2017, **9**, 8100–8106.
- 128 N. Manfredi, M. Monai, T. Montini, F. Peri, F. De Angelis, P. Fornasiero and A. Abbotto, *ACS Energy Lett.*, 2018, 3, 85–91.
- 129 A. Dessi, M. Monai, M. Bessi, T. Montini, M. Calamante, A. Mordini, G. Reginato, C. Trono, P. Fornasiero and L. Zani, *ChemSusChem*, 2018, **11**, 793–805.
- 130 O. Bettucci, T. Skaltsas, M. Calamante, A. Dessì, M. Bartolini, A. Sinicropi, J. Filippi, G. Reginato, A. Mordini, P. Fornasiero and L. Zani, ACS Appl. Energy Mater., 2019, 2, 5600–5612.
- 131 G.-Z. Yuan, C.-F. Hsia, Z.-W. Lin, C. Chiang, Y.-W. Chiang and M. H. Huang, *Chem.-Eur. J.*, 2016, 22, 12548–12556.

Review

- 132 T.-N. Chen, J.-C. Kao, X.-Y. Zhong, S.-J. Chan, A. S. Patra, Y.-C. Lo and M. H. Huang, *ACS Cent. Sci.*, 2020, **6**, 984–994.
- 133 Q. Wei, Y. Wang, H. Qin, J. Wu, Y. Lu, H. Chi, F. Yang,
 B. Zhou, H. Yu and J. Liu, *Appl. Catal.*, B, 2018, 227, 132–144.
- 134 M.-Y. Kuo, C.-F. Hsiao, Y.-H. Chiu, T.-H. Lai, M.-J. Fang, J.-Y. Wu, J.-W. Chen, C.-L. Wu, K.-H. Wei, H.-C. Lin and Y.-J. Hsu, *Appl. Catal., B*, 2019, **242**, 499–506.
- 135 L. Liu, W. Yang, W. Sun, Q. Li and J. K. Shang, *ACS Appl. Mater. Interfaces*, 2015, 7, 1465–1476.
- 136 X. Xu, Z. Gao, Z. Cui, Y. Liang, Z. Li, S. Zhu, X. Yang and J. Ma, ACS Appl. Mater. Interfaces, 2016, 8, 91–101.
- 137 S.-C. Wu, C.-S. Tan and M. H. Huang, *Adv. Funct. Mater.*, 2017, 27, 1604635.
- 138 Y. Ma, X. Zhu, S. Xu, G. He, L. Yao, N. Hu, Y. Su, J. Feng, Y. Zhang and Z. Yang, *Appl. Catal.*, *B*, 2018, **234**, 26–36.
- 139 S. K. Cushing, J. Li, F. Meng, T. R. Senty, S. Suri, M. Zhi,
 M. Li, A. D. Bristow and N. Wu, *J. Am. Chem. Soc.*, 2012,
 134, 15033–15041.
- 140 L. Liu, X. Gu, C. Sun, H. Li, Y. Deng, F. Gao and L. Dong, *Nanoscale*, 2012, 4, 6351–6359.
- 141 Y. Lu, X. Zhang, Y. Chu, H. Yu, M. Huo, J. Qu, J. C. Crittenden, H. Huo and X. Yuan, *Appl. Catal., B*, 2018, 224, 239–248.
- 142 F. Ye, Y. Su, X. Quan, S. Chen, H. Yu and H. Li, *Appl. Catal.*, *B*, 2019, **244**, 347–355.
- 143 J. He, D. W. Shao, L. C. Zheng, L. J. Zheng, D. Q. Feng, J. P. Xu, X. H. Zhang, W. C. Wang, W.-H. Wang, F. Lu, H. Dong, Y. H. Cheng, H. Liu and R. K. Zheng, *Appl. Catal.*, *B*, 2017, 203, 917–926.
- 144 D. Jiang, J. Xue, L. Wu, W. Zhou, Y. Zhang and X. Li, *Appl. Catal.*, *B*, 2017, **211**, 199–204.
- 145 W. Wang, H. Feng, J. Liu, M. Zhang, S. Liu, C. Feng and S. Chen, *Chem. Eng. J.*, 2020, **386**, 124116.
- 146 Y. Chen, M. Wang, Y. Ma, Y. Li, J. Cai and Z. Li, *Catal. Sci. Technol.*, 2018, **8**, 2218–2223.
- 147 C. Zhan, Q. Wang, L. Zhou, X. Han, Y. Wanyan, J. Chen, Y. Zheng, Y. Wang, G. Fu, Z. Xie and Z. Tian, *J. Am. Chem. Soc.*, 2020, **142**, 14134–14141.
- 148 E. M. Zahran, N. M. Bedford, M. A. Nguyen, Y.-J. Chang, B. S. Guiton, R. R. Naik, L. G. Bachas and M. R. Knecht, *J. Am. Chem. Soc.*, 2014, **136**, 32–35.
- 149 B. Wang, J. Durantini, J. Nie, A. E. Lanterna and J. C. Scaiano, *J. Am. Chem. Soc.*, 2016, **138**, 13127–13130.
- 150 Y. You, F. Cao, Y. Zhao, Q. Deng, Y. Sang, Y. Li, K. Dong, J. Ren and X. Qu, ACS Nano, 2020, 14, 4178–4187.
- 151 Z. Li, Y. Pi, D. Xu, Y. Li, W. Peng, G. Zhang, F. Zhang and X. Fan, *Appl. Catal., B*, 2017, **213**, 1–8.
- 152 X. Han, X. He, F. Wang, J. Chen, J. Xu, X. Wang and X. Han, *J. Mater. Chem. A*, 2017, **5**, 10220–10226.
- 153 X. Han, X. He, L. Sun, X. Han, W. Zhan, J. Xu, X. Wang and J. Chen, *ACS Catal.*, 2018, **8**, 3348–3356.
- 154 L. Liu, W. Sun, W. Yang, Q. Li and J. K. Shang, *Sci. Rep.*, 2016, **6**, 20878.
- 155 W. Huang, Q. Liu, Z. Zhou, Y. Li, Y. Ling, Y. Wang, Y. Tu,B. Wang, X. Zhou, D. Deng, B. Yang, Y. Yang, Z. Liu,X. Bao and F. Yang, *Nat. Commun.*, 2020, 11, 2312.

- 156 S. Liu, Z. Yang, X. Liu, R. Liu, G. Wang, Q. Wang, H. Li and P. Guo, ACS Appl. Nano Mater., 2018, 1, 6038–6045.
- 157 Y. Su, H. Li, H. Ma, H. Wang, J. Robertson and A. Nathan, *ACS Omega*, 2018, **3**, 1939–1945.
- 158 D.-F. Zhang, H. Zhang, L. Guo, K. Zheng, X.-D. Han and Z. Zhang, J. Mater. Chem., 2009, 19, 5220–5225.
- 159 Y.-C. Pu, H.-Y. Chou, W.-S. Kuo, K.-H. Wei and Y.-J. Hsu, *Appl. Catal., B*, 2017, **204**, 21–32.
- 160 A. E. Kandjani, Y. M. Sabri, S. R. Periasamy, N. Zohora, M. H. Amin, A. Nafady and S. K. Bhargava, *Langmuir*, 2015, **31**, 10922–10930.
- 161 M. Shanmugam, A. Sagadevan, V. P. Charpe, V. K. K. Pampana and K. C. Hwang, *ChemSusChem*, 2020, 13, 287–292.
- 162 Y. Kwon, A. Soon, H. Han and H. Lee, *J. Mater. Chem. A*, 2015, **3**, 156–162.
- 163 C. Y. Toe, Z. Zheng, H. Wu, J. Scott, R. Amal and Y. H. Ng, Angew. Chem., Int. Ed., 2018, 57, 13613–13617.
- 164 S. Kumar, C. M. A. Parlett, M. A. Isaacs, D. V. Jowett, R. E. Douthwaite, M. C. R. Cockett and A. F. Lee, *Appl. Catal.*, B, 2016, **189**, 226–232.
- 165 Z. Lin, J. Xiao, L. Li, P. Liu, C. Wang and G. Yang, *Adv. Energy Mater.*, 2016, **6**, 1501865.
- 166 L. Wang, J. Ge, A. Wang, M. Deng, X. Wang, S. Bai, R. Li, J. Jiang, Q. Zhang, Y. Luo and Y. Xiong, *Angew. Chem., Int. Ed.*, 2014, 53, 5107–5111.
- 167 S. Bai, J. Ge, L. Wang, M. Gong, M. Deng, Q. Kong, L. Song, J. Jiang, Q. Zhang, Y. Luo, Y. Xie and Y. Xiong, *Adv. Mater.*, 2014, **26**, 5689–5695.
- 168 Y. Liu, B. Zhang, L. Luo, X. Chen, Z. Wang, E. Wu, D. Su and W. Huang, Angew. Chem., Int. Ed., 2015, 54, 15260–15265.
- 169 Y. Liu, Z. Ye, D. Li, M. Wang, Y. Zhang and W. Huang, *Appl. Surf. Sci.*, 2019, **473**, 500–510.
- 170 T. Wei, Y.-N. Zhu, X. An, L.-M. Liu, X. Cao, H. Liu and J. Qu, ACS Catal., 2019, **9**, 8346–8354.
- 171 G. Li, J. Huang, J. Chen, Z. Deng, Q. Huang, Z. Liu, W. Guo and R. Cao, *ACS Omega*, 2019, 4, 3392–3397.
- 172 X.-Y. Liu, W.-D. Wei, S.-C. Cui and J.-G. Liu, *Catal. Lett.*, 2016, **146**, 1655–1662.
- 173 C. Peng, P. Wei, X. Li, Y. Liu, Y. Cao, H. Wang, H. Yu, F. Peng, L. Zhang, B. Zhang and K. Lv, *Nano Energy*, 2018, 53, 97–107.
- 174 L. Lu, X. Xu, J. Yan, F.-N. Shi and Y. Huo, *Dalton Trans.*, 2018, 47, 2031–2038.
- 175 Y. Lou, Y. Zhang, L. Cheng, J. Chen and Y. Zhao, *ChemSusChem*, 2018, **11**, 1505–1511.
- 176 J. W. Hong, D. H. Wi, S.-U. Lee and S. W. Han, *J. Am. Chem. Soc.*, 2016, **138**, 15766–15773.
- 177 X. Yu, F. Liu, J. Bi, B. Wang and S. Yang, *Nano Energy*, 2017, 33, 469–475.
- 178 M. Zhang, Z. Chen, Y. Wang, J. Zhang, X. Zheng, D. Rao,X. Han, C. Zhong, W. Hu and Y. Deng, *Appl. Catal., B*, 2019, 246, 202–210.
- 179 Z. Zhang, R. Dua, L. Zhang, H. Zhu, H. Zhang and P. Wang, ACS Nano, 2013, 7, 1709–1717.

- 180 E. Kecsenovity, B. Endrődi, P. S. Tóth, Y. Zou, R. A. W. Dryfe,
 K. Rajeshwar and C. Janáky, J. Am. Chem. Soc., 2017, 139, 6682–6692.
- 181 M. Singh, D. Jampaiah, A. E. Kandjani, Y. M. Sabri, E. Della Gaspera, P. Reineck, M. Judd, J. Langley, N. Cox, J. van Embden, E. L. H. Mayes, B. C. Gibson, S. K. Bhargava, R. Ramanathan and V. Bansal, *Nanoscale*, 2018, **10**, 6039–6050.
- 182 X. Yu, X. Liu, B. Wang, Q. Meng, S. Sun, Y. Tang and K. Zhao, *Nanoscale*, 2020, **12**, 1912–1920.
- 183 G. Wang, R. van den Berg, C. de Mello Donega, K. P. de Jong and P. E. de Jongh, *Appl. Catal., B*, 2016, **192**, 199–207.
- 184 C. Wang, B. Ma, S. Xu, D. Li, S. He, Y. Zhao, J. Han, M. Wei, D. G. Evans and X. Duan, *Nano Energy*, 2017, **32**, 463–469.
- 185 X. Mao, A. C. Foucher, T. Montini, E. A. Stach, P. Fornasiero and R. J. Gorte, *J. Am. Chem. Soc.*, 2020, **142**, 10373–10382.
- 186 H. Li, X. Zhang and D. R. MacFarlane, *Adv. Energy Mater.*, 2015, **5**, 1401077.
- 187 H. Li, W. Ali, Z. Wang, M. F. Mideksa, F. Wang, X. Wang, L. Wang and Z. Tang, *Nano Energy*, 2019, **63**, 103873.
- 188 Z. Hu, Y. Mi, Y. Ji, R. Wang, W. Zhou, X. Qiu, X. Liu, Z. Fang and X. Wu, *Nanoscale*, 2019, **11**, 16445–16454.
- 189 Y.-H. Chiu, S. B. Naghadeh, S. A. Lindley, T.-H. Lai, M.-Y. Kuo, K.-D. Chang, J. Z. Zhang and Y.-J. Hsu, *Nano Energy*, 2019, **62**, 289–298.
- 190 X. Li, J. Yu, M. Jaroniec and X. Chen, *Chem. Rev.*, 2019, **119**, 3962–4179.
- 191 J.-Y. Li, L. Yuan, S.-H. Li, Z.-R. Tang and Y.-J. Xu, *J. Mater. Chem. A*, 2019, **7**, 8676–8689.
- 192 S. Sun, X. Zhang, J. Cui, Q. Yang and S. Liang, *Chem.-Asian J.*, 2019, 14, 2912–2924.
- 193 L. Wan, Q. Zhou, X. Wang, T. E. Wood, L. Wang, P. N. Duchesne, J. Guo, X. Yan, M. Xia, Y. F. Li, A. A. Jelle, U. Ulmer, J. Jia, T. Li, W. Sun and G. A. Ozin, *Nat. Catal.*, 2019, 2, 889–898.
- 194 J. K. Stolarczyk, S. Bhattacharyya, L. Polavarapu and J. Feldmann, *ACS Catal.*, 2018, **8**, 3602–3635.
- 195 T. K. Todorova, M. W. Schreiber and M. Fontecave, *ACS Catal.*, 2020, **10**, 1754–1768.
- 196 J. Albero, Y. Peng and H. García, *ACS Catal.*, 2020, **10**, 5734– 5749.
- 197 X. Jiao, K. Zheng, Z. Hu, Y. Sun and Y. Xie, *ACS Cent. Sci.*, 2020, **6**, 653–660.
- 198 L. Liu, S. Wang, H. Huang, Y. Zhang and T. Ma, *Nano Energy*, 2020, **75**, 104959.
- 199 T.-T. Zhuang, Y. Pang, Z.-Q. Liang, Z. Wang, Y. Li, C.-S. Tan, J. Li, C. T. Dinh, P. De Luna, P.-L. Hsieh, T. Burdyny, H.-H. Li, M. Liu, Y. Wang, F. Li, A. Proppe, A. Johnston, D.-H. Nam, Z.-Y. Wu, Y.-R. Zheng, A. H. Ip, H. Tan, L.-J. Chen, S.-H. Yu, S. O. Kelley, D. Sinton and E. H. Sargent, *Nat. Catal.*, 2018, **1**, 946–951.
- 200 X. Wang, Z. Wang, T.-T. Zhuang, C.-T. Dinh, J. Li, D.-H. Nam, F. Li, C.-W. Huang, C.-S. Tan, Z. Chen, M. Chi, C. M. Gabardo, A. Seifitokaldani, P. Todorović, A. Proppe, Y. Pang, A. R. Kirmani, Y. Wang, A. H. Ip, L. J. Richter, B. Scheffel, A. Xu, S.-C. Lo, S. O. Kelley, D. Sinton and E. H. Sargent, *Nat. Commun.*, 2019, **10**, 5186.

- 201 L. I. Bendavid and E. A. Carter, *J. Phys. Chem. B*, 2013, **117**, 15750–15760.
- 202 L. I. Bendavid and E. A. Carter, J. Phys. Chem. C, 2013, 117, 26048–26059.
- 203 L. I. Bendavid and E. A. Carter, Surf. Sci., 2013, 618, 62-71.
- 204 A. K. Mishra, A. Roldan and N. H. de Leeuw, *J. Chem. Phys.*, 2016, **145**, 044709.
- 205 S.-H. Liu, J.-S. Lu, Y.-C. Pu and H.-C. Fan, *J. CO2 Util.*, 2019, 33, 171–178.
- 206 Y. A. Wu, I. McNulty, C. Liu, K. C. Lau, Q. Liu, A. P. Paulikas, C.-J. Sun, Z. Cai, J. R. Guest, Y. Ren, V. Stamenkovic, L. A. Curtiss, Y. Liu and T. Rajh, *Nat. Energy*, 2019, 4, 957–968.
- 207 D. Mateo, J. Albero and H. García, *Energy Environ. Sci.*, 2017, 10, 2392–2400.
- 208 L. Yu, X. Ba, M. Qiu, Y. Li, L. Shuai, W. Zhang, Z. Ren and Y. Yu, *Nano Energy*, 2019, **60**, 576–582.
- 209 Y. Pu, Y. Luo, X. Wei, J. Sun, L. Li, W. Zou and L. Dong, *Appl. Catal.*, *B*, 2019, **254**, 580–586.
- 210 M. E. Aguirre, R. Zhou, A. J. Eugene, M. I. Guzman and M. A. Grela, *Appl. Catal.*, *B*, 2017, **217**, 485–493.
- 211 K.-L. Bae, J. Kim, C. K. Lim, K. M. Nam and H. Song, *Nat. Commun.*, 2017, **8**, 1156.
- 212 Z. Zeng, Y. Yan, J. Chen, P. Zan, Q. Tian and P. Chen, *Adv. Funct. Mater.*, 2019, **29**, 1806500.
- 213 H. Robatjazi, H. Zhao, D. F. Swearer, N. J. Hogan, L. Zhou, A. Alabastri, M. J. McClain, P. Nordlander and N. J. Halas, *Nat. Commun.*, 2017, 8, 27.
- 214 H. Wang, H. Rong, D. Wang, X. Li, E. Zhang, X. Wan, B. Bai, M. Xu, J. Liu, J. Liu, W. Chen and J. Zhang, *Small*, 2020, 16, 2000426.
- 215 Q. Zhai, S. Xie, W. Fan, Q. Zhang, Y. Wang, W. Deng and Y. Wang, *Angew. Chem., Int. Ed.*, 2013, **52**, 5776–5779.
- 216 Z. Xiong, Z. Lei, C.-C. Kuang, X. Chen, B. Gong, Y. Zhao, J. Zhang, C. Zheng and J. C. S. Wu, *Appl. Catal.*, *B*, 2017, 202, 695–703.
- 217 C. Zhou, S. Wang, Z. Zhao, Z. Shi, S. Yan and Z. Zou, *Adv. Funct. Mater.*, 2018, **28**, 1801214.
- 218 L. D. M. Torquato, F. A. C. Pastrian, J. A. L. Perini, K. Irikura, A. P. d. L. Batista, A. G. S. de Oliveira-Filho, S. I. Córdoba de Torresi and M. V. B. Zanoni, *Appl. Catal.*, *B*, 2020, 261, 118221.
- 219 M. Jiang, C. Li, K. Huang, Y. Wang, J.-H. Liu, Z. Geng, X. Hou, J. Shi and S. Feng, ACS Appl. Mater. Interfaces, 2020, 12, 35113–35119.
- 220 F. Zhang, Y.-H. Li, M.-Y. Qi, Z.-R. Tang and Y.-J. Xu, *Appl. Catal.*, *B*, 2020, **268**, 118380.
- 221 S. Ali, J. Lee, H. Kim, Y. Hwang, A. Razzaq, J.-W. Jung, C.-H. Cho and S.-I. In, *Appl. Catal.*, *B*, 2020, **279**, 119344.
- 222 X. Zhao, Y. Fan, W. Zhang, X. Zhang, D. Han, L. Niu and A. Ivaska, *ACS Catal.*, 2020, **10**, 6367–6376.
- 223 M. Sayed, L. Zhang and J. Yu, *Chem. Eng. J.*, 2020, **397**, 125390.
- 224 S. Jeong, G.-M. Kim, G.-S. Kang, C. Kim, H. Lee, W.-J. Kim,
 Y. K. Lee, S. Lee, H. Kim, H. K. Lim and D. C. Lee, *J. Phys. Chem. C*, 2019, **123**, 29184–29191.
- 225 L. Yuan and Y.-J. Xu, Appl. Surf. Sci., 2015, 342, 154-167.
- 226 M.-Q. Yang and Y.-J. Xu, Nanoscale Horiz., 2016, 1, 185-200.