Journal of Materials Chemistry C

Materials for optical, magnetic and electronic devices

rsc.li/materials-c

ISSN 2050-7526

PAPER

Yanqiu Zhu *et al.*

DFT and experimental studies of iron oxide-based
nanocomposites for efficient electrocatalysis

Cite this: *J. Mater. Chem. C*, 2021,
9, 6409

DFT and experimental studies of iron oxide-based nanocomposites for efficient electrocatalysis†

Oluwafunmilola Ola,^a Habib Ullah,^b Yu Chen,^c Kunyapat Thummavichai,^d
Nannan Wang^d and Yanqiu Zhu^{*c}

The synthesis of iron oxide nanoparticles coated with graphitic carbon nitride (Fe_x-NC), and their improved electrochemical stability and corrosion resistance in an acidic electrolyte environment are reported. Our results show that the Fe_x-NC nanocomposites exhibit enhanced activity and long-term stability for the HER in a 0.5 M H₂SO₄ aqueous solution, with an onset potential of 73 mV and Tafel slope of 69 mV dec⁻¹. Furthermore, DFT calculations are carried out to represent our experimental system. Both theory and experiment strongly correlate with each other, where gC₃N₄@FeO has superior performance to the pristine gC₃N₄. It is found that the electrocatalytic activity of gC₃N₄@FeO arises from the electron transfer from FeO particles to the gC₃N₄, which form an electrostatic interaction, leading to a decreased local work function on the surface of gC₃N₄. The resulting graphitic carbon nitride shells prevented direct contact between the iron oxide nanoparticles and acidic electrolyte (H₂SO₄), so that improved stability and corrosion resistance could be achieved. This work sheds light on new efficient and durable electrocatalysts for applications in acidic environments.

Received 4th March 2021,
Accepted 5th April 2021

DOI: 10.1039/d1tc01022k

rsc.li/materials-c

Introduction

Water electrolysis has attracted wide attention as a promising approach for generating high energy density hydrogen at high conversion efficiencies with zero CO₂ emissions. The hydrogen evolution reaction (HER) represents the cathodic half reaction of water electrolysis requiring electrocatalysts to simultaneously increase the reaction rate and efficiency, while lowering the overpotential. Among many electrocatalysts, the platinum group of metals remains as the first choice due to their fast kinetics, almost thermoneutral hydrogen binding energy ($G \sim 0$) and hydrogen evolution at values close to the reaction's equilibrium potential.¹ However, the high cost and scarcity of platinum-based materials have intensified the research of alternative low-cost electrocatalysts, to drive the transition to a viable hydrogen economy. Recent progress has focused on the development of traditional electrocatalysts and corresponding

hybrids using metal/non-metal compounds of nitrides, selenides, phosphides, and carbides. The synthesis of low-cost, yet effective HER catalysts remains a major challenge. Some of the strategies for improving HER catalytic activity include heteroatom doping, particle size and morphology modification and incorporation of metal/oxide nanoparticles in carbon-based materials. Although much progress has been made in promoting higher HER activity, most of these materials are unstable under acidic and alkaline conditions, since they mainly rely on the interaction of metal-H bonds for the HER.²

The encapsulation of nanosized electrocatalysts by carbon-based materials such as graphene has been proposed as a means of improving catalytic activity, efficiency, and stability, because graphitic carbon shells have high electrical conductivity, large surface area, good chemical stability, excellent structural tunability and particularly good insolubility in many solvents. These features are linked to improved electron transfer at exposed catalytic active sites under extreme operational conditions.² Furthermore, these graphitic carbon shells have also been reported to enhance HER activities by altering the Gibbs free energy of hydrogen adsorption through interaction between metal/metal oxide compounds and the surrounding carbon shell. These carbon shells can effectively prevent direct contact between metal atoms and electrolytes, so that the stability and corrosion resistance of electrocatalysts can be improved. Further introduction of single or multiple heteroatoms of nitrogen (N),³ phosphorus (P),⁴ and boron (B)⁵ into the carbon shells can tune the electronic conductivity by offering

^a Faculty of Engineering, The University of Nottingham, University Park, Nottingham, NG7 2RD, UK

^b Renewable Energy Group, College of Engineering, Mathematics and Physical Sciences, University of Exeter, Penryn Campus, Cornwall TR10 9FE, UK

^c College of Engineering, Mathematics and Physical Sciences, University of Exeter, EX4 4QF, UK. E-mail: Y.Zhu@exeter.ac.uk; Tel: +44 1392 723620

^d Key Laboratory of New Processing Technology for Nonferrous Metals and Materials, Ministry of Education, School of Resources, Environment and Materials, Guangxi University, Nanning, China

† Electronic supplementary information (ESI) available. See DOI: 10.1039/d1tc01022k

improved charge transfer, thus influencing the electrocatalytic performance.

Iron and its derivatives are attractive for electrocatalysis due to their low cost and relative abundance.^{6–9} However, their catalytic activity is limited due to instability and deactivation resulting from leaching of active nanoparticles from the reaction medium. Encapsulating iron and its derivatives in heteroatom-doped carbon shells prepared by the chemical vapor deposition and self-templating technique can influence the catalytic activity, while facilitating improved electron transfer, faster hydrogen desorption and better stability.² Herein, we use melamine as a nitrogen and carbon source to create such sheathed iron–oxide nanoparticles for electrocatalysis. The new process is an inexpensive and scalable method, which is realized *via* simple carbonization under an inert atmosphere. Experimental results show that iron oxide nanoparticles encapsulated in a graphitic carbon nitride shell can work as an efficient HER catalyst in an acidic medium with activities that are comparable to other reported carbon-encapsulated catalysts.

Experimental

Preparation of Fe_x-NC nanocomposites

Fe_x-NC samples were prepared *via* dip coating and carbonization. Varying amounts of Fe(C₅H₅)₂ (Sigma Aldrich) precursor were dissolved in ethanol (Sigma Aldrich) to obtain homogeneous solutions. Melamine-formaldehyde (MF) sodium bisulfite foams (Avocation Ltd) were then dip-coated in the precursor solutions of different concentrations (0.02–0.1 M). The dip-coated foams were dried overnight at 80 °C and then carbonized at 800 °C under a continuous argon flow of 50 mL min^{−1}. Approximately 50 mL min^{−1} of hydrogen gas was introduced into the furnace at the target temperature of 800 °C for 30 min to obtain the final samples. The as-prepared samples were denoted as Fe_x-NC, where *x* represents the concentration of Fe, such that the precursor solution concentration varied at 0.02 M, 0.05 M, and 0.1 M, and the samples were named Fe₂-NC, Fe₅-NC and Fe₁₀-NC, respectively.

Characterization and electrochemical testing

The morphology and structures of the samples were characterized using scanning electron microscopy (Hitachi S3200N, Oxford instrument – SEM-EDS) operated at 20 kV, and JEOL-2100 high-resolution transmission electron microscopy (HR-TEM) operated at 200 kV. X-ray diffraction (XRD) patterns were acquired on a Bruker D8 Advance diffractometer (operated at 40 kV and 40 mA), with Cu Kα radiation, at a step size and dwell time of 0.02° and 1 s respectively. Raman spectra were recorded on a Renishaw RA800 series benchtop system with a 532 nm excitation length under a laser power of 6 mW. X-ray photoelectron spectra (XPS) were recorded using a VG ESCALab Mark II spectrometer with a non-monochromatic Al-anode X-ray source (1486.6 eV), operated at a 12 kV anode potential and a 20 mA filament emission current. N₂ adsorption/desorption

was determined by Brunauer–Emmett–Teller (BET) measurements using a Quantachrome Autosorb-IQ surface area analyser. Information on the chemical bonding was obtained using attenuated total reflectance-Fourier transform infrared spectroscopy (ATR-FTIR, Bruker) over a wavelength of 400–4000 cm^{−1}. A CHI-760D electrochemical workstation with a three-electrode system was used to evaluate the electrocatalytic activity of the nanocomposites. The CHI-760D workstation was coupled with a rotating disk electrode (RDE) system where the reference, counter and working electrodes were Ag/AgCl/KCl, platinum wire and glassy carbon electrode (GCE) covered with catalyst ink, respectively. The catalyst ink was prepared *via* ultrasonification of a mixture of 5 μL of Nafion solution, 1 mL of ethanol/water solution and 3 mg of Fe_x-NC sample. The measurements (cyclic voltammograms, linear sweep voltammograms and impedance spectroscopy) were carried out in a 0.5 M H₂SO₄ (Sigma Aldrich) electrolyte solution at different potentials and scan rates varying from 0 to −0.8 V and 10–100 mV, respectively. The electrode was calibrated by a reversible hydrogen electrode (RHE) and acquired data were corrected for iR losses. The optimal sample was further subjected to a stability test for 5000 cycles.

Computational methodology

In order to support our experimental data, DFT simulation was performed on a QuantumATK,¹⁰ while visualizations were achieved on a VESTA and vnl Version 2019.12.¹¹ To model the experimentally g-C₃N₄-encapsulated FeO_x nanoparticles, two different strategies are employed; (I) g-C₃N₄ is built where mixtures of Fe₃O₄ and Fe₂O₃ (collectively denoted as FeO) are encapsulated to form g-C₃N₄@FeO (Fig. 1a and b), and (II) a single layer of g-C₃N₄ is incorporated on the surface of Fe₃O₄ (Fig. 1c–e).

Model (I). DFT calculations are performed to understand the origin of the HER activity of g-C₃N₄@FeO. Although the sizes of the FeO nanoparticles and g-C₃N₄ considered in the calculations are much smaller than those of the FeO nanoparticles and g-C₃N₄ observed experimentally, the essential effect on the electronic structure, as shown below, can already be captured by this simple geometry. The supercell g-C₃N₄ is in a rectangular lattice, which replicates four-unit cells of the bare tube in the *c* direction; the vacuum thicknesses in the *a* and *b* directions are

Fig. 1 Optimized geometric structures of g-C₃N₄ front and side views (a), g-C₃N₄-encapsulated FeO nanoparticles with front and side views (b), and optimized geometric structures of Fe₃O₄ (c), monolayer of g-C₃N₄ (d), and Fe₃O₄@g-C₃N₄ (e).

set to $\sim 15 \text{ \AA}$ to avoid interactions between $\text{g-C}_3\text{N}_4$. A $1 \times 1 \times 5$ Monkhorst-Pack k -point sampling for the structural relaxation has been employed, while a uniform k -point grid such as $5 \times 5 \times 5$ is used for the electronic property simulations. The details of hydrogen adsorption and Gibbs free energy methodologies are given in the ESI.†

Model (II). We also performed DFT simulations for the second model where magnetite Fe_3O_4 with a cubic space group of $\text{Fd}3\text{m}$ is considered.¹² The lattice parameters of magnetite Fe_3O_4 are $a/b/c = 8.394 \text{ \AA}$ and $\alpha/\beta/\gamma = 90$. After optimizing the lattice parameters of 56 atoms of bulk Fe_3O_4 , an $\text{Fe}_3\text{O}_4(001)$ slab was built. For the slab model calculations of surface energies and band edge positions, the thickness of the slab was kept as enough to ensure that the centre of the slab can be regarded as the bulk phase. A vacuum space of about $10 \text{ \AA}$ was kept between slabs, to eliminate the fictitious interaction between the periodically repeating slabs. After surface stability confirmation of $\text{Fe}_3\text{O}_4(001)$, a single layer of $\text{g-C}_3\text{N}_4$ is incorporated on its surface to build the $\text{Fe}_3\text{O}_4(001)@\text{g-C}_3\text{N}_4$, as shown in Fig. 1c. Hereafter, the $\text{Fe}_3\text{O}_4(001)$ will be denoted as Fe_3O_4 and $\text{Fe}_3\text{O}_4(001)@\text{g-C}_3\text{N}_4$ as $\text{Fe}_3\text{O}_4@\text{g-C}_3\text{N}_4$. Finally, two water molecules were interacted on the optimized surfaces of Fe_3O_4 and $\text{Fe}_3\text{O}_4@\text{g-C}_3\text{N}_4$, to determine the HER efficiency in the form of water adsorption energy. Generalized gradient approximation (GGA) with the Perdew–Burke–Ernzerhof (PBE) exchange–correlation functional and double Zeta Polarized (DZP) basis set is used for the structural and energy optimization due to its superiority over hybrid pseudopotentials.¹³ Moreover, a linear combination of atomic orbitals (LCAO) method is used for Fe, O, C, N, and H atoms.¹⁴

Results and discussion

Structural and physicochemical properties

$\text{Fe}_x\text{-NC}$ samples were evaluated by XRD to determine the phase purity and crystalline structure. Fig. 2 show the XRD patterns that confirm the presence of graphitic carbon nitride ($\text{g-C}_3\text{N}_4$) and iron oxide. Two characteristic peaks of $\text{g-C}_3\text{N}_4$ at 13.6° and 27.4° are indexed to the (100) and (002) planes, which are linked to the in-planar structure of the tri-s-triazine ring and interplanar stacking peak of C–N systems, respectively.¹⁵ Besides $\text{g-C}_3\text{N}_4$, diffraction peaks of $\text{Fe}_x\text{-NC}$ samples are in good agreement with the standard pattern of cubic spinel Fe_3O_4 (PDF 2107249). The XRD profile shows the complete phase transformation of $\text{Fe}(\text{C}_5\text{H}_5)_2$ to $\alpha\text{-Fe}_2\text{O}_3$ after thermal decomposition at 800°C . Further phase transformation of $\alpha\text{-Fe}_2\text{O}_3$ to Fe_3O_4 was observed for $\text{Fe}_2\text{-NC}$, with mixtures of rhombohedral $\alpha\text{-Fe}_2\text{O}_3$ (PDF 1011267) and cubic Fe_3O_4 being observed for $\text{Fe}_5\text{-NC}$ and $\text{Fe}_{10}\text{-NC}$ samples prepared at higher precursor concentrations. The presence of zero valent iron or iron carbide species was not observed.

Besides $\text{g-C}_3\text{N}_4$, diffraction peaks of $\text{Fe}_x\text{-NC}$ samples are in good agreement with the standard pattern of cubic spinel Fe_3O_4 (PDF 2107249). The XRD profile shows the complete phase transformation of $\text{Fe}(\text{C}_5\text{H}_5)_2$ to $\alpha\text{-Fe}_2\text{O}_3$ after thermal

Fig. 2 XRD patterns of $\text{Fe}_x\text{-NC}$ samples (a), with enlarged patterns of iron oxides (b).

decomposition at 800°C . Further phase transformation of $\alpha\text{-Fe}_2\text{O}_3$ to Fe_3O_4 was observed for $\text{Fe}_2\text{-NC}$, with mixtures of rhombohedral $\alpha\text{-Fe}_2\text{O}_3$ (PDF 1011267) and cubic Fe_3O_4 being observed for $\text{Fe}_5\text{-NC}$ and $\text{Fe}_{10}\text{-NC}$ samples prepared at higher precursor concentrations. The presence of zero valent iron or iron carbide species was not observed.

The Raman spectra of $\text{Fe}_x\text{-NC}$ samples, presented in Fig. 3, show the characteristic peaks of graphene, $\alpha\text{-Fe}_2\text{O}_3$ and Fe_3O_4 , and further confirm the successful formation of $\text{Fe}_x\text{-NC}$ nanocomposites. For carbon, the identified peaks of the D peak ($\sim 1350 \text{ cm}^{-1}$), G peak ($\sim 1580 \text{ cm}^{-1}$) and 2D peak ($\sim 2690 \text{ cm}^{-1}$) are linked to defects, bond stretching of sp^2 graphitic carbon atom and a high-energy second-order process of graphene, respectively. The peak intensity ratios of the D band to G band are calculated to be 0.89, 0.88 and 0.94 for $\text{Fe}_2\text{-NC}$, $\text{Fe}_5\text{-NC}$ and $\text{Fe}_{10}\text{-NC}$, respectively. The higher peak intensity ratio of $\text{Fe}_{10}\text{-NC}$ depicts the presence of higher structural defects compared with other $\text{Fe}_x\text{-NC}$ samples. Characteristic peaks of Fe_2O_3 and Fe_3O_4 were also observed and marked in the spectra. Raman shifts at $\sim 212, 274, 389$ and 586 cm^{-1} are assigned to A_{1g} and E_g modes

Fig. 3 Raman spectra of $\text{Fe}_x\text{-NC}$ samples with the inset showing the corresponding iron oxides.

of Fe_2O_3 .¹³ The two additional peaks at 329 and $\sim 497\text{ cm}^{-1}$ confirmed the presence of Fe_3O_4 .⁶

The ATR-FTIR spectra of $\text{Fe}_5\text{-NC}$ are shown in Fig. S1 (ESI†). Absorption peaks at the 2115 and 2350 cm^{-1} regions were observed, which were due to the $\text{C}\equiv\text{N}$ stretching.^{17,18} The 1994 cm^{-1} peak is linked to bridge carbonyl groups.¹⁶ The prominent bands at 462, 550 and 602 cm^{-1} are attributed to Fe–O vibrational modes in $\alpha\text{-Fe}_2\text{O}_3$.¹⁹ The weak peak at 630 cm^{-1} is attributed to the stretching vibration mode of the Fe–O bonds in the crystalline lattice of Fe_3O_4 .²⁰

The SEM and TEM images of $\text{Fe}_x\text{-NC}$ samples are displayed in Fig. 4. As shown in the SEM images (Fig. 4a, c and e), the $\text{Fe}_x\text{-NC}$ consists of nanotubes of several micrometers in length with varying diameters, which were grown on the surface of carbon foams. Based on SEM elemental analysis, all $\text{Fe}_x\text{-NC}$ samples are composed of C, N, O and Fe elements, which are uniformly distributed. TEM images of single $\text{Fe}_x\text{-NC}$ nanocomposites prepared with varying precursor concentrations are shown in Fig. 4b, d and f. The outer diameter of the nanotubes was measured at about 47–117 nm with a wall thickness of 8.1–30 nm. The inner/outer diameter and wall thickness of the nanotubes were observed to decrease with increased precursor concentrations.

The enlarged TEM image shows that nanoparticles are encapsulated within the nanotubes (Fig. 4b, d and f).

The high-resolution TEM (HRTEM) image shows that the outer layer of the nanotubes consists of graphitic layers with an interlayer spacing of 0.32 nm linked to the (002) plane of $\text{g-C}_3\text{N}_4$. Individual spots seen in the SAED patterns also indicate that $\text{Fe}_x\text{-NC}$ samples consist of mainly iron oxide nanoparticles.

Fig. 4 SEM, HRTEM, and SAED morphological and structural characterization of $\text{Fe}_x\text{-NC}$ samples: (a and b) $\text{Fe}_2\text{-NC}$, (c and d) $\text{Fe}_5\text{-NC}$, and (e and f) $\text{Fe}_{10}\text{-NC}$ [insets highlight zoomed-in zones in (b, d and f) showing the lattice spacing of the $\text{Fe}_x\text{-NC}$ samples].

Fig. 5 (a) A TEM image of sample $\text{Fe}_{10}\text{-NC}$ and (b–e) its corresponding EDS elemental mappings for C, Fe, O and N, as marked.

The HRTEM images of the nanoparticles marked with rectangles show lattice fringes with d -spacing of 0.24, 0.26 and 0.48 nm corresponding to the (222), (311) and (111) planes of Fe_3O_4 nanoparticles for $\text{Fe}_2\text{-NC}$, $\text{Fe}_5\text{-NC}$ and $\text{Fe}_{10}\text{-NC}$, respectively.^{6,21,22} Based on the above analyses, we believe that the crystalline Fe_3O_4 nanoparticles were encapsulated in multi-walled nanotubes and the size of the encapsulated nanoparticles varies from a few to hundreds of nanometers.

The presence and distribution of C, N, O and Fe elements were also confirmed by TEM elemental mapping in Fig. 5. All the elements were well distributed in $\text{Fe}_{10}\text{-NC}$. The atomic contents of the $\text{Fe}_{10}\text{-NC}$ sample quantified by TEM-EDS are 90, 0.4, 2.5 and 7.1 at% for C, N, O and Fe, respectively, which shows an Fe : O ratio close to 3 : 1. Indeed, the XRD and Raman results (Fig. 2 and 3) confirmed that the nanoparticles in $\text{Fe}_x\text{-NC}$ could exist as either Fe_2O_3 or Fe_3O_4 species. As shown in Fig. 5, highly uniformly distributed C and N species existed around the iron oxide particles at the nanoscale, confirming that the iron oxides were completely encapsulated in the carbon/nitrogen shell. BET and pore size distribution analyses were conducted, and the resulting specific surface areas of $\text{Fe}_2\text{-NC}$, $\text{Fe}_5\text{-NC}$ and $\text{Fe}_{10}\text{-NC}$ were 368, 476 and $223\text{ m}^2\text{ g}^{-1}$, respectively. The mesoporous features of the samples are shown in Fig. S2 (ESI†).

The surface bonding configurations and chemical compositions of the samples were evaluated by XPS, and the results are shown in Fig. S3, S4 and S6 (ESI†). The survey spectrum confirms the presence of C, N, O and Fe in all samples, in accordance with

Fig. 6 XPS spectra of Fe 2p for Fe₅-NC, (a) before and (b) after cyclic HER testing.

the SEM and TEM-EDS results. The compositions of C, N, O and Fe are 83, 2, 7 and 8 wt% for Fe₅-NC, respectively (Fig. S3a, ESI†). The results of other Fe_x-NC samples investigated by XPS are summarized in Table S1 (ESI†). Comparison of the relative N and Fe elemental abundances indicates that Fe₁₀-NC contains ~4 wt% N and ~14 wt% Fe on the surface.

As shown in Fig. S3b (ESI†), the XPS spectra of C 1s are fitted into five components, assigned to C–C (284.5 eV), C=N (285 eV), C=O (287.6 eV), O–C=O (289.4 eV), and C π (291.3 eV).²³ The main peak at 284.5 eV is linked to sp² carbon, which shows that the carbon content of the samples is predominantly graphitic in nature. As shown in Fig. 6a, the high-resolution XPS spectra of Fe show peaks at 711.3 and 714.2 eV, which can be assigned to the binding energies of the 2p_{3/2} orbitals of Fe²⁺ and Fe³⁺ species, respectively. For the 2p_{1/2} orbital, the peaks at 723.5 and 727.6 eV are attributed to the binding energy of Fe²⁺ and Fe³⁺ species, respectively. The peak at 719.1 eV is a satellite peak, while an additional peak at 708.2 eV is linked to metallic Fe. The Fe 2p_{3/2} peak at 711.3 eV indicates Fe–N bonding as Fe ions are coordinated to N.²⁴ XPS studies of Fe₅-NC before and after testing in Fig. 6b show similar peaks; however, a negligible change in relative proportion of Fe species on the active Fe₅-NC electrode after cyclic HER studies is observed.

Deconvolution of the high-resolution XPS O 1s peak confirmed the presence of oxygen related to the iron oxide catalyst (529.8 eV) and some carboxylic and hydroxyl species on the surface of the Fe₅-NC sample at 533.1 and 531.5 eV, respectively (Fig. S3c, ESI†). N 1s spectra were deconvoluted into three peaks, which were assigned to the pyridinic N (398.3 eV), graphitic N (401.0 eV), and quarternary N⁺–O[–] (402.8 eV) with atomic contents of 26, 57 and 16 at% (Fig. S3d, ESI†), respectively. Pyridinic N served as metal-coordination sites due to its lone-pair electrons, while graphitic N was reported as catalytically active sites for electrocatalysis.²⁵ These two types of N species are of high content in Fe_x-NC samples, which potentially lead to a high catalytic activity.

First principles electronic properties

Model (I) g-C₃N₄-encapsulated Fe₂O₃/Fe₃O₄ (g-C₃N₄@FeO). To determine the Gibbs free energies (ΔG_{H^+}) of hydrogen adsorption, we choose the first model of g-C₃N₄@FeO. First principles DFT calculations are employed to simulate the ΔG_{H^+} adsorption on g-C₃N₄@FeO (Fig. 1a and b), and the clusters of Fe₂O₃ and Fe₃O₄ nanoparticles are given in Fig. S5b and c of the ESI.† The calculated ΔG_{H^+} values on four different positions of g-C₃N₄@FeO are marked as positions 1–4 and plotted in Fig. 7. The ΔG_{H^+} values at positions 1–4 are 1.33, –0.22, –0.48, and –0.61 eV, respectively. Comparative analysis of Fig. 7 leads us to predict that the ΔG_{H^+} value at position (2) is optimum (–0.22 eV), responsible for the dissociation reaction, and shows higher catalytic activity. The reason behind this activity is due to the electrostatic bonding of H with the C atom of g-C₃N₄@FeO. On the other hand, the ΔG_{H^+} value at position number (4) is maximum (–0.61 eV), which is due to the strong adsorption energy of the H atom over the surface of the catalyst. This higher adsorption energy does not dissociate the hydrogen bonding and decreases the overall catalytic activity. Moreover, the ΔG_{H^+} value at position (1) is positive (1.33 eV) and here the H is also attached to N of g-C₃N₄@FeO. However, the N atom of g-C₃N₄@FeO has no bonding with Fe of FeO. In this case, no association takes place and consequently, there will be no HER as well. Furthermore, the ΔG_{H^+} values of H adsorption at position (3) are –0.48 eV, which is also higher and does not allow dissociation reaction. In summary, the H–N interaction at position (4) is stronger, which is due to the direct contact of Fe of FeO with N of g-C₃N₄. The ΔG_{H^+} value at position (2) exhibits high activity toward the HER, which is close to the thermodynamic limit value of 0 and even far better than that of the Pt (111) surface, which is ~0.09 eV.²⁶ The reason behind this is the encapsulation of FeO with g-C₃N₄ and to avoid its direct contact with the H atoms, which slightly minimizes the adsorption energy. So, we propose that g-C₃N₄@FeO-based electrocatalysts are promising candidates for highly efficient HER. Furthermore, we suggest that the enhanced HER activity

Fig. 7 Gibbs free energy (ΔG_{H^+}) of the HER process on four different positions of g-C₃N₄@FeO. Inset shows the four different positions, where H is attached; on positions (1) and (4) H is attached to N, while at (2) and (3) H is attached to C of g-C₃N₄@FeO.

of $g\text{-C}_3\text{N}_4\text{@FeO}$ is due to the encapsulation of FeO nanoparticles with the $g\text{-C}_3\text{N}_4$ shell, which has affected the properties of the wall where H is adsorbed (see Fig. 7).

The density of states (DOS) of pristine $g\text{-C}_3\text{N}_4$ is compared with that of $g\text{-C}_3\text{N}_4\text{@FeO}$ and shown in Fig. 8, where the interaction of Fe–C, Fe–N, O–C, and O–N in $g\text{-C}_3\text{N}_4\text{@FeO}$ can be identified. DOS of $g\text{-C}_3\text{N}_4\text{@FeO}$ is enhanced especially near the valence band (0 to -1.8 eV), which is due to the interaction of C and N atoms with FeO clusters and exhibits extra features near the Fermi level. Moreover, charge transfer also occurred from the FeO cluster to the $g\text{-C}_3\text{N}_4$, which raises the Fermi level by about 0.12 eV. This effect is further illustrated by the electron difference density (EDD) distribution as shown in the inset of Fig. 8. The charge transfer creates a local dipole near the interface, which consequently decreases the local work function and increases the chemical reactivity of the functionalized region of the $g\text{-C}_3\text{N}_4\text{@FeO}$ exterior. So, this accounts for the optimum value of ΔG_{H^+} (hydrogen adsorption) over the C in the region where FeO is sitting below and has no direct contact. Finally, this can further increase the DOS near the Fermi level and reduce the work function of the doped $g\text{-C}_3\text{N}_4$ (see Fig. 9).

Model (II): $\text{Fe}_3\text{O}_4\text{@g-C}_3\text{N}_4$. As evident from our experimental results and discussion, the performance of the $g\text{-C}_3\text{N}_4\text{@Fe}_3\text{O}_4$ system is superior to pristine $g\text{-C}_3\text{N}_4$; to correlate and confirm our observation, periodic DFT calculations are further carried out for Fe_3O_4 , $g\text{-C}_3\text{N}_4$, and the $\text{Fe}_3\text{O}_4\text{@g-C}_3\text{N}_4$ heterostructure. A lower lattice mismatch of 5.6% is present in the $\text{Fe}_3\text{O}_4\text{@g-C}_3\text{N}_4$ system, which also validates the coexistence between Fe_3O_4 and $g\text{-C}_3\text{N}_4$. The optimized structures of monolayer Fe_3O_4 , $g\text{-C}_3\text{N}_4$, and $\text{Fe}_3\text{O}_4\text{@g-C}_3\text{N}_4$ are given in Fig. 1c–e. It is found that $g\text{-C}_3\text{N}_4$ forms a non-covalent type interaction with the surface atoms of Fe_3O_4 through N–Fe with a simulated distance of ~ 2.2 Å, which reveals the strong electrostatic interaction in the $\text{Fe}_3\text{O}_4\text{@g-C}_3\text{N}_4$ system. The simulated adsorption energy of $g\text{-C}_3\text{N}_4$ nanosheets over Fe_3O_4 is -0.73 eV, which further confirms the stability of the $\text{Fe}_3\text{O}_4\text{@g-C}_3\text{N}_4$ heterojunction. This interface adhesion formation energy was calculated according to eqn (1).

$$\Delta E_{\text{ad}} = E_{\text{Fe}_3\text{O}_4\text{@g-C}_3\text{N}_4} - (E_{g\text{-C}_3\text{N}_4} + E_{\text{Fe}_3\text{O}_4}) \quad (1)$$

Fig. 8 Comparative density of states plots of $g\text{-C}_3\text{N}_4$ and $g\text{-C}_3\text{N}_4\text{@FeO}$. The Fermi energy level is aligned at 0 eV. Insets show the electron difference density (EDD) of pristine SWCNT and $g\text{-C}_3\text{N}_4\text{@FeO}$.

Fig. 9 Averaged electrostatic potential profiles on the plane perpendicular to the b -axis as a function of the b -axis of the supercell of $g\text{-C}_3\text{N}_4$ and $g\text{-C}_3\text{N}_4\text{@FeO}$, respectively. The relaxed structure of $g\text{-C}_3\text{N}_4\text{@FeO}$ is also shown in the background.

where $E_{\text{Fe}_3\text{O}_4\text{@g-C}_3\text{N}_4}$, $E_{g\text{-C}_3\text{N}_4}$, and $E_{\text{Fe}_3\text{O}_4}$ represent the total energies of the relaxed $\text{Fe}_3\text{O}_4\text{@g-C}_3\text{N}_4$ heterojunction, monolayer $g\text{-C}_3\text{N}_4$, and Fe_3O_4 slab, respectively. The interface binding energy between the $g\text{-C}_3\text{N}_4$ monolayer and Fe_3O_4 of the heterostructure (-0.73 eV) predicts strong electrostatic interaction. Furthermore, to correlate the experimental performance of the $\text{Fe}_3\text{O}_4\text{@g-C}_3\text{N}_4$ heterostructure, the electronic properties such as band structure, DOS, and EDD of the $\text{Fe}_3\text{O}_4\text{@g-C}_3\text{N}_4$ heterostructure are simulated. The spin-up band structures of Fe_3O_4 and $\text{Fe}_3\text{O}_4\text{@g-C}_3\text{N}_4$ are shown in Fig. 10, where the bandgap of pristine Fe_3O_4 is 2.97 eV, whilst that of $\text{Fe}_3\text{O}_4\text{@g-C}_3\text{N}_4$ is 2.61 eV. The combined spin and down band structures of these species are shown in Fig. S6 of the ESI†

The bandgaps of these species are simulated from the PDOS as well, as shown in Fig. 11. Comparative analysis of the band structures of both pristine Fe_3O_4 and $\text{Fe}_3\text{O}_4\text{@g-C}_3\text{N}_4$ shows that $g\text{-C}_3\text{N}_4$ produces some extra bands in the bandgap of Fe_3O_4 . These extra bands can be called flat bands, which work as charge trapping centres and consequently increase the overall catalytic performance of $\text{Fe}_3\text{O}_4\text{@g-C}_3\text{N}_4$. Interestingly, in either spin states, the Fermi energy level is diffused in the valence band (Fig. 10).

The simulated electrostatic potential maps of Fe_3O_4 , $g\text{-C}_3\text{N}_4$, and $\text{Fe}_3\text{O}_4\text{@g-C}_3\text{N}_4$ along the Z -direction are displayed in Fig. 12, where the $g\text{-C}_3\text{N}_4$ monolayer has shared its electronic cloud density with a surface of Fe_3O_4 in $\text{Fe}_3\text{O}_4\text{@g-C}_3\text{N}_4$. The work functions of Fe_3O_4 , $g\text{-C}_3\text{N}_4$, and $\text{Fe}_3\text{O}_4\text{@g-C}_3\text{N}_4$ are 5.86, 4.24, and 5.55 eV, respectively. We can see that the

Fig. 10 Simulated spin-up band structures of (a) Fe_3O_4 and (b) $\text{Fe}_3\text{O}_4\text{@g-C}_3\text{N}_4$.

Fig. 11 Partial density of state plots of (a) Fe_3O_4 and (b) $\text{Fe}_3\text{O}_4@\text{g-C}_3\text{N}_4$; here the bandgap of the spin-up states is shown. The vertical dashed lines represent the Fermi energy levels, and the energy is in eV versus vacuum.

Fig. 12 Electrostatic potential maps of (a) Fe_3O_4 , (b) a monolayer of $\text{g-C}_3\text{N}_4$, and (c) $\text{Fe}_3\text{O}_4@\text{g-C}_3\text{N}_4$ heterojunction.

heterojunction $\text{Fe}_3\text{O}_4@\text{g-C}_3\text{N}_4$ has optimum work; lower than that of Fe_3O_4 but higher than that of $\text{g-C}_3\text{N}_4$. So, the HER performance of the $\text{Fe}_3\text{O}_4@\text{g-C}_3\text{N}_4$ heterojunction can be calculated from the difference of work functions. It is also inferred that charge transfer occurred between Fe_3O_4 and $\text{g-C}_3\text{N}_4$. Finally, this type of charge transfer creates a local dipole near the interface, decreases the work function (from 5.86 to 5.55 eV) and enhances the HER activity over the surface of $\text{g-C}_3\text{N}_4@FeO$.

The charge transferring phenomenon at the $\text{Fe}_3\text{O}_4@\text{g-C}_3\text{N}_4$ heterojunction is calculated from the electron difference density (EDD) of the heterostructure, and the results are shown in Fig. 13 and Fig. S7 (ESI[†]). In Fig. 13, the charge difference at the interface is clearly depicted where the green and yellow shaded areas represent the charge accumulation and depletion, respectively. It is found that charge distribution mainly occurs at the interface region of the $\text{Fe}_3\text{O}_4@\text{g-C}_3\text{N}_4$ heterostructure, whereas almost no perturbation was observed in the rest of $\text{Fe}_3\text{O}_4@\text{g-C}_3\text{N}_4$, especially in those parts, which are far away from the interface. We can predict that this type of charge distribution may result in a non-bonding interaction,²⁷ between $\text{g-C}_3\text{N}_4$ and Fe_3O_4 (*vide supra*). A slice of the planar-averaged EDD along the Z-direction of Fe_3O_4 and $\text{Fe}_3\text{O}_4@\text{g-C}_3\text{N}_4$ is depicted in Fig. 13 and the electron density (ED) maps are shown in Fig. S7 (ESI[†]). The charge redistribution at the interface of the $\text{Fe}_3\text{O}_4@\text{g-C}_3\text{N}_4$ heterostructure leads us to conclude the charge separation of electrons and holes. The amount of charge density is calculated from Bader charge

Fig. 13 Average electron density differences ($\Delta\rho$) along the Z-direction for Fe_3O_4 and $\text{Fe}_3\text{O}_4@\text{g-C}_3\text{N}_4$. The green and yellow shaded areas indicate electron accumulation and depletion, respectively.

analysis, which is about 0.068 electrons. Furthermore, this charge accumulation and donation may result in an electric field at the interface of the $\text{Fe}_3\text{O}_4@\text{g-C}_3\text{N}_4$ heterostructure, which is further responsible for the separation of electrons and holes.

To determine and compare the HER performance of Fe_3O_4 and $\text{Fe}_3\text{O}_4@\text{g-C}_3\text{N}_4$, two water molecules were interacted on their surfaces, and optimized the resulting systems. The relaxed geometric structures of $\text{Fe}_3\text{O}_4/\text{H}_2\text{O}$ and $\text{Fe}_3\text{O}_4@\text{g-C}_3\text{N}_4/\text{H}_2\text{O}$ are shown in Fig. 14, where H atoms of H_2O have built inter-hydrogen bonding with O of Fe_3O_4 and N of $\text{Fe}_3\text{O}_4@\text{g-C}_3\text{N}_4$, respectively.

The adsorption energy of a water molecule was calculated by subtracting the energies of the optimized water molecule and adsorbent-bare slab (E_{surface}), from the optimized water-slab complex ($\text{surface}@\text{H}_2\text{O}$), using eqn (2).

$$\Delta E_{\text{ad}} = E_{\text{surface}@\text{H}_2\text{O}} - (E_{\text{H}_2\text{O}} + E_{\text{surface}}) \quad (2)$$

The strength of hydrogen bonding in these species is calculated from inter-bonding distance and adsorption energy. As can be visualized from Fig. 14, only one of the hydrogens in water interacts with the surface atoms of either Fe_3O_4 or

Fig. 14 Relaxed geometric structures of (a) $\text{Fe}_3\text{O}_4/\text{H}_2\text{O}$ and (b) $\text{Fe}_3\text{O}_4@\text{g-C}_3\text{N}_4/\text{H}_2\text{O}$.

$\text{Fe}_3\text{O}_4@\text{g-C}_3\text{N}_4/\text{H}_2\text{O}$. In the case of $\text{Fe}_3\text{O}_4/\text{H}_2\text{O}$, the average hydrogen bonding distance is about 2.20 Å, while the energy of this bonding is about $-339.91 \text{ kcal mol}^{-1}$. On the other hand, the average hydrogen bonding distance in $\text{Fe}_3\text{O}_4@\text{g-C}_3\text{N}_4/\text{H}_2\text{O}$ is about 1.99 Å, which is shorter than that of the $\text{Fe}_3\text{O}_4/\text{H}_2\text{O}$ system. Moreover, the adsorption energy of a water molecule in the $\text{Fe}_3\text{O}_4@\text{g-C}_3\text{N}_4/\text{H}_2\text{O}$ system is about $-655.15 \text{ kcal mol}^{-1}$, which is almost double that of $\text{Fe}_3\text{O}_4/\text{H}_2\text{O}$. The stronger the hydrogen bonding, the higher the water splitting ability will be. The high adsorption energy of water can be correlated to the experimentally lower overpotential of the HER. In summary, $\text{Fe}_3\text{O}_4@\text{g-C}_3\text{N}_4$ has higher catalytic activity (in terms of strong water adsorption energy) than that of pristine Fe_3O_4 . Again, these results and discussion strongly corroborate our experimental data, presented below.

Electrochemical properties

As shown in Fig. 15a, $\text{Fe}_5\text{-NC}$ exhibits a small onset potential of 73 mV and low overpotential ($\eta \sim 10$) of 191 mV to achieve a current density of 1 and 10 mA cm^{-2} , respectively, which is lower than the onset potentials and overpotentials of both $\text{Fe}_2\text{-NC}$ and $\text{Fe}_{10}\text{-NC}$ samples. $\text{Fe}_2\text{-NC}$ and $\text{Fe}_{10}\text{-NC}$ require overpotentials of 215 mV and 233 mV, respectively, to reach 10 mA cm^{-2} . The LSV curves also indicate that $\text{Fe}_5\text{-NC}$ exhibits better activity with higher catalytic currents compared with those of the other samples. These results are comparable to recently reported metal-encapsulated nanocomposites of

P-doped $\text{Ni}@\text{CNTs}/\text{NF}$, FNC-MoS_2 and $\text{Co/Co}_2\text{P}@\text{ACF}/\text{CNT HNCs}$.^{4,28,29}

Corresponding Tafel plots derived from polarization curves were used to deduce the HER mechanism of the samples (Fig. 15b). $\text{Fe}_5\text{-NC}$ has a small Tafel slope of 69 mV dec^{-1} , compared to that of $\text{Fe}_2\text{-NC}$ (77 mV dec^{-1}) and $\text{Fe}_{10}\text{-NC}$ (91 mV dec^{-1}), which indicates its faster kinetics towards the HER. Based on the Tafel slope values, the HER with $\text{Fe}_x\text{-NC}$ samples likely proceeded *via* the Volmer–Heyrovsky mechanism in which the rate limiting step is usually the electrochemical discharge step. The Tafel slope of the Volmer reaction ($\text{H}_2\text{O} + \text{e}^- \rightarrow \text{H}_{\text{ads}} + \text{OH}^-$), which represents the initial discharge step is 120 mV dec^{-1} , while the electrochemical desorption, Heyrovsky reaction ($\text{H}_{\text{ads}} + \text{H}_2\text{O} + \text{e}^- \rightarrow \text{H}_2 + \text{OH}^-$) and recombination (Tafel reaction: $\text{H}_{\text{ads}} + \text{H}_{\text{ads}} \rightarrow \text{H}_2$) occur at lower values of 40 and 30 mV dec^{-1} , respectively.³⁰ Tafel slopes of the $\text{Fe}_x\text{-NC}$ samples lie within this range, which suggests that the Volmer–Heyrovsky mechanism must have occurred during hydrogen evolution.

Cyclic voltammetry at different scan rates ($5\text{--}50 \text{ mV s}^{-1}$) was applied to study the electrochemical properties of the $\text{Fe}_x\text{-NC}$ samples and the results are presented in Fig. 15c. The reaction profile was capacitive rather than faradaic during the volumetric scan within the range of $-0.1\text{--}0 \text{ V}$ (vs. RHE). The electrochemically active surface areas (ECSAs) of the three samples were evaluated by measuring the double layer capacitance (C_{dl}) obtained from fitting of the difference in current densities *versus* the scan rates. From Fig. 15d, the C_{dl} values of $\text{Fe}_2\text{-NC}$, $\text{Fe}_5\text{-NC}$ and $\text{Fe}_{10}\text{-NC}$ were determined to be 11.12, 23, and 15 mF cm^{-2} , respectively. The improved C_{dl} value for $\text{Fe}_5\text{-NC}$ is linked to its improved electrocatalytic performance due to the presence of intrinsically more catalytically active sites. The reaction kinetics of the $\text{Fe}_x\text{-NC}$ samples at the electrode/electrolyte interface was evaluated by EIS. The Nyquist plots in Fig. 15e reveal that the charge transfer resistance (R_{ct}) of $\text{Fe}_5\text{-NC}$ (8Ω) is much lower than that of the other samples ($\text{Fe}_2\text{-NC}$, 14Ω and $\text{Fe}_{10}\text{-NC}$, 44Ω), which indicates a faster kinetics and reaction process, due to easier charge transfer at the electrode/electrolyte interface. Stability of $\text{Fe}_5\text{-NC}$ was measured by chronoamperometric curves and taking continuous linear potential sweeps on the electrode at a scan rate of 50 mV s^{-1} for 5000 cycles. As shown in Fig. 15f, the current density of $\text{Fe}_5\text{-NC}$ exhibits negligible changes after 5000 cycles compared with the initial curve, with only minimal loss of activity at a current density of 10 mA cm^{-2} . The chronoamperometric curve recorded at -0.3 V in Fig. S9 (ESI†) also indicates that $\text{Fe}_5\text{-NC}$ retains 94% of its relative current density after 5 hours of testing. This result demonstrates the improved stability of $\text{Fe}_5\text{-NC}$ as a HER electrocatalyst. Although $\text{Fe}_5\text{-NC}$ shows good stability, the dissolution of Fe ion concentration in electrolyte cannot be ruled out and will be investigated *via* inductively coupled plasma mass spectrometry in the future to further validate its long-term stability. The morphology and crystal structure of $\text{Fe}_5\text{-NC}$ exhibit negligible changes after 5000 cycles (Fig. S8, ESI†), which is indicative of its good stability. These results confirm that the present carbon nitride shell

Fig. 15 Electrochemical properties of $\text{Fe}_x\text{-NC}$ samples for the HER. (a) Polarization curves. (b) Tafel plots. (c) Cyclic voltammogram curves at different scan rates. (d) Charging current density differences Δj plotted against scan rate, (e) Nyquist plots, and (f) polarization curves of $\text{Fe}_5\text{-NC}$ before and after 5000 cycles.

indeed can protect the oxides from acidic bubble corrosion during the cycling test, which highlights its application potential.

To sum up, the enhanced catalytic activity of Fe₅-NC can be attributed to the following reasons: (1) synergy between iron oxide nanoparticles and the graphitic carbon nitride shell, which promotes HER activity by facilitating faster charge transfer and weakening strong hydrogen adsorption to obtain improved hydrogen desorption; (2) uniform distribution of all elements and creation of abundant defect sites from the N-doping into carbon frameworks, which would improve interfacial adsorption and electronic interaction, while creating catalytically active sites for HER activity; (3) the introduction of high ESCA, which allows for enhanced accessibility of exposed active sites for the HER; and (4) the smaller charge transfer resistance linked to the faster kinetics and higher current density.

Conclusions

Fe_x-NC nanocomposites were successfully prepared *via* a simple method using melamine as the simultaneous nitrogen and carbon source. The resulting Fe_x-NC consists of iron oxide nanoparticles sheathed by graphitic carbon nitride shells of 8.1–30 nm thickness. The observed data of g-C₃N₄ encapsulated iron oxide nanoparticles were successfully reproduced with the help of periodic density functional theory (DFT) simulations. Both theory and experiment strongly correlate to each other, where the g-C₃N₄@FeO has superior performance compared to pristine g-C₃N₄ and Fe₃O₄. It is found that the catalytic activity of g-C₃N₄@FeO arises from the electron transfer from FeO >particles to the g-C₃N₄, which forms an electrostatic interaction, leading to a decreased local work function on the surface of g-C₃N₄, which consequently enhanced the HER activity.

Conflicts of interest

The authors have no competing interest to declare.

Acknowledgements

O. Ola is grateful for the support from the Leverhulme Trust Early Career Fellowship, ECF-2018-376.

References

- 1 F. Safizadeh, E. Ghali and G. Houlachi, *Int. J. Hydrogen Energy*, 2015, **40**, 256–274.
- 2 J. Lu, S. Yin and P. K. Shen, *Electrochem. Energy Rev.*, 2019, **2**, 105–127.
- 3 G. Hu, J. Li, P. Liu, X. Zhu, X. Li, R. N. Ali and B. Xiang, *Appl. Surf. Sci.*, 2019, **463**, 275–282.
- 4 S. Jing, D. Wang, S. Yin, J. Lu, P. K. Shen and P. Tsiakaras, *Electrochim. Acta*, 2019, **298**, 142–149.
- 5 Y. Yao, H. Chen, J. Qin, G. Wu, C. Lian, J. Zhang and S. Wang, *Water Res.*, 2016, **101**, 281–291.
- 6 Y. G. Zhu, J. Xie, G. S. Cao, T. J. Zhu and X. B. Zhao, *RSC Adv.*, 2013, **3**, 6787–6793.
- 7 M. Huck, L. Ring, K. Küpper, J. Klare, D. Daum and H. Schäfer, *J. Mater. Chem. A*, 2020, **8**, 9896–9910.
- 8 B. H. Suryanto, Y. Wang, R. K. Hocking, W. Adamson and C. Zhao, *Nat. Commun.*, 2019, **10**, 1–10.
- 9 M. Wang, C. Zhang, T. Meng, Z. Pu, H. Jin, D. He, J. Zhang and S. Mu, *J. Power Sources*, 2019, **413**, 367–375.
- 10 AtomistixToolKit, www.quantumwise.com.
- 11 VirtualNanoLab, www.quantumwise.com.
- 12 M. Iizumi, T. Koetzle, G. Shirane, S. Chikazumi, M. Matsui and S. Todo, *Acta Crystallogr., Sect. A: Found. Crystallogr.*, 1982, **38**, 2121–2133.
- 13 A. H. Larsen, M. Vanin, J. J. Mortensen, K. S. Thygesen and K. W. Jacobsen, *Phys. Rev. B: Condens. Matter Mater. Phys.*, 2009, **80**, 195112.
- 14 G. Kresse and D. Joubert, *Phys. Rev. B: Condens. Matter Mater. Phys.*, 1999, **59**, 1758.
- 15 X. Guo, G. Yue, J. Huang, C. Liu, Q. Zeng and L. Wang, *ACS Appl. Mater. Interfaces*, 2018, **10**, 26118–26127.
- 16 G. Raj, A. Bhagi and V. Jain, *Group theory and Symmetry in Chemistry*, Krishna Prakashan Media, 2010.
- 17 A. Ferrari, S. Rodil and J. Robertson, *Phys. Rev. B: Condens. Matter Mater. Phys.*, 2003, **67**, 155306.
- 18 A. Stolz, S. Le Floch, L. Reinert, S. M. Ramos, J. Tuillon-Combes, Y. Soneda, P. Chaudet, D. Baillis, N. Blanchard and L. Duclaux, *Carbon*, 2016, **107**, 198–208.
- 19 A. Rufus, N. Sreeju and D. Philip, *RSC Adv.*, 2016, **6**, 94206–94217.
- 20 L. Nalbandian, E. Patrikiadou, V. Zaspalis, A. Patrikidou, E. Hatzidaki and C. N. Papandreou, *Curr. Nanosci.*, 2016, **12**, 455–468.
- 21 Y. He, L. Huang, J.-S. Cai, X.-M. Zheng and S.-G. Sun, *Electrochim. Acta*, 2010, **55**, 1140–1144.
- 22 E. Liu, H. Yuan, Z. Kou, X. Wu, Q. Xu, Y. Zhai, Y. Sui, B. You, J. Du and H. Zhai, *Sci. Rep.*, 2015, **5**, 11164.
- 23 Y. Hou, B. Zhang, Z. Wen, S. Cui, X. Guo, Z. He and J. Chen, *J. Mater. Chem. A*, 2014, **2**, 13795–13800.
- 24 Z.-Y. Wu, X.-X. Xu, B.-C. Hu, H.-W. Liang, Y. Lin, L.-F. Chen and S.-H. Yu, *Angew. Chem., Int. Ed.*, 2015, **54**, 8179–8183.
- 25 H.-F. Li, F. Wu, C. Wang, P.-X. Zhang, H.-Y. Hu, N. Xie, M. Pan, Z. Zeng, S. Deng, M. H. Wu, K. Vinodgopal and G.-P. Dai, *Nanomaterials*, 2018, **8**, 700.
- 26 J. Nørskov and T. Bligaard, *J. Electrochem. Soc.*, 2005, **152**, J23.
- 27 J. Liu, *J. Phys. Chem. C*, 2015, **119**, 28417–28423.
- 28 F. Wang, L. Hu, R. Liu, H. Yang, T. Xiong, Y. Mao, M. S. Balogun, G. Ouyang and Y. Tong, *J. Mater. Chem. A*, 2019, **7**, 11150–11159.
- 29 X. Wang, S. Fei, S. Huang, C. Wu, J. Zhao, Z. Chen, K. Uvdal and Z. Hu, *Carbon*, 2019, **150**, 363–370.
- 30 Y. Wang, Y. Zhu, S. Afshar, M. W. Woo, J. Tang, T. Williams, B. Kong, D. Zhao, H. Wang and C. Selomulya, *Nanoscale*, 2019, **11**, 3500–3505.