



Cite this: *Chem. Commun.*, 2022, 58, 795

Received 3rd November 2021,
Accepted 8th December 2021

DOI: 10.1039/d1cc06195j

rsc.li/chemcomm

One-step covalent hydrophobic/hydrophilic functionalization of chemically exfoliated molybdenum disulfide nanosheets with RAFT derived polymers†

Andriana Plantzopoulou,^a Anastasios Stergiou,^{ib} ^a Martha Kafetzis,^a
Raul Arenal,^{ib} ^{*bcd} Stergios Pispas,^{ib} ^{*a} and Nikos Tagmatarchis^{ib} ^{*a}

The covalent functionalization of chemically exfoliated molybdenum disulfide (ce-MoS₂) with hydrophobic poly(methyl methacrylate) and hydrophilic poly(acrylic acid) polymers, in a single-step without additives, is presented. The nature of chemical modification and the impact on the structure of ce-MoS₂ were spectroscopically investigated. Complexation of Eu³⁺ was accomplished on grafted polycarboxylate chains on MoS₂.

Molecular functionalization of exfoliated MoS₂ nanosheets has gained increased interest.^{1–6} In particular, chemically exfoliated MoS₂ nanosheets (ce-MoS₂) derived by treating the bulk semiconducting MoS₂ powder with organolithium compounds⁷ are a proven candidate towards stable covalently modified nanosheets with small molecules.^{6,8–10} However, covalent functionalization of ce-MoS₂ nanosheets with polymers remains in its infancy. Recently, *via* a 2-step approach, poly(perfluoralkyl) chains have been covalently grafted by combining diazonium chemistry followed by a free-radical polymerization.¹¹ Reversible addition fragmentation transfer (RAFT) polymerization is reportedly utilized in multi-step strategies as a chemical tool towards covalent MoS₂-polymer ensembles.^{12–14} Nevertheless, insights into the reaction mechanisms taking place between the ce-MoS₂ nanosheets and RAFT-derived polymers, as well as the impact on the structure of the nanosheets are missing or insufficiently described.

In this communication, we present the covalent functionalization of ce-MoS₂ with hydrophobic poly(methyl methacrylate),

PMMA, and hydrophilic poly(acrylic acid), PAA, polymers derived by RAFT polymerization. The reaction proceeds in a single step in aqueous media without additives. The major advantage of the method is the chemical coupling of well-defined and characterized counterparts in a single step, in contrast to multi-step routes and uncontrolled *in situ* radical polymerization reactions. We investigated the nature of the chemical modification spectroscopically by FT-IR and spatial Raman spectroscopy mapping, shedding light on the impact of functionalization on the structure of ce-MoS₂. Moreover, exploiting the polycarboxylate nature of MoS₂-PAA nanosheets and their superior stability in water, we investigated the complexation dynamics for water-soluble fluorescent Eu³⁺ with the aid of photoluminescence (PL) spectroscopy.

To start with, ce-MoS₂ was prepared *via* chemical intercalation with *n*-butyllithium, followed by ultrasonic-assisted exfoliation in distilled water. The success of the intercalation/exfoliation process was initially assessed *via* UV-vis spectroscopy (Fig. S1, ESI†), where the characteristic excitonic transitions of the semiconducting 2H (trigonal prismatic) bulk MoS₂ were absent, suggesting symmetry transition to the octahedral 1T-MoS₂ phase. Specifically, the recorded electronic absorption features located at 250 and 305 nm are characteristic of the metallic 1T-MoS₂ polytype and also verify that the prepared ce-MoS₂ nanosheets have surface sulfur sites with electron surplus stabilized by lithium cations (Fig. 1a). Freshly prepared oxygen-protected ce-MoS₂ suspensions were used for the covalent decoration of the nanosheets with RAFT-derived PMMA and PAA polymer chains to fully exploit these highly reactive electron-rich exfoliated MoS₂ nanosheets. Notably, RAFT-derived polymers retain the thiocarbonylthio group of the utilized chain transfer agent (CTA) or RAFT agent at their ω-terminus constituting dormant macro-RAFT agents, being suitable for synthesizing block copolymers, and preparing end-functional polymers *via* re-activation of the thiocarbonylthio groups.^{15,16} In this context, ce-MoS₂, possessing electron surplus, was utilized for the ω-terminal functionalization of RAFT-derived PMMA and PAA polymers towards covalently

^a Theoretical and Physical Chemistry Institute, National Hellenic Research Foundation, 48 Vassileos Constantinou Avenue, Athens 11635, Greece.
E-mail: tagmatar@eie.gr

^b Laboratorio de Microscopias Avanzadas (LMA), Universidad de Zaragoza, Mariano Esquillor s/n, Zaragoza 50018, Spain

^c Instituto de Nanociencia y Materiales de Aragon (INMA), CSIC-U. de Zaragoza, Calle Pedro Cerbuna 12, Zaragoza 50009, Spain

^d ARAID Foundation, Zaragoza 50018, Spain

† Electronic supplementary information (ESI) available: Synthetic procedures, UV-vis spectra, digital photos, spatial Raman spectroscopy mapping and TEM images. See DOI: 10.1039/d1cc06195j






Fig. 1 Schematic illustration of the (a) chemical exfoliation of the bulk 2H-MoS₂ to 1T ce-MoS₂ and subsequent covalent functionalization with PMMA and PAA polymer chains. (b) Proposed reaction mechanisms furnishing MoS₂-PMMA and MoS₂-PAA ensembles.

formed MoS₂-PMMA and MoS₂-PAA ensembles (Fig. 1a). Two main reaction mechanisms are expected to compete: (i) radical and/or (ii) nucleophilic attack to the ω-terminal thiocarbonylthio group of the polymer chain, by reactive radical and/or negatively charged S-sites on the surface of ce-MoS₂, respectively. In the case of a radical-mediated reaction, radicals centred around S-defects¹⁷ at the surface of ce-MoS₂ attack the S-atom of the C=S bond of the thiocarbonylthio group releasing polymer bound radicals, which are trapped by neighbouring radicals residing on the surface of ce-MoS₂ (mechanism 1, Fig. 1b). According to the second mechanism, reactive nucleophilic anion species centred at S-atoms at the surface of ce-MoS₂ attack the C-atom of the C=S bond of the thiocarbonylthio group releasing thiol-terminated polymer chains, which are then coordinated to S-vacant sites at the surface of ce-MoS₂ (mechanism 2, Fig. 1b). To perform the reaction, a water-isopropanol suspension of the freshly prepared ce-MoS₂ was mildly heated at 60 °C in the presence of PMMA under oxygen-free conditions. PMMA was also selected as a candidate owing to its functional groups, *e.g.* methyl esters, which are unable to develop electrostatic interactions with the surface of MoS₂. The newly prepared MoS₂-PMMA was excessively purified by repeating dispersion/isolation cycles to ensure the removal of trapped and physisorbed polymer chains, within the nanosheets.

The IR spectra of MoS₂-PMMA revealed the characteristic ester C=O stretching mode at 1721 cm⁻¹, appearing as a broad band, as well as the ester C-O stretching mode centred at 1140 cm⁻¹, arising from the covalently grafted PMMA chains (Fig. 2a). In previous reports, it was proposed that polymer chains can be grafted onto ce-MoS₂ in the form of thiols¹⁴ and alkylthiol-based linkers¹² and with ce-MoS₂ acting as the Z-functionality of the CTA (*cf.* Fig. 1).¹³ Inevitably, the presence




Fig. 2 FT-IR spectra for (a) ce-MoS₂ (grey), PMMA (black) and MoS₂-PMMA (green), and (c) ce-MoS₂ (grey), PAA (black) and MoS₂-PAA (red). TGA graphs for (b) ce-MoS₂ (grey), PMMA (black) and MoS₂-PMMA (green), and (d) ce-MoS₂ (grey), PAA (black) and MoS₂-PAA (red).

of the newly formed C-S bonds between the nanosheets and polymers was indiscernible in the IR spectra. The same stands true for our study. It is, however, noteworthy that the C=S bond, originating from the thiocarbonylthio group, was not present in the IR spectrum of MoS₂-PMMA. It is reasonable to consider that, due to the reductive environment, the survival of surface disulfide Mo-S-S-(C=S)-Z species produced *via* both the proposed mechanisms is unlikely.

Thermogravimetric analysis (TGA) under a nitrogen atmosphere for MoS₂-PMMA verified a weight loss in the region of 200–400 °C as high as 9%, arising from the grafted polymer chains (Fig. 2b). A weight loss at a low temperature, *i.e.* <150 °C, was not observed; thus the presence of Mo-S-S-(C=S)-Z species in the MoS₂-PMMA ensembles is excluded. Therefore, from the FT-IR and TGA studies, we conclude that the surface of the nanosheets is exclusively decorated by the polymeric carbon backbone.

Additional evidence for the covalent insertion of PMMA chains onto MoS₂ was provided by investigating the stability of MoS₂-PMMA dispersions in water, toluene, methanol and dichloromethane. Interestingly, MoS₂-PMMA was found to form the most stable dispersion in toluene, which is an excellent hydrophobic solvent for solubilizing the PMMA polymer, while, in water, which is an excellent solvent to exfoliate and store ce-MoS₂, no stable dispersion of MoS₂-PMMA was formed (Fig. S2, ESI†). Then, we employed PAA as a hydrophilic polymer counterpart for the covalent modification of ce-MoS₂ for generating aqueous-stable MoS₂-PAA ensembles. The preparation and characterization of MoS₂-PAA were conducted as previously described. Briefly, the FT-IR spectra of the isolated MoS₂-PAA displayed the characteristic carboxylic acid C=O stretching mode at 1704 cm⁻¹, as well as the carboxylic acid C-O stretching mode centred at 1116 cm⁻¹, originating from the grafted PAA polymer chains (Fig. 2c). From the TGA



thermograms, an 8% weight loss in the region of 200–400 °C was observed, indicating the presence of the PAA chains (Fig. 2d), while MoS₂-PAA was found to form highly stable dispersions in water, which is an excellent solvent for both ce-MoS₂ and PAA components (Fig. S3, ESI†).

In addition, the impact of covalent functionalization on the structure of ce-MoS₂ was evaluated with the aid of spatial Raman spectroscopy under 514 and 633 nm laser excitation. For this, 196 spectra collected from a 20 × 20 μm area were analysed. The octahedral 1T symmetry of ce-MoS₂ was validated by the presence of the characteristic J₁, J₂, and J₃ phonon modes located at 151, 221 and 329 cm⁻¹, in both 514 and 633 nm laser lines (Fig. 3a and b). Interestingly, the J modes are conserved in the functionalized MoS₂-PMMA and MoS₂-PAA materials manifesting that the particular covalent functionalization has a stabilizing effect on the metastable octahedral symmetry of MoS₂. Furthermore, under 514 nm excitation, an increased full-width-half-maximum (FWHM) in the A_{1g} mode (~404 cm⁻¹) of ce-MoS₂, MoS₂-PMMA and MoS₂-PAA was evident, as compared to the bulk MoS₂, indicating the presence of few layers. This was further elucidated by calculating the frequency difference of A_{1g}-E¹_{2g} modes under 514 nm excitation. For the bulk 2H-MoS₂, a 26 cm⁻¹ value was registered, while for the ce-MoS₂ nanosheets the corresponding value was 23 cm⁻¹, implying the

delamination of the three-dimensional superstructure towards few-layered nanosheets (<8 layers). Notably, the MoS₂-PMMA and MoS₂-PAA ensembles displayed A_{1g}-E¹_{2g} values reaching a maximum value of 24 cm⁻¹; thus, the covalent functionalization proved to shield the nanosheets against restacking to multi-layered non-functionalized structures. The proof of the chemical incorporation of the polymer chains on the surface of the ce-MoS₂ nanosheets was given by spatial Raman spectroscopy mapping of the MoS₂-PMMA and MoS₂-PAA materials and evaluation of the A_{1g}/2LA intensity ratios under 633 nm excitation. The 2LA mode under 633 nm excitation is known to be sensitive to crystal defects and lattice disorders and is actively investigated as a diagnostic tool for chemical functionalization. A recent systematic investigation of the A_{1g}/2LA intensity ratios for defect engineering of ce-MoS₂ by thiol coordination showed the potentiality to not only verify the functionalization process, but also allow monitoring of the reactions.¹⁸ Herein, we acquired Raman spectra from a 20 × 20 μm area (196 single spot spectra, in raster mode) of ce-MoS₂ and the calculated average value of the A_{1g}/2LA intensity ratio was found to be 1.0, with a high homogeneity (Fig. S4, ESI†). The same process was followed for evaluating the A_{1g}/2LA intensity ratios for MoS₂-PMMA and MoS₂-PAA, where the registered average values were found to be 1.29 and 1.21, respectively, also with a high uniformity (Fig. 3c and d). Evidently, covalent functionalization is responsible for the altered intensity of the A_{1g} and 2LA Raman spectral features. Given the weight loss unveiled by TGA (9% for MoS₂-PMMA and 8% for MoS₂-PAA), it is obvious that the degree of newly formed covalent bonds is low. It was reported that at the low degree of covalent functionalization *via* coordination of thiols to S-vacant sites of ce-MoS₂, the A_{1g}/2LA intensity ratio tends to decrease, as compared to ce-MoS₂,¹⁸ while the covalent functionalization of ce-MoS₂ *via* C-S bond formation tends to increase it.⁹ Thus, based on our experimental data, we conclude that the major mechanism for the covalent grafting of PMMA and PAA on the surface of ce-MoS₂ is the radical-mediated one (mechanism 1 in Fig. 1b), furnishing covalent C-S bonds between the carbon backbone of the polymer chain and the surface S-atoms of ce-MoS₂. However, the possibility of a minor mechanism proceeding *via* coordination of thiol-terminated polymer chains produced *via* nucleophilic attack of ce-MoS₂ to the thiocarbonylthio ω-terminus of the RAFT-derived polymers cannot be excluded (mechanism 2 in Fig. 1b).

Imaging of MoS₂-PMMA and MoS₂-PAA ensembles with the aid of high-resolution transmission electron microscopy (HR-TEM) further validated the presence of single- and few-layered nanosheets covered by organic matter (Fig. 3e and f, respectively). Namely the covalently functionalized nanosheets remained suspended without re-aggregation due to the covalent surface coverage by the polymer chains. Additional images of MoS₂-PMMA and MoS₂-PAA ensembles as well as of ce-MoS₂ are shown in the ESI† (Fig. S5).

The described method allowed us to produce hydrophobic MoS₂-PMMA and hydrophilic MoS₂-PAA ensembles, furnishing stable dispersions in toluene and water, respectively.




Fig. 3 Representative Raman spectra (an average of 196 spectra from a 20 × 20 μm area) under (a) 514 nm and (b) 633 nm laser excitations at a low power (0.3 mW cm⁻²) and under ambient conditions for the bulk MoS₂ (light grey), ce-MoS₂ (grey), MoS₂-PMMA (green) and MoS₂-PAA (red). Spatial Raman maps of 20 × 20 μm under 633 nm at a low power (0.3 mW cm⁻²) and under ambient conditions for (c) MoS₂-PMMA and (d) MoS₂-PAA. Scale bar represents the value of the A_{1g}/2LA intensity ratio. Exemplary HRTEM images of (e) MoS₂-PMMA and (f) MoS₂-PAA.






Fig. 4 Fluorescence emission spectra of (a) $\text{Eu}(\text{NO}_3)_3$ titrated by aqueous alkaline PAA, (b) $\text{Eu}(\text{NO}_3)_3$ in the solid state, and (c) $\text{Eu}(\text{NO}_3)_3$ titrated by aqueous alkaline MoS_2 -PAA. All spectra were recorded under ambient conditions with excitation at 391 nm. (d) Experimental plot of the change of the Eu^{3+} fluorescence emission intensity at 591 nm versus the introduced amount of MoS_2 -PAA polycarboxylate. The red dashed line highlights the deviation of the experimental data from the linear expression.

The latter enabled the utilization of the polycarboxylic nature of MoS_2 -PAA nanosheets to evaluate the complexation of water-soluble lanthanide cations. Europium(III) cations were selected as fluorescent probes to monitor the complexation dynamics via fluorescence spectroscopy. A solution of $\text{Eu}(\text{NO}_3)_3$ was initially titrated by alkaline PAA (*i.e.* in the carboxylate form) and the characteristic fluorescence emission peaks of Eu^{3+} at 591 nm ($^5\text{D}_0$ - $^7\text{F}_1$ transition) and 615 nm ($^5\text{D}_0$ - $^7\text{F}_2$ transition) were monitored under 391 nm excitation. During the addition of the PAA carboxylate, the 615 nm peak was significantly increased, while the 591 nm peak was slightly decreased (Fig. 4a). This observation was indicative of the complexation of Eu^{3+} by the polycarboxylate chains and the formation of an insoluble complex, where the $^5\text{D}_0$ - $^7\text{F}_2$ transition became dominant, similarly to the solid $\text{Eu}(\text{NO}_3)_3$ precursor (Fig. 4b). Next, aqueous $\text{Eu}(\text{NO}_3)_3$ was titrated by alkaline MoS_2 -PAA (*i.e.* in the polycarboxylate form) and the fluorescence emission spectrum of Eu^{3+} was found to be gradually quenched by the incremental addition of MoS_2 -PAA (Fig. 4c). To shed more light on the quenching dynamics, we plotted the change of the fluorescence emission intensity at 591 nm versus the introduced amount of MoS_2 -PAA polycarboxylate, in analogy to a Stern-Volmer plot. The experimental plot deviates from a linear expression and displays an upward shift, originating from the presence of a static quenching mechanism.¹⁹ Static quenching is likely to be driven by the strong ground state electrostatic complexation of Eu^{3+} by MoS_2 -PAA. This was also corroborated by the change of the $I_{591\text{nm}}/I_{615\text{nm}}$ intensity ratio, which was found to decrease from 2.85 to *ca.* 2.0 and is also attributed to complexation, and likewise the case of complexation of Eu^{3+} by the free PAA. Collectively, the covalent MoS_2 -PAA ensembles effectively complexed the lanthanide cations, while the dispersion remained stable in aqueous media.

In summary, we presented a simple one-step synthetic method to obtain well-defined MoS_2 -polymer nanostructures with tuneable hydrophobicity and hydrophilicity, maintaining the 2D dimensionality and the metallic properties of MoS_2 . Utilizing the hydrophilic MoS_2 -PAA ensemble featuring polycarboxylate species, we showed efficient complexation of Eu^{3+} , noting a future use of MoS_2 -PAA/lanthanide hybrid materials for (opto)electronics.²⁰

The TEM study was performed in the Laboratorio de Microscopias Avanzadas (LMA), Universidad de Zaragoza (Spain). R. A. acknowledges support from the Spanish MICINN (PID2019-104739GB-I00/AEI/10.13039/501100011033), the Government of Aragon (projects DGA E13-20R (FEDER, EU)) and the EU H2020 projects "ESTEEM3" (Grant number 823717) and Graphene Flagship (881603).

Conflicts of interest

There are no conflicts to declare.

References

- 1 A. Stergiou and N. Tagmatarchis, *Chem. - Eur. J.*, 2018, **24**, 18246–18257.
- 2 S. Bertolazzi, M. Gobbi, Y. Zhao, C. Backes and P. Samori, *Chem. Soc. Rev.*, 2018, **47**, 6845–6888.
- 3 R. Canton-Vitoria, T. Scharl, A. Stergiou, A. Cadranell, R. Arenal, D. M. Guldi and N. Tagmatarchis, *Angew. Chem., Int. Ed.*, 2020, **59**, 3976–3981.
- 4 I. K. Sideri, R. Arenal and N. Tagmatarchis, *ACS Mater. Lett.*, 2020, **2**, 832–837.
- 5 I. K. Sideri, Y. Jang, J. Garces-Garces, A. Sastre-Santos, R. Canton-Vitoria, R. Kitaura, F. Fernandez-Lazaro, F. D'Souza and N. Tagmatarchis, *Angew. Chem., Int. Ed.*, 2021, **60**, 9120–9126.
- 6 A. Stergiou, C. Stangel, R. Canton-Vitoria, R. Kitaura and N. Tagmatarchis, *Nanoscale*, 2021, **13**, 8948–8957.
- 7 T. H. Le, Y. Oh, H. Kim and H. Yoon, *Chem. - Eur. J.*, 2020, **26**, 6360–6401.
- 8 D. Voiry, A. Goswami, R. Kappera, C. D. C. E. Silva, D. Kaplan, T. Fujita, M. Chen, T. Asefa and M. Chhowalla, *Nat. Chem.*, 2015, **7**, 45–49.
- 9 K. C. Knirsch, N. C. Berner, H. C. Nerl, C. S. Cucinotta, Z. Gholamvand, N. McEvoy, Z. Wang, I. Abramovic, P. Vecera, M. Halik, S. Sanvito, G. S. Duesberg, V. Nicolosi, F. Hauke, A. Hirsch, J. N. Coleman and C. Backes, *ACS Nano*, 2015, **9**, 6018–6030.
- 10 E. Er, H.-L. Hou, A. Criado, J. Langer, M. Möller, N. Erk, L. M. Liz-Marzán and M. Prato, *Chem. Mater.*, 2019, **31**, 5725–5734.
- 11 I. Gomez-Munoz, S. Laghouati, R. Torres-Cavanillas, M. Morant-Giner, N. V. Vassilyeva, A. Forment-Aliaga and M. Gimenez-Marques, *ACS Appl. Mater. Interfaces*, 2021, **13**, 36475–36481.
- 12 H. Cheng, N. Dong, T. Bai, Y. Song, J. Wang, Y. Qin, B. Zhang and Y. Chen, *Chem. - Eur. J.*, 2016, **22**, 4500–4507.
- 13 Z. Souri, M. Adeli and E. Mehdipour, *New J. Chem.*, 2020, **44**, 17961–17969.
- 14 L. Shen, X. Han, J. Qian and D. Hua, *RSC Adv.*, 2017, **7**, 10791–10797.
- 15 G. Moad, E. Rizzardo and S. H. Thang, *Polym. Int.*, 2011, **60**, 9–25.
- 16 H. Willcock and R. K. O'Reilly, *Polym. Chem.*, 2010, **1**, 149–157.
- 17 X. S. Chu, A. Yousaf, D. O. Li, A. A. Tang, A. Debnath, D. Ma, A. A. Green, E. J. G. Santos and Q. H. Wang, *Chem. Mater.*, 2018, **30**, 2112–2128.
- 18 X. Chen, P. Denninger, T. Stimpel-Lindner, E. Spiecker, G. S. Duesberg, C. Backes, K. C. Knirsch and A. Hirsch, *Chem. - Eur. J.*, 2020, **26**, 6535–6544.
- 19 D. Genovese, M. Cingolani, E. Rampazzo, L. Prodi and N. Zaccheroni, *Chem. Soc. Rev.*, 2021, **50**, 8414–8427.
- 20 J. C. Bunzli and C. Piguet, *Chem. Soc. Rev.*, 2005, **34**, 1048–1077.

