

Cite this: *Mater. Adv.*, 2022,  
3, 8201

# Immobilization of molecular complexes on graphitized carbon cloth as stable and hybrid electrocatalysts for enhanced hydrogen evolution reaction and oxygen evolution reaction†

Ram Murthy  and Sundaresan Chittor Neelakantan \*

The search for an environment friendly, sustainable and cost-effective catalyst used in electrochemical water splitting via the hydrogen evolution reaction (HER) has generated considerable interest in renewable energy research worldwide. In the current study, we report cost-effective and easily synthesizable 2-thioureidobenzothiazole (BTT) metal complexes (M = Pd, Co, Ni) as dual and efficient electrocatalysts for HER and OER applications in acidic and alkaline conditions, respectively. The hybrid molecular catalysts were synthesized by integrating transition metal complexes with graphitized carbon cloth (GrCC) as the carbon support. The pristine Pd(II)BTT complex exhibited enhanced hydrogen evolution activity with an applied overpotential value of 178 mV (vs. RHE) and a significantly lower Tafel slope value of 73.74 mV per decade in 0.5 M H<sub>2</sub>SO<sub>4</sub> solution. The high catalytic activity of the Pd(II)BTT complex can be ascribed to the strong affinity of the Pd metal ion towards H<sub>2</sub>. The Ni(II)BTT/GrCC hybrid catalyst for the HER exhibited an overpotential of 335 mV (vs. RHE) to drive a current density of 10 mA cm<sup>-2</sup> and was found to be superior *vis-a-vis* the pristine nickel complex. The enhanced catalytic activity of the hybrid catalyst is due to the conducting and porous nature of the graphitized carbon cloth. For OER activity, the pristine Ni(II)BTT complex exhibited a very low overpotential value of 250 mV to drive a current density of 10 mA cm<sup>-2</sup> and gave a low Tafel slope value of 93 mV per decade. The cost-effective and robust nickel complex as a novel electrocatalyst was found to be very effective for both HER and OER applications. This work paves the way for a new avenue to combine molecular catalysts with effective carbon supports for energy storage applications.

Received 29th June 2022,  
Accepted 29th August 2022

DOI: 10.1039/d2ma00764a

rsc.li/materials-advances

## 1 Introduction

Currently worldwide, there is an unprecedented awareness and there are efforts to reduce the carbon footprint by substituting fossil fuels with a very sustainable and economically viable green renewable energy source. Though wind and solar energy systems are evolving to provide viable and efficient alternative clean energy resources, they are beset with certain limitations. In this context, hydrogen has tremendous potential as a promising future energy currency and is prognosticated as a very prominent next-generation renewable energy source.<sup>1</sup> The hydrogen evolution reaction (HER) and oxygen evolution reaction (OER) have been recognised as clean and sustainable ways of generating green energy.<sup>2</sup> Researchers have devoted

significant and sustained effort to develop inexpensive, durable, and efficient electrocatalysts for water splitting reactions.

Ideal electrocatalysts would involve small overpotential and possess fast reaction kinetics to produce hydrogen. To date, platinum (Pt)-based electrocatalysts are considered as the gold standard for the HER, owing to their strength of Pt-H bond and faster facile kinetics.<sup>3</sup> Exorbitant cost and insufficient reserves of platinum have hindered industrial scalability. Palladium is emerging as a very promising alternative to platinum owing to its availability, relatively lower cost and good catalytic activity.<sup>4</sup> Currently, palladium metal is extensively utilized in the automotive industry to lower the toxicity of emissions from the combustion engine.<sup>4</sup> Many non-precious metals such as Co,<sup>5,6</sup> Ni,<sup>7</sup> and Fe are preferred for water electrolysis due to their affordable cost and abundance on the earth's crust.<sup>8,9</sup> Various factors determine the efficiency of the electrocatalyst, *i.e.*, electrode modification, nature of the electroactive material, presence of a carbon support, the porosity of the material, *etc.* Transition metals are preferred because of their ease of

Department of Chemistry, Sri Sathya Sai Institute of Higher Learning,  
Brindavan Campus, Kadugodi, Bengaluru – 560067, India.  
E-mail: [cnsundaresan@sssihl.edu.in](mailto:cnsundaresan@sssihl.edu.in)

† Electronic supplementary information (ESI) available. See DOI: <https://doi.org/10.1039/d2ma00764a>



synthesis, broad applicability, and functionality in neutral, alkaline and acidic conditions.

2-Thioureidobenzheteroazoles (BTZs) undergo chelation with metal atoms through thiazole sulphur and thioureido sulphur atoms to give a stable metal complex. The synthesized metal complexes with the general formula  $[M(C_8H_8N_6S_6)_2Cl_2]^{+2}$  ( $M = Pd, Co, \text{ and } Ni$ ) have been used to evaluate HER & OER activity. The Pd complex has square planar geometry, while both Co and Ni metal complexes have tetrahedral geometry.<sup>10</sup> In order to further enhance the activity of the molecular catalyst, the metal complexes were incorporated into a carbon support.

Various carbon supports, such as carbon nanotubes<sup>11</sup> (MWCNTs, SWCNTs), fullerene,<sup>12</sup> graphene,<sup>13</sup> carbon fiber cloth,<sup>14</sup> and porous carbon,<sup>15</sup> are favored for electrocatalytic applications due to their excellent electrochemical stability, conductivity<sup>16</sup> and favorable mass-transport properties. These carbon supports have shown remarkable electrochemical efficiency in numerous batteries and supercapacitors.<sup>17</sup> The conventional strategy involves the modification of the electrode by drop casting the catalyst on the surface of the electrode. This strategy suffers from the problem of leaching due to the fragile linkage between the molecular catalyst and electrode surface. To overcome these limitations, molecular catalysts were integrated into carbon supports to enhance the HER activity (Fig. 2).

In this study, graphitized carbon cloth (CC) has been used as a carbon support owing to graphene's excellent electronic conducting nature and the porous nature of the carbon cloth for HER activity. The current study reports a method to synthesize low-cost transition metal complexes as dual electrocatalysts for HER and OER applications. We demonstrate a simple method of integrating transition metal complexes with graphitized carbon cloth as a carbon support for enhanced hydrogen and oxygen evolution in acidic and alkaline conditions, respectively. With this motive, Co, Ni, and Pd metal complexes of 2-thioureidobenzothiazoles were chosen as electroactive materials for studying hydrogen evolution reactions and oxygen evolution reactions.

## 2 Results and discussion

Pd, Co, and Ni coordination complexes were prepared under alkaline conditions (Fig. 1). The procedure detailing the synthesis and characterization have been described in S2 and S3 (ESI<sup>†</sup>). The metal complexes were immobilized on carbon cloth by a simple drop-casting method and dried at room temperature (Fig. 2). To confirm the successful immobilization of the complexes on the graphitized carbon cloth, X-ray photoelectron spectroscopy (XPS) measurements were performed (shown in Fig. 3). The XPS spectrum of the electrocatalyst immobilized graphitized carbon cloth exhibits two characteristic peaks of 335.5 eV and 337.8 eV corresponding to Pd 3d5/2 and Pd 3d3/2 metal (Table 1). The peak at 284.5 eV can be attributed to the sp<sup>2</sup> hybridized carbon atoms.<sup>18</sup> In Fig. 3 and 4, the peak at  $335.5 \pm 0.2$  eV can be attributed to Pd<sup>2+</sup>, which can be quickly bonded to an oxygen atom.<sup>18</sup>




Fig. 1 (a) Synthetic route of the ligand 2-thioureidobenzothiazole and (b) general structure of the 2-thioureidobenzothiazole metal complex.

Comparing the XPS pattern of carbon cloth before and after the HER reaction, Fig. 3(a and b) show the used Pd(II)BTT complex, which is observed to show a decreased intensity at 343.88 eV (Table 1). In Fig. 4b, the Ni complex shows a characteristic peak at 853.7 eV, which can be attributed to Ni 2p3/2 (Ni<sup>2+</sup>) present on the carbon cloth surface, and other peaks remain constant (Fig. S1, ESI<sup>†</sup>) (Table 1).

The FT-IR spectra of the metal complexes Pd(II)BTT, Co(II)BTT, and Ni(II)BTT are shown in Section S3 (ESI<sup>†</sup>). The bands at 1585 cm<sup>-1</sup> and 755 cm<sup>-1</sup> are due to thioamide stretching and bending vibrations, respectively. The band at 1629 cm<sup>-1</sup> corresponds to the  $\nu(N-H)$  bending of the ligand. The bands at 1132 cm<sup>-1</sup>, 1184 cm<sup>-1</sup>, and 996 cm<sup>-1</sup> can be attributed to  $\nu(C=S)$  for Pd(II), Co(II) and Ni(II) complexes, respectively.<sup>10</sup> The bands in the range of 740–755 cm<sup>-1</sup> are attributed to  $\nu(C-S-C)$  of the thiazole ring in all three complexes.<sup>10</sup> Complexation of the ligand with metals leads to a shift in the band to lower frequency, implying that the thiocarbonyl group is involved in complexing with the metal ion.

The UV-Vis absorbance spectra of 2-BTT and its complexes are provided in Fig. S2 (ESI<sup>†</sup>). From Fig. S2 (ESI<sup>†</sup>), the ligand shows a strong peak at 306 nm, but in the case of all the three complexes, there is a hypsochromic shift in the wavelength of the complex, revealing the complex formation. The electron transition observed is  $\pi-\pi^*$  for the complex. In the case of all the three complexes, a hypsochromic shift from 306 nm to 290 nm is observed, depicted in Fig. S2 of the ESI<sup>†</sup>.

The electronic spectrum of the Pd complex exhibited two broad absorption bands at 28 089 cm<sup>-1</sup> and 34 482 cm<sup>-1</sup> corresponding to charge transfer bands. The peaks observed in the UV region reflect  $\pi-\pi^*$  transition. The energy absorption of 32 679 cm<sup>-1</sup> (306 nm) is due to the thiazole moiety of the ligand. The energy absorption band moves to further higher energy of 34 482 cm<sup>-1</sup> implying complexation. The crystal field splitting energy (CFSE) values increase from 390 kJ mol<sup>-1</sup>






Fig. 2 Schematic representation of immobilization of M(II)BTT complexes onto graphitized carbon cloth (GrCC) at 298 K.




Fig. 3 XPS spectra of the Pd(II)BTT complexes. (a) Pd(II)BTT/GrCC hybrid electrocatalyst before the LSV test. (b) Pd(II)BTT/GrCC after the test (LSV 6 h stability).

(306 nm) to 412.47 kJ mol<sup>-1</sup> (290 nm) reinforcing complex formation.<sup>19</sup>

**Table 1** XPS peak positions obtained for the [Pd(BTT)/GrCC] catalyst before and after the reaction and Ni(II)BTT/GrCC catalyst before the reaction

Complex	Pd 3d <sub>5/2</sub>	Pd 3d <sub>3/2</sub>	Ni 2p	N 1s	S 4s	C 1s
[Pd (BTT)/GrCC] before rxn	335.2	337.5	—	400	164	284.5
[Pd (BTT)/GrCC] after 6 h	343.88	338.72	—	400.74	162.3	284.5
[Ni(BTT)/GrCC]	—	—	853.7	400	164	284.5

The thiocarbonyl moiety of the ligand undergoes strong chelation with the metal atom. The occupied sp<sub>x</sub> orbitals of the ligand interact with d<sub>x<sup>2</sup>-y<sup>2</sup></sub> orbitals of the metal to form a σ bond. Furthermore, the metal donates an electron back to the ligand through π-back bonding. The back bonding is observed between the d<sub>xz</sub> orbital of the metal and p<sub>z</sub> of the ligand. This π-back bonding interaction results in increased mixing of the metal and ligand orbitals resulting in stable molecular complexes.<sup>20</sup>

2-Thioureidobenzothiazole metal complexes were subjected to morphological analysis by scanning electron microscopy as






Fig. 4 XPS fine spectra. (a) Pd 3d 3/2, 5/2 of the Pd(II)BTT complex on carbon cloth (CC). (b) XPS peak Ni 2p 3/2 and Ni 1p 1/2 of the Ni(II)BTT complex on CC. (c) XPS peak of N 1s on GrCC. (d) XPS peak of C 1s on GrCC. (e) XPS peak of S 2p on GrCC.

shown in Fig. 5(a–d). The SEM images revealed the crystalline nature of the complexes. The palladium complex possesses a rod-like morphology while the nickel and cobalt complexes showed flaky morphology. The SEM images show increased space in the

complex compared to the 2-thioureidobenzothiazole ligand aiding in better adsorption and evolution of hydrogen in the process.

The thermal stability of the Pd, Co, and Ni(II) complexes of the 2-thioureidobenzothiazoles was investigated by thermogravimetric (TGA) analysis. Three prominent stages of decomposition were observed for each of the complexes (Fig. S5, ESI<sup>†</sup>). At temperatures ranging from 170 °C to 320 °C, the loss of HCl was observed.<sup>10</sup> Subsequently, the loss of the thioureido moiety was observed at a slightly higher temperature between 280 °C and 620 °C. A significant mass loss of the complex was observed at temperatures above 350 °C, and exo-effects with maxima at 370–390 °C were observed for the above decomposition. In the third stage of degradation, the ligand completely decomposes at the temperature range of 760–870 °C; the endo effect is observed, and no further weight loss was observed with metal oxide (MO<sub>x</sub>) as the final product<sup>10</sup> (Fig. S5, ESI<sup>†</sup>).

The magnetic properties of the 2-thioureidobenzothiazole metal complexes (Pd, Co, and Ni) were investigated using the vibrating sample magnetometer (VSM) technique. From Fig. S4 (ESI<sup>†</sup>), it was evident that the Pd(II)BTT and Ni(II)BTT complexes behave as diamagnetic due to the effective bonding of the unpaired electrons with the sulfur atoms of the ligand. In the case of the Co(II)BTT complex, ferromagnetic behavior is reflected in Fig. S4 (ESI<sup>†</sup>).




Fig. 5 SEM images depicting the morphology of the M(II)BTT complexes. (a) Pd(II)BTT, (b) Co(II)BTT, (c) Ni(II)BTT, and (d) 2-thioureidobenzothiazole ligand.



## 2.1 Electrochemical reaction


The 2-thioureidobenzothiazole metal complexes were evaluated for the hydrogen evolution reaction. The complexes were directly immobilized on graphitized carbon cloth (GrCC) by a simple drop-casting method and were dried at room temperature. The catalyst loading of  $0.04 \text{ mg cm}^{-2}$  and metal loading of  $0.011 \text{ mg cm}^{-2}$  were achieved on the carbon cloth. In the case of the pristine metal complexes, a catalyst loading of  $0.282 \text{ mg cm}^{-2}$  was attained on the electrode surface. The catalytic activity of the hybrid catalyst ( $M(\text{II})\text{BTT}/\text{GrCC}$ ,  $M = \text{Pd}, \text{Co}, \text{and Ni}$ ) was compared to that of the pristine metal complexes ( $M(\text{II})\text{BTT}$ ) in  $0.5 \text{ M H}_2\text{SO}_4$ . The electrochemical measurements were obtained using a three-electrode system configuration with a glassy carbon electrode (GCE) as the working electrode, graphite rod as a counter electrode to avoid possible contamination by redeposition of Pt, and a saturated calomel electrode (SCE) as the reference electrode under continuous  $\text{N}_2$  flow during the experiment. Graphitized carbon cloth ( $0.5 \times 1 \text{ cm}$ ) of area  $0.5 \text{ cm}^2$  was pretreated with deionized water and ethanol for 10 min sequentially. The pretreated GrCC was used to obtain a hybrid electrocatalyst for the HER.

**2.1.1 Hydrogen evolution reaction.** Linear sweep voltammetry measurements were obtained between 0 and  $-1 \text{ V}$  at a scan rate of  $50 \text{ mV s}^{-1}$ , as shown in Fig. 6(a). The  $\text{Pd}(\text{II})\text{BTT}$  complex exhibited an extremely low overpotential ( $\eta$ ) of  $178 \text{ mV}$  (vs. RHE) compared to  $\text{Pd}(\text{II})\text{BTT}/\text{GrCC}$ , which showed an overpotential ( $\eta$ ) of  $419 \text{ mV}$  to drive a current density ( $j$ ) of  $10 \text{ mA cm}^{-2}$  (Fig. 6a). The pristine  $\text{Co}(\text{II})\text{BTT}$  and  $\text{Ni}(\text{II})\text{BTT}$  complexes showed poor HER activity with overpotential values of  $720 \text{ mV}$  and  $565 \text{ mV}$ , respectively, to drive a current density of  $10 \text{ mA cm}^{-2}$ . In contrast,  $\text{Co}(\text{II})\text{BTT}$  and  $\text{Ni}(\text{II})\text{BTT}$  complexes on graphitized carbon cloth showed an improved activity with an  $\eta$  of  $335 \text{ mV}$  and  $472 \text{ mV}$ , respectively, to achieve a current

density of  $10 \text{ mA cm}^{-2}$ . The  $\text{Pd}/\text{C}$  material has an overpotential of  $91 \text{ mV}$  to achieve a current density of  $10 \text{ mA cm}^{-2}$ .<sup>21</sup> The activity of pristine  $\text{Pd}(\text{II})\text{BTT}$  is better in comparison to  $\text{Pd}/\text{C}$  in  $0.5 \text{ M H}_2\text{SO}_4$ . LSV plots for the hybrid catalyst showed a strong indication of hydrogen evolution with high electrocatalytic current with increased bubble formation at the electrode/electrolyte interface. Electrocatalysis is intimately related to reducing  $\text{Pd}(\text{II})$  to  $\text{Pd}(0)$  in the aqueous acidic solution. The decreased particle size of the  $\text{Pd}$  metal complex compared to the  $\text{Co}$  and  $\text{Ni}$  complexes significantly contributed to the enhanced HER activity.<sup>22</sup> The  $\text{Pd}$  complex in pristine form has better electrocatalytic activity due to the affinity of the palladium ion towards hydrogen and the effective ligand to metal charge transfer reaction.

The  $\text{Pd}(\text{II})\text{BTT}/\text{GrCC}$ ,  $\text{Co}(\text{II})\text{BTT}/\text{GrCC}$  and  $\text{Ni}(\text{II})\text{BTT}/\text{GrCC}$  showed a maximum current density of  $44 \text{ mA cm}^{-2}$ ,  $63 \text{ mA cm}^{-2}$  and  $110 \text{ mA cm}^{-2}$  at  $720 \text{ mV}$ , respectively (Fig. 6a). In the case of the pristine complexes,  $\text{Pd}(\text{II})\text{BTT}$  showed the maximum current density of  $247 \text{ mA cm}^{-2}$ , and the  $\text{Co}(\text{II})$  and  $\text{Ni}(\text{II})$  complexes of BTT showed a cumulative current density of  $18 \text{ mA cm}^{-2}$ , and  $56 \text{ mA cm}^{-2}$  at the potential of  $720 \text{ mV}$  (Fig. 6a). In the case of  $\text{Ni}$  and  $\text{Co}$  complexes, graphitized carbon cloth enhances the catalytic performance due to the carbon cloth's conducting and porous nature. The porosity determines the ease of accessibility (pore dimensions) of the active sites and affects the mass transport.<sup>23</sup> Current density ( $j$ ) is a measure of rate of the reaction, which in turn is proportional to the number of active sites on the electrode surface.<sup>24</sup> The porousness of the hybrid electrocatalyst on carbon cloth has a pore diameter of  $37 \pm 5 \mu\text{m}$ , while bare carbon cloth has a pore diameter of  $42 \pm 5 \mu\text{m}$ . The results implied that the porous electrode shows much higher ( $j$ ) compared to planar systems of similar dimensions.<sup>25</sup> The enhanced electrocatalytic activity exhibited by the hybrid catalyst complex can be ascribed to the synergistic effect of the  $M(\text{II})\text{BTT}$  complex and graphitized carbon cloth. The weaved textile-like property with graphite exposes a large fraction of active surface area, in turn enlarging the contact area with the electrolyte accelerating the diffusion. These factors favor excellent electrocatalytic activity for the HER.

Tafel slopes were obtained from linear sweep voltammetry measurements by plotting potential as a function of  $\log j$  using the relation  $\eta = a + b \log j$ .<sup>26</sup> The Tafel slope values reveal the kinetics of the HER reaction. The Tafel slope value of  $73.74 \text{ mV dec}^{-1}$  of  $\text{Pd}(\text{II})\text{BTT}$  is comparable to the Tafel slope value of  $\text{Pt}/\text{C}$  ( $47.34 \text{ mV dec}^{-1}$ ) (Fig. 6c). The slope values reveal that the HER process involves the Volmer–Tafel mechanism,<sup>27,28</sup> where hydrogen on the electrode surface recombines with a hydronium ion to produce  $\text{H}_2$ . The Tafel mechanism of  $\text{Pd}(\text{II})\text{BTT}/\text{GrCC}$ ,  $\text{Co}(\text{II})\text{BTT}/\text{GrCC}$ , and  $\text{Ni}(\text{II})\text{BTT}/\text{GrCC}$  exhibited high Tafel slope values of  $144 \text{ mV dec}^{-1}$ ,  $410 \text{ mV dec}^{-1}$ , and  $165 \text{ mV dec}^{-1}$ , respectively (Fig. 6d) indicating sluggish reaction kinetics and obey Volmer–Heyrovsky as the possible mechanistic pathway.<sup>29,30</sup> To understand the high catalytic activity of the  $\text{Pd}$ ,  $\text{Co}$ , and  $\text{Ni}$  complexes, the double-layer capacitance was measured. Cyclic voltammetry was performed at different scan rates ranging from 20 to 200  $\text{mV}$  and the plot of  $\Delta j(j_a - j_c)$  against the scan rate yielded the slope value ( $C_{dl}$ ). The hybrid



**Fig. 6** (a) Linear sweep voltammetry curves of pristine  $M(\text{II})\text{BTT}$  and  $M(\text{II})\text{BTT}/\text{GrCC}$  complexes in the acid electrolyte at a scan rate of  $50 \text{ mV s}^{-1}$ . (b) Comparison plot of the linear sweep voltammetry curve of 10%  $\text{Pt}/\text{C}$  and  $M(\text{II})\text{BTT}$ ,  $M(\text{II})\text{BTT}/\text{GrCC}$  at  $10 \text{ mA cm}^{-2}$  in acidic conditions. (c) Tafel slopes of the linear polarization curves of pristine  $M(\text{II})$  complexes and  $\text{Pt}/\text{C}$ . (d) Tafel slopes of the linear polarization curves of the  $M(\text{II})\text{BTT}/\text{GrCC}$  complexes.



catalyst showed a  $C_{dl}$  value of  $12.06 \text{ mF cm}^{-2}$ ,  $26.19 \text{ mF cm}^{-2}$ , and  $8.94 \text{ mF cm}^{-2}$  for the Pd, Co, and Ni complexes on GrCC, respectively (Fig. 7b). The electrochemical active surface area (ECSA) is a good descriptor of the electrochemical activity toward the hydrogen evolution reaction. The ECSA was determined from eqn (2), and the double-layer capacitance current is directly proportional to the electrochemical active surface area (ECSA).<sup>31</sup> The linearity obtained from the plot of geometrical current density and scan rate revealed a diffusion-controlled electrocatalytic process. The facile electron flow in the process is due to diffusion.

$$C_{dl} = \frac{\Delta j}{v} \quad (1)$$

$$\text{ECSA} = \frac{C_{dl}}{C_s} \quad (2)$$

where  $\Delta j$  is current density ( $\text{mA cm}^{-2}$ ), and  $V$  is potential.  $C_s$  is the specific capacitance ( $C_s = 0.04 \text{ mF cm}^{-2}$ ).<sup>32</sup> Pd(II)BTT/GrCC, Co(II)BTT/GrCC and Ni(II)BTT/GrCC hybrid complexes involve an ECSA value of  $3.015 \text{ m}^2 \text{ g}^{-1}$ ,  $2.235 \text{ m}^2 \text{ g}^{-1}$  and  $6.547 \text{ m}^2 \text{ g}^{-1}$ , respectively. The high surface area of the electrocatalysts is due to the carbon cloth's porous and woven textile framework. In order to evaluate the electrode kinetics of the HER process, electrochemical impedance spectroscopy (EIS) was performed within the frequency range of  $100 \text{ kHz}$  to  $10 \text{ mHz}$ . The Nyquist plots for all the complexes were obtained with a signal amplitude perturbation of  $10 \text{ mV}$ . As can be seen from Fig. 7d, both hybrid and pristine complexes exhibited a single capacitive loop indicating the charge transfer process as the rate-determining

step (RDS). The diameter of the semicircle directly correlates with the charge transfer resistance ( $R_{ct}$ ). From Fig. 7d, Pd(II)BTT showed the least charge transfer resistance of  $90 \text{ ohms}$  suggesting superior kinetics over the rest of the complexes. However, the Pd(II)BTT/GrCC, Co(II)BTT/GrCC and Ni(II)BTT/GrCC complexes exhibited relatively high charge transfer resistance of  $190$ ,  $480$  and  $830 \text{ ohms}$ , respectively. The hybrid catalyst of Co(II) and Ni(II) showed favourable kinetics towards hydrogen evolution compared to the pristine complexes. The details of the proposed mechanism for the hydrogen evolution reaction have been described in Section S8 (ESI<sup>†</sup>). The general hydrogen evolution reaction follows the proton coupled electron transfer mechanism (PCET) shown in Fig. 8a.<sup>20</sup>

Carbon supports have been extensively used to enhance the durability of electrocatalysts.<sup>33</sup> The metal complexes were subjected to linear sweep voltammetry in  $\text{N}_2$  saturated  $0.5 \text{ M H}_2\text{SO}_4$  before and after  $6 \text{ h}$  of chronoamperometry (Fig. 7c). The durability of the electrodes during the HER process was investigated using chronoamperometry. A constant potential was applied to the electrode for  $6 \text{ h}$ . As can be seen from Fig. 9(a-c), the hybrid catalysts showed good durability with the current density decreasing after  $4 \text{ h}$ . From Fig. 9a, the Pd complex ( $\eta = 0.410 \text{ V}$ ) showed excellent stability for  $6 \text{ h}$  with  $85\%$  current density retention activity compared to the Co and Ni complex, which showed a drop in the current density value after  $4 \text{ h}$  (Fig. 9b and c). In contrast, the Co(II) and Ni(II) hybrid catalyst activity gradually diminished after  $4 \text{ h}$  (Fig. 8b and c). The durability has been one of the prominent limitations with respect to molecular complexes. The durability of the complex can be improved further with better carbon support materials.<sup>34</sup>




Fig. 7 (a) Overpotentials to produce a current density of  $10 \text{ mA cm}^{-2}$  under acidic conditions. (b) Evaluation of the double layer capacitance ( $C_{dl}$ ) of the M(II)BTT complexes in  $0.5 \text{ M H}_2\text{SO}_4$ . (c) Stability study through linear polarization curves for  $6 \text{ h}$  in acid electrolyte. (d) Nyquist plot of M(II)BTT and M(II)BTT/GrCC complexes obtained at the corresponding onset potentials.






Fig. 8 (a) Durability test performed for  $M(II)BTT$  by the chronoamperometry technique at a constant potential: (a)  $Pd(II)BTT/GrCC$   $-0.410$  V, (b)  $Co(II)BTT/GrCC$   $-0.472$  V and (c)  $Ni(II)BTT$   $-0.335$  V. (d) Digital photograph depicting the hydrogen evolution reaction from the experimental set up in  $0.5$  M  $H_2SO_4$ .

## 2.2 Oxygen evolution reaction

The three complexes were also evaluated for their oxygen evolution reaction (OER) activity using a standard three-electrode cell with a rotating disk electrode (RDE) as the working electrode,

graphite rod as an auxiliary electrode, and mercury/mercury oxide as the reference electrode. The OER reaction was carried out in  $0.1$  M  $KOH$  solution with a rotation rate of  $1600$  rpm in oxygen saturated environments. The LSV curves obtained were




Fig. 9 (a) Linear sweep voltammetry curves of  $Pd(II)BTT$ ,  $Co(II)BTT$ , and  $Ni(II)BTT$  complexes in  $0.1$  M  $KOH$ . (b) Overpotentials at a current density of  $10$  mA  $cm^{-2}$ . (c) Corresponding Tafel slopes of the linear polarization curves of the  $M(II)BTT$  complexes ( $Pd$ ,  $Co$ , and  $Ni(II)$ ) in  $0.1$  M  $KOH$ . (d) Nyquist plots depicting the charge transfer resistance of the  $M(II)BTT$  complexes ( $Pd$ ,  $Co$ , and  $Ni(II)$ ) BTT in acidic conditions.






Fig. 10 (a) Determination of the double-layer capacitance value of the  $M(\text{II})\text{BTT}$  complexes. (b) Stability study of the  $M(\text{II})\text{BTT}$  complexes by linear polarization curves for 6 h in 0.1 M KOH.

all iR corrected with a scan rate of  $50 \text{ mV s}^{-1}$  (Fig. 10a). Fig. 10a displays the linear sweep voltammetry polarization curves. The  $\text{Ni}(\text{II})\text{BTT}$  complex exhibited remarkably high OER performance with an overpotential of 250 mV to achieve a current density of  $10 \text{ mA cm}^{-2}$  at 1.48 V (Fig. 10a). The  $\text{Co}(\text{II})\text{BTT}$  and  $\text{Pd}(\text{II})\text{BTT}$  complexes exhibited an overpotential of 773 and 285 mV, respectively, to drive a current density of  $10 \text{ mA cm}^{-2}$  (Fig. 10b). The  $\text{Co}(\text{II})\text{BTT}$  and  $\text{Pd}(\text{II})\text{BTT}$  complexes exhibited a maximum current density of  $17.12 \text{ mA cm}^{-2}$  and  $63 \text{ mA cm}^{-2}$  at 1.98 V and 1.92 V, respectively. The  $\text{Ni}(\text{II})\text{BTT}$  complex exhibited a maximum current density of  $163 \text{ mA cm}^{-2}$  at 1.92 V (Fig. 10a). The observed catalytic activity is due to the charge transfer from ligand to metal atoms (LMCT). From Fig. 8b,  $\text{Ni}(\text{II})$  contains oxygen bound to a high valent metal center leading to  $(\text{Ni}(\text{II})-\text{O})$ .

$(\text{Ni}(\text{II})-\text{O})$  is a key intermediate in the oxygen evolution reaction process, which in turn reacts with  $\text{H}_2\text{O}$  through a water nucleophilic attack mechanism to give O–O bond formation, and the intermediate formation is the rate determining step. The reaction is aided by a hydroxide ion coupled electron transfer reaction resulting in an oxygen evolution reaction (Fig. 8b).

The Tafel slopes for all the three complexes are shown in Fig. 9c, where  $\text{Ni}(\text{II})\text{BTT}$  showed a slope value of  $93.82 \text{ mV dec}^{-1}$ ,  $\text{Co}(\text{II})\text{BTT}$  showed  $421.21 \text{ mV dec}^{-1}$ , and the  $\text{Pd}(\text{II})\text{BTT}$  complex showed  $182.6 \text{ mV dec}^{-1}$  (Fig. 9c). The Tafel slope values are the lowest compared to many nanocomposites<sup>1</sup> and other transition metal nanosheets.<sup>35</sup> The metal complex on the modified glassy carbon surface undergoes oxidation from  $\text{Ni}(0)$  to  $\text{Ni}(\text{II})$ , leading to reduction of the hydroxide ion to




Fig. 11 Durability test performed for the  $M(\text{II})\text{BTT}$  complexes by the chronoamperometric technique at constant potential: (a)  $\text{Pd}(\text{II})\text{BTT}$  (1.48 V vs. RHE), (b)  $\text{Co}(\text{II})\text{BTT}$  (2.0 V vs. RHE) and (c)  $\text{Ni}(\text{II})\text{BTT}$  (1.52 V vs. RHE). (d) Oxygen evolution reaction image from the experimental set up in 0.1 M KOH.






Fig. 12 (a) Mechanistic pathway of the hydrogen evolution reaction of the  $M(\text{II})\text{BTT}$  complexes (Pd, Co and Ni). (b) Mechanism of the oxygen evolution reaction of the  $M(\text{II})\text{BTT}$  complexes (Pd, Co and Ni).

an oxygen molecule. Hence, the  $\text{Ni}(\text{II})$  complex showed better OER catalytic activity compared to  $\text{Co}(\text{II})$  and  $\text{Pd}(\text{II})$ . However, in the case of the HER, the  $\text{Pd}(\text{II})$  complex exhibited enhanced hydrogen evolution reaction activity due to the affinity of palladium towards hydrogen. The Ni and Pd complexes exhibit promising activity in terms of overpotential towards both the hydrogen and oxygen evolution reaction.

The kinetics of the oxygen evolution reaction were evaluated by impedance analysis under alkaline conditions. All three complexes' onset potential were used to obtain impedance plots. The lower the semicircle diameter, the better the electrocatalytic efficiency of the catalyst. The  $\text{Ni}(\text{II})$  complex showed good catalytic activity with a charge transfer resistance value of 246 ohms (Fig. 9d).  $\text{Pd}(\text{II})$  and  $\text{Co}(\text{II})$  exhibited a charge transfer resistance of 1600 ohms and 2700 ohms, respectively, as shown in Fig. 9d. The  $\text{Ni}(\text{II})\text{BTT}$  complex showed the least charge transfer resistance compared to the Co and Pd complexes. The catalysts showed a  $C_{dl}$  value of  $20.04 \text{ mF cm}^{-2}$ ,  $14.9 \text{ mF cm}^{-2}$ , and  $43.2 \text{ mF cm}^{-2}$  for the Pd, Co, and Ni complexes, respectively (Fig. 11a), thus reinforcing the Ni complex as an excellent electrocatalyst towards the oxygen evolution reaction.

The durability of the complexes was tested using chronoamperometric  $i-t$  curves (Fig. 12). From Fig. 12a-c, in the case of the  $\text{Ni}(\text{II})\text{BTT}$  complex, it can be seen that the current density gradually decreases at 1.48 V (vs. RHE) after 4 h demonstrating good durability for all the three complexes. Linear sweep voltammetry was performed before and after 6 h of chronoamperometry, and the catalysts showed 85% of current density retention capability (Fig. 11b).

### 3 Conclusions

In conclusion,  $M(\text{II})\text{BTT}/\text{GrCC}$  hybrid electrocatalysts were synthesized using 2-thioureidobenzheteroazole metal complexes and graphitized carbon cloth. The hybrid catalysts were utilized for the HER and the pristine metal complexes were used for the OER. The  $\text{Pd}(\text{II})\text{BTT}$  complex showed an outstanding overpotential value of 178 mV to achieve a current density of  $10 \text{ mA cm}^{-2}$  in 0.5 M  $\text{H}_2\text{SO}_4$ . In contrast, the  $\text{Ni}(\text{II})\text{BTT}/\text{GrCC}$  hybrid catalyst showed an overpotential value of 335 mV to drive a current

density of  $10 \text{ mA cm}^{-2}$ . The enhanced catalytic activity is due to the conducting and porous nature of the graphitized carbon cloth. Furthermore, the pristine  $\text{Ni}(\text{II})$  complex exhibited an overpotential value of 250 mV to achieve  $10 \text{ mA cm}^{-2}$  for OER activity. The  $\text{Ni}(\text{II})$  metal has strong affinity for  $\text{O}_2$  molecules, leading to better oxygen evolution activity the other two metal complexes. The  $\text{Ni}(\text{II})\text{BTT}$  complex is preferred over the other two metal complexes due to its low cost and abundance on the earth's crust. The  $\text{Ni}(\text{II})\text{BTT}$  complex exhibited good durability with 85% current density retention capability. This work paves a new avenue to design efficient electrocatalysts in combination with more effective carbon supports for clean energy storage and conversion.

### Author contributions

Ram Murthy – original manuscript writing, data curation, analysis, data interpretation revision. C. N. Sundaresan – conceptualization, ideation, review and editing, supervision.

### Conflicts of interest

The authors declare there is no conflict of interest to report.

### Acknowledgements

The authors express their deep sense of gratitude to their founder, chancellor Bhagawan Sri Sathya Sai Baba, for being a constant source of inspiration and motivation for the work. RM is grateful to Prof. Noriyoshi Matsumi and Dr Rajashekar Badam at 'Japan Advanced Institute of Science Technology' (JAIST) and Sakura Science Exchange Program for providing hands on training with the instruments. The authors thank Dr Raman Vedarajan from ARCI for his insightful suggestions and discussions. RM is thankful to Dr B. V. V. S. Pavan Kumar, IIT Roorkee, for the XPS characterization facility. The authors acknowledge Central Research Instrumentation Facility (CRIF) for the characterization facility. The authors thank SSSIHL for the financial support for carrying out the work.



## References

- H. He, Y. Zhang, W. Zhang, Y. Li, X. Zhu, P. Wang and D. Hu, *ACS Appl. Mater. Interfaces*, 2022, **14**, 834–849.
- A. P. Murthy, J. Madhavan and K. Murugan, *J. Power Sources*, 2018, **398**, 9–26.
- L. Jia, P. Wagner and J. Chen, *Inorganics*, 2022, **10**, 53.
- M. Shao, *J. Power Sources*, 2011, **196**, 2433–2444.
- H. Lin, M. S. Hossain, S.-Z. Zhan, H.-Y. Liu and L.-P. Si, *Appl. Organomet. Chem.*, 2020, **34**, e5583.
- S. Shen, Z. Wang, Z. Lin, K. Song, Q. Zhang, F. Meng, L. Gu and W. Zhong, *Crystalline-Amorphous Interfaces Coupling of CoSe<sub>2</sub>/CoP with Optimized d-Band Center and Boosted Electrocatalytic Hydrogen Evolution*, 2022.
- M. Yu, E. Budiyo and H. Tüysüz, *Angew. Chem., Int. Ed.*, 2022, **61**, e202103824.
- M. Rajakumar, M. Manickam, N. N. Gandhi and K. Muthukumar, *Int. J. Hydrogen Energy*, 2020, **45**, 3905–3915.
- V. Vij, S. Sultan, A. M. Harzandi, A. Meena, J. N. Tiwari, W.-G. Lee, T. Yoon and K. S. Kim, *ACS Catal.*, 2017, **7**, 7196–7225.
- H. Yapati, S. R. Devineni, S. Chirumamilla and S. Kalluru, *J. Chem. Sci.*, 2016, **128**, 43–51.
- B. Huang, L. Chen, Y. Wang, L. Ouyang and J. Ye, *Chem. – Eur. J.*, 2017, **23**, 7710–7718.
- M. Chhetri, U. Gupta, L. Yadgarov, R. Rosentsveig, R. Tenne and C. Rao, *ChemElectroChem*, 2016, **3**, 1937–1943.
- J. Zhang and L. Dai, *Angew. Chem., Int. Ed.*, 2016, **55**, 13296–13300.
- J.-X. Wu, C.-T. He, G.-R. Li and J.-P. Zhang, *J. Mater. Chem. A*, 2018, **6**, 19176–19181.
- D. K. Singh, R. N. Jenjeti, S. Sampath and M. Eswaramoorthy, *J. Mater. Chem. A*, 2017, **5**, 6025–6031.
- W. Zhou, J. Jia, J. Lu, L. Yang, D. Hou, G. Li and S. Chen, *Nano Energy*, 2016, **28**, 29–43.
- H. Shi, G. Wen, Y. Nie, G. Zhang and H. Duan, *Nanoscale*, 2020, **12**, 5261–5285.
- S. Niu, W. Guo, T.-W. Lin, W. Yu, Y. Wu, X. Ji and L. Shao, *RSC Adv.*, 2017, **7**, 25885–25890.
- A. K. El-Sawaf, F. El-Essawy, A. A. Nassar and E.-S. A. El-Samanody, *J. Mol. Struct.*, 2018, **1157**, 381–394.
- M. Drosou, F. Kamatsos and C. A. Mitsopoulou, *Inorg. Chem. Front.*, 2020, **7**, 37–71.
- Z. Zong, K. Xu, D. Li, Z. Tang, W. He, Z. Liu, X. Wang and Y. Tian, *Peptide templated Au@Pd core-shell structures as efficient bi-functional electrocatalysts for both oxygen reduction and hydrogen evolution reactions*, 2018.
- T. Wang, D. Gao, J. Zhuo, Z. Zhu, P. Papakonstantinou, Y. Li and M. Li, *Chem. – Eur. J.*, 2013, **19**, 11939–11948.
- P. Adler, *Porous media: geometry and transports*, Elsevier, 2013.
- J. Haverkort, *Electrochim. Acta*, 2019, **295**, 846–860.
- A. J. Bard, L. R. Faulkner and H. S. White, *Electrochemical methods: fundamentals and applications*, John Wiley & Sons, 2022.
- Q. Yin, Z. Xu, T. Lian, D. G. Musaev, C. L. Hill and Y. V. Geletii, *Catalysts*, 2021, **11**, 87.
- J. Chen, H. Wang, Y. Gong and Y. Wang, *J. Mater. Chem. A*, 2019, **7**, 11038–11043.
- Z. Lin, B. Xiao, M. Huang, L. Yan, Z. Wang, Y. Huang, S. Shen, Q. Zhang, L. Gu and W. Zhong, *Adv. Energy Mater.*, 2022, 2200855.
- L. Yang, Y. Lv and D. Cao, *J. Mater. Chem. A*, 2018, **6**, 3926–3932.
- S. Shen, Z. Hu, H. Zhang, K. Song, Z. Wang, Z. Lin, Q. Zhang, L. Gu and W. Zhong, *Angew. Chem., Int. Ed.*, 2022, **61**, e202206460, DOI: [10.1002/ange.202206460](https://doi.org/10.1002/ange.202206460).
- Y.-H. Choi, *Nanomaterials*, 2022, **12**, 939.
- V.-T. Nguyen, H. Ha, N.-A. Nguyen, H. An, H. Y. Kim and H.-S. Choi, *ACS Appl. Mater. Interfaces*, 2020, **12**, 15500–15506.
- Z. Lin, B. Xiao, M. Huang, L. Yan, Z. Wang, Y. Huang, S. Shen, Q. Zhang, L. Gu and W. Zhong, *Adv. Energy Mater.*, 2013, **12**, 2200855.
- S. Manzoor, S. V. Trukhanov, M. N. Ansari, M. Abdullah, A. Alruwaili, A. V. Trukhanov, M. U. Khandaker, A. M. Idris, K. S. El-Nasser and T. A. Taha, *Flowery In<sub>2</sub>MnSe<sub>4</sub> Novel Electrocatalyst Developed via Anion Exchange Strategy for Efficient Water Splitting*, 2022.
- R. Elakkiya and G. Maduraiveeran, *Langmuir*, 2020, **36**, 4728–4736.

