RSC Advances

PAPER

Cite this: RSC Adv., 2022, 12, 21742

Received 9th May 2022 Accepted 3rd July 2022

DOI: 10.1039/d2ra02935a

rsc.li/rsc-advances

Introduction

Green and sustainable chemistry has played a key role in both academia and chemical industry for a better life and future.¹⁻⁸ In this regard, heterogeneous catalytic systems and their magnetic nanoparticle (MNP) counterparts have received considerable interest because of their unique properties.⁹⁻¹¹ The outstanding properties of MNPs have made them superior and indispensable in many areas of academia and industry including information storage,¹² medicine,¹³ drug delivery,¹⁴ magnetic resonance imaging (MRI),¹⁵⁻¹⁷ biomedical applications,^{10,18,19} and environmental remediation²⁰ as well as heterogeneous catalysis.²¹–²⁴ In academia, MNPs represent a promising new tool for performing chemical reactions because they are separated from the reaction medium, comfortably.25,26 In industry, due to importance of the cost of chemical processes and reusing of the catalysts, special attention is paid to these nanoparticles.^{27,28} However, MNPs tend to agglomerate under a magnetic field that reduces their surface to volume ratio and consequently decreases catalytic activity.²⁹ Therefore, MNPs must be stabilized to improve their properties

L-Asparagine–EDTA–amide silica-coated MNPs: a highly efficient and nano-ordered multifunctional core–shell organocatalyst for green synthesis of 3,4-dihydropyrimidin-2(1H)-one compounds†

Negin Rostami, Mohammad G. Dekamin, \mathbb{D}^* Ehsan Valiey \mathbb{D} and Hamidreza FaniMoghadam

In this study, new L-asparagine grafted on 3-aminopropyl-modified $Fe₃O₄@SiO₂ core-shell magnetic$ nanoparticles using the EDTA linker $(Fe_3O_4@SiO_2-APTS-EDTA-asparagine)$ was prepared and its structures properly confirmed using different spectroscopic, microscopic and magnetic methods or techniques including FT-IR, EDX, XRD, FESEM, TEM, TGA and VSM. The Fe₃O₄@SiO₂-APTS-EDTAasparagine core–shell nanomaterial was found, as a highly efficient multifunctional and recoverable organocatalyst, to promote the efficient synthesis of a wide range of biologically-active 3,4 dihydropyrimidin-2(1H)-one derivatives under solvent-free conditions. It was proved that $Fe₃O₄$ @SiO₂– APTS–EDTA–asparagine MNPs, as a catalyst having excellent thermal and magnetic stability, specific morphology and acidic sites with appropriate geometry, can activate the Biginelli reaction components. Moreover, the environmental-friendliness and nontoxic nature of the catalyst, cost effectiveness, low catalyst loading, easy separation of the catalyst from the reaction mixture and short reaction time are some of the remarkable advantages of this green protocol. PAPER

Check for undates

Check for and the street **Check of the street**

Check for any λ and **Highly efficient and nano-or**

and prevent undesirable agglomeration.^{30,31} In fact, they are coated with a protective layer such as carbon layers,^{32,33} organic polymers³⁴ or silica.³⁵⁻³⁷

Moreover, multi-component reactions (MCRs) are the most desirable powerful synthetic route in which three or more reactants come together in a single reaction vessel to form a wide range of acyclic or heterocyclic compounds by one-pot processes.³⁸⁻⁴¹ MCRs afford extended molecular complexity and diversity from simple starting materials with high atom economy, which have found applications in medicinal and natural products chemistry.^{42,43} Indeed, the most significant feature of MCRs is generating almost no by-products or simple molecules such as H_2O or EtOH.⁴⁴⁻⁴⁸ Hence, in agreement of the green and sustainable chemistry process, development and the advancement of catalysts to promote MCRs are very important in synthetic and medicinal chemistry.⁴⁹⁻⁵¹

Among the various types of nitrogen-containing heterocycles, derivatives of 3,4-dihydropyrimidin-2($1H$)-one, as biologically-active compounds, have found versatile applications such as anti-bacterial, anti-inflammatory, antihypertensive agents, calcium channel blockers and antitumor compounds.⁵²–⁶⁰ A simple and general protocol for access to 3,4 dihydropyrimidin-2(1H)-ones involves the three-component and one-pot Biginelli cyclocondensation of ethyl acetoacetate, urea and various aldehydes accelerated by different types of $acidic$ catalytic systems such as $copper(n)$

Pharmaceutical and Biologically-Active Compounds Research Laboratory, Department of Chemistry, Iran University of Science and Technology, Tehran 16846-13114, Iran. E-mail: mdekamin@iust.ac.ir; Fax: +98-21-7730 21584; Tel: +98-21-77 240 284 † Electronic supplementary information (ESI) available. See <https://doi.org/10.1039/d2ra02935a>

trifluoromethanesulfonate under microwave irradiation,⁶¹ gallium(III) triflate,⁶² bismuth pyromanganate nanoparticles,⁶³ Lproline methyl ester hydrochloride,⁶⁴ nanometasilica disulfuric acid,⁶⁵ p-toluenesulfonic acid,^{66,67} sulfonic acid-supported polymeric catalysts,⁶⁸ sulfonated carbons from agro-industrial wastes,⁶⁹ phenylboronic acid,⁷⁰ 1,3-bis(carboxymethyl)

imidazolium chloride,⁷¹ sulfonic acid and ionic liquid functionalized covalent organic frameworks,⁷² ionic liquid combined with acidic zeolite-supported heteropolyacids,⁷³ ionic liquid/silica sulfuric acid,⁷⁴ bentonite/PS-SO₃H nanocomposite,⁷⁵ dendrimer-attached phosphotungstic acid immobilized on nanosilica under ultrasonication,⁷⁶ tungsten-

Scheme 1 Schematic preparation of $Fe₃O₄ eSiO₂ - APTS-EDTA–asparagine (1),$ as a heterogeneous nanocatalyst, for the synthesis of 3,4dihydropyrimidin-2(1H)-one 5 derivatives.

Fig. 1 FT-IR spectra of the Fe₃O₄ (a), Fe₃O₄@SiO₂ (b), Fe₃O₄@SiO₂–APTS (c), Fe₃O₄@SiO₂–APTS–EDTA–EDTA–EDTA–EDTA–EDTA– asparagine (1, e).

substituted molybdophosphoric acid impregnated with kaolin,⁵³ zinc- and cadmium-based coordination polymers,⁷⁷ metal-organic frameworks (MOFs),^{78,79} montmorillonite clay,⁸⁰ magnetic nanoparticles, 81 Lewis acidic zirconium(v)-salophen perfluorooctanesulfonate or sulfated polyborate,^{82,83} nanocrystalline CdS thin film,⁵⁹ graphene oxide, $84,85$ and mesoporous materials.86,87 Most of the reported methods in this regard demonstrate valuable role of heterogeneous catalysts. However, these protocols have problems such as complicated and tedious procedures or the use of corrosive as well as toxic reagents for preparation of the catalysts, long reaction times or low yields. Therefore, there is still room to develop more environmentallybenign protocols to promote the Biginelli MCR condensation using catalytic systems associated with new emerging research areas including organocatalysis.^{21,88-92}

In many previous reports, ethylenediaminetetraacetic acid (EDTA) has been used as an ion exchange and chelating agent

for various metal ions,⁹³⁻⁹⁵ but this compound has a good ability as an inexpensive and non-toxic cross-linker to make strong bonds with organic materials having nucleophilic centers.^{96,97} On the other hand, L-asparagine is one of the 20 amino acids found in the cells of the human body and is essential for maintaining balance in the central nervous system.⁹⁸ L-Asparagine can act as a biocompatible precursor and key part of bifunctional organocatalytic systems due to its high natural abundance and cost-effectiveness with acidic and basic sites.^{99,100}

In continuation of our ongoing research toward development of various catalytic systems for green synthesis of different heterocyclic scaffolds,^{40,101-104} we herein report the synthesis and characterizations of new L-asparagine grafted on the 3aminopropyl-modified $Fe₃O₄@SiO₂$ core–shell magnetic nanoparticles using the EDTA linker $(Fe₃O₄@SiO₂-APTS-EDTA$ asparagine), as a magnetically recoverable organocatalyst

Fig. 2 The EDX spectra of the magnetic $Fe₃O₄@SiO₂ - APTS-EDTA–asparagine nanomaterial (1).$

having excellent thermal and magnetic stability, and specific morphology as well as acidic and basic sites with proper geometry,122,123 to promote the Biginelli reaction efficiently under solvent-free conditions at 60 \degree C (Scheme 1).

Results and discussion

Characterization of the $Fe₃O₄(@SiO₂–APTS–EDTA–asparagine$ nanocatalyst (1)

The overall procedure for the synthesis of $Fe₃O₄(@SiO₂–APTS–$ EDTA–asparagine (1) has been summarized in Scheme 1. At first, the obtained magnetic nanoparticles were characterized using different physicochemical techniques such as Fourier transform infrared (FT-IR) spectroscopy, energy-dispersive X-ray (EDX) spectroscopy, field emission scanning electron microscopy (FESEM), transmission electron microscopy (TEM), X-ray

diffraction spectroscopy (XRD), vibrating sample magnetometer (VSM), and thermogravimetric analysis (TGA).

The FT-IR spectroscopy was employed to determine the functional groups and structure of $Fe₃O₄$ (a), $Fe₃O₄$ (a)siO₂ (b), $Fe₃O₄(@SiO₂-APTS (c), Fe₃O₄(@SiO₂-APTS-EDTA (d) and Fe₃-$ O4@SiO2–APTS–EDTA–asparagine (e). The results are presented in Fig. 1. In the spectra of $Fe₃O₄$ nanoparticles (Fig. 1a) the bands displayed at 620 cm⁻¹ and about 3410 cm⁻¹ are attributed to stretching vibration of Fe–O bond and surface hydroxyl groups, respectively. These peaks were observed in all five samples isolated at different synthetic steps. In the FT-IR spectrum of $Fe₃O₄@SiO₂$ (Fig. 1b), the absorption bands at 881 and 1036 cm^{-1} can be ascribed to the presence of Si-O-Si symmetric and Si-O-Si asymmetric stretching modes, reflecting the coating of silica layer on the magnetite nanoparticles.¹⁰⁵ $SP³$ C-H stretching vibrations at about 2922 cm^{-1} confirmed the

Fig. 3 FESEM images of the magnetic $Fe₃O₄$ @SiO₂-APTS–EDTA–asparagine nanocatalyst (1).

Fig. 4 TEM images of the magnetic $Fe₃O₄$ $aSiO₂$ -APTS–EDTA–asparagine nanomaterial (1).

presence of the anchored (3-aminopropyl)triethoxysilane (APTS) group and the band at about 1400 cm^{-1} is assigned to the bending of -NH groups of $Fe₃O₄(@SiO₂-APTS MNPs (Fig. 1c).¹⁰⁶$ In the FT-IR spectrum of $Fe₃O₄(@SiO₂-APTS-EDTA (Fig. 1d), the$ peaks at 1635 cm^{-1} , 1707 cm^{-1} and 1760 cm^{-1} are corresponding to the $C=O$ vibration of amide, acid and anhydride groups, respectively. In the last step, the peak at 1760 $\mathrm{cm}^{-1},$ which belongs to the anhydride group has been removed and new peaks at 1651 cm^{-1} and 1737 cm^{-1} are attributed to the amide and acid groups on the surface of $Fe₃O₄(@SiO₂-APTS-$ EDTA–asparagine (Fig. 1e). These results from the FT-IR spectrum confirm that the silica coating and subsequent steps have been successfully performed on the surface of $Fe₃O₄$.

Compositional analysis of the $Fe₃O₄(@SiO₂-APTS-EDTA$ asparagine magnetic nanocatalyst (1) was carried out using energy-dispersive X-ray spectroscopy (EDX). The EDX spectra of the $Fe₃O₄(@SiO₂–APTS–EDTA–asparagine nanomaterial (1) are$ depicted in Fig. 2. In addition, the EDX analysis showed the well-defined peaks related to C , O , N , Si and Fe in the structure of Fe₃O₄@SiO₂-APTS-EDTA-asparagine (1) with the percentages of 40.32, 36.57, 11.69, 6.34 and 5.08, respectively.

The morphology and texture of $Fe₃O₄(@SiO₂-APTS-EDTA$ asparagine MNPs (1) were indicated by FESEM analysis and their photographs have been presented in Fig. 3. According to these FESEM photographs, the size and shape of nanoparticles are well observed, which proves that the particles are spherical and without agglomeration. The FESEM photographs supported the formation of spherically shaped MNPs, which is in accordance with TEM analysis.

The TEM analysis of the $Fe₃O₄(@SiO₂-APTS-EDTA-aspara$ gine (1) MNPs in two scales is shown in Fig. 4. The TEM images demonstrated the structural order and morphology suggesting

Fig. 5 XRD pattern of the magnetic $Fe₃O₄@SiO₂ - APTS – EDTA – asparagine nanocatalyst (1).$

Fig. 6 VSM pattern of the Fe₃O₄ (red curve) and magnetic Fe₃O₄@-SiO₂-APTS–EDTA–asparagine nanocatalyst (1, green curve).

that the magnetite nanoparticles have an average diameter size of 41 nm.

The XRD pattern of $Fe₃O₄@SiO₂$ -APTS–EDTA–asparagine (1) was shown in Fig. 5. The reflection peaks were compared with the reference standard patterns related to EDTA (card no. JCPDS, 00-033-1672), Fe₃O₄ (card no. JCPDS, 01-072-2303) and Lasparagine (card no. JCPDS, 00-031-1542). The sharp peaks in this pattern are generated by combining several peaks. These new sharp peaks are ascribed to the produced $Fe₃O₄(@SiO₂–)$ APTS-EDTA-asparagine MNPs structures after modification reactions by EDTA and L-asparagine, respectively.

The magnetic properties of MNPs were measured via vibrating sample magnetometry (VSM). The magnetic attributes of Fe₃O₄ and Fe₃O₄@SiO₂-APTS-EDTA-asparagine MNPs (1) were measured out at room temperature by applied magnetic field -1000 to $+1000$ oersted. According to data presented in

Fig. 6, the values of magnetization saturation (Ms) for $Fe₃O₄$ and $Fe₃O₄(@SiO₂-APTS-EDTA-asparagine MNPs (1) are 73.12 and$ 20.84 emu g^{-1} , respectively. Moreover, the VSM curves of both samples exhibit no hysteresis loops and this property demonstrated that no aggregation occurred in the presence of magnetic field. A decrease in the magnetic saturation of the $Fe₃O₄(@SiO₂–)$ APTS–EDTA–asparagine was observed after coating with $SiO₂$ and functionalization with APTS. However, the magnetic saturation of $Fe₃O₄(@SiO₂–APTS–EDTA–asparagine (1) is sufficient to$ be recovered by exerting an external magnet.

Thermal stability of the $Fe₃O₄(@SiO₂-APTS-EDTA-aspara$ gine nanomaterial (1) was investigated under the air atmosphere over the temperature range of $50-800$ °C (Fig. 7). The $Fe₃O₄(@SiO₂-APTS-EDTA-asparagine MNPs (1) display three$ weight loss steps over the temperature range of TGA and the total weight loss of nanocatalyst 1 is around 60%. According to obtained results, in the first step 15% weight loss in the range of 150–200 \degree C is due to the evaporation of adsorbed water and organic solvents that remain in the nanocatalyst through its preparation steps. In addition, 22% weight loss in the range of 200-400 °C corresponds to the loss of EDTA-asparagine moiety. In the last step, the sharp weight loss of 23% at 400–700 $^{\circ}$ C can be assigned to the decomposition of APTS moiety in the MNPs framework. These results also indicate that APTS, EDTA and Lasparagine have been successfully grafted onto the surface of Fe₃O₄@SiO₂. Above 700 °C only Fe₃O₄ was present.

Optimization of conditions in the Biginelli reaction using $Fe₃O₄(@SiO₂–APTS–EDTA–asparagine nanocatalyst (1)$

In our preliminary experiments, the catalytic activity of as prepared catalyst 1 was evaluated in the formation of

Fig. 7 TGA curve of the magnetic $Fe₃O₄@SiO₂ - APTS–EDTA–asparagine nanomaterial (1).$

dihydropyrimidin-2(1H)-one derivatives by the Biginelli condensation. For this purpose, reaction conditions were optimized using the equimolar mixtures of urea (2, 1 mmol), 4 chlorobenzaldehyde (3a, 1 mmol) and ethyl acetoacetate (4a, 1 mmol) as the model reaction. In a systematic screening, the reaction conditions were investigated precisely by considering of several crucial variables such as catalyst loading, reaction time, solvent and reaction temperature, as given in Table 1. Initially, in the absence of any catalyst and solvent, the progress of model reaction was slow and the yield of the 9-(4-chlorophenyl)-3,3,6,6-tetramethyl-3,4,6,7,9,10-hexahydroacridine- $1,8(2H,5H)$ -dione (5a) was trace, even after a long time (Table 1,

Table 1 Optimization of conditions in the model reaction of urea (2), 4-chlorobenzaldehyde (3a), ethyl acetoacetate (4a), under different conditions in the presence of Fe₃O₄@SiO₂-APTS-EDTA-asparagine nanocatalyst (1)^a

 a Reaction conditions: urea (2, 1 mmol), 4-chlorobenzaldehyde (3a, 1 mmol), ethyl acetoacetate (4a, 1 mmol), Fe₃O₄@SiO₂-APTS-EDTA-asparagine (1) and solvent (3 mL, if not otherwise stated). b Isolated yield.</sup>

Fig. 8 Effect of solvent and the amount of $Fe₃O₄$ @SiO₂-APTS-EDTA–asparagine nanocatalyst (1) on the model reaction.

entry 1). Then, in the presence of very low amount of $Fe₃O₄@$ $SiO₂$ –APTS–EDTA–asparagine (1) loading, as a nanocatalyst, a good yield of the desired product 5a was obtained under solvent-free conditions at room temperature (Table 1, entry 2). To investigate the effect of reaction temperature on the yield of desired product, it was increased to 40 and 60 $^{\circ}$ C in next experiments (Table 1, entries 3 and 4). Afterward, the model reaction was performed with lower catalyst 1 loading under solvent-free conditions as well as polar and non-polar solvents. Furthermore, the effect of temperature and different solvents was investigated (Table 1, entries 5–14). Also, the model reactions in the presence of EDTA and asparagine were separately investigated, but lower yields of the desired product 5a were isolated (Table 1, entries 15 and 16). Paper

Consider a constrained on 12 August 2022. The most article is likely the constrained on the state are access are the state and the state are access Article. The state are access Article in Section 2022. The most art

Following the steps of optimizing the reaction conditions, the effect of different solvents and amount of catalyst loadings are summarized in Fig. 8. The model reaction was investigated under solvent-free conditions and different solvents such as EtOH, MeOH, EtOH/H₂O (1 : 1), and DMF using Fe₃O₄@SiO₂-APTS–EDTA–asparagine nanocatalyst (1) with different loading of the catalyst 1. According to the obtained findings summarized in Table 1 and Fig. 8, the optimum reaction conditions were found to be 10 mg of Fe₃O₄@SiO₂-APTS-EDTA-asparagine nanocatalyst (1) loading under solvent-free conditions at 60 $^{\circ}$ C.

After the above experiments, the scope of reaction was expanded by using aromatic aldehydes having electronwithdrawing or electron-donating groups under the optimized conditions. The results are summarized in Table 2. As observed, for this novel magnetic heterogeneous catalytic system the reaction rate of aldehydes with electron-donating groups was generally slower than electron-withdrawing ones and required more time to complete their reaction. An alternative variation in this reaction was accomplished by utilizing methyl acetoacetate (4b) instead of ethyl acetoacetate (4a) for the synthesis of different Biginelli products. It is worth noting that all the reactions afforded very good to excellent yields under solventfree conditions in short reaction times.

The proposed mechanism for the synthesis of 3,4 dihydropyrimidin- $2(1H)$ -one derivatives in the presence of $Fe₃O₄(@SiO₂–APTS–EDTA–asparagine nanocatalyst (1))$

The proposed mechanism based on the three-component strategy for synthesis of 3,4-dihydropyrimidin-2(1H)-one

derivatives catalyzed by the $Fe₃O₄(@SiO₂–APTS–EDTA–aspara$ gine nanocatalyst (1) is presented in Scheme 2. At first, the carbonyl group of aldehyde is activated by the $Fe₃O₄@SiO₂$ APTS–EDTA–asparagine (1) to form the intermediate (II) through condensation through the condensation with urea (2). Afterward, the iminium intermediate (IV) is produced after losing of the H_2O molecule in the presence of the magnetic nanocatalyst. Next, intermediate (IV) reacts with the enol form of alkyl acetoacetate (4) and the corresponding intermediate (V) is generated. Then, intramolecular cyclization occurs which is followed by dehydration of the intermediate (VI). At the end of the catalytic cycle, $3,4$ -dihydropyrimidin-2(1H)-ones produced and the catalyst (1) is recycled.

Green chemistry metrics

In this part of our research, green chemistry metrics for the synthesis of 3,4-dihydropyrimidin-2(1H)-one by the $Fe₃O₄@$ $SiO₂$ –APTS–EDTA–asparagine nanocatalyst (1) were calculated and the results are summarized in Table 3.^{114,115} Hence, several parameters of the green chemistry approach such as environmental factor $(E$ factor), process mass intensity, reaction mass efficiency, carbon efficiency, and atom economy were evaluated and compared to the ideal values.¹¹⁶ As presented in Table 3, all calculated values are close to the ideal values and were reported in ESI.†

Reusability of the $Fe₃O₄(@SiO₂–APTS–EDTA–asparagine)$ nanocatalyst (1)

One of the critical scales in catalytic processes is recyclability and reusability of the catalyst. For evaluation of this parameter, the model reaction was examined using the fresh $Fe₃O₄(@SiO₂–)$ $APTS-EDTA-asparagine (1)$ for five runs. At the end of each run, the catalyst 1 was removed using an external magnet and the recycled catalyst was washed with dry toluene, dried and used in a subsequent model reaction. The obtained results are summarized in Fig. 9. Considering the results of isolated yields of products, the catalytic activity of $Fe₃O₄(@SiO₂-APTS-EDTA$ asparagine nanocatalyst (1) after five runs is slightly reduced, which demonstrates proper conservancy of the catalytic activity after recycling.

Comparative study of the $Fe₃O₄(@SiO₂-APTS-EDTA$ asparagine nanocatalyst (1) and other catalysts for the Biginelli reaction

In order to compare the optimal catalytic activity and reaction conditions of the $Fe₃O₄(@SiO₂–APTS–EDTA–asparagine nano$ catalyst (1) with previously reported catalysts for the threecomponent Biginelli reaction, we compared reaction conditions and yield of the desired product (5a) in Table 4. As it can be observed from data in Table 4, all catalytic systems are capable of producing the desired product in satisfactory yields but $Fe₃O₄(@SiO₂-APTS-EDTA-asparagine nanocatalyst (1) in$ terms of yield and time factors, the reaction temperature, solvent and amount of catalyst loading demonstrates better performance than the other catalysts. Furthermore, additional advantage of this protocol is its easy separation from the crude Table 2 Scope of the synthesis of different 3,4-dihydropyrimidin-2(1H)-one derivatives 5a-t catalyzed by Fe₃O₄@SiO₂-APTS–EDTA–asparagine nanomaterial (1) under the optimized conditions^{a}

Table 2 (Contd.)

Table 2 (Contd.)

 a Reaction conditions: urea (2, 1 mmol), aldehydes (3a-j, 1 mmol), ethyl acetoacetate or methyl acetoacetate (4a-b, 1 mmol) and catalyst (1, 10 mg) under solvent-free conditions at 60 $\mathrm{^{\circ}C}$. $\mathrm{^{\circ}}$ Isolated yield.

reaction mixture by using an external magnet compared to the most of reported heterogeneous catalytic systems.

Experimental

Chemicals and instrumentation

Ferric chloride (FeCl₃ \cdot 6H₂O), ferrous chloride tetrahydrate $(FeCl₂·4H₂O)$, (3-aminopropyl)triethoxysilane (APTS, 99%), tetraethyl orthosilicate (TEOS, 99%), ammonia (25 wt%), EDTA $(MW = 292.24 \text{ g mol}^{-1})$ and L-asparagine $(MW = 132.12 \text{ g})$ mol^{-1}) were purchased from Merck and used without further purification. Urea, ethyl- or methyl acetoacetate and aromatic aldehydes were purchased from international chemical companies including Merck and Sigma-Aldrich. The analytical TLC experiments were accomplished using Merck Kieselgel 60 F-254 Al-plates and then visualized by UV light and iodine vapour. Melting points of the products were measured on an Electrothermal 9100 apparatus and uncorrected. The functional groups of the samples were identified by FT-IR spectroscopy on a PerkinElmer, Frontier FT-MIR spectrometer in the range of 600–4000 cm^{-1} using KBr discs. The morphology of the nanocatalyst was observed by FESEM TESCAN-MIRA3 and TEM Philips EM 208S. TGA curves of the $Fe₃O₄(@SiO₂-APTS-EDTA$ asparagine (1) were recorded by using a Bahr company STA 504 instrument. X-ray diffraction (XRD) pattern of the catalyst 1 was taken by using the Bruker D8 Advance device. The composition of the catalyst was determined by energy-dispersive X-ray (EDX) spectroscopy using a Numerix DXP-X10P instrument. Magnetization measurements were carried out on a BHV-55 vibrating sample magnetometer (VSM). 1 H NMR spectra of the isolated products were recorded at 500 MHz using a Varian-INOVA spectrometer.

General procedure for preparation of the magnetic $Fe₃O₄$ nanoparticles

Preparation of the $Fe₃O₄$ nanoparticles were accomplished according to a reported general method.¹¹⁸ In this procedure, in a 100 mL round-bottomed flask FeCl₃ $6H₂O$ (4.6 g, 0.017 mol) and FeCl₂ $4H_2O$ (2.3 g, 0.011 mol) were dissolved in deionized water (60 mL) and stirred for 30 min. Subsequently, aqueous $NH₃$ (10 mL) was added dropwise into the mixture and heated to 40 $^{\circ}$ C under N_2 atmosphere for 2 h. The black mixture was decanted and Fe3O4 MNPs precipitates were separated from the remaining mixture using an external magnet, washed five times with deionized water and EtOH, and dried in the oven at 50 $\mathrm{^{\circ}C}$ for 24 h.

General procedure for preparation of the silica-coated magnetic nanoparticles ($Fe₃O₄(@SiO₂)$

In accordance to the modified Stöber method, silica-coated $Fe₃O₄$ nanoparticles (Fe₃O₄@SiO₂) were prepared by a solvothermal procedure.¹¹⁹ For this purpose, the Fe₃O₄ MNPs (1.0 g) were dispersed in 30 mL of distilled water and ultrasonicated for 30 min. Then, a mixture of aqueous $NH₃$ (2 mL) and EtOH (40 mL) were added dropwise to the obtained mixture and ultrasonicated for 30 min. Afterward, a mixture of TEOS (2 mL) and EtOH (40 mL) were added slowly to the suspension solution under continuous stirring for 24 h at 60 °C. Eventually, the $Fe₃O₄@SiO₂ core-shell$ MNPs were collected using an external magnet, washed with deionized water and EtOH and dried in an oven at 50 $^{\circ}$ C for 5 h.

Modification of the $Fe₃O₄(@SiO₂ NPs$ by (3-aminopropyl) triethoxysilane (Fe₃O₄@SiO₂-APTS)

The $Fe₃O₄(@SiO₂ core-shell MNPs were modified with (3-ami$ nopropyl)triethoxysilane (APTS) using a typical modified

Scheme 2 The proposed mechanism for the synthesis of 3,4-dihydropyrimidin-2(1H)-one derivatives using ethyl acetoacetate or methyl acetoacetate in the presence of $Fe₃O₄$ @SiO₂-APTS-EDTA-asparagine nanocatalyst (1).

Table 3 Measurement of green chemistry metrics for compound 5a

Entry	Parameters of the green approach	Ideal value	Calculated values
	E factor	0	0.16
2	Atom economy (AE %)	100%	89.1%
3	Carbon efficiency (CE %)	100%	96%
4	Process mass intensity (PMI)	1	1.16
5	Reaction mass efficiency (RME %)	100%	85.5%

method.¹²⁰ Briefly, the Fe₃O₄@SiO₂ NPs (1.0 g) were ultrasonicated in 30 mL dried toluene. Subsequently, (3-aminopropyl)triethoxysilane (APTS, 2.0 mL) was added to the obtained mixture and stirred at 105 \degree C for 24 h. The resulting mixture was allowed to cool down to room temperature and then obtained precipitate was filtered off. After washing with dry toluene, the obtained MNPs were separated and dried at 60 \degree C for 12 h in a vacuum oven to prepare the $Fe₃O₄(@SiO₂-APTS MNPs.$

Preparation of the EDTA functionalized magnetic nanoparticles (Fe₃O₄@SiO₂-APTS-EDTA)

In a round-bottom flask, the magnetic $Fe₃O₄(@SiO₂-APTS NPs)$ (1.0 g) were added to dry toluene (25 mL) and dispersed using ultrasonic for 15 min. Then, EDTA dianhydride (1.0 g) synthesized according to the procedure described by Repo et $al.121$ – and acetic anhydride were added to the mixture and stirred at 80 °C under N_2 atmosphere for 24 h. The obtained

magnetic $Fe₃O₄(@SiO₂–APTS–EDTA NPs$ were washed five times with EtOH followed by drying at 60 \degree C for 6 h in a vacuum oven.

Preparation of the L-asparagine grafted on the EDTA-modified $Fe₃O₄(@SiO₂ core-shell magnetic nanoparticles (Fe₃O₄(@SiO₂–²))$ APTS–EDTA–asparagine, 1)

In the last step, the magnetic $Fe₃O₄(@SiO₂–APTS–EDTA NPs)$ were dispersed in 25 mL of dry toluene and ι -asparagine (1.0 g) was added to the magnetic mixture and stirred under N_2 atmosphere and reflux conditions for 24 h. The magnetic precipitates were separated using an external magnet and washed with EtOH three times. After drying of the obtained precipitates in an oven at 60 \degree C for 3 h, the brown powder of $Fe₃O₄(@SiO₂–APTS–EDTA–asparagine nanocatalyst (1) was$ obtained. RSC Advances

Table 3 Measurement of green chemistry metrics for compound 5a

Entry Parameters of green captures are viewed under the reduction of the temperature on the Licensed under the Commons (ACC)

2. August 2022. U

General procedure for the synthesis of 3,4-dihydropyrimidin- $2(1H)$ -one (5a–t) catalyzed by $Fe₃O₄(@SiO₂-APTS-EDTA$ asparagine nanomaterial (1)

A mixture of urea (2, 1.0 mmol), aromatic aldehyde (3, 1.0 mmol), ethyl or methyl acetoacetate (4a-b, 1.0 mmol) and $Fe₃$ - O_4 @SiO₂–APTS–EDTA–asparagine (1, 10 mg) were heated under solvent-free conditions at 60 \degree C for an appropriate time indicated in Table 2. After completion of the reaction, as monitored by TLC [eluent: n-hexane : EtOAc; 3 : 1], the catalyst was separated using an external magnet and the residue was

Fig. 9 Reusability of the Fe₃O₄@SiO₂–APTS–EDTA–asparagine nanocatalyst (1) for the synthesis of 5a.

concentrated to afford the crude product. Finally, the crude product was recrystallized from EtOH to obtain the pure products 5a–t.

Conclusion

In summary, the novel and thermally stable L-asparagine grafted on the 3-aminopropyl-modified $Fe₃O₄(@SiO₂ core-shell)$ magnetic nanoparticles using the EDTA linker ($Fe₃O₄(@SiO₂–)$ APTS–EDTA–asparagine) was prepared for the first time. The nano-ordered $Fe₃O₄(@SiO₂–APTS–EDTA–asparagine heteroge$ neous multifunctional organocatalyst was used for highly efficient, facile, and green and sustainable synthesis of a wide range of 3,4-dihydropyrimidin-2($1H$)-one derivatives in a onepot and three-component protocol through cyclocondensation of alkyl acetoacetate, urea and various aldehydes under solventfree conditions at 60 °C. Consistency with the ideal values of green chemistry parameters, easy work up procedure, good to excellent yields in short reaction times, fast separation and recyclability of the catalyst are the additional advantages of this new methodology. Paper

Conclusion are respectivel from FiOH to obtain the pure prod.

19. Advanced on 12 August 2022. Downloaded on 12 August 2022. Downloaded under a statement of the Martin August 2022. Downloaded to the Martin August 20

Conflicts of interest

There are no conflicts to declare.

Acknowledgements

We thank The Research Council of Iran University of Science and Technology (IUST), Tehran, Iran (Grant No. 160/20969) for their support. We would also like to acknowledge the support of Iran Nanotechnology Initiative Council (INIC), Iran.

References

- 1 P. T. Anastas and J. B. Zimmerman, Green Chem., 2019, 21, 6545–6566.
- 2 J. H. Clark, in Green and Sustainable Medicinal Chemistry: Methods, Tools and Strategies for the 21st Century Pharmaceutical Industry, The Royal Society of Chemistry, 2016, pp. 1–11, DOI: [10.1039/9781782625940-00001](https://doi.org/10.1039/9781782625940-00001).
- 3 R. A. Sheldon, ACS Sustainable Chem. Eng., 2018, 6, 32–48.
- 4 C.-J. Li and P. T. Anastas, Chem. Soc. Rev., 2012, 41, 1413– 1414.
- 5 H. C. Erythropel, J. B. Zimmerman, T. M. de Winter, L. Petitjean, F. Melnikov, C. H. Lam, A. W. Lounsbury, K. E. Mellor, N. Z. Janković and Q. Tu, Green Chem., 2018, 20, 1929–1961.
- 6 K. N. Ganesh, D. Zhang, S. J. Miller, K. Rossen, P. J. Chirik, M. C. Kozlowski, J. B. Zimmerman, B. W. Brooks, P. E. Savage, D. T. Allen and A. M. Voutchkova-Kostal, Org. Process Res. Dev., 2021, 25, 1455–1459.
- 7 Z. Jin, C. Yan, H. Chu, Q. Huang and Z. Wang, RSC Adv., 2022, 12, 10460–10466.
- 8 R. A. Hernandez R, K. Burchell-Reyes, A. P. C. A. Braga, J. K. Lopez and P. Forgione, RSC Adv., 2022, 12, 6396–6402.
- 9 V. V. Phatake and B. M. Bhanage, Tetrahedron Lett., 2021, 68, 152940.
- 10 M. Bilal, Y. Zhao, T. Rasheed and H. M. Iqbal, Int. J. Biol. Macromol., 2018, 120, 2530–2544.
- 11 M. A. Zolfigol, R. Ayazi-Nasrabadi, S. Baghery, V. Khakyzadeh and S. Azizian, J. Mol. Catal. A: Chem., 2016, 418–419, 54–67.
- 12 V. Gdovinová, N. Tomašovičová, S.-C. Jeng, K. Zakutanská, P. Kula and P. Kopčanský, J. Mol. Liq., 2019, 282, 286-291.
- 13 L. L. Félix, B. Sanz, V. Sebastián, T. Torres, M. H. Sousa, J. Coaquira, M. Ibarra and G. F. Goya, Sci. Rep., 2019, 9, 1–11.
- 14 A. Moghanizadeh, F. Ashrafizadeh, J. Varshosaz and A. Ferreira, Sci. Rep., 2021, 11, 1–13.
- 15 C. Bai, P. Hu, N. Liu, G. Feng, D. Liu, Y. Chen, M. Ma, N. Gu and Y. Zhang, ACS Appl. Nano Mater., 2020, 3, 3585–3595.
- 16 C. Lu, L. Han, J. Wang, J. Wan, G. Song and J. Rao, Chem. Soc. Rev., 2021, 50, 11870–11965.
- 17 K. Yan, P. Li, H. Zhu, Y. Zhou, J. Ding, J. Shen, Z. Li, Z. Xu and P. K. Chu, RSC Adv., 2013, 3, 10598–10618.
- 18 A. S. Garanina, V. A. Naumenko, A. A. Nikitin, E. Myrovali, A. Y. Petukhova, S. V. Klimyuk, Y. A. Nalench, A. R. Ilyasov, S. S. Vodopyanov and A. S. Erofeev, Nanomed. Nanotechnol. Biol. Med., 2020, 25, 102171.
- 19 G. C. Lavorato, R. Das, J. A. Masa, M.-H. Phan and H. Srikanth, Nanoscale Adv., 2021, 3, 867–888.
- 20 Z. Wang, J. Guo, J. Ma and L. Shao, J. Mater. Chem. A, 2015, 3, 19960–19968.
- 21 R. Mrówczyński, A. Nan and J. Liebscher, RSC Adv., 2014, 4, 5927–5952.
- 22 S. Saranya, T. Aneeja, M. Neetha and G. Anilkumar, Appl. Organomet. Chem., 2020, 34, e5991.
- 23 Q. Zhang, X. Yang and J. Guan, ACS Appl. Nano Mater., 2019, 2, 4681–4697.
- 24 M. Ishani, M. G. Dekamin and Z. Alirezvani, J. Colloid Interface Sci., 2018, 521, 232–241.
- 25 S. Karami, M. G. Dekamin, E. Valiey and P. Shakib, New J. Chem., 2020, 44, 13952–13961.
- 26 Z. Alirezvani, M. G. Dekamin and E. Valiey, Sci. Rep., 2019, 9, 17758.
- 27 G. Simonsen, M. Strand and G. Øye, J. Petrol. Sci. Eng., 2018, 165, 488–495.
- 28 K. Zhou, X. Zhou, J. Liu and Z. Huang, J. Petrol. Sci. Eng., 2020, 188, 106943.
- 29 S. P. Yeap, J. Lim, B. S. Ooi and A. L. Ahmad, J. Nanoparticle Res., 2017, 19, 1–15.
- 30 J. Chen, Y. Ren, H. Li, W. Yang, Q. Wu, Y. Zhao, Q. Jiao, Y. Lu and D. Shi, ACS Omega, 2020, 5, 23062–23069.
- 31 H. FaniMoghadam, M. G. Dekamin and N. Rostami, Res. Chem. Intermed., 2022, 48, 3061–3089.
- 32 A. Trifonov, A. Stemmer and R. Tel-Vered, Bioelectrochemistry, 2021, 137, 107640.
- 33 L. M. Martínez-Prieto, J. Marbaix, J. M. Asensio, C. Cerezo-Navarrete, P.-F. Fazzini, K. Soulantica, B. Chaudret and A. Corma, ACS Appl. Nano Mater., 2020, 3, 7076–7087.
- 34 M. Ziegler-Borowska, Int. J. Biol. Macromol., 2019, 136, 106– 114.
- 35 A. Khazaei, M. Khazaei and M. Nasrollahzadeh, Tetrahedron, 2017, 73, 5624–5633.
- 36 E. S. D. T. de Mendonça, A. C. B. de Faria, S. C. L. Dias, F. F. Aragón, J. C. Mantilla, J. A. Coaquira and J. A. Dias, Surface. Interfac., 2019, 14, 34–43.
- 37 Y. H. Gad and A. M. Elbarbary, Appl. Organomet. Chem., 2021, 35, e6258.
- 38 U. K. Sharma, P. Ranjan, E. V. Van der Eycken and S.-L. You, Chem. Soc. Rev., 2020, 49, 8721–8748.
- 39 M. G. Dekamin, M. Eslami and A. Maleki, Tetrahedron, 2013, 69, 1074–1085.
- 40 M. Keshavarz, M. G. Dekamin, M. Mamaghani and M. Nikpassand, Sci. Rep., 2021, 11, 14457.
- 41 N. Rostami, M. G. Dekamin, E. Valiey and H. Fanimoghadam, Sci. Rep., 2022, 12, 8642.
- 42 P. Slobbe, E. Ruijter and R. V. Orru, MedChemComm, 2012, 3, 1189–1218.
- 43 M. R. Khumalo, S. N. Maddila, S. Maddila and S. B. Jonnalagadda, RSC Adv., 2019, 9, 30768–30772.
- 44 H. Ebrahimiasl, D. Azarifar, J. Rakhtshah, H. Keypour and M. Mahmoudabadi, Appl. Organomet. Chem., 2020, 34, e5769.
- 45 M. G. Dekamin, M. Azimoshan and L. Ramezani, Green Chem., 2013, 15, 811–820.
- 46 Z. Alirezvani, M. G. Dekamin and E. Valiey, ACS Omega, 2019, 4, 20618–20633.
- 47 E. Valiey, M. G. Dekamin and Z. Alirezvani, Int. J. Biol. Macromol., 2019, 129, 407–421.
- 48 A. Akbari, M. G. Dekamin, A. Yaghoubi and M. R. Naimi-Jamal, Sci. Rep., 2020, 10, 10646.
- 49 S. E. John, S. Gulati and N. Shankaraiah, Org. Chem. Front., 2021, 8, 4237–4287.
- 50 R. C. Cioc, E. Ruijter and R. V. Orru, Green Chem., 2014, 16, 2958–2975.
- 51 S. Basu, S. Chatterjee, A. Bhaumik and C. Mukhopadhyay, Appl. Organomet. Chem., 2021, 35, e6426.
- 52 A. d. Fátima, T. C. Braga, B. S. Terra and L. d. S. Neto, in Green Synthetic Approaches for Biologically Relevant Heterocycles, ed. G. Brahmachari, Elsevier, 2nd edn, 2021, pp. 253–300.
- 53 D. S. Aher, K. R. Khillare, L. D. Chavan and S. G. Shankarwar, RSC Adv., 2021, 11, 2783–2792.
- 54 N. Kaur, in Metal and Nonmetal Assisted Synthesis of Six-Membered Heterocycles, ed. N. Kaur, Elsevier, 2020, pp. 183–241.
- 55 H. Nagarajaiah, A. Mukhopadhyay and J. N. Moorthy, Tetrahedron Lett., 2016, 57, 5135–5149.
- 56 I. Essid, K. Lahbib, W. Kaminsky, C. B. Nasr and S. Touil, J. Mol. Struct., 2017, 1142, 130–138.
- 57 F.-J. Meng, L. Shi, G.-S. Feng, L. Sun and Y.-G. Zhou, J. Org. Chem., 2019, 84, 4435–4442.
- 58 M. Matias, G. Campos, A. O. Santos, A. Falcão, S. Silvestre and G. Alves, RSC Adv., 2016, 6, 84943–84958.
- 59 K. Venkatapathy, C. Magesh, G. Lavanya, P. Perumal and R. Sathishkumar, New J. Chem., 2019, 43, 10989–11002.
- 60 A. Shaabani, A. Bazgir and F. Teimouri, Tetrahedron Lett., 2003, 44, 857–859.
- 61 A. E. Huseynzada, C. Jelsch, H. N. Akhundzada, S. Soudani, C. B. Nasr, F. Doria, U. A. Hasanova, M. Freccero, Z. Gakhramanova, K. Ganbarov and B. Najafov, J. Mol. Struct., 2021, 1241, 130678.
- 62 J. Chen, D. Wu, F. He, M. Liu, H. Wu, J. Ding and W. Su, Tetrahedron Lett., 2008, 49, 3814–3818.
- 63 S. Khademinia, M. Behzad, A. Alemi, M. Dolatyari and S. M. Sajjadi, RSC Adv., 2015, 5, 71109–71114.
- 64 J. Mabry and B. Ganem, Tetrahedron Lett., 2006, 47, 55–56.
- 65 M. A. Zolfigol, H. Ghaderi, S. Baghery and L. Mohammadi, J. Iran. Chem. Soc., 2017, 14, 121–134.
- 66 A. K. Bose, S. Pednekar, S. N. Ganguly, G. Chakraborty and M. S. Manhas, Tetrahedron Lett., 2004, 45, 8351–8353.
- 67 S. Faizan, B. R. Prashantha Kumar, N. Lalitha Naishima, T. Ashok, A. Justin, M. Vijay Kumar, R. Bistuvalli Chandrashekarappa, N. Manjunathaiah Raghavendra, P. Kabadi and L. Adhikary, Bioorg. Chem., 2021, 117, 105462. **PSC** Advances Articles. Articles. Article and M. Narollahadelth, 6: A. E. Haspanada, C. Jobston, 12 August 2022. Article. Article
	- 68 R. V. Patil, J. U. Chavan, D. S. Dalal, V. S. Shinde and A. G. Beldar, ACS Comb. Sci., 2019, 21, 105–148.
	- 69 L. G. do Nascimento, I. M. Dias, G. B. M. de Souza, L. C. Mourão, M. B. Pereira, J. C. V. Viana, L. M. Lião, G. R. de Oliveira and C. G. Alonso, New J. Chem., 2022, 46, 6091–6102.
	- 70 A. Debache, B. Boumoud, M. Amimour, A. Belfaitah, S. Rhouati and B. Carboni, Tetrahedron Lett., 2006, 47, 5697–5699.
	- 71 P. Madivalappa Davanagere and B. Maiti, ACS Omega, 2021, 6, 26035–26047.
	- 72 B.-J. Yao, W.-X. Wu, L.-G. Ding and Y.-B. Dong, J. Org. Chem., 2021, 86, 3024–3032.
	- 73 E. F. Freitas, R. Y. Souza, S. T. A. Passos, J. A. Dias, S. C. L. Dias and B. A. D. Neto, RSC Adv., 2019, 9, 27125– 27135.
	- 74 A. Shaabani, A. Sarvary, A. Rahmati and A. H. Rezayan, Lett. Org. Chem., 2007, 4, 68–71.
	- 75 R. J. Kalbasi, A. R. Massah and B. Daneshvarnejad, Appl. Clay Sci., 2012, 55, 1–9.
	- 76 J. Safaei-Ghomi, M. Tavazo and G. H. Mahdavinia, Ultrason. Sonochem., 2018, 40, 230–237.
	- 77 G. C. O. Silva, J. R. Correa, M. O. Rodrigues, H. G. O. Alvim, B. C. Guido, C. C. Gatto, K. A. Wanderley, M. Fioramonte, F. C. Gozzo, R. O. M. A. de Souza and B. A. D. Neto, RSC Adv., 2015, 5, 48506–48515.
	- 78 A. Verma, D. De, K. Tomar and P. K. Bharadwaj, Inorg. Chem., 2017, 56, 9765–9771.
	- 79 U. Patel, B. Parmar, P. Patel, A. Dadhania and E. Suresh, Mater. Chem. Front., 2021, 5, 304–314.
	- 80 A. Phukan, S. J. Borah, P. Bordoloi, K. Sharma, B. J. Borah, P. P. Sarmah and D. K. Dutta, Adv. Powder Technol., 2017, 28, 1585–1592.
	- 81 M. Sheykhan, A. Yahyazadeh and L. Ramezani, Mol. Catal., 2017, 435, 166–173.
	- 82 N. Li, Y. Wang, F. Liu, X. Zhao, X. Xu, Q. An and K. Yun, Appl. Organomet. Chem., 2020, 34, e5454.
	- 83 C. K. Khatri, D. S. Rekunge and G. U. Chaturbhuj, New J. Chem., 2016, 40, 10412–10417.
- 84 M. G. Dekamin, F. Mehdipoor and A. Yaghoubi, New J. Chem., 2017, 41, 6893–6901.
- 85 Y. T. Wang, G. M. Tang and Y. S. Wu, Appl. Organomet. Chem., 2020, 34, e5542.
- 86 Z. Nasresfahani and M. Z. Kassaee, Appl. Organomet. Chem., 2018, 32, e4106.
- 87 E. Valiey, M. G. Dekamin and Z. Alirezvani, Sci. Rep., 2021, 11, 11199.
- 88 B. List, Chem. Rev., 2007, 107, 5413–5415.
- 89 D. W. C. MacMillan, Nature, 2008, 455, 304–308.
- 90 P. Kočovský and A. V. Malkov, Tetrahedron, 2006, 62, 255.
- 91 M. P. van der Helm, B. Klemm and R. Eelkema, Nat. Rev. Chem., 2019, 3, 491–508.
- 92 S. Bertelsen and K. A. Jørgensen, Chem. Soc. Rev., 2009, 38, 2178–2189.
- 93 T. Yu, Z. Xue, X. Zhao, W. Chen and T. Mu, New J. Chem., 2018, 42, 16154–16161.
- 94 K. Zhang, Z. Dai, W. Zhang, Q. Gao, Y. Dai, F. Xia and X. Zhang, Coord. Chem. Rev., 2021, 434, 213809.
- 95 N. Danesh, M. Ghorbani and A. Marjani, Sci. Rep., 2021, 11, 1–23.
- 96 F. Zhao, E. Repo, D. Yin, L. Chen, S. Kalliola, J. Tang, E. Iakovleva, K. C. Tam and M. Sillanpää, Sci. Rep., 2017, 7, 1–14.
- 97 E. Valiey and M. G. Dekamin, RSC Adv., 2022, 12, 437–450.
- 98 W. H. Tong, Cancer Chemother. Pharmacol., 2021, 1–2.
- 99 X. Wang, T. Gao, M. Yang, J. Zhao, F.-L. Jiang and Y. Liu, New J. Chem., 2019, 43, 3323–3331.
- 100 G. Saikia, K. Ahmed, C. Rajkhowa, M. Sharma, H. Talukdar and N. S. Islam, New J. Chem., 2019, 43, 17251–17266.
- 101 E. Valiey and M. G. Dekamin, Nanoscale Adv., 2022, 4, 294– 308.
- 102 M. Sam, M. G. Dekamin and Z. Alirezvani, Sci. Rep., 2021, 11, 2399.
- 103 S. Ilkhanizadeh, J. Khalafy and M. G. Dekamin, Int. J. Biol. Macromol., 2019, 140, 605–613.
- 104 N. Etivand, J. Khalafy and M. G. Dekamin, Synthesis, 2020, 52, 1707–1718.
- 105 C. Jin, Y. Wang, H. Wei, H. Tang, X. Liu, T. Lu and J. Wang, J. Mater. Chem. A., 2014, 2, 11202–11208.
- 106 F. An and B. Gao, J. Hazard. Mater., 2007, 145, 495–500.
- 107 S. Kargar, D. Elhamifar and A. Zarnegaryan, J. Phys. Chem. Solids, 2020, 146, 109601.
- 108 E. Abbaspour-Gilandeh, A. Yahyazadeh and M. Aghaei-Hashjin, RSC Adv., 2018, 8, 40243–40251.
- 109 J. Safari and S. Gandomi-Ravandi, New J. Chem., 2014, 38, 3514–3521.
- 110 K. M. Bairagi, K. N. Venugopala, P. K. Mondal, R. M. Gleiser, D. Chopra, D. García, B. Odhav and S. K. Nayak, Chem. Biol. Drug Des., 2018, 92, 1924–1932.
- 111 M. Majellaro, W. Jespers, A. Crespo, M. J. Núñez, S. Novio, J. Azuaje, R. Prieto-Díaz, C. Gioé, B. Alispahic and J. Brea, *J.* Med. Chem., 2020, 64, 458–480.
- 112 R. Esmaeili, L. Kafi-Ahmadi and S. Khademinia, J. Mol. Struct., 2020, 1216, 128124.
- 113 L. G. do Nascimento, I. M. Dias, G. B. Meireles de Souza, I. Dancini-Pontes, N. R. C. Fernandes, P. S. de Souza, G. Roberto de Oliveira and C. G. Alonso, J. Org. Chem., 2020, 85, 11170–11180. Paper

84 M. G. Dekamin, F. Mebilgroot and A. Yaghtouki, New J. 106 F. An and B. Gategre, D. Homeon, 2022. Age, 2022.

66 C. Am., 2020, 34, e55 E. W. N. W., Appl. Orgonomet. Chem, 2021. S. Keregat, D. Homeon, 2021. Age, 20
	- 114 P. J. Dunn, S. Galvin and K. Hettenbach, Green Chem., 2004, 6, 43–48.
	- 115 P. Singh, P. Yadav, A. Mishra and S. K. Awasthi, ACS Omega, 2020, 5, 4223–4232.
	- 116 D. J. Constable, A. D. Curzons and V. L. Cunningham, Green Chem., 2002, 4, 521–527.
	- 117 F. Zamani and E. Izadi, Catal. Commun., 2013, 42, 104–108.
	- 118 B. Wang, Q. Wei and S. Qu, Int. J. Electrochem. Sci., 2013, 8, 3786–3793.
	- 119 W. Stöber, A. Fink and E. Bohn, J. Colloid Interface Sci., 1968, 26, 62–69.
	- 120 M. Jafarzadeh, E. Soleimani, P. Norouzi, R. Adnan and H. Sepahvand, J. Fluorine Chem., 2015, 178, 219–224.
	- 121 E. Repo, T. A. Kurniawan, J. K. Warchol and M. E. Sillanpää, J. Hazard Mater., 2009, 171, 1071–1080.
	- 122 M. G. Dekamin, Z. Karimi and M. Farahmand, Catal. Sci. Technol., 2012, 2, 1375–1381.
	- 123 M. G. Dekamin, S. Sagheb-Asl and M. Reza Naimi-Jamal, Tetrahedron Lett., 2009, 50, 4063–4066.