

CORRECTION

[View Article Online](#)
[View Journal](#) | [View Issue](#)

Cite this: *RSC Adv.*, 2022, 12, 35613

DOI: 10.1039/d2ra90124b

rsc.li/rsc-advances

Correction: Hybrid cellulose nanocrystal/alginate/gelatin scaffold with improved mechanical properties and guided wound healing

Yue Shan, Chaoyue Li, Yongzhi Wu, Qiwen Li and Jinfeng Liao*

Correction for 'Hybrid cellulose nanocrystal/alginate/gelatin scaffold with improved mechanical properties and guided wound healing' by Yue Shan *et al.*, *RSC Adv.*, 2019, 9, 22966–22979, <https://doi.org/10.1039/C9RA04026A>.

The authors regret that incorrect versions of Fig. 7 and 8 were included in the original article. The correct versions of Fig. 7 and 8 are presented below.

An independent expert has viewed the corrected images/data and has concluded that they are consistent with the discussions and conclusions presented.

State Key Laboratory of Oral Diseases, National Clinical Research Centre for Oral Diseases, West China Hospital of Stomatology, Sichuan University, Chengdu, 610041, China.
 E-mail: liaojinfeng.762@163.com






Fig. 7 H&E staining images in control, SA/Ge, and SA/Ge/CNC groups at 7 days and 14 days after surgery. The bar corresponds to 50 μm .






Fig. 8 Masson's trichrome staining images in control, SA/Ge, and SA/Ge/CNC groups at 7 and 14 days after surgery. The bar corresponds to 50 μm .

The Royal Society of Chemistry apologises for these errors and any consequent inconvenience to authors and readers.