

Cite this: *Chem. Sci.*, 2022, 13, 8885 All publication charges for this article have been paid for by the Royal Society of Chemistry

# Engineering living cells with cucurbit[7]uril-based supramolecular polymer chemistry: from cell surface engineering to manipulation of subcellular organelles†

Fang Huang,<sup>ab</sup> Jiaxiong Liu<sup>ab</sup> and Yiliu Liu \*<sup>ab</sup>

Supramolecular polymer chemistry, which closely integrates noncovalent interactions with polymeric structures, is a promising toolbox for living cell engineering. Here, we report our recent progress in exploring the applications of cucurbit[7]uril (CB[7])-based supramolecular polymer chemistry for engineering living cells. First, a modular polymer-analogous approach was established to prepare multifunctional polymers that contain CB[7]-based supramolecular recognition motifs. The supramolecular polymeric systems were successfully applied to cell surface engineering and subcellular organelle manipulation. By anchoring polymers on the cell membranes, cell–cell interactions were established by CB[7]-based host–guest recognition, which further facilitated heterogeneous cell fusion. In addition to cell surface engineering, placing the multifunctional polymers on specific subcellular organelles, including the mitochondria and endoplasmic reticulum, has led to enhanced physical contact between subcellular organelles. It is highly anticipated that the CB[7]-based supramolecular polymer chemistry will provide a new strategy for living cell engineering to advance the development of cell-based therapeutic materials.

Received 19th May 2022

Accepted 4th July 2022

DOI: 10.1039/d2sc02797f

rsc.li/chemical-science

## Introduction

Engineering living cells with synthetic materials is emerging as a powerful strategy for biotechnology innovation.<sup>1–12</sup> Engineered cells with modulated or augmented cellular functions have applications in various fields, ranging from therapeutical agents to living soft materials.<sup>13–19</sup> For example, cell surface engineering modulating communications between the cell and its surrounding environment has led to unique applications such as selective cell-based therapy,<sup>20–22</sup> targeting drug delivery systems,<sup>23–26</sup> universal blood,<sup>27,28</sup> and cell cryopreservation.<sup>29,30</sup> In addition to molecular engineering of cell surfaces, substantial progress has also been made in manipulating the subcellular organelles to regulate cellular functions. Strategies for organelle-targeted intracellular synthesis and *in situ* self-assembly have been established to controllably interfere with cellular behaviors, including cell migration, proliferation, and apoptosis.<sup>31–35</sup>

Synthetic polymers are one of the most popular artificial materials used in living cell engineering, mainly because of their accessibility and structural diversity.<sup>36,37</sup> Nevertheless, the current demand for precision, modularity, and complexity creates further challenges in developing advanced polymeric systems. The emerging application of DNA technology in living cell engineering is an example.<sup>38–42</sup> With programmable sequencing and precise base pairing, delicate DNA nanostructures with high modularity can be controllably constructed inside the cell or on cell surfaces. With the success of DNA systems from a polymer perspective, the integration of specific noncovalent recognition with a structure-controlled polymer is key. As a result, supramolecular polymer chemistry that integrates synthetic polymers with noncovalent interactions may provide new methods for living cell engineering.<sup>43–48</sup>

Cucurbituril-based host–guest recognition has been widely used in constructing supramolecular architectures.<sup>49–52</sup> In particular, cucurbit[7]uril (CB[7]), which has an ultra-strong binding affinity ( $K_a > 10^9$ ) toward specific guests, such as adamantanes or ferrocenes in aqueous solution, retains its high fidelity of guest recognition within complex biological environments.<sup>53–59</sup> Recently, Wang and coworkers demonstrated that CB[7]-based recognition can be used to anchor drug-loading liposomes on macrophages for cell-hitchhiking delivery.<sup>60</sup> In a separate study, they also showed that a multivalent CB[7]-grafted

<sup>a</sup>South China Advanced Institute for Soft Matter Science and Technology, School of Emergent Soft Matter, South China University of Technology, Guangzhou 510640, China. E-mail: liuyiliu@scut.edu.cn

<sup>b</sup>Guangdong Provincial Key Laboratory of Functional and Intelligent Hybrid Materials and Devices, South China University of Technology, Guangzhou 510640, China

† Electronic supplementary information (ESI) available. See <https://doi.org/10.1039/d2sc02797f>



hyaluronic acid can induce mitochondrial aggregation and fusion *via* host-guest coupling.<sup>61</sup> These pioneering works demonstrate that the CB[7]-based host-guest interactions hold great promise in engineering living cells.


Herein, we report our recent progress in exploring the applications of CB[7]-based supramolecular polymer chemistry in living cell engineering (Scheme 1). First, considering that the current CB[7]-decorated polymers are mostly limited to simple polyethylene glycols (PEGs) or naturally derived polymers, we established a polymer-analogous synthetic approach to modularly expand the CB[7]-based supramolecular polymer system. As a result, different polymers with desired functional motifs, including CB[7] or its counterpart guest groups, organelle-targeting ligands, as well as fluorescence probes, were simply synthesized. These polymers were further applied to different applications of living cell engineering. On one hand, polymers with cell membrane anchoring moieties can effectively modify the surfaces of cancer cells and dendritic cells. Cell-cell interactions between dendritic cells and cancer cells were established by the CB[7]-based noncovalent recognition, which further led to heterogeneous cell fusion. On the other hand, specifically targeting subcellular organelles, including the endoplasmic reticulum (ER) and mitochondria (MITO), was achieved by introducing corresponding targeting ligands onto the polymers. Enhanced contact between the ER and MITO was successfully realized by the host-guest recognition between the polymers.

## Results and discussion

### Polymer design and modular synthesis

In our design, the desired polymers were decorated with CB[7] or its counterpart guest group. Adamantane was chosen as the guest group because of its high binding affinity to CB[7]. In addition to the supramolecular recognition pair, targeting ligands were introduced to the polymers for anchoring the polymers at specific cellular locations. For cell surface anchoring, polymeric side chains that contain double hydrophobic alkyl chains (DSPE) were introduced. The hydrophobic alkyl chains can insert into the lipid bilayer of the cell membrane, fixing the polymers to the cell surfaces.<sup>62</sup> For organelle anchoring, two widely used targeting ligands, a *p*-toluenesulfonyl (Tosyl) group and a triphenylphosphonium (TPP) group, were chosen for specific ER and MITO locating, respectively.<sup>63,64</sup> In addition, naphthalimide-based fluorophore (NTI) with green emission and cyanine 5 (Cy5) with red emission were introduced as fluorescence probes to track the location of the polymers using confocal laser scanning microscopy (CLSM). The structures of the designed polymers are shown in Fig. 1.

A polymer-analogous approach was used to synthesize the designed polymer modularly.<sup>65,66</sup> First, precursor polymers containing active ester moieties were synthesized *via* ring-opening metathesis polymerization (ROMP). Precursor polymers with a degree of polymerization of 30 (NB<sub>30</sub>-PF<sub>5</sub>) and 50 (NB<sub>50</sub>-PF<sub>5</sub>) were obtained with a standard ROMP protocol using



Scheme 1 Engineering living cells with cucurbit[7]uril-based supramolecular polymer chemistry.






Fig. 1 The design of the multi-functional polymers toward living cell engineering.

a norbornene monomer with a pentafluorophenyl ester group (Fig. S4 and S5<sup>†</sup>).<sup>67</sup> Because of the high reactivity of the pentafluorophenyl ester groups toward amines, the desired multi-functional polymers were prepared by directly reacting the precursor polymers with varied functional molecules with amino groups. One more step with a copper-catalyzed azide-alkyne cyclo-addition reaction (CuAAC) was required to obtain the CB[7]-containing polymers. As shown in Fig. 2, reacting the precursor polymer NB<sub>50</sub>-PF<sub>5</sub> with the amino-containing molecules 1–4 produces the azide-containing polymer NB<sub>50</sub>-DSPE-N<sub>3</sub>. NB<sub>50</sub>-DSPE-CB[7] was readily obtained with the CuAAC reaction between the azide groups with the alkynyl functionalized CB[7].<sup>68</sup> The polymers were dialyzed and then characterized by <sup>1</sup>H NMR and gel permeation chromatography (GPC). The detailed synthetic procedure and characterization information are in the ESI (Fig. S14–S17 and Table S1<sup>†</sup>). Specifically, NB<sub>50</sub>-DSPE-CB[7] and NB<sub>50</sub>-DSPE-Ada, which contain double alkyl chains for cell membrane insertion, were prepared for cell surface engineering. NB<sub>30</sub>-ERT-CB[7] and NB<sub>30</sub>-TPP-Ada, as well

as their fluorophore-free analogue polymers, NB<sub>30</sub>-ERT-CB[7]-2 and NB<sub>30</sub>-TPP-Ada-2, were used for the manipulation of subcellular organelles (Fig. 1 and Table 1).

### Cell surface engineering toward heterogeneous cell fusion

Dendritic cells (DCs) are the most potent and crucial antigen-presenting cells in the body that can directly capture and process antigens of cancer cells, then present these cancer-specific antigens to immune cells to elicit an immune response against the cancer epitopes.<sup>69</sup> DC fusion vaccines have shown great potential for clinical efficacy. Fusing DCs with inactivated tumor cells enable DCs to obtain all of the antigen information of tumor cells and preserve their native antigen presentation properties.<sup>70</sup> However, homogeneously and heterogeneously fused cells were randomly obtained in the process of fusion, and selectively inducing heterogeneous cell fusion is of great concern when preparing efficient a DCs/tumor fusion vaccine. Selective cell–cell attachment is important for heterogeneous cell fusion.<sup>71</sup> Recently, Teramura and coworkers








Fig. 3 CLSM images of PC-3 and DC 2.4 cells modified with NB<sub>50</sub>-DSPE-CB[7] (green) and NB<sub>50</sub>-DSPE-Ada (red), respectively.

With the successful realization of heterogeneous cell attachments, inducing cell fusion to create hybrid cells was investigated. The conventional PEG approach was applied to induce cell fusion. Briefly, PC-3 cells modified by NB<sub>50</sub>-DSPE-CB

[7] were mixed with equal number of DC 2.4 cells modified by NB<sub>50</sub>-DSPE-Ada. The mixture was shaken for 30 min to allow for sufficient heterogeneous cell attachment. The mixture was then treated with a 50 wt% PEG solution to induce cell fusion.<sup>72</sup> After




Fig. 4 (a) Schematic illustration of the heterogeneous cell-cell attachment. (b) CLSM images and (c) flow cytometry analysis showing the aggregation of PC-3 and DC 2.4 cells by treating with NB<sub>50</sub>-DSPE-CB[7] and NB<sub>50</sub>-DSPE-Ada. (d) The ratio of cell aggregation analyzed by flow cytometry.






Fig. 5 CLSM merged images of heterogeneous cell fusion taken at 0 h and 24 h. PC-3 cells (modified with NB<sub>50</sub>-DSPE-CB[7], green) and DC 2.4 cells (modified with NB<sub>50</sub>-DSPE-Ada, red).

discarding the PEG solution by centrifugation, the cells were resuspended in culture medium and observed by confocal microscopy.

As shown in Fig. 5, distinct assembled cells were observed at the very beginning if the cells were priority modified with NB<sub>50</sub>-DSPE-CB[7] and NB<sub>50</sub>-DSPE-Ada. Mixed red and green fluorescence were distributed both on the cell surfaces and intracellularly (zoom image), indicating successful heterogeneous cell fusion *via* selective cell-cell attachment. In the control sample in which the cells were not modified beforehand by cell surface engineering, cells were mono-dispersed in the solution. In addition, it is mainly manifested as the fusion of homogeneous cells because only red fluorescence was observed on the surface and inside the fused cells. After 24 h of incubation, for the cells modified with polymers, the green fluorescence was uniformly labeled around the periphery of the fused cell membrane, and overlapping red and green fluorescence partially merged to yellow inside the cytoplasm. This phenomenon was consistent with the results of the retention of polymers on the cell surface, where NB<sub>50</sub>-DSPE-CB[7] remained anchored to the cell surfaces even after 24 h. However, most of the NB<sub>50</sub>-DSPE-Ada was internalized into cells within 3 h. In the control sample, only internalized red fluorescence was observed in fused cells. In general, the above results demonstrated that CB[7]-based supramolecular polymer chemistry can effectively induce heterogeneous cell-cell attachment, which offers a feasible approach for the preparation of DC-based fusion cells.<sup>v</sup>

#### Enhancing the contact between the mitochondria and endoplasmic reticulum

The MITO and ER are subcellular organelles that are crucial to maintaining the normal metabolic and biological functions of eukaryotic cells. The communication between the MITO and ER is strongly associated with the special physical contact sites between the two organelles, namely MITO-associated

membranes (MAMs). Such intimate contact allows for the transfer of lipids and ions, as well as cell signaling, between the two subcellular organelles.<sup>74</sup> Disruption of MAMs could directly affect the cellular homeostatic functions, including lipid metabolism, calcium homeostasis, unfolded protein response, ER stress, and MITO bioenergetics, which have been implicated in neurodegenerative diseases,<sup>75</sup> liver diseases,<sup>76</sup> and cancer.<sup>77</sup> The MITO-ER tethering protein-based approach is currently the only means to artificially manipulate MITO-ER contacts. The physical tethering between MITO-ER could be realized by CB[7]-based host-guest recognition. In this study, we explored the possibility of applying CB[7]-based supramolecular polymer chemistry in enhancing the contact of the two subcellular organelles.

To this end, NB<sub>30</sub>-ERT-CB[7] and NB<sub>30</sub>-TPP-Ada, which contain the MITO targeting TPP ligand and ER targeting Tosyl ligand, were used. First, the biocompatibility of polymers was confirmed that no obvious cytotoxicity was detected in PC-3 cells after treatment with NB<sub>30</sub>-ERT-CB[7] or NB<sub>30</sub>-TPP-Ada for 24 h (Fig. S22<sup>†</sup>). The targeting ability of the polymers was then evaluated. After incubation of NB<sub>30</sub>-ERT-CB[7] (green) with PC-3 cells for 8 h, the cells were stained by commercially available ER Tracker Red, Mito-Tracker Red CMXRos and Lyso-Tracker Red dyes. Pearson's colocalization coefficient (PCC) was used to quantify the degree of colocalization. As shown in Fig. 6, the fluorescence of NB<sub>30</sub>-ERT-CB[7] was well matched with that of ER Tracker Red with a PCC of 0.73. In contrast, non-overlapping fluorescence was observed between NB<sub>30</sub>-ERT-CB[7] and Mito-Tracker Red, which displays a negative correlation PCC of -0.29. The fluorescence of NB<sub>30</sub>-ERT-CB[7] was partially overlapped with that of Lyso-Tracker Red and displayed a rather low PCC of 0.45 (Fig. S20<sup>†</sup>). Based on these results, NB<sub>30</sub>-ERT-CB[7] exhibited good ER-targeting capability, although some of the polymers were trapped in lysosomes. Similarly, the MITO targeting ability of the Cy5 labeled NB<sub>30</sub>-TPP-Ada (red) in PC-3 cells






Fig. 6 Colocalization images of NB<sub>30</sub>-ERT-CB[7] and NB<sub>30</sub>-TPP-Ada with MITO and ER. Pearson's colocalization coefficient (PCC) was used to quantify the degree of colocalization.

was demonstrated by co-staining with Mito-Tracker Green, Lyso-Tracker Green, and ER-Tracker Green. A high colocalization between NB<sub>30</sub>-TPP-Ada and MITO was observed, producing a high PCC of 0.80. As expected, there was no clear colocalization fluorescence in the lysosome or ER. The PCC was  $-0.1$  (Fig. S20<sup>†</sup>) and 0.16 for the lysosome and ER, respectively; these low values may be attributed to the lysosome escape capacity of TPP ligands. Overall, by introducing targeting ligands, the polymers show effective and orthogonal locating properties.

Having demonstrated the successful subcellular organelle targeting of the polymers, we further applied the polymers in promoting the physical contact between the ER and MITO. Instead of using fluorophores on the polymers, ER Tracker Red and Mito-Tracker Green staining were used for visualizing the construct distribution of the ER and MITO for better fluorescence tracking of the subcellular organelles. Accordingly, the fluorophore-free polymers NB<sub>30</sub>-ERT-CB[7]-2 and NB<sub>30</sub>-ERT-CB

[7]-2 were used to treat the cells to avoid interference. The PC-3 cells were pretreated with  $200 \mu\text{g mL}^{-1}$  of NB<sub>30</sub>-ERT-CB[7]-2 for 12 h, and subsequently treated with the same concentration of NB<sub>30</sub>-TPP-Ada-2 for another 12 h. As shown in Fig. 7, the ER and MITO fluorescence were distributed separately in the control cells that were not treated with the polymers. However, for the NB<sub>30</sub>-ERT-CB[7]-2 and NB<sub>30</sub>-TPP-Ada-2 treated cells, the green fluorescence of the MITO highly overlapped with the ER red fluorescence. The fluorescence intensity profile of regions of interest (ROI) across cells (Fig. 7b, white dotted lines indicated in the CLSM images) show that green and red peaks fluctuated consistently. Further evidence of the enhanced contact between MITO and ER was provided by transmission electron microscopy (TEM). As shown in Fig. 8, the ER was more tightly twined around the MITO within the polymer-treated cells. The average distance between the outer mitochondrial membrane and ER is approximately 60 nm in the untreated PC-3 cells, while the






Fig. 7 Promoting the contact of MITO and ER. (a) Images of PC-3 cells treated with NB<sub>30</sub>-ERT-CB[7]-2 and NB<sub>30</sub>-TPP-Ada-2, followed by Mito-Tracker Green and ER-Tracker Red staining. (b) The line plot graphs indicate the fluorescence intensity profiles of Mito-Tracker Green and ER-Tracker Red along the white dotted lines in the magnified images.




Fig. 8 TEM images of PC-3 cells without (left) or with (right) the treatment of NB<sub>30</sub>-ERT-CB[7]-2 and NB<sub>30</sub>-TPP-Ada-2. The red arrows reveal the increased contact between the ER and MITO.



physical linkage length between the ER and MITO was reduced to less than 15 nm after treatment with the supramolecular polymer system.

## Conclusions

This work demonstrates the feasibility and potential of CB[7]-based supramolecular polymer chemistry in living cell engineering. Through a polymer-analogous approach, multifunctional polymers that contain CB[7]-based supramolecular recognition motifs were simply synthesized, greatly expanding the types of CB[7]-based supramolecular polymer systems, providing a modular synthetic platform for polymers toward living cell engineering. Manipulation of the interaction between cells or subcellular organelles was successfully realized with the polymers containing CB[7] or an adamantane group, targeting ligands, PEG side chains, and fluorophores. The modulation helps to solve the problem of non-specific fusion in the preparation of tumor vaccines and also provides a promising new treatment paradigm to address diseases associated with dysfunction of the ER-mitochondria contact such as neurodegenerative diseases. We anticipate that this line of research will provide a new strategy of living cell engineering to advance the development of cell-based therapeutic materials.

## Data availability

All experimental data is available within the article and the ESI.†

## Author contributions

F. Huang, J. Liu and Y. Liu conceived and designed the study. F. Huang and J. Liu performed the experiments. F. Huang, J. Liu and Y. Liu analyzed the data. Y. Liu supervised the work. All authors contributed to the finalization of the manuscript.

## Conflicts of interest

The authors declare no competing financial interest.

## Acknowledgements

We gratefully acknowledge the financial support from National Natural Science Foundation of China (21901077), Natural Science Foundation of Guangdong (2016ZT06C322), the Research Fund Program of Guangdong Provincial Key Laboratory of Functional and Intelligent Hybrid Materials and Devices (2019B121203003), and open project of Key Lab of Organic Optoelectronics & Molecular Engineering.

## References

- 1 E. Saxon and C. R. Bertozzi, *Science*, 2000, **287**, 2007–2010.
- 2 C. M. Csizmar, J. R. Petersburg and C. R. Wagner, *Cell Chem. Biol.*, 2018, **25**, 931–940.
- 3 Z. Liu, X. Xu and R. Tang, *Adv. Funct. Mater.*, 2016, **26**, 1862–1880.
- 4 C. W. Shields IV, L. L.-W. Wang, M. A. Evans and S. Mitragotri, *Adv. Mater.*, 2020, **32**, 1901633.
- 5 B. J. Kim, H. Cho, J. H. Park, J. F. Mano and I. S. Choi, *Adv. Mater.*, 2018, **30**, 1706063.
- 6 D. A. Uhlenheuer, K. Petkau and L. Brunsveld, *Chem. Soc. Rev.*, 2010, **39**, 2817–2826.
- 7 J. Brinkmann, E. Cavatorta, S. Sankaran, B. Schmidt, J. van Weerd and P. Jonkheijm, *Chem. Soc. Rev.*, 2014, **43**, 4449–4469.
- 8 K. Petkau and L. Brunsveld, *Org. Biomol. Chem.*, 2013, **11**, 219–232.
- 9 J. Park, B. Andrade, Y. Seo, M.-J. Kim, S. C. Zimmerman and H. Kong, *Chem. Rev.*, 2018, **118**, 1664–1690.
- 10 J. Cao, O. T. Zaremba, Q. Lei, E. Ploetz, S. Wuttke and W. Zhu, *ACS Nano*, 2021, **15**, 3900–3926.
- 11 M. M. Stevens and J. H. George, *Science*, 2005, **310**, 1135–1138.
- 12 A. J. R. Amaral and G. Pasparakis, *Acta Biomater.*, 2019, **90**, 21–36.
- 13 Q. Wang, H. Cheng, H. Peng, H. Zhou, P. Y. Li and R. Langer, *Adv. Drug Delivery Rev.*, 2015, **91**, 125–140.
- 14 J. Lee, I. S. Choi, T. I. Oh and E. Lee, *Chem.–Eur. J.*, 2018, **24**, 15725–15743.
- 15 S. Abbina, E. M. J. Siren, H. Moon and J. N. Kizhakkedathu, *ACS Biomater. Sci. Eng.*, 2018, **4**, 3658–3677.
- 16 P. Q. Nguyen, N.-M. D. Courchesne, A. Duraj-Thatte, P. Praveschotinunt and N. S. Joshi, *Adv. Mater.*, 2018, **30**, 1704847.
- 17 L. Sun, Z. Xiong, F. Shen, Z. Wang and Z. Liu, *Sci. China: Chem.*, 2021, **64**, 719–733.
- 18 X. Liu, M. E. Inda, Y. Lai, T. K. Lu and X. Zhao, *Adv. Mater.*, 2022, 2201326.
- 19 H. Jia, Y. Zhu, Q. Duan and F. Wu, *Chem. Soc. Rev.*, 2021, **50**, 6240–6277.
- 20 X. Xiong, H. Liu, Z. Zhao, M. B. Altman, D. Lopez-Colon, C. Yang, L. J. Chang, C. Liu and W. Tan, *Angew. Chem., Int. Ed.*, 2013, **52**, 1472–1476.
- 21 D. Zhang, Y. Zheng, Z. Lin, X. Liu, J. Li, H. Yang and W. Tan, *Angew. Chem., Int. Ed.*, 2020, **59**, 12022–12028.
- 22 C. Plumet, A. S. Mohamed, T. Venduvre, B. Renoux, J. Clarhaut and S. Papot, *Chem. Sci.*, 2021, **12**, 9017–9021.
- 23 X. Huang, F. Zhang, H. Wang, G. Niu, K. Y. Choi, M. Swierczewska, G. Zhang, H. Gao, Z. Wang, L. Zhu, H. S. Choi, S. Lee and X. Chen, *Biomaterials*, 2013, **34**, 1772–1780.
- 24 T. Liu, C. Gao, D. Gu and H. Tang, *Drug Delivery Transl. Res.*, 2022, DOI: [10.1007/s13346-022-01149-y](https://doi.org/10.1007/s13346-022-01149-y).
- 25 D. Y. Lee, B.-H. Cha, M. Jung, A. S. Kim, D. A. Bull and Y.-W. Won, *J. Biol. Eng.*, 2018, **12**, 28.
- 26 C. Gao, Q. Cheng, J. Wei, C. Sun, S. Lu, C. H. T. Kwong, S. M. Y. Lee, Z. Zhong and R. Wang, *Mater. Today*, 2020, **40**, 9–17.
- 27 B. Wang, G. Wang, B. Zhao, J. Chen, X. Zhang and R. Tang, *Chem. Sci.*, 2014, **5**, 3463–3468.
- 28 Y. Zhao, M. Fan, Y. Chen, Z. Liu, C. Shao, B. Jin, X. Wang, L. Hul, S. Wang, Z. Liao, D. Ling, R. Tang and B. Wang, *Sci. Adv.*, 2020, **6**, eaaw9679.



- 29 J. Huang, J. Guo, L. Zhou, G. Zheng, J. Cao, Z. Li, Z. Zhou, Q. Lei, C. J. Brinker and W. Zhu, *ACS Appl. Bio Mater.*, 2021, **4**, 2996–3014.
- 30 W. Zhu, J. Guo, J. O. Agola, J. G. Croissant, Z. Wang, J. Shang, E. Coker, B. Motevalli, A. Zimpel, S. Wuttke and C. J. Brinker, *J. Am. Chem. Soc.*, 2019, **141**, 7789–7796.
- 31 Q. Zhang, W. Tan and B. Xu, *ChemPlusChem*, 2022, **87**, e202200060.
- 32 X. Sun, Y. Dong, Y. Liu, N. Song, F. Li and D. Yang, *Sci. China: Chem.*, 2021, **65**, 31–47.
- 33 A. N. Shy, B. J. Kim and B. Xu, *Matter*, 2019, **1**, 1127–1147.
- 34 J. Liu and B. Liu, *Prog. Polym. Sci.*, 2022, **129**, 101545.
- 35 Y. Dai, T. Li, Z. Zhang, Y. Tan, S. Pan, L. Zhang and H. Xu, *J. Am. Chem. Soc.*, 2021, **143**, 10709–10717.
- 36 Y. Teramura and H. Iwata, *Soft Matter*, 2010, **6**, 1081–1091.
- 37 M. C. Arno, *Macromol. Rapid Commun.*, 2020, **41**, 2000302.
- 38 P. Shi and Y. Wang, *Angew. Chem., Int. Ed.*, 2021, **60**, 11580–11591.
- 39 Z. He, Q. Chen, F. Chen, J. Zhang, H. Li and J.-M. Lin, *Chem. Sci.*, 2016, **7**, 5448–5452.
- 40 Z. Guo, L. Zhang, Q. Yang, R. Peng, X. Yuan, L. Xu, Z. Wang, F. Chen, H. Huang, Q. Liu and W. Tan, *Angew. Chem., Int. Ed.*, 2022, **61**, e202111151.
- 41 F. Li, Y. Liu, Y. Dong, Y. Chu, N. Song and D. Yang, *J. Am. Chem. Soc.*, 2022, **144**, 4667–4677.
- 42 X. Guo, F. Li, C. Liu, Y. Zhu, N. Xiao, Z. Gu, D. Luo, J. Jiang and D. Yang, *Angew. Chem., Int. Ed.*, 2020, **59**, 20651–20658.
- 43 T. Aida, E. W. Meijer and S. I. Stupp, *Science*, 2012, **335**, 813–817.
- 44 K. Petkau-Milroy, M. H. Sonntag and L. Brunsveld, *Chem.–Eur. J.*, 2013, **19**, 10786–10793.
- 45 B. Qin, Z. Yin, X. Tang, S. Zhang, Y. Wu, J. Xu and X. Zhang, *Prog. Polym. Sci.*, 2020, **100**, 101167.
- 46 P. Shi, E. Ju, J. Wang, Z. Yan, J. Ren and X. Qu, *Mater. Today*, 2017, **20**, 16–21.
- 47 Y. Gu, B. Liu, Q. Liu, Y. Hang, L. Wang, J. L. Brash, G. Chen and H. Chen, *ACS Appl. Mater. Interfaces*, 2019, **11**, 47720–47729.
- 48 G. Morgese, B. F. M. de Waal, S. V. Aramburu, A. R. A. palmans, L. Albertazzi and E. W. Meijer, *Angew. Chem., Int. Ed.*, 2020, **59**, 17229–17233.
- 49 J. Lagona, P. Mukhopadhyay, S. Chakrabarti and L. Isaacs, *Angew. Chem., Int. Ed.*, 2005, **44**, 4844–4870.
- 50 K. Kim, N. Selvapalam, Y. H. Ko, K. M. Park, D. Kim and J. Kim, *Chem. Soc. Rev.*, 2007, **36**, 267–279.
- 51 E. Masson, X. Ling, R. Joseph, L. K. Mensah and X. Lu, *RSC Adv.*, 2012, **2**, 1213–1247.
- 52 S. J. Barrow, S. Kaser, M. J. Rowland, J. del Barrio and O. A. Scherman, *Chem. Rev.*, 2015, **115**, 12320–12406.
- 53 Y. Liu, Y. Zhang, H. Yu and Y. Liu, *Angew. Chem., Int. Ed.*, 2021, **60**, 3870–3880.
- 54 K. M. Park, J. Murray and K. Kim, *Acc. Chem. Res.*, 2017, **50**, 644–646.
- 55 P. Neirynek, J. Brinkmann, Q. An, D. W. J. van der Schaft, L.-G. Milroy, P. Jonkheijm and L. Brunsveld, *Chem. Commun.*, 2013, **49**, 3679–3681.
- 56 K. L. Kim, G. Sung, J. Sim, J. Murray, M. Li, A. Lee, A. Shrinidhi, K. M. Park and K. Kim, *Nat. Commun.*, 2018, **9**, 1712.
- 57 H. Wang, Y. Yan, Y. Yi, Z. Wei, H. Chen, J. Xu, H. Wang, Y. Zhao and X. Zhang, *CCS Chem.*, 2020, **2**, 739–748.
- 58 H. Wang, H. Wu, Y. Yi, K. Xue, J. Xu, H. Wang, Y. Zhao and X. Zhang, *CCS Chem.*, 2021, **3**, 1413–1425.
- 59 H. Wu, H. Chen, B. Tang, Y. Kang, J. Xu and X. Zhang, *Langmuir*, 2020, **36**, 1235–1240.
- 60 C. Gao, Q. Cheng, J. Li, J. Chen, Q. Wang, J. Wei, Q. Huang, S. M. Lee, D. Gu and R. Wang, *Adv. Funct. Mater.*, 2021, **31**, 2102440.
- 61 C. Sun, Z. Wang, L. Yue, Q. Huang, Q. Cheng and R. Wang, *J. Am. Chem. Soc.*, 2020, **142**, 16523–16527.
- 62 D. C. Church and J. K. Pokorski, *Angew. Chem., Int. Ed.*, 2020, **59**, 11379–11383.
- 63 J. Zielonka, J. Joseph, A. Sikora, M. Hardy, O. Ouari, J. Vasquez-Vivar, G. Cheng, M. Lopez and B. Kalyanaraman, *Chem. Rev.*, 2017, **117**, 10043–10120.
- 64 H. Deng, Z. Zhou, W. Yang, L.-s. Lin, S. Wang, G. Niu, J. Song and X. Chen, *Nano Lett.*, 2020, **20**, 1928–1933.
- 65 A. Das and P. Theato, *Chem. Rev.*, 2016, **116**, 1434–1495.
- 66 X. Yang, Q. Ji, J. Liu and Y. Liu, *CCS Chem.*, 2022, DOI: [10.31635/ccschem.022.202201936](https://doi.org/10.31635/ccschem.022.202201936).
- 67 K. Zhang, M. A. Lackey, Y. Wu and G. N. Tew, *J. Am. Chem. Soc.*, 2011, **133**, 6906–6909.
- 68 H. Chen, Z. Huang, H. Wu, J. Xu and X. Zhang, *Angew. Chem., Int. Ed.*, 2017, **56**, 16575–16578.
- 69 S. K. Wculek, F. J. Cueto, A. M. Mujal, I. Melero, M. F. Krummel and D. Sancho, *Nat. Rev. Immunol.*, 2020, **20**, 7–24.
- 70 D. Galati and S. Zanotta, *Cytotherapy*, 2018, **20**, 1309–1323.
- 71 A. Bahadori, L. B. Oddershede and P. M. Bendix, *Nano Res.*, 2017, **10**, 2034–2045.
- 72 A. Yoshihara, S. Watanabe, I. Goel, K. Ishihara, K. N. Ekdahl, B. Nilsson and Y. Teramura, *Biomaterials*, 2020, **253**, 120113.
- 73 T. Osaka, T. Nakanishi, S. Shanmugam, S. Takahama and H. Zhang, *Colloids Surf., B*, 2009, **71**, 325–330.
- 74 M. A. Carpio, R. E. Means, A. L. Brill, A. Sainz, B. E. Ehrlich and S. G. Katz, *Cell Rep.*, 2021, **34**, 108827.
- 75 S. Lee, W. Wang, J. Hwang, U. Namgung and K.-T. Min, *Proc. Natl. Acad. Sci. U. S. A.*, 2019, **116**, 16074–16079.
- 76 M. I. Hernández-Alvarez, D. Sebastián, S. Vives, S. Ivanova, P. Bartoccioni, P. Kakimoto, N. Plana, S. R. Veiga, V. Hernández and N. Vasconcelos, *Cell*, 2019, **177**, 881–895, e817.
- 77 M. Xia, Y. Zhang, K. Jin, Z. Lu, Z. Zeng and W. Xiong, *Cell Biosci.*, 2019, **9**, 1–19.

