Materials Advances

REVIEW



Cite this: *Mater. Adv.*, 2023, 4, 6118

Received 30th June 2023, Accepted 26th October 2023 DOI: 10.1039/d3ma00341h

rsc.li/materials-advances

1. Introduction

Cancer occurs due to genetic or epigenetic dysregulation, causing uncontrolled growth of malignant cells that invade other body parts.¹ This nature makes cancer the top cause of death globally, with nearly 10 million deaths in 2020 and a projected 13.1 million deaths in 2030.^{2–6} In 2022, it was projected that China and USA would experience 3 210 000 and 640 000 cancer-related deaths, respectively.⁷ Despite efforts to address complications from unsuccessful treatments, a comprehensive cancer cure remains elusive, barring certain promising results.^{8–11} Late-stage frontline treatment options for cancer encompass surgery,^{12,13} chemotherapy,^{14,15} radiotherapy,^{16,17} immunotherapy,^{18,19} theragnostic (diagnosis and therapeutics

^a Graduate Institute of Applied Science and Technology, National Taiwan University of Science and Technology, Taipei 106, Taiwan, Republic of China. E-mail: h.c.tsai@mail.ntust.edu.tw

Role of thermal and reactive oxygen speciesresponsive synthetic hydrogels in localized cancer treatment (bibliometric analysis and review)

Yohannis Wondwosen Ahmed,^a Hsieh-Chih Tsai, ^b*^{abf} Tsung-Yun Wu,^a Haile Fentahun Darge^a and Yu-Shuan Chen*^{cde}

Cancer is a major pharmaceutical challenge that necessitates improved care. Modern anti-cancer drugs require well-designed carriers to deliver and release them at the intended location. Hydrogel delivery systems are efficient and therapeutically beneficial *in situ* anti-cancer drug delivery platforms. Hydrogels exhibit excellent biocompatibility, biodegradation pathways, and minimal immunogenicity. Their stimuli-responsive characteristics, such as thermo-response and reactive oxygen species (ROS)-response, make hydrogels ideal for sustained local drug delivery and controlled drug release. Recently, synthetically manufactured thermal and ROS-responsive smart hydrogels enhance treatment efficacy by minimizing toxicities associated with non-carrier-mediated anti-cancer drug delivery. In this review, we discuss synthetically manufactured thermal (poly(*N*-isopropyl acrylamide) (PNIPAM), Pluronic, and polyethylene glycol (PEG)) and ROS-responsive copolymer hydrogels and their application in local anti-cancer drug delivery. We also addressed an extensive bibliometric analysis of the keyword "hydrogels for cancer treatment" to generate the country, source, documents, and author-based rankings maps.

combined)^{20,21} and gene therapy.^{22,23} Conventional delivery methods for these treatments demand high dosages to achieve therapeutic effects, potentially leading to toxicity and decreased patient compliance.^{24,25} According to recent studies, traditional chemotherapy has contributed to low therapeutic indices, multiple drug resistance, poor absorption, and nonspecific targeting.^{6,26} For instance, preoperative and postoperative neoadjuvant chemotherapy with doxorubicin (DOX) and anthracycline, lacking a delivery mechanism, induces cardiac side effects and adverse reactions in patients with breast cancer.²⁷ These drawbacks have spurred the development of smart drug delivery systems like hydrogels, nano-vesicles, liposomes, and microneedles for controlled local release.^{28,29} Lately, hydrogel delivery systems have gained attention due to their ability to minimize toxic drug effects while demonstrating excellent controlled release and biodegradability.30 Moreover, stimuliresponsive hydrogels for local cancer drug delivery have enhanced the efficacy of cancer treatment modalities^{6,31,32} owing to their body mimicking and extended drug release capacity in the local area of cancer cells.33-36 Rather than local delivery, stimuli-responsive hydrogels can also be synthesized with surface-decorating molecules like aptamers to target receptors or proteins highly expressed by cancer cells,^{37,38} reducing the side effects linked to untargeted systemic delivery.³⁹⁻⁴² Hence, smart hydrogels of synthetic origin are suitable for local drug delivery due to their easily modifiable architecture.43



View Article Online View Journal | View Issue

^b Advanced Membrane Material Center, National Taiwan University of Science and Technology, Taipei 106, Taiwan, Republic of China

^c Bio Innovation Center, Buddhist Tzu Chi Medical Foundation, Taiwan, Republic of China. E-mail: yushuanchenxie@gmail.com

^d Department of Medical Research, Hualien Tzu Chi Hospital, Buddhist Tzu Chi Medical Foundation, Hualien, Taiwan, Republic of China

^e Tzu Chi University of Science and Technology, Taiwan, Republic of China

^f R&D Center for Membrane Technology, Chung Yuan Christian University, Chungli, Taoyuan 320, Taiwan, Republic of China

Dr Hsieh-Chih Tsai currently serves

as a Professor and Chairman at the

National Taiwan University of Sci-

ence and Technology (Taiwan Tech).

Additionally, he holds the position

of Director at the Advanced

Membrane Materials Center at

Taiwan Tech. Dr Tsai is recognized

for his substantial contributions to

the field, having authored more

than 160 papers in the synthesis of

functional polymers and the

and

Institute of Applied

Technology

at

Therefore, here we examine drug delivery applications of synthetic thermally sensitive (such as PNIPAM, Pluronic, and PEG) and ROS-responsive hydrogels, particularly in cancer treatment. We chose these two stimuli-responsive hydrogels based on their suitability for use in the body's physiological conditions.⁴⁴⁻⁴⁶ Furthermore, we aim to focus on synthetic-

Graduate

Science



Yohannis Wondwosen Ahmed

Yohannis Wondwosen Ahmed. MSc, is a faculty member at Addis Ababa University, College of Health Sciences, Department of Medical Biochemistry. He served as a lecturer of Medical Biochemistry for medical and health science students. He obtained his BSc degree in Applied Chemistry from Ambo University and earned his MSc degree in Biochemistry from Mysore University in 2010 and 2014, respectively. Since February 2022, he has been pursuing his PhD at the National Taiwan

Tsung-Yun Wu is a PhD candidate

at the Graduate Institute of Applied

Science and Technology at the

National Taiwan University of

Science and Technology (Taiwan

Tech). He holds a Bachelor of

Science degree in chemical engine-

ering from the National Taiwan

Technology, awarded in 2019, and

a Master of Science degree in

of

Science

and

and

Techno-

University of Science and Technology (Taiwan Tech) in the Department of Graduate Institute of Applied Science and Technology, under the guidance of Professor Hseih-Chih Tsai and Dr Yu Suhan Chen. His research is centered on the development of thermal-sensitive Pluronic F-127-based hydrogels for localized and controlled delivery of anti-cancer drugs.



Hsieh-Chih Tsai

fabrication of polymer nanocomposites for applications in drug delivery, biomedical devices, bio-contrast agents, and membrane technology (H-index 32 from Scopus).



Tsung-Yun Wu logy, which he received in 2022. His research interests primarily encompass the fields of chemical engineering and polymer modification. Currently, he is conducting research with a specific focus on the modification of Pluronic F127 for drug delivery applications.

University

Applied Science



Haile Fentahun Darge

Haile Fentahun Darge (PhD), a faculty member of Bahir Dar University, was working as a lecturer of medical physiology for medical and health science students. He received his BSc degree in applied Biology from Arba Minch University, and MSc degree in Medicinal Physiology from Addis Ababa University, in 2008 and 2014, respectively. Darge completed his PhD in 2020 at the National Taiwan University of Science and Technology (Taiwan

Tech) in the Department of Graduate Institute of Applied Science and Technology. His research work focused on the preparation of polymeric biomaterials (injectable smart hydrogels and nanocarriers, microspheres and microneedles) for controlled drug delivery in cancer treatment, wound dressing, and for 3D cell culturing. From Jan 2021-April 2023, he was working as a project assigned postdoctoral research fellow in Prof. Hsieh-Chih Tsai's lab, Taiwan Tech. Currently, he is a postdoctoral research fellow at Center of Ocular Research and Education (CORE), University of Waterloo and his research work is focusing on developing biomaterials for ocular drug delivery and in vitro eye models using 3D printing technology. He has authored 33+ peer-reviewed research articles in the area of drug delivery for cancer treatment.

based copolymers due to technological advancements that require a comprehensive understanding of the synthetic materials employed in designing and developing hydrogels for cancer therapy. We also assessed in-depth bibliometric analysis of the term "Hydrogels as drug carriers for cancer treatment" for a variety of purposes. (1) To analyze the frequency and distribution of publication in the area allowing gaining insights into how research in this field has evolved. (2) To map the research landscape by identifying key authors, institutions, and countries contributing to the literature, which allows where expertise lies and potential collaborations. (3) To assess the impact of research by looking at citation counts and the effect of specific papers, understanding which studies have had a significant impact on the field. (4) To identify research gaps in the area that may present opportunities for new studies and (5)to quantify the research outputs regarding hydrogels in cancer treatment.47

1.1. Properties of hydrogels and their general classification

Hydrogels can be designed using nano-, micro-, and macro-sized structural polymers to effectively deliver medications targeting cancer cells.^{33,48,49} Their soft and rubbery nature allows them to align with living tissues. Additionally, hydrogels have an insoluble and highly hydrophilic 3D network of polymers synthesized from natural or synthetic materials, offering high flexibility due to their water content.^{50–52} However, the retaining capacity of hydrogels is not limited to water; they can also hold solutions of hydrophilic and hydrophobic drugs.^{53–56} The fluid retention capabilities are intricately tied to their swelling and deswelling properties, as illustrated in Fig. 1A.^{57,58} Swelling involves the absorption of a liquid through the 3D networks of the hydrogel, loading the material.^{59,60} Deswelling, triggered by surrounding physicochemical changes, causes hydrogel shrinkage or network opening, releasing the loaded drug.55,61 Swelling mechanisms involve a three-step process, including the hydrophilic and hydrophobic components of the hydrogel.^{62,63} Primary-bound water forms initially through the hydration of the hydrogel's hydrophilic moiety, followed by secondary-bound water



Yu-Shuan Chen

Dr Yu-Shuan Chen is a research assistant at Tzu Chi Medical Foundation, with a PhD in Chemical Engineering from National Tsing Hua University in Taiwan. Her expertise is in applying materials effectively to biotechnology, particularly in the field of neuroscience therapy and drug delivery. She work on improving treatments for brain cancer and cerebellar atrophy, using various biomedical materials and delivery methods. Her goal is to

bridge materials science and healthcare to make a positive impact on patients' lives.

generation due to the interaction between the hydrophobic moiety and primary-bound water. Unbound water or drug solutions can penetrate the spaces between network meshes, utilizing the osmotic driving force resistance provided by the physical and chemical crosslinks of the networks.^{64,65} The crosslinking structure of hydrogels (hydrophobic) is critical in preventing the disintegration of the hydrogel structure during swelling.65 In the absence of a crosslinker structure, the hydrophilic linear chain structure of the hydrogel dissolves due to its polymer chain and its affinity for water.^{65–67} The water solubility of these hydrophilic chains is attributed to the presence of hydrophilic groups containing electronegative elements (N and O) in their structure. Chemical cross linkers create strong links, resulting in a solubility imbalance caused by the elastic retractive force at the crosslinking points in their network. Solubility reaches equilibrium and swelling peaks when retraction and elasticity forces balance.⁶⁵ Chemical cross-linking is a versatile method for producing hydrogels with enhanced mechanical strength and stability. This increased strength is a result of covalent bonding initiated by chemical linkers, including photo polymerization and enzyme-mediated crosslinking (Fig. 1B).68 However, chemical crosslinkers can introduce toxicity associated with hydrogel use.⁶⁹ To address this issue, new physical crosslink production methods for hydrogels have been developed, offering reduced toxicity but lower mechanical strength than chemical crosslinkers.⁷⁰ Recent physical crosslinking techniques for hydrogels include hydrogen (H) bonding, van der Waals interactions, hydrophobic interactions, ionic interactions, π - π stacking, and stereo complexation (Fig. 1B).^{71,72} When selecting chemical linkers, using low-molecular-weight crosslinkers with the polymer during synthesis via mixing is preferable.⁷² Additionally, hydrogels have emerged as leading drug carriers for localized and controlled regional cancer treatments due to their high environmental sensitivity, ionic conductivity, permeability, stimuliresponsive potential, and low immunogenicity.73,74 Among these properties, hydrogels are particularly effective for controlled drug release because they intelligently respond to environmental changes.75,76

Besides their application in drug delivery, hydrogels hold significant potential for use in various biomedical fields, including tissue engineering,^{78–80} implantation,^{81,82} regeneration,^{83–85} wound dressing,^{86–88} cartilage filler,^{89,90} contact lens manufacturing,^{50,91} injectable fillers in minimally invasive surgeries⁹² and, the synthesis of artificial blood vessels.^{93,94}

Hydrogels can be categorized into various types (Fig. 2).⁹⁵ Based on the origin of the synthesized materials, they can be classified as natural, synthetic, or hybrid.^{96,97} Depending on their polymeric composition, hydrogels can be organized into homopolymer, copolymer, and semi-interpenetrating networks.⁶⁵ Hydrogels can be classified as amorphous, crystalline, or semi-crystalline based on their configuration or structure.⁹⁸ Hydrogels can be smart or conventional depending on their responsiveness to stimuli.⁹⁹ They are also classified as durable, degradable, or biodegradable.¹⁰⁰ Based on their net ionic charge, hydrogels can be classified as cationic, anionic, neutral or ampholytic.^{65,101}





Commonly used naturally derived hydrogels include cellulose, chitosan, alginate, xyloglucan, agarose, and elastin/protein.^{92,95,102–104} They are naturally and biochemically compatible with human tissues. However, they exhibit low mechanical strength, challenges in accurate drug formulation and loading, and immunogenic risks.^{105,106} Popular synthetic hydrogel polymers, synthesized by blending monomers, include PEG, PEO, polyvinyl alcohol, peptides, and DNA.^{107–109} Unlike naturally derived hydrogels, synthetic polymers display high water absorption capacity, well-organized structure, and smart stimuli responsiveness. Furthermore, the properties of synthetic hydrogels, such as mechanical, diffusive, and loading capacities, can be fine-tuned to design drug carriers.¹¹⁰ Consequently, synthetic hydrogels outperform natural hydrogels in pharmacological applications.¹¹¹

2. Bibliometric analysis of hydrogels as drug carriers for cancer treatment

We examined a bibliometric information about "drug carrier hydrogels for cancer treatment" using VOS viewer (version

1.6.18, Liden University Center for Science and Technology). Scopus sources were gathered through keyword searches. The software could provide mapping tools for the analyzed data, focusing on application of hydrogels.^{112,113} Our analysis incorporated bibliometric coupling (countries (Fig. 3A), sources (Fig. 3B), documents (Fig. 3C), and authors (3D)), co-occurrence (index key words (Fig. 3D)), co-authorship (countries (Fig. 3E) and authors (Fig. 3F)), citation (countries (Fig. 3G), sources (Fig. 3H), and authors (Fig. 3I)), and co-citation (cited sources (Fig. 3J) and cited authors (Fig. 3K)). Furthermore, we looked at each measurement's bibliometric ranking to its total link strength (TLS).

2.1. Bibliometric coupling

Bibliometric coupling can use to ascertain whether the analyzed articles cite one or more documents in common or not. Fig. 3A displays the bibliometric-coupling map of top 17 countries in 3 clusters, selected from 50 countries, based on meeting threshold of minimum 5 documents of a country and 25 maximum countries per document. Accordingly, the five top bibliometric coupled countries are the USA (62 documents,



Fig. 2 Schematic view of general classification of hydrogels.

5050 citations, and 5323 TLS), China (87 documents, 2628 citations, and 4062 TLS), Italy (10 documents, 175 citations, and 3263 TLS), Iran (15 documents, 188 citations, and 3094 TLS), and Belgium (5 documents, 193 citations, and 3024 TLS), respectively. Fig. 3B shows a bibliometric-coupling map of 10 sources selected from 146 based on meeting a minimum threshold of 5 documents and 0 citations. The 5 top bibliometrically coupled sources are the Journal of controlled release (13 documents, 756 citations, and 117 TLS), the International Journal of Pharmaceutics (12 documents, 261 citations, and 116 TLS), Biomaterials Science (10 documents, 129 citations, and 102 TLS), Biomaterials (10 documents, 775 citations, and 85 TLS), and Pharmaceutics (7 documents, 266 citations and 58 TLS), respectively. We also analyzed the bibliometric coupling of 282 documents (Fig. 3C) met the criteria of a minimum 0 citations and five maximum authors per document. The 5 top bibliometric coupled documents are Riley R. S. (2019) (1108 citations and 101 TLS), Song R. (2018) (470 citations and 34 TLS), Bidarra S. J. (2014) (378 citations and 533 TLS), Conde J. (2016) (347 citations and 12 TLS), and Venditto V. J. (2010) (323 citations and 24 TLS), respectively. Finally, we analyzed the bibliometric coupling of authors, and Fig. 3D presents the bibliometric coupling of top 14 authors qualified a threshold of five minimum documents of an author and 25 maximum number of authors per document. Accordingly, the top 5 bibliometric coupled authors are Wang Y. (6 documents, 81 citations, and 938 TLS), Xu X. (5 documents, 165, and 912 TLS), Zhang H. (5 documents, 133 citations, and 885 TLS), Li W. (5 documents, 223 citations, and 697 TLS), and Chen X. (6 documents, 260 citations, and 390 TLS), respectively.

2.2. Co-occurrence analysis

We conducted an index keyword co-occurrence analysis to identify areas of interest within the hydrogels field.¹¹⁴

First, we analyzed the relatedness of items based on the number of items cited by each other. Fig. 3E presents an index keyword co-occurrence of 422 keywords selected from 4323, based on meeting a minimum threshold of five keyword occurrences. The five most frequently occurring index keywords are hydrogel (195 times, TLS = 6132), drug delivery systems (174 times, TLS = 5344), Chemistry (85 times, TLS = 3069), controlled study (80 times, TLS = 2897), and drug delivery systems (89 times, TLS = 2897). The four colors of the clusters observed in the analysis represent various areas identified after filtering using the VOS viewer software. The investigation shows that the most popular and recent application of hydrogels is drug delivery, dominated by cancer therapy.

2.3. Co-authorship analysis

Co-authorship analysis based on citations helps to identify highly cited authors, particularly those within the same research area.¹¹⁵ We analyzed co-authorship among countries and authors, focusing on hydrogels anti-cancer drug delivery applications. Fig. 3F presents co-authorship of 17 countries selected from 50 based on meeting a threshold of five minimum documents of a country, 25 maximum countries per document, and zero minimum citations. The top five coauthored countries are China (87 documents, 2628 citations, and 25 TLS), USA (62 documents, 5065 citations, and 24 TLS), Iran (10 documents, 188 citations, and 14 TLS), Italy (10 documents, 175 citations, and 14 TLS), and Canada (11 documents, 183 citations, and 11 TLS). To perform co-authorship analysis based on authors, we limited our analysis to a maximum of 25 authors per document, five minimum documents of an author, and zero minimum citations of an author. Out of the 1403 selected authors, 14 met these criteria. We analyzed each author's total co-authorship link strength with other authors and identified those with the strongest links. The top 5 highly co-authorship authors are Chen X. (6 documents, 260 citations, and 7 TLS), Li W. (5 documents, 223 citations, and 7 TLS), Zhang H. (5 documents, 133 citations, and 7 TLS), Liu X. (5 documents, 252 citations, and 6 TLS) and Li Y. (12 documents, 290 citations, and 5 TLS), respectively (Fig. 3G).

2.4. Citation analysis

Vos viewer citation analysis uses to identify how often the published work is cited. Therefore, we analyzed citations of selected articles based on countries, sources, and authors. We performed a citation map of 17 countries chosen from 50 based on fulfilling the minimum threshold of 5 documents of a country, 0 citations, and 25 maximum number of countries per document. The map contains 16 items classified into 5 clusters (Fig. 3H). The top 5 cited countries are China (87 documents, 2628 citations, and 35 TLS), the USA (62 documents, 5065 citations, and 35 TLS), the Netherlands (8 documents, 205 citations, and 10 TLS), United Kingdom (16 documents, 839 citations, and 8 TLS) respectively. We also analyzed citations

Materials Advances



based on sources. Fig. 3I displays a citation map of the top 10 sources, classified into 4 clusters, selected out of 146 sources based on a minimum qualification of 5 documents of a source and 0 citations. The top five cited sources are ASC applied materials and interfaces (9 documents, 652 citations, and 3 TLS), Biomaterials (10 documents, 775 citations, and 3 TLS), Biomaterials science (10 documents, 129 citations, and 3 TLS), Polymers (7 documents, 266 citations, and 1 TLS), and Acta Biomaterialia (8 documents, 47 citations, and 0 TLS), respectively. We further analyzed citations based on authors to identify the highly cited author in hydrogels for cancer drug delivery. Thus, Fig. 3J presents citation mapping of the top 10 authors in 3 clusters, selected from 1403 based on a minimum qualifying threshold of 5 documents of an author and 25 maximum authors per document. The five most cited authors are Wang X. (5 documents, 120 citations, and 7 TLS), Chen X. (6 documents, 260 citations, and 5 TLS), Li W. (5 documents, 223 citations, and 4 TLS), Li Z. (6 documents, 174 citations, and 4

TLS), and Liu X. (5 documents, 252 citations, and 4 TLS), respectively.

2.5. Co-citation analysis

We conducted a cocitation analysis to identify articles frequently cited by other articles. Accordingly, we analyzed the cocitation of cited sources and authors to determine the top most cited journals and authors in the area of hydrogels for cancer drug delivery. Fig. 3K presents the cocitation mapping of 196 cited sources in four clusters, selected from 5811 sources based on a minimum threshold of 20 citation sources. The top five co-cited sources are Biomaterials (952 citations and 72 705 TLS), Journal of controlled release (263 citations and 31 796 TLS), Biomacromolecules (308 citations and 24 998 TLS), ACS Nano (306 citations and 24 170 TLS), and Journal of American Chemical Society (196 citations and 19 712 TLS). Furthermore, we analyzed the cocitation of cited authors to determine the most co-cited authors. Fig. 3L displays a cocitation analysis of the top 401 authors in five clusters, qualified from 54 423 authors based on a minimum threshold of 20 citations of an author. The top 5 cocited authors are Wang Y. (367 citations and 59 208 TLS), Zhang Y. (292 citations and 46 312 TLS), Li J. (255 citations and 44 888 TLS), Wang J. (279 citations and 43 987 TLS), and Li Y. (243 citations and 36 779 TLS).

3. Drug carrier hydrogels and their stimuli responsiveness

Recently, stimuli-responsive hydrogels have garnered considerable interest due to their vast potential in both in vitro and in vivo drug delivery applications.¹¹⁶ These hydrogels can carry and release drugs once inside cells. To accomplish this, smart hydrogels must withstand the intracellular microenvironment and safeguard the drug until the desired release kinetics are achieved.^{117,118} The protection of the loaded drug from denaturation, aggregation, and other micro environmental reactions is managed by these crosslinked structures, which form a solid-like gel that prevents interactions between the drug and surrounding materials.¹¹⁹ For instance, the cross-linked structure of hydrogels can hinder the infiltration of various proteins, including drug-degrading enzymes, thereby preventing premature drug degradation.¹¹⁸ Moreover, owing to their biodegradability and non-toxicity when breaking down their 3D cross-linked networks, smart hydrogels have attracted tremendous interest for drug delivery.⁷⁰

Smart hydrogels, synthesized from synthetic and natural polymers, can alter their properties upon exposure to external or internal stimuli, such as temperature, pH, light, ion change, redox potential, magnetic fields, electric fields, and chemical molecules (*e.g.*, glucose, ligands, and ROS) (Fig. 4).^{120–122} Stimuli-responsive

properties of hydrogels originate from the presence of interactive functional groups such as carboxyl, amide, sulfonic groups, and structures with functional groups such as acryl amide, (3acrylamidopropyl)trimethyl-ammonium chloride (APTMACl), and 2-acrylamido-2-methyl-1-propanesulfonic acid (AMPS), within the primary polymeric chains (Fig. 5). Thus, the synthesis of smart hydrogels considers the stimuli-responsive nature of the active functional groups attached to the main chain.^{70,123} Other functional groups, including amidoxime, phosphoramide, phosphine, and phosphate, also contribute.124,125 When these functional groups respond to stimuli, hydrogels shrink or swell, bend or degrade, and form a gel, solution, or precipitate, which can be employed to design stimuli-responsive hydrogels as required. This response can be readily confirmed by observing changes in the physical properties of the networks.^{126,127} Additionally, the stimuliresponsive behavior of smart hydrogels is also attributed to other types of bonding or interactions. Among these, well-known physical interactions include hydrophobic, ionic, H bonding and van der Waals forces.^{128,129} Apart from the active functional groups, physical interactions are responsible for the interconversion between solution and gel states. Although the presence of functional groups primarily imparts the stimuli-responsive nature of the hydrogel, the extent of the response depends on the type of these groups and the repeating unit of the base polymer. In the case of copolymers, the composition of these units and the number of ionizable functional groups in the main chain impact the response.^{130,131}

4. Thermal sensitive hydrogels

4.1. Behavior of thermal sensitive hydrogels

Thermally-sensitive hydrogels are the most researched stimuliresponsive hydrogels for drug delivery applications.¹³³ They



Fig. 4 Classification of smart hydrogels based on response to stimuli.¹³²



Fig. 5 Ball and stick structure of functional groups on the surface of drug carrier hydrogels related to stimulus-response; (a) carboxyl, (b) amine, and (c) sulfonic groups. Monomers with a similar functional group on their surface; (d) acrylamide, (e) APTMACl, and (f) AMPS. Lewis structure of other functional groups available on the surface of hydrogels; (g) amidoxime, (h) phosphoramide, and (i) phosphine.

have recently received increased interest due to their gelforming ability under physiological conditions (pH = 7.4 and T = 37 °C).^{134,135} Moreover, they possess specific CSTs that exhibit phase transition properties in hydrophilic environments.136 These hydrogels' characteristics are determined by the hydrophobic to hydrophilic ratio within the polymer matrices that constitute them.^{137,138} Various hydrophobic groups, such as methyl, ethyl, and propyl groups, offer superior thermal properties to hydrogels compared to other groups.¹³⁹ Temperature fluctuations cause the hydrogels to swell or contract, inducing changes in the polymer structure and phase transition. This leads to the adjustment of the release of encapsulated drugs.^{140–142} The drugs are loaded onto thermosensitive hydrogels by mixing them with hydrogel solutions at low temperatures, which prevents the loss of the natural structure of the drug materials.¹⁴³ However, the strength and stability characteristics of the hydrogels and encapsulated drugs change with environmental temperature variations.¹⁴⁴ Generally, these hydrogels have thermoresponsive phase transition features and are designed using diverse strategies to regulate and control the temperature in vivo.145,146

Thermally sensitive hydrogels can be categorized into two temperature-dependent systems that exhibit structural changes. These include the upper critical solution temperature (UCST) and lower critical solution temperature (LCST).^{147–149} Hydrogels derived from polymer solutions with LCST characteristics form a single-phase solution below the LCST and transition to a gel with a turbid, two-phase solution at or above the LCST.^{150,151} As amphiphilic macromolecules, LCST hydrogels can restructure themselves into micelles when their concentration surpasses the CMC. Below the LCST, micelles are relatively large due to the hydration of hydrophilic components, with hydrophobic blocks forming the micelle core and hydrophilic elements creating the shell (Fig. 6C). As the temperature rises, hydrophilic chains dehydrate, micelle size decreases, hydrophobic and van der Waals interactions increase, hydrophilic connections cluster, and a phase transition occurs at the LCST, resulting in two solution phases.¹⁵² This demonstrates that hydrophobic and hydrophilic interactions are fundamental to the sol-gel process. In contrast, hydrogels made of UCST polymers form a single-phase solution above their UCST while contracting and generating a turbid solution at or below their UCST (Fig. 6B).^{153,154} As the temperature increases, UCST hydrogels become more soluble in water, forming large micelles with hydrophobic cores and vice versa (Fig. 6C). In both cases, shrinkage is caused by hydrogel dehydration in response to temperature changes. By contrast, swelling is caused by hydrogel hydration in response to thermal variations.^{155,156}

4.2. Steps for the synthesis of thermal sensitive hydrogels

Synthesis of thermal sensitive hydrogels involves crosslinking of monomers that are responsive to temperature. The process has requirements, specific steps and reactions.¹²⁷

4.2.1. Requirements for synthesis of thermal sensitive hydrogels. (1) Monomers; – the initial step in the synthesis involves selecting monomers with thermally sensitive properties. The most commonly utilized monomers include *N*-isopropyl acrylamide (NIPAAm), polyethylene glycol (PEG), poly(*N*-vinyl caprolactam) (NVCL), poly(*N*-vinylpyrrolidone) (PVP), poly(ethylene oxide-*co*-propylene oxide) (PEO–PPO–PEO), polyurethanes, poly acrylic acid (PAA), and poly(2-oxazoline).^{157,158}

(2) Crosslinking agents; – play a crucial role in forming the 3D network of the hydrogel. Although the choice of the crosslinking agent depends on the specific requirements of the hydrogel, including its intended applications and the desired response to temperature changes.¹⁵⁹ Commonly used crosslinking agents include *N*,*N'*-methylene bis(acrylamide) (MBA), *N*,*N'*-diethyl acrylamide (DEAA), poly(ethylene glycol)diacrylate (PEGDA), poly(ethylene glycol)dimethacrylate (PEGDMA), 1,6hexanediol diacrylate (HDDA), ethylene glycol dimethacrylate (EGDMA), and divinyl sulfone (DVS).¹⁶⁰

(3) Initiators; – chemical synthesis employs a variety of initiators to kick-start or catalyze the process. These initiators encompass chemical agents like azobisisobutyronitrile and potassium persulfate, heat as a thermal initiator, redox initiators such as ammonium persulfate (APS) paired with N, N, N', N'-tetramethylethylenediamine (TEMED), photoinitiators like benzoin methyl ether, enzymatic initiators exemplified by horse radish peroxidase, and unconventional methods such as microwave or ultrasonic initiators, as well as electrochemical initiators that furnish electrons to instigate the chemical reaction.¹⁶¹

(4) Solvents; – the choice of solvents relies on the specific polymers or monomers in use and their compatibility. Additionally, co-solvents may be employed depending on the nature of the required monomers for synthesis. With this principle in mind, commonly utilized solvents for synthesizing thermally



Fig. 6 (A) Diagrammatic representation of thermally sensitive hydrogels and their temperature-induced physical changes and (B) solution nature of hydrogels constructed from polymers with LCST (left) and UCST (right). (C) Diagrammatic illustration of thermal responsiveness in LCST and UCST hydrogels.

sensitive hydrogels include water, dimethyl sulfoxide (DMSO), *N*,*N*-dimethylformamide (DMF), ethanol, acetone, acetonitrile, tetrahydrofuran (THF), and hexane.¹⁶²

(5) Temperature controlling equipment: – used to maintain specific reaction temperature. $^{\rm 163}$

4.2.2. Synthesis steps and reactions. (1) Monomer dissolution; – to initiate the desired polymerization process, ensure complete dissolution of monomers in the selected solvent or co-solvent.¹⁶⁴

(2) Crosslinking agent addition; – add the chosen crosslinking agent to the dissolved monomer solution to facilitate crosslinking and create a three-dimensional network.¹⁶³ (3) Addition of initiator; – used to initiate the polymerization reaction in response to temperature changes.¹⁶⁵

(4) Polymerization reaction; – upon initiation, the hydrogel synthesis can proceed through various methods tailored to specific needs: free radical polymerization (either chain growth or step-growth polymerization), inverse emulsion polymerization, or controlled/living radical polymerization. The two most prevalent techniques for hydrogel synthesis are chain growth and step growth polymerizations.¹⁶⁶

In chain-growth polymerization, the process kicks off with an initiator either a chemical compound or a physical stimulus

View Article Online Materials Advances

Review

such as light, radiation, or heat. This initiates the creation of reactive species (radicals) that kick start the polymerization. Subsequently, monomers join in, propagating with the reactive species to forge the expanding polymer chain until all reactive species are consumed, terminating the reaction.¹⁶⁷

Step growth polymerization involves activating monomers to generate reactive species, followed by their covalent interaction to construct the necessary polymer until the reaction terminates. These versatile methods provide a nuanced approach to crafting hydrogels, offering flexibility and precision in their synthesis.¹⁶⁸

(5) Purification of the synthesized hydrogel: – purifying synthesized hydrogels involves eliminating impurities, unreacted monomers, and other substances that may reside in the hydrogel matrix.¹⁶⁹ The choice of the purification method depends on the specific hydrogel type and the polymerization technique utilized. General purification methods for polymerized hydrogels include employing solvent extraction, dialysis, centrifugation, filtration, precipitation, chemical treatments, or combinations thereof.¹⁷⁰

4.3. Selected synthetic thermal sensitive hydrogels

4.3.1. Poly(N-isopropyl acryl amide) (PNIPAM) hydrogels. Most LCST hydrogels utilized in drug delivery applications are primarily produced through polymerization or copolymerization to ensure an effective drug delivery.^{33,171} PNIPAM and its copolymers are the most extensively studied polymers with LCST properties.^{172,173} The benefits of PNIPAM, such as low bio-toxicity, temperature sensitivity, and easily modifiable architecture, make it an ideal candidate for drug delivery applications.¹⁷⁴ PNIPAM comprises hydrophobic isopropyl side chains (-CH(CH₃)₂) and hydrophilic amide groups (-CONH) (Fig. 5).¹⁷⁵ The hydrophilic H bonding interaction between the N-alkyl-substituted group and water molecules results in a moderate swelling response in PNIPAM hydrogels (homogeneous solution) (Fig. 7A and C).^{176,177} This process initiates with the forming of water cages that hydrate the hydrophobic segments of PNIPAM. These cages counterbalance the insolubility of the hydrophobic backbone in water, resulting in polymer hydration (swelling). Throughout this process, PNI-PAM forms a reversible temperature-sensitive layer on the gel surface.¹⁷⁸ The LCST of PNIPAM is 32 °C, which is close to physiological temperature, and it maintains a single-phase solution up to this point.^{158,179} When the temperature reaches 32 °C, the hydrophilic layers between the polymer and water molecules rupture, causing deswelling and forming hydrophobic precipitates. PNIPAM hydrogels are employed to release drugs at their LCST. However, copolymerization helps create copolymer hydrogels and modifies LCST values and gel formation (Fig. 7B).^{180,181} Hydrophilic comonomers, such as acrylamide, raise the LCST, while hydrophobic comonomers tend to decrease it. For instance, a copolymer of PNIPAM and acrylamide exhibits an LCST at physiological temperature (37 °C).^{182,183} Furthermore, hydrogels generated by copolymerizing PINPAM with ionic moieties exhibit both pH and temperature-sensitive properties, making them more precise carriers for localized cancer treatment.184,185



Fig. 7 (A) Schematic view of temperature dependent sol gel transition of NIPAM based hydrogel. (B). Chemical structures of PNIPAM and *N,N* methylene bis acrylamide (MBA) (a), copolymer of NIPAM and MBA synthesized by precipitation polymerization (b), Structure of the synthesized activated NIPAM based nano gel (c), optical image of the hydrogel constructed from NIPAM and activated nanogel at low temperature (d), schematic of the copolymer hydrogel at temperature < LCST (e) and > LCST (f). (C) Diagrammatic illustration of swelling (hydration) and shrinkage (precipitate formation) of PNIPAM hydrogel. (A) is adapted from ref. 186 and (B) from ref. 187 (with permission of the publisher copyright Royal Society of Chemistry 2023).

Materials Advances

4.3.1.1. Thermal-sensitive PNIPAM hydrogels used in local drug delivery. To address the cytotoxicity and high-dosage concerns related to cancer treatment medications, the methodical design of thermally sensitive hydrogels using natural, synthetic, or mixed monomers is crucial.¹⁸⁸ The site-specific drug release provided by these hydrogels can exploit tumor microenvironments that differ from normal cells, such as elevated temperatures and acidic pH.¹⁸⁹ PNIPAM is a widely utilized thermally sensitive hydrogel for delivering chemotherapeutic, immunotherapeutic, photodynamic, and other medications to treat various cancer types.^{33,190,191} Over the past decade, local drug delivery with PNIPAM hydrogels has led to improved drug loading capacity, reduced rapid drug release, and fewer adverse therapeutic effects.^{192,193} Particularly, the

intratumoral injection of drugs carried by PNIPAM based hydrogels results in decreased drug diffusion to nonspecific organs and related side effects.¹⁹⁴ DOX, a chemotherapeutic drug, functions by inhibiting the activity of the topoisomerase II enzyme in cancer cells. This enzyme plays a crucial role in the replication process by preventing the supercoiling of parental DNA.^{195,196} However, the action mechanism of DOX leads to the generation of quinone-type free radicals, resulting in significant cytotoxic side effects.^{197,198} Employing smart thermally sensitive PNIPAM hydrogel carriers for local drug delivery mitigates the adverse effects of DOX.^{191,199} A recent study in a mouse model employed GQDs, LGQDs, and MGQDs functionalized PNIPAM hydrogels to deliver DOX to BF16F melanoma tumors, which can metastasize to lung cells.²⁰⁰ This



Fig. 8 (A) Resected lung tissues from seven different study groups of mice: (I) standard control, (II) disease control, (III) treated with standard DOX, (IV) treated with NDOX, (V) treated with DOX- and NG-DOX, (VI) treated with DOX and leucine-modified GQDs-loaded nano hydrogel (NGL-DOX), and (VII) treated with DOX and methionine-modified GQDs-loaded nano hydrogel (NGM-DOX). Histopathology of resected lung tissues from the seven study groups of mice: (a) and (b) normal controls in the complete absence of tumor cells, (c) and (d) disease controls display melanin-producing colonies, (e) and (f) DOX-treated group showing no tumor formation, (g) NDOX-treated groups displaying metastasized melanoma, (h) and normal lung parenchyma. (i) NG-DOX-treated groups showing melanoma-affected lung bronchus and (j) abnormal lung parenchyma (j). NGL-DOX-treated groups revealing the appearance of melanoma (k) and regular lung parenchyma (l). (B) Serum TNF- α (B(a)) and IL-6 (B(b)) levels of the seven groups of mice. Images reprinted from ref. 200 with permission from the publisher (order license ID: 1165618-2, 27 March 2023).

lable 1 Selected poly(N	-isopropyl acrylamide) (PNIPAM)-based thermally ser	isitive hydrogels and their p	otential as drug	carriers tor v	arious cancer types			
Name of PNIPAM family hydrogel	Structure/s of the hydrogel	Monomers used	LCST of An ar the drug hydrogel deliv	nticancer used for	type of cancer	Earned benefits of copolymerization	Advantage of using the hydro- gel (in compar- ison with the drug alone)	Ref.
Poly(carboxymethyl chitosan-grafted- isopropyl acryl amide) (CMCS-g-NIPAAm)	1	Carboxymethyl chit- osan and PNIPAM	37 °C 5-Flu	oro uracil	HeLa (cervical can- cer) and MCF ₇ (breast cancer)	✓ Increased mechanical strength and intra-cellular stability	✓ Drug release at acidic PH	202
							✓ Better con- trolled drug release with less toxic effects	
Carboxymethyl fenu- greek galactomannan-g- poly(N- isopropylacrylamide-co- N,N'-methylene-bis- acrylamide)-bentonite [CFG-g-P[NIPA-co-MBA]- BEN]	HH HH HH	Fenugreek galacto- mannan and poly(N- isopropyl acrylamide- <i>co-N,N'</i> -methylene- bis-acrylamide)	37 °C Erloti	fini	4549 cells (lung cancer)	✓ Enhanced mechanical strength and biodegradability	✓ Highest drug loading efficiency	203
Poly(N-isopropyl acryla- mide-co-acrylic acid)	, 	PNIPAM and actylic acid	37 °C 5- Amin	olevulinic	HeLa (cervical cancer)	✓ Increased mechanical	✓ Better anti- proliferative and apoptosis- inducing potential ✓ Less cytotoxicity	204
(KYKADARATNI))						mana	✓ Enhanced topical adminis- tration and pho- todynamic ther- apy effectiveness	
Chitosan-g-poly(N- isopropyl acrylamide) (CS-g-PNIPAm)		PNIPAM and chitosar	39 °C Cape	citabine	HCT116 and HT-29 (colon cancer)	✓ Improved mechanical resistance in acidic PH	✓ Significantly increased drug release	189
							✓ Minimal side effects	

Open Access Article. Published on 17 November 2023. Downloaded on 8/11/2025 8:14:01 PM.

(cc) BY

Materials Advances

Table 1 (continued)					
Name of PNIPAM family hydrogel	Structure/s of the hydrogel	LCST of An anti the drug us Monomers used hydrogel delivery	cancer ed for 7ype of cancer	Advantage of using the hydro- Earned benefits gel (in compar- of ison with the copolymerization drug alone)	- Ref.
NIPAM-cellulose		Doxoru NIPAM and cellulose 37 °C and niclosa	bicin HCT116 (colon mide cancer)	✓ Enhanced of both hydro- mechanical sta- bility and LCST hydrophilic drugs	1 205
				✓ Better ther- apeutic efficacy and drug release	ð
Poly(<i>N</i> , <i>N</i> -diethyl acryla- mide)/functionalized graphene quantum dots	$HOOC = \begin{pmatrix} HOOC \\ HOOC \\ HOO - HOOC \\ HOOC \\ HOOC - HOOC \\ HOOC \\ HOOC - HOOC \\ HOOC \\$	PNIPAM and gra- phene quantum dots 36 °C Doxoru	bicin B16F10 (skin cancer)	✓ Enhanced ✓ Improved LCST and anti- drug-releasing cancer activity of characteristic the gel	200
	, COOH			✓ Reduce splenomegaly caused by melanoma	
Chitosan/(poly(<i>N</i> - isopropyl acrylamide- <i>co</i> -itaconic acid))	$\begin{array}{c c} -(CH_2 - CH) & (CH_2 - C_2) \\ \hline & (CH_2 - C_2) \\ \hline & (CH_2 - C_2) \\ \hline & (CH_2 - C_2) \\ (CH_2 - C_2) \\ COOH \\ \hline & (CH_2 - C_2) \\ COOH \\ CH_2 - C_2 \\ CH_2 -$	Poly(A ⁷ isopropyl acry- lamide- <i>co</i> -icotanic 39 °C Doxoru acid and chitosan	bicin MCF7 (breast cancer)	 ✓ Gaining dual ✓ Improved susproperties (PH tain released and thermal) capacity 	3-
	"How with the second se			✓ Enhanced bio- ✓ Improved compatibility blockage capa- and city of the pro- biodegradability liferation of cancer cells	

Materials Advances

Open Access Article. Published on 17 November 2023. Downloaded on 8/11/2025 8:14:01 PM.

(cc) BY

View Article Online

Review

Table 1 (continued)							
Name of PNIPAM family hydrogel	Structure/s of the hydrogel	Monomers used	LCST of An anticanc the drug used for hydrogel delivery	tr ar Type of cancer	Earned benefits of copolymerization	Advantage of using the hydro- gel (in compar- ison with the drug alone)	Ref.
Poly(<i>N</i> -isopropyl acryla- mide)- <i>co</i> -poly(<i>N</i> , <i>N</i> - (dimethylamino)ethyl methacrylate)	$ \begin{array}{c} \begin{array}{c} \begin{array}{c} \begin{array}{c} \begin{array}{c} \begin{array}{c} \begin{array}{c} \left(\left(\begin{array}{c} \left(\begin{array}{c} \left(\left(\begin{array}{c} \left(\left(\begin{array}{c} \left(\left(\left(\left(\begin{array}{c} \left($	NIPAM and <i>N,N⁻</i> (dimethylamino)ethyl methacrylate)	39 °C Cisplatin	HepG2 (hepatocel- lular carcinoma)	✓ Enhanced cytotoxicity of HepG2 cells	✓ Improved drug delivery	207
					✓ Exhibit LCST value at physio- logical temperature	✓ Higher drug loading and release	
Poly(<i>N</i> -isopropyl acryla- mide)- <i>b</i> -poly(L- histidine)	HS HS HS HS HS HS HS HS H	NIPAM and histidine	37 °C Doxorubicin	HepG2(hepatocellu- lar carcinoma)	✓ Gaining tun- ability and dual responsive nat- ure (Ph and thermal) for con- trolled drug release	✓ Excellent loading efficiency	208
						✓ Enhanced anti-tumor activ- ity under acidic PH	
Poly(<i>N</i> - isopropylacrylamide) <i>-g</i> - carboxymethyl chitosan	CMCS HIGH HIGH HIGH HIGH HIGH HIGH HIGH HIG	PNIPAM and carbox- ymethyl chitosan	32 °C Cisplatin	A549(lung cancer)	✓ Enhanced drug loading efficiency and mechanical stability	✓ Drug release over a lengthy period in a con- trolled and sus- tained manner	209

Open Access Article. Published on 17 November 2023. Downloaded on 8/11/2025 8:14:01 PM.

(cc)) BY

Materials Advances

histopathological investigation showed that treatment with DOX-loaded LGQDP and MGQDP hydrogels exhibited normal lung parenchyma with fewer visible melanin-forming cells compared to the disease control (Fig. 8A). Additionally, the evaluation of cytokines, serum TNF- α , and IL-6 in LGQDP and MGQDP treated groups confirmed biocompatibility and reduced immunogenicity of the hydrogels (Fig. 8B). Using PNIPAM hydrogels as intertumoral drug carriers may also reduce neutropenia associated with the antineoplastic agent DOX.²⁰¹ The advantages and formulations of selected thermosensitive PNIPAM hydrogels for treating various cancers have been extensively detailed (Table 1).

4.3.2. Pluronic based hydrogels. The food and drug administration (FDA) have approved Pluronic hydrogels, particularly F127, as drug carriers.^{210–212} These hydrogels are composed of the polymer PEO–PPO–PEO, also referred to as poloxamer. The PEO–PPO–PEO structure of pluronic is a tri-block ABA-type copolymer, exhibiting an amphiphilic nature owing to the hydrophobic backbone of PPO and the hydrophilic PEO.^{210,213} Pluronic possesses disproportionate PEO hydrophilic groups, allowing it to maintain a solution state at lower temperatures. Conversely, gel aggregates form at higher temperatures due to increased interactions with PPO.^{214,215} Thermally induced gelation of pluronic occurs because of micelle packing.²¹⁶ At lower temperatures, large-sized pluronic micelles with a

hydrophobic PPO core and a hydrophilic PEO shell form due to predominantly hydrophilic interactions between water molecules and PEO chains.²¹⁷⁻²¹⁹ However, the number of micelles increased the size of micelles decreased, inter-micellar distance reduced, and gel formed due to increasing hydrophobic contact between PPO chains at higher temperatures (Fig. 9). PPO hydrophobic core carries hydrophobic drugs, and the PEO shells take hydrophilic drugs.^{220,221} Adjusting the composition, molecular weight, and concentration of the polymer-building units favors the synthesis of various pluronic products, such as F-68, F-127, P-103, and P-105.²²²⁻²²⁴ Pluronic copolymers are versatile for chemical modification because they possess end hydroxyl groups.^{225,226} To address the limitations of pluronic hydrogels, such as low stability under physiological conditions, fast dissolution rate, low mechanical strength, and low biodegradability, interactions with polymers exhibiting greater stability and biocompatibility have been explored.^{144,227,228} One alternative approach involves the chemical cross-linking of hydrogels to enhance their stability. Chemical crosslinking also increases the drug loading and retention times of pluronic hydrogels.^{229,230} Another approach is the conjugation of natural or synthetic chemical molecules, such as proteins, carbohydrates, and nucleotide bases, with pluronic to form more stable multiblock copolymers.²³¹⁻²³³

Among the various Pluronic-based hydrogels, F127 has been comprehensively applied in anti-cancer drug delivery research.



Fig. 9 Diagrammatic representation of the temperature-dependent sol-gel transition of F127 hydrogels.

Blending F127 with chitosan, alginate, heparin, hyaluronic acid, and cellulose derivatives enables sustained and diffusion-resistant

anti-cancer drug delivery, addressing the rapid disintegration of F127.^{234,235} Moreover, the mechanical strength of F127 hydrogels



Fig. 10 Transmission electron microscopy (TEM) images of PF127-TMC/DTX gel (I-A) and PF127/DTX gel (I-B); scanning electron microscopy (SEM) images of PF127-TMC/DTX gel with a more distinct and regular porosity structure (I-C) and PF127/DTX gel (I-D). Cytotoxicity tests were performed on U87MG cells with controls, docetaxel, docetaxel loaded on PF127, and docetaxel loaded on PF127-TMC (II). Fluorescence microscopy images of U251 cells after treatment with salinomycin, F127, and PLGA-PEG-PLGA. Red fluorescence represents Alexa Fluor at 488 phalloidin-stained F-actin, and blue fluorescence reveals DAPI-stained cell nuclei (III). Reactive oxygen species (ROS) levels in U87MG cells treated with salinomycin and salinomycin-loaded hydrogels at three different time points (IV). Images (I) and (II) are reprinted from ref. 245, and images (III) and (IV) are reprinted from ref. 246 with permission from the publishers and (order license ID 1338403-1, 27 March 2023, respectively).

Open Access A	Article. Published on 17 November 2023. Downloaded on 8/11/2025 8:14:01 PM.	This article is licensed under a Creative Commons Attribution 3.0 Unported Licer
	Open Access	(cc)) BY

nce.

Selected pluronic-based thermally sensitive hydrogels and their potential as drug carriers for various cancer types

Table 2 Selected plur	Name of the pluronic hydrogel	Pluronic/hyaluronic hydrogel	Pluronic thermosensii gels	Linolic acid coupled _F nic F127 (Plu-CLA)	
-----------------------	----------------------------------	---------------------------------	-------------------------------	---	--



Ref. 247

Advantages of using the

Earned benefits of

copolymerization

Cancer type

hydrogel

Structure of the hydrogel

ę

Anti-cancer drug carried by the

hydrogel

✓ Increased cytotoxicity

(continued)						
pluronic	Structure of the hydrogel	Anti-cancer drug carried by the hydrogel	Cancer type	Earned benefits of copolymerization	Advantages of using the hydrogel	Ref.
oxamer-407	H + 0 + 1 + 0 + 0 + 0 + 0 + 0 + 0 + 0 + 0	Doxorubicin (DOX)	cells (sarcoma) cells	✓ Enhanced mechanical strength and stability	 High drug entrapment efficiency Suspended and controlled drug release with best anti- tumor efficacy <i>in vitro</i> and <i>in vivo</i> 	253
rogels	Heparin-Poloxamer X, Y = H or Na a=100, b=65 $HO \int_{m}^{HO} \int_{m}$	Codelivery of DOX and 5-fluoro uracil (FU)	B16F (melanoma) cells	✓ Enhanced prolonged release of the drug and anti- cancer activity	 Dominant tumor growth inhibition Maintained drug distribu- tion only in the target tumor cells Reduced plasma concen- 	254
7 hydrogel	HO O O O O O O O O O O O O O O O O O O	Holmium- containing bioac- tive glasses	MG-63 bone cancer cells	✓ No copolymerization implemented	 tration of the drugs Enhanced pre-osteoblastic cell growth Better killing of osteo-sarcoma cells 	255

Open Access Article. Published on 17 November 2023. Downloaded on 8/11/2025 8:14:01 PM.

(cc) BY

can be enhanced by incorporating crosslinker salts, such as sodium phosphate and sodium chloride.²³⁶ Generally, due to its improved stability, F127 hydrogel holds significant importance within the Pluronic family for anti-cancer drug delivery applications.²³⁷

4.3.2.1. Thermal-sensitive pluronic-based hydrogels used in local drug delivery of cancer. Despite the fast disintegration rate and low mechanical strength of Pluronic hydrogels posing challenges to anti-cancer drug delivery, scientists still favor their use by developing methods to address these issues.²³¹ This preference stems from the inherent adjustability of Pluronic structures, which enables efficient hydrophobic drug delivery.^{238,239} Moreover, enhancing the strength and stability of Pluronic hydrogels can be achieved by copolymerizing their hydroxyl end group with more stable side-chain polymers.²⁴⁰ For instance, the binding of polycaprolactone, hydroxy propyl methylcellulose, and methylcellulose to the hydroxyl end of Pluronic prolongs the drug release process by increasing the stability of the polymer.²⁴¹ A recent study demonstrated that a highly viscous liposomal copolymer hydrogel produced from F127 demonstrated extended drug release duration and zeroorder kinetics for delivering the antineoplastic agent paclitaxel to human oral cancer KB cells.²³⁹ Glioblastoma is notorious for its low therapeutic response owing to the limited systemic drug delivery across the BBB.^{242,243} Local drug delivery using Pluronic copolymer hydrogels offers a promising solution to challenges associated with the BBB.244 The N,N,N-tri methyl chitosan (TMC)-embedded F127 copolymer hydrogel has demonstrated promising docetaxel delivery to U87MG cells.²⁴⁵ Scanning electron microscopy (SEM) and transmission electron microscopy (TEM) images of the thermally sensitive TMC-F127 hydrogels revealed a porous network (Fig. 10I). In this study, the TMC-F127 hydrogel-delivered docetaxel outperformed both the free drug and the drug delivered with F127 gels in killing U87MG cells, as confirmed by the MTT assay (Fig. 10II). In another study, the PF127 hydrogel exhibited 100% efficacy as a chemotherapeutic agent for salinomycin release, suppressing proliferation, inducing apoptosis, and increasing intracellular ROS in mouse xenografted subcutaneous U251 brain tumors.²⁴⁶ The study utilized PLGA-PEG-PLGA and PEO-PPO-PEO (PF127) hydrogels to deliver salinomycin. According to fluorescent microscopy images (Fig. 10III) and intracellular peroxide-dependent oxidation of 2',7'-dichlorofluorescein diacetate (DCFDA), PF127salinomycin demonstrated dominance in killing U251 cells while producing comparable ROS levels with PLGA-PEG-PLGA-salinomycin polymers (Fig. 10IV). Strategically designed, thermally sensitive Pluronic-based copolymer hydrogels have been utilized to deliver various anti-cancer drugs in vitro and in vivo for treating different cancer types (Table 2).

4.3.3. Poly ethylene glycol (PEG) based hydrogels. PEG is a widely used petroleum-derived, thermally sensitive hydroxy polyether approved by the FDA for pharmacological applications, including drug delivery.²⁵⁶ PEG is also known as polyethylene oxide (PEO) or polyoxyethylene (POE), depending on its molecular weight.^{257,258} PEG polymers possess a lower molecular weight than PEO polymers, with a molecular weight greater than 20 000.

The ethylene oxide polymer of PEG consists of a repeating unit of -(O-CH₂-CH₂).²⁵⁹ PEG can be synthesized through anionic polymerization of ethylene oxide with hydroxyl initiators, such as water and epoxy ethane.²⁶⁰ Hydrophilic low-molecular-weight PEG exhibits low antigenicity or immunogenicity and can be rapidly eliminated through the kidneys.^{261,262} When combined with hydrophobic components like peptides, the 3D hydrophilic crosslinked polymer of PEG displays anti-cancer drug delivery potential, specifically maintaining drug stability and release for up to one month.^{263,264} In PEG-based hydrogel structures, covalent PEG grafting with other polymers, known as PEGylation, enhances stability and biocompatibility. Abuchowski and Davis first proposed PEGylation in the late 1970s, with the first clinical success achieved in 1990 with the delivery of adagin for immune deficiency diseases.²⁶⁵ PEGylation transforms hazardous hydrophobic compounds, which can pass through cell membranes and enter cells, into non-toxic hydrophilic components.²⁶⁶ This detoxification occurs because liver enzymes can interact with the hydrophilic PEG portion and facilitate its excretion via the kidneys.²⁶⁷ The PEGylation of hydrophobic polymers like poly(lactic-co-glycolic) acid (PLGA) and polycaprolactone has recently gained research interest due to their superior biodegradability and biocompatibility compared to other thermally sensitive hydrogels.^{268,269} These amphiphilic copolymers exhibit a unique micellar arrangement and aggregate upon temperature changes.²⁷⁰ The widely used poly ethylene glycol-poly propylene glycol-poly ethylene glycol (PEG-PPG-PEG) tri-block copolymer features a hydrophilic PEG layer and a hydrophobic PPG core connected through an ester linkage.271 Small micelles with hydrophobic PPG and hydrophilic PEG shells form at lower temperatures, maintaining the mixture in a solution state. However, upon exposure to higher temperatures, the micelles aggregate, increase in size, and form gels due to the dehydration of the PEG hydrophilic shell (Fig. 11).^{272,273} This thermogelling



Fig. 11 Diagrammatic representation of temperature-dependent sol-gel transition of poly ethylene glycol-poly propylene glycol-poly ethylene glycol (PEG-PPG-PEG) hydrogels.

property balances the hydrophilic and hydrophobic moieties of the micelles.²⁷⁴ Besides the balance of moieties, temperaturebased gelling of PEG hydrogels is regulated by factors, such as the polyester block composition and molecular weight distribution.²⁷⁵ Furthermore, the drug release rate from PEG copolymer hydrogels depends on the synthesis method, crosslinking density, drug solubility, and molecular weight of the PEO chains.²⁷⁶ PEG-based hydrogels remain in blood circulation longer in a typical injectable delivery system, allowing for the complete release of the drug to the target site. In contrast, drug injection alone results in rapid drug entry into target cells, leading to drug component breakdown before achieving the desired efficacy.²⁷⁷ The thickness of PEG in copolymer hydrogels plays a crucial role in preventing serum protein adsorption into hydrogel segments, and its effectiveness is influenced by the molecular weight, conformation, and density.^{278,279} Therefore, the PEG molar ratio directly affects the stability and protection of drugs encapsulated in PEG-based hydrogels.²⁶⁵

4.3.3.1. Thermal sensitive PEG based hydrogels used in local drug delivery of cancer. The elastic properties and favorable safety profile of PEG copolymer hydrogels allow for facile loading and distribution of anti-cancer drugs to local areas and preparing injectable hydrogel solution forms.¹⁹¹ Furthermore, PEG-based hydrogels with diverse morphologies can effectively release drugs at physiological temperature (37 °C) and tumoral pH (5.5).²⁸⁰ DOX can be loaded onto PEG-based hydrogels by mixing the solutions at low temperatures, efficiently inhibiting the topoisomerase II enzymes of A549 lung cancer cells and suppressing proliferation at the gene



7-AAD

Fig. 12 (A) Viability of A549 cells after treatment with 3 and 5% PEG-based hydrogel for 25 d and (B) fluorescent microscopy images of control, DOX, and DOX-loaded PEG-based hydrogel-treated A549 cells, demonstrating a viability change after 24 h of treatment. (C) Cell cycle distribution of C26 cells before and after treatment with PEG-based hydrogel, Metformin, PEG-based hydrogel plus metformin, PEG-based hydrogel plus 5-fluorouracil, and PEG-based hydrogel plus metformin and 5-fluorouracil. (D) Annexin V-PE/7-AAD stained flow cytometric analysis of apoptosis induced after treatment with PEG-based hydrogel, free metformin, and 5-fluorouracil, PEG-based hydrogel plus metformin, PEG-based hydrogel plus 5-fluorouracil, and PEG-based hydrogel plus metformin and 5-fluorouracil, and PEG-based hydrogel plus metformin and 5-fluorouracil, and PEG-based hydrogel plus metformin and 5-fluorouracil, neges (A) and (B) adapted from ref. 281, (C) and (D) reprinted from ref. 282 with permission from the publisher (order license ID: 1338413-1, 27 March 2023).

transcription stage. Additionally, cell viability studies revealed that treatment with the DOX-loaded PEG copolymer hydrogel resulted in higher cytotoxicity in A549 cancer cells for up to 25 d compared to DOX alone (Fig. 12A).²⁸¹ In another study, local codelivery of metformin and 5-fluorouracil using a hydrogel synthesized via a Schiff base reaction between 4-arm PEG and 4-arm-PEG-b-poly(L-lysine) demonstrated improved synergistic antitumor efficacy and increased apoptosis induction in C26 colon carcinoma cells in vitro and in vivo.282 Co delivery of metformin and 5-fluorouracil can decrease cancer cell proliferation during the G1 phase of the cell cycle.^{283,284} Particularly, 5-fluorouracil can suppress tumor cell development in the G1/S phase of the cell cycle and trigger p53-dependent apoptosis.²⁸⁵ Furthermore, compared to treatment with the hydrogel and dual drugs individually, co-treatment with the PEG-based hydrogel demonstrated the highest percentage of C26 cell cycle arrest at the G1 phase (Fig. 12C). Numerous drug delivery studies have been conducted on PEG copolymer hydrogels. The delivery and effects of anti-cancer drugs for various cancer types using PEG-based hydrogels, as well as the benefits attained through the copolymerization of PEG, are discussed in detail (Table 3).

5. Reactive oxygen species (ROS) responsive hydrogels

5.1. Why ROS sensitive hydrogels are used for anti-cancer drug delivery?

Moderate levels of ROS, which are endogenous metabolic byproducts generated in the mitochondria, are essential for proper cell signaling pathways.²⁹⁵ At low concentrations, ROS effectively regulate cell activity by acting as immune system agents, cell signaling regulators, protein function modulators, and mediators of cell development and apoptosis.296,297 These beneficial activities are primarily performed by ROS through the reversible oxidation of thiol groups in structural or functional proteins, leading to modifications in protein structure and function.²⁹⁸ However, continuous ROS production must be accompanied by the disposal of metabolic pathways catalyzed by superoxide dismutase, peroxidase, and catalase enzymes.^{299,300} Abnormal or excessive ROS accumulation can trigger persistent oxidative stress, resulting in damage and structural alterations to vital macromolecules like membrane proteins, lipids, and DNA.³⁰¹ This disruption to the metabolic balance leads to various diseases, including cancer, cardiovascular disease, arthritis, diabetes, and neurological disorders.^{302,303}

The tumor microenvironment differs from that of normal cells in terms of physiological conditions such as pH, temperature, enzyme levels, and ionic strength.³⁰⁴ These differences promote tumor cell growth and proliferation while inhibiting the life cycle of healthy cells.^{305,306} An abnormal increase in ROS may be at the forefront of these alterations.³⁰⁷ Elevated ROS levels in cells reduce oxygen (O) and expedite the excessive formation of products, such as hydrogen peroxide (H₂O₂), superoxide, hydroxyl radicals, and peroxynitrite, causing

oxidative stress.^{121,308} Under most physiological circumstances, the detoxification of ROS generated as metabolic products, is performed by an intracellular oxidation-reduction balance system.³⁰⁹ However, the tumor microenvironment disrupts this balance system by inhibiting key enzymes that catalyze detoxification or by producing an excessive amount of ROS that surpasses the detoxifying capacity of the balance system's enzymes.^{310,311} For instance, glucose-6-phosphate dehydrogenase (G6PD) is a crucial regulator of the hexose phosphate shunt route and indirectly reduces oxidized glutathione (GSSG) in red blood cells lacking mature mitochondria.^{312,313} Under normal conditions, reduced nicotine adenine di nucleotide phosphate (NADPH), a product of G6PD, supplies H to GSSG, which then converts into reduced glutathione (GSH) (Fig. 13). Subsequently, GSH donates H to the glutathione peroxidasereaction, neutralizing catalyzed H_2O_2 into water (Fig. 12).^{314,315} This implies that H₂O₂ detoxification is associated with the formation of reduced GSH, which serves as a H ion carrier during detoxification.³¹⁶ Therefore, H₂O₂ produced in blood cells cannot be neutralized when G6PD is defective (resulting in no production of NADPH) (Fig. 13).^{317,318} Increased levels of H2O2 in red blood cells cause oxidative stress, associated with DNA damage and mutations that initiate the proliferation of leukemia cells.³¹⁹ Therefore, altered activity of G6PD, glutathione reductase, and glutathione peroxidase contributes to the emergence and uncontrolled proliferation of leukemic cells.^{320,321} Elevated ROS production promotes ROSinduced mitochondrial dysfunction, activating MMPs that initiate the proliferation of various cancer types.³²² Overproduction of ROS in normal breast cells can induce human breast carcinomas by damaging genes regulating standard growth patterns through ROS-mediated activation of mitogenactivated protein kinases.^{323,324} This induction may also be associated with increased expression of NADPH oxidases, causing elevated levels of H₂O₂, followed by aggressive breast tumor initiation.³²⁵ Uncontrolled ROS levels in normal cells can also induce hepatocellular carcinoma,326 cervical cancer,327 and lung cancer.³²⁸ In contrast, deliberately increasing ROS levels in cancer cells can serve as a treatment, as it induces programmed cancer cell death through apoptosis and related autophagy mechanisms.^{329,330} H₂O₂ does not directly cause DNA damage during cancer cells.³³¹ However, high H₂O₂ concentrations activate the formation of OH radical ions through the Fenton reaction (involving H_2O_2 and Fe^{2+}/Cu^+), which can then react with DNA to activate oncogenes, such as K-Ras.^{332,333} Generally, an impaired antioxidation system and disrupted homeostasis in the tumor microenvironment result in increased ROS levels in this region.334 This has led to the development of ROS-sensitive hydrogels that can carry and release anti-cancer drugs upon exposure to an enhanced ROS environment.121

5.2. Possible ROS sensitive groups to form hydrogels

The application of ROS-responsive hydrogels in anti-cancer drug delivery is still in its infancy, but it has recently garnered increased interest.³³⁵ Consequently, the development of anti-

Revi	wei:	272	286	287	5 8 8	Materials Adva
	Advantages of using the hydrogel	 Capacity of increasing tumor suppression and reducing tumoral micro vessel density Post treatment enhancement of serum TNF-α and INF-β 	 Improved drug releasing capacity at tumoral PH (6.5) Rapid release of bev- acizumab followed with long term release of doxorubicin 	✓ Highest DOX releasing efficiency at tumoral PH (5.5)	✓ Enhanced anti-tumoral effect include inhibition of tumor growth and metastasis	✓ Better effectiveness on killing glioblastoma cells
	Earned benefits of copolymerization	✓ Enhanced mechanical stability and drug loading efficiency	✓ Enhanced biode- gradability and mechanical strength	 Enhanced mechanical strength associated with self- healing capacity during a breakdown Improved gelation Improved gelation enhanced storage modulus value 	✓ Stabilized hydrogel structure with defined mesh size	✓ Optimal pore size and enhanced stability
	g Cancer type	HeLa (cervical cancer cells)	d HeLa (cervical cancer cells)	A549 (lung cancer cells)	Human ortho- topic breast tumors <i>(in vitro</i>)	Glioblastoma
ious cancer types	Anti-cancer drug carried by the hydrogel	DMXAA and doxorubicin	Bevacizumab an doxorubicin	Doxorubicin	Doxorubicin	Therapeutic T- lymphocytes (immunotherap
sensitive hydrogels and their potential as drug carriers for v	Structure of the hydrogel	$ \begin{split} & \overset{\left(1 \right)}{\underset{H_{3}}{\overset{\left(1 \right)}{\overset{\left(1 \right)}}{\overset{\left(1 \right)}{\overset{\left(1 \right)}}{\overset{\left(1 \right)}}{\overset{\left(1 \right)}}{\overset{\left(1 \right)}{\overset{\left(1 \right)}}{\overset{\left(1 \right)}}}{\overset{\left(1 \right)}}}{\overset{\left(1 \right)}}{\overset{\left(1 \right)}}{\overset{\left(1 \right)}}{\overset{\left(1 \right)}}{\overset{\left(1 \right)}}{\overset{\left(1 \right)}}}}}}}}}}}}}}}}}}}}}}}}}}}}}}}}} \\ \\ \\ \\ $	NII, CMILAPBLIA-PEG-PULA-CMILA(NH, PPP-NH.) $H = \begin{pmatrix} 0 & & \\ 0$	Oxidized xanthan	PEG PEG PEG PEG PEG PEG PEG PEG	Ho 4 5 0H 10
Table 3 Selected PEG-based thermally s	Name of the PEG hydrogel	CO_2H -PDLJA-PEG-PDLJA-CO_2H/NH_2- PDLJA-PEG-PDLJA-NH_2 (carboxyl end and amino end modified poly(v_1 - lactide)-poly(ethylene glycol)-poly(v_1 - lactide copolymer))	Poly(b,1-lactide)-poly(ethylene glycol)- poly(b,1-lactide) (PDLLA-PEG-PDLLA)	Xanthan PEG hydrogels	Heparin-PEG hydrogel	Poly(ethylene glycol)-g-chitosan hydro- gels (PCgels)

Open Access Article. Published on 17 November 2023. Downloaded on 8/11/2025 8:14:01 PM.

(cc)) BY

Open Access Article. Published on 17 November 2023. Downloaded on 8/11/2025 8:14:01 PM. (cc) BY

Table 3 (continued)

Ref.	290	291	292	293	294
Advantages of using the hydrogel	✓ Enhanced tumor regres- sion with followed induction of apoptosis	✓ Acceptable ability to selec- tively kill the glioblastoma cells in coordination with iron oxide nanoparticles	✓ Enhanced half-life of the drug with reduced cytotoxicity and therapeutic efficacy	Highest cytotoxicity of B16- F10 cells due to improved inhibition of proliferation, cell cycle arrest, and induc- tion of apoptosis	✓ Loading capacity of co- drugs, highest anti- proliferative activity and reg- ulation of apoptosis related gene expression
Earned benefits of copolymerization	✓ Mechanical strength and asso- ciated release of the M1 macrophages	✓ Tunability and strength for thermal resistance	✓ Better mechanical stability and strength	✓ Subcutaneous stability, enhanced loading and release of silibinin	✓ Mechanical strength and stability
Cancer type	Human hepa- tocellular car- cinoma <i>(in vitro</i> and <i>in vivo</i>)	Glioblastoma cells (M059K, <i>in vitro</i>)	Pank-1 cells (pancreatic cancer cell, <i>in vivo</i>)	B16-F10 cells (melanoma, <i>in vitro</i> and <i>in vivo</i>)	Human osteo- sarcoma xenografts
Anti-cancer drug carried by the hydrogel	M1 macrophages	Magnetic iron • oxide nanoparticles	Gemcitabine	Silibinin	Doxorubicin and cisplatin
Structure of the hydrogel		$ \begin{array}{c} \begin{array}{c} \begin{array}{c} \begin{array}{c} \begin{array}{c} \begin{array}{c} \end{array} \\ \end{array} \\ \end{array} \\ \end{array} \\ \begin{array}{c} \end{array} \\ \end{array} \\ \end{array} \\ \end{array} \\ \begin{array}{c} \end{array} \\ \begin{array}{c} \end{array} \\ \end{array} $	"tongtoghtonghtonghtonghtongo"	Ho $\begin{pmatrix} H_2 \\ C \\ C \\ A \\ C \\ A \\ C \\ C \\ C \\ C \\ C$	Hod My Chy Charles and the application
Name of the PEG hydrogel	Poly(ethylene glycol) diacrylate (PEGdA) and thiolated gelatin poly(ethylene gly- col) (Gel-PEG-Cys) cross-linked hydrogels	Poly(ethylene glycol) methyl ether methacrylate and dimethacrylate hydrogel	Poly(ɛ-caprolactone- <i>co</i> -lactide)- <i>b</i> - poly(ethylene glycol)- <i>b</i> -poly(ɛ- caprolactone- <i>co</i> -lactide) hydrogel	Poly[(α -benzyl carboxylate-e- caprolactone)- co -(α -carboxyl-e- caprolactone)]- b -PEG- b -[(α -benzyl carboxylate-e-caprolactone)- co -(α - carboxyl-e-caprolactone)] (PCBCL- b - PEG- b -PCBCL)	Poly(lactide- <i>co</i> -glycolide)-poly(ethylene glycol)-poly(lactide- <i>co</i> -glycolide) (PLGA- PEG-PLGA)

Materials Advances



Fig. 13 Diagrammatic view of glucose-6-phosphate dehydrogenase reaction and the levels of glutathione (GSH), nicotine adenine dinucleotide phosphate (NADPH), and hydrogen peroxide (H₂O₂) in normal and tumorous cells.

cancer drug delivery systems based on ROS-responsive hydrogels seems to be a promising future direction. Numerous studies have explored the use of ROS-responsive nano capsules for drug delivery.³³⁶ However, further research is needed to fully understand the potential of ROS-responsive hydrogels in anti-cancer drug delivery applications.^{33,337} Therefore, we can gain valuable insights into the fabrication of ROS-responsive hydrogels by examining existing literature and employing established methods for creating ROS-responsive nano carriers.

During the copolymerization process, a widely used technique for creating ROS-responsive hydrogels, ROS-responsive chemical compounds can be integrated into the hydrogel's backbone.^{121,338} Since the majority of these compounds are hydrophobic, they can serve as hydrophobic components or be conjugated with a hydrophobic moiety in an amphiphilic copolymer during synthesis.³³⁹ Structures containing selenium (Se), tellurium (Te), aryl boronic ester, poly(L-methionine), poly(L-proline), and disulfide are ROS-responsive groups that can be employed in the fabrication of ROS-responsive hydrogels.^{340,341} These molecules may undergo an ROSinduced non-cleavable hydrophobic-to-hydrophilic transition or ROS-induced structural cleavage, allowing for the release of the encapsulated drug molecules.^{338,340-342} The hydrophobichydrophilic transition occurs when an O atom forms a covalent bond with surrounding molecules. This process involves the ROS-induced oxidation of chalcogen elements, such as sulfur (S), Se, and Te, altering their valence from +2 to +4 or +6 (Fig. 14A). In contrast, the reaction of ROS with aryl boronic acid/ester, thioether, thioketal, and proline oligomers facilitates the cleavage of polymers or hydrogels composed of these groups.³³⁸

S-containing hydrogels can be synthesized using Scontaining amino acids such as cysteine, methionine, homocysteine, and taurine.³⁴³ As S is abundant in nature in these amino acids, its polymer structure is less toxic and biocompatible.³⁴⁴ Disulfide bonds are commonly used in ROS-responsive drug delivery systems. Incorporating disulfide bonds, which are temperature-sensitive, during synthesis can produce thermally sensitive gels.³⁴⁵ The first S-containing triblock copolymer vesicle (PEG-polypropylene sulfide-PEG) capable of undergoing a hydrophobic-to-hydrophilic transition upon exposure to an H₂O₂-rich environment was synthesized in 2004.^{346,347} Drug loading into these vesicles can be achieved either in amphiphilic ROS-responsive micelles or in the ROSresponsive backbone of the polymer [315].³⁴⁸ Other well-known S-containing polymers and thioethers can be synthesized through transfer polymerization, ring-opening polymerization, and step-growth polymerization.³⁴⁹ Thioethers, which are also

responsive to high ROS environments, can react with H2O2 and generate a solubility shift, causing carrier decomposition and subsequent release of the loaded drug.^{348,350} Due to its inability to oxidize thioethers under normal physiological conditions, superoxide dismutase contributes to the degradation of thioethers by producing H₂O₂.³⁴¹ Polypropylene sulfide is a widely used polymer in nanovesicle synthesis. It possesses temperature-responsive gelation properties and can transform into hydrophilic components when exposed to high ROS environments.351 These characteristics make polypropylene sulfide an excellent component for the development of thermal and ROS-responsive hydrogels in anti-cancer drug delivery.³⁵² Thioketals, S-containing ROS-sensitive groups, are suitable for designing ROS-responsive hydrogels. The thioketal bond is sensitive to high ROS environments, undergoing a reaction that yields acetone, while the other two S-containing moieties result in the breakdown of the linkage (Fig. 14B).³⁵³ Xia and Shim synthesized ROS-responsive polymers containing thioketal groups and successfully delivered specific DNA sequences.³⁵⁴

Se-containing polymers, synthesized through step-growth polymerization, play a crucial role in neutralizing peroxides in cells by enhancing the catalytic activity of glutathione peroxidase.³⁵⁵⁻³⁵⁷ Additionally, Se ions have demonstrated the ability to kill cancer cells.³⁵⁸ Di selenium-containing polymers are ideal for use as components in ROS-responsive hydrogels for targeted anti-cancer drug delivery.^{191,359} In the presence of high ROS concentrations, Se-containing polymers can oxidize to selenoxide, then reduce to selenones, leading to a hydrophobic-to-

hydrophilic phase transition and bond cleavage, ultimately releasing the drug.³⁶⁰ Researchers have successfully synthesized ROSsensitive supramolecular hydrogels composed of peptide amphiphiles and selenide copolymers, which release naproxen in higher ROS environments.³⁶¹

Te-containing polymers, synthesized similarly to Se polymers through step-growth polymerization, exhibit ultrasensitive ROS-responsive potential (100 µm) compared to other groups. However, Te, a member of the chalcogen family, is known to have toxic effects on cells.³⁶² As a result, enhancing biocompatibility is a primary objective when preparing Tecontaining polymers.³⁶² Wang et al. reported the synthesis of a nanocarrier comprised of a copolymer of Te-containing molecules and phospholipids, which demonstrated both Te ROS responsiveness and phospholipid biocompatibility, potentially addressing the biocompatibility issue.³⁶³ Other studies have also highlighted the improved biocompatibility of Te-containing hydrogels for anti-cancer drug delivery. For instance, Tecontaining nanocarriers capable of coordinating chemotherapy, photodynamic therapy, and photothermal therapy have been synthesized with reduced toxicity and enhanced biocompatibility. The PEG-PUTe-PEG copolymer allowed for controlled and prolonged release of cisplatin while incorporating the capacity for near-infrared light irradiation.³⁶⁴ In general, future designs of Te-incorporated hydrogels should focus on increasing biocompatibility while maintaining ROS sensitivity.

Other ROS-sensitive polymers, such as PBE or ABE, can be synthesized through a stepwise polymerization reaction using



Fig. 14 Diagrams of hydrogel structures with possible H₂O₂ oxidation reactions (A) sulfur, selenium and tellurium, (B) thioketal, and (C) boronic acid).

PBE or ABE monomers. These polymers are selectively oxidized by H_2O_2 to produce phenol or aryl and boronic acid groups as products (Fig. 14C).^{342,365} This reaction involves the ROSinduced oxidation of the carbon–boron link, forming phenol borate, which is then hydrolyzed to produce boronic acid and phenol. Similarly, aryl boronic esters undergo consecutive oxidation and hydrolysis to yield phenol and aryl boronic acids as final products.³⁶⁶ Instead of serving as a hydrophobic component of the carrier in drug carrier polymer construction, PBE forms a weak π – π interaction with the drug to enhance its stability.³⁶⁷

Proline can also undergo ROS-mediated oxidation to form tertiary amine bonds with relatively strong oxidation properties.³⁶⁸ Due to their slow degradation rate, proline oligomers are preferable candidates for synthesizing drug carriers that allow for prolonged release.³⁶⁹ Their complete degradation can take weeks, in contrast to other polymers that degrade in hours or days.³⁶⁰ Furthermore, since proline is a natural component, incorporating it into copolymer carriers can enhance their biocompatibility.⁵⁴

The final ROS-sensitive polymers discussed here are those containing ferrocene. Atom transfer radical reactions can be employed to synthesize these polymers.^{370,371} Ferrocenecontaining polymers belong to an organometallic chemical family with two cyclopentadienyl rings on opposite sides of a central iron atom.³⁷² These polymers are more stable and can be effectively synthesized with reversible redox activities.³⁷³ Similar to other ROS-responsive groups, ferrocene-containing polymers constitute the hydrophobic components of amphiphilic drug carriers.³⁷⁴ Upon exposure to a high ROS environment, the hydrophobic ferrocene group rapidly oxidizes to hydrophilic ferricenium.^{375,376} Due to their phase transition capability, these compounds are suitable for ROS-triggered drug release. Future hydrogel designs should consider incorporating these groups.^{121,191}

5.2.1. ROS-sensitive hydrogels used in local drug delivery for cancer treatment. As mentioned in the previous section, the use of ROS-sensitive hydrogels for anti-cancer drug delivery is in the early stages of development. In this section, we discuss some research findings on this topic. Chao Wang et al. reported an ROS-sensitive hydrogel scaffold synthesized from a combination of N_1, N_1, N_3, N_3 -tetramethyl propane-1,3-diamine, excess 4-(bromomethyl)phenyl boronic acid (TSPBA), and poly(vinyl alcohol) (PVA). The hydrogel promoted immunogenic types of B16F10 (melanoma tumor) and 4T1 (breast tumor) in vivo (mouse models) via gemcitabine delivery, increasing the antitumor response through the release of anti-PD-L1 blocking antibody.³⁷⁷ Thus, the PVA-TSPBA hydrogel reduced the side effects associated with immune checkpoint and PD-1/PD-L1 pathway inhibitors. Three different groups of mouse models were used to induce B16F10 tumors (untreated, hydrogeltreated, and gemcitabine-hydrogel-treated). The highest PD-L1 expression was observed in cancer cells, dendritic cells (DC), and tumor associated macrophages (TAM) in groups treated with the gemcitabine-hydrogel complex (Fig. 15A). Moreover, PD-1 expression in CD4⁺ and CD8⁺ tumor-infiltrating

lymphocytes was enhanced in groups treated with the gemcitabine-hydrogel complex (Fig. 14A). Circulating T-helper type-I cytokines IL-6 and IFN-γ also increased after treatment with the gemcitabine-hydrogel complex (Fig. 15B). These results indicate that the ROS-sensitive TSPBA-PVA-gemcitabine complex promotes PD-L1 expression in B16F10 cells, making them identifiable by specific antibodies used in cancer immunotherapy. The underlying mechanism suggests that PD-L1 produced by cancer cells can bind to PD-1 of Tlymphocytic cells, causing immunosuppression and blockage of CD4⁺ and CD8⁺ production, followed by the inactivation of antigen presenting cells (APCs) (Fig. 15C).³⁷⁸ Therefore, ROSresponsive hydrogels play a role in promoting immunogenic cancer cell PD-L1 expression, followed by blockage with specific antibodies, representing a promising immunotherapeutic strategy for cancer.379

Cold tumors are immunologically inactive, and treatment with a combination of immune checkpoint blockade (ICB) and photodynamic therapies can enhance their elimination.^{380,381} However, the photo generated ROS produced by photodynamic therapy can damage immune checkpoint blockade drugs (antibodies), resulting in reduced treatment efficacy.³⁸² To address this, Zhang et al. and Al et al. recently reported the synthesis of a Raman-traceable ROS scavenger hydrogel capable of protecting and delivering ICB drugs during photodynamic-ICB combination therapy in T41 tumor-bearing mouse models.³⁸³ The hydrogel was composed of a poly(deca-4,6-diynedioic acid) (PDDA) backbone cross-linked with the natural polysaccharide pullulan. The PDDA-pullulan hydrogel was successfully loaded and co-delivered with a photo inducer (Chlorin e6) and ICB antibody (CD47) for the enhanced killing of T41 tumors. Furthermore, the PDDA-pullulan hydrogel improved the effectiveness of the treatment by prolonging the protection of CD47 from tumor microenvironment-induced ROS, followed by its post-delivery degradation into succinic acid. Both studies mentioned in this section indicate that ROS-responsive hydrogels are promising for co-delivering drugs for anti-cancer treatment.

In addition to delivering chemo-immunotherapy drugs and immune-photodynamic drugs, ROS-sensitive smart hydrogels and nano-carriers have proven effective in delivering a combination of chemo and photodynamic drugs in preclinical mice models.^{384,385} In the realm of photodynamic therapy, highenergy radiation triggers the production of reactive oxygen species (ROS), inflicting DNA damage upon the specific cancer cells being targeted.³⁸⁶ The ingenuity lies in combining this ROS-generating principle with radiation therapy, utilizing nanomaterials that are sensitive to ROS for drug encapsulation. This strategy allows the radiation-induced ROS, besides damaging the DNA of cancer cells, to serve a dual purpose by facilitating the controlled release of encapsulated drugs.384 This innovative approach not only exploits the synergistic effects of radiation-induced ROS but also significantly amplifies the therapeutic potential of the treatment. Saji Uthaman et al. ingeniously fabricated photoactivatable nano-micelles through the self-assembly of a PEG-streamline conjugate (PTS) linked with a reactive oxygen species (ROS)-sensitive



Fig. 15 (A) Expression of PD-L1 and PD-1 in cancer cells, dendritic cells (DC), tumor-associated macrophages (TAM), CD8⁺ T-cells, and CD4⁺ T-cells before and after treatment with TSPBA-PVA hydrogel and TSPBA-PVA-gemcitabine complex. Red picks indicate untreated groups, light blue/deep blue picks represent TSPBA gel-treated groups, and green picks denote TSPBA gemcitabine-treated groups. (B) Amount of type I T-helper cytokines, IL-6 and IFN-γ, before and after treatment with TSPBA-PVA-gemcitabine complex. (C) Mechanism of T-cell activation and inactivation associated with the PD-L1/PD-1 cascade. Fig. 14A and B, adapted from ref. 377.



Fig. 16 Schematic illustration of ROS-responsive drug release of PTS-Dox-PhA for enhanced loco regional chemo-photodynamic therapy. Reprinted from ref. 387 with permission of the published (License no. 5651680086971, 17 October 2023)

thioketal linker. This nano-micelle was designed to encapsulate both the chemotherapeutic drug doxorubicin (Dox) and the photosensitizer pheophorbide A (PhA). Sequential release of Dox and PhA was achieved by hydrolyzing the thioketal linker in response to the elevated ROS levels within the tumor microenvironment.387 Administering these co-drug-loaded PTS nano-micelles via intravenous injection in a mouse model of cancer demonstrated their remarkable potential. Once the nano micelles traversed the cell membrane of cancer cells. exposure to the heightened ROS environment within these cells triggered the controlled release of Dox. Subsequently, the application of laser light at 670 nm induced the sequential release of PhA, resulting in a synergistic and controlled therapeutic response (Fig. 16).

Clinical experiments and application of hydrogels as anti-cancer drug carriers

Clinical application of hydrogels for anti-cancer drug delivery is at an initial stage, number of accredited organizations such as food and drug administration (FDA) approved natural and synthetic-based hydrogels is few in comparison with the preclinical approved products.³⁸⁸ Therefore, even if the application of hydrogels for anti-cancer drug delivery in clinical settings holds significant promise, it also faces several challenges and hurdles in comparison with preclinical settings. Some of the challenges include; (1) the immune response in preclinical models can exhibit distinct characteristics compared to its manifestation in human clinical trials, potentially resulting in heightened immunogenicity.³⁸⁹ (2) When implementing hydrogels targeting tumor-specific receptors or proteins for anti-cancer drug delivery in clinical trials, the genetically translated domains of the targeted receptors may present variations compared to preclinical models.³⁹⁰ (3) The journey from preclinical trials to clinical trials and subsequent regulatory approvals entails rigorous clinical testing, adhering to regulatory standards, and securing FDA authorization, a process known for its time-consuming and resource-intensive nature.³⁹¹ (4) Hydrogel-based drug delivery systems, when contrasted with their preclinical counterparts, often incur higher development and manufacturing costs. The challenge lies in scaling up production while ensuring consistent quality.³⁹² (5) Patient responses to hydrogelbased drug delivery systems can exhibit variability due to factors like individual metabolism, immune responses, and tumor heterogeneity.393 This may necessitate early adoption of personalized medicine approaches, which can pose initial challenges for funders to embrace. (6) The approval of a hydrogel product in preclinical stages may lead to the emergence of mutated cancer types when applied to humans in a clinical setting.³⁹⁴

Among the numerous challenges mentioned, it is noteworthy that both the FDA and EMA (European Medicines Agency) have approved 30 distinct injectable hydrogel products, each intended for various clinical applications. Interestingly, only two of these hydrogels have gained approval specifically for their application in cancer treatment (Table 4).³⁹⁵

Materials Advances

Table 4 FDA or EMA approved injectabl	le hydrogels for clinical applications in anti cancer drug delivery			
Name (company)	Hydrogel material/payload (gelation mechanism)	Injection type	Approved indication	Approval (year)
SpaceOAR® Hydrogel (Augmenix, Inc.)	Polyethylene glycol (chemical reaction)	Percutaneous	To safeguard delicate tissues during radiation therapy for prostate cancer	EMA (2010)
Vantas $^{\oplus}$ (Endo pharmaceuticals)	Histrelin acetate, poly(2 hydroxyethyl methacrylate), poly(2-hydroxypropyl	Subcutaneous	Palliative treatment of prostate cancer	FDA (2015) FDA (2004)
	וווכנוומכולומנכן מוות צטומטטנוסףווו וכוכמאווצ ווטוווסווכ (כווכווונכמו וכמכווטון)			EMA (2005)

7. Conclusion and research outlook

Local or targeted cancer treatment is emerging as an effective mechanism for minimizing cytotoxicity. Local treatment options have been successfully realized due to the application of hydrogels for the prolonged release of anti-cancer drugs. These carrier hydrogels have attracted increasing attention owing to their low biotoxicity, biodegradability, and stimuliresponsive capacity for delivering anti-cancer drugs.

Thermally sensitive and reactive-species-sensitive hydrogels have recently been used to deliver most anti-cancer drugs in preclinical studies. Copolymer hydrogels composed of PNIPAM, Pluronic, and PEG are thermally sensitive and undergo sol-gel transitions when the temperature changes. After loading anticancer drugs into the solution phase, they form a gel when injected into the body and release the incorporated drug at their LCST or UCST for a prolonged time. This mechanism enhances the efficacy of anti-cancer drugs by minimizing toxicity.

ROS-responsive hydrogels are also gaining attention for anticancer drug delivery applications. As the tumor microenvironment has an increased amount of ROS, ROS-sensitive hydrogels carry and release drugs to the tumor site in a controlled manner, thereby improving therapeutic outcomes and reducing systemic toxicity. Copolymers composed of Se, Te, aryl boronic esters, poly(L-methionine), poly(L-proline), and disulfides exhibit ROS-responsive properties.

With the increasing need for stimuli-responsive hydrogels, future anti-cancer clinical practice will improve by incorporating the implementation of thermal and ROS-responsive hydrogels for designing multiple deliveries of anti-cancer drugs to achieve successful treatment outcomes.

Based on the level of knowledge that we reached, we recommend the following for future researchers who need to study this area:

• While planning to produce synthetic hydrogels for anticancer drug delivery, minimizing cytotoxicity and enhancing long-term drug release is mandatory.

• Since PNIPAM alone has significantly less stability, blending it with stronger copolymers is better.

• Pluronic alone can use as an anti-cancer drug carrier hydrogel. However, its rate of degradation is the fastest. So, we recommend blending it with copolymers having better resistance to degradation.

• PEG and PEG-based hydrogels have innovative stability and biodegradability. Combining PEG with less biodegradable polymers can enhance their biodegradability.

• ROS-responsive hydrogels are at the infant stage and need further research. We believe reducing cytotoxicity is a front-line purpose while synthesizing these hydrogels. We recommend blending the ROS-sensitive group with copolymers having the capacity to minimize toxicity.

Conflicts of interest

The authors declare no conflict of interest.

Acknowledgements

This work was supported by the Ministry of Science and Technology, Taiwan (MOST 109-2221-E-011-146-MY3, 108-2221-E-011-110-MY3 and 108-2923-e-011-005-my3).

References

- 1 Y. W. Ahmed, et al., Clin. Epigenet., 2022, 14(1), 1.
- 2 P. Boyle and B. Levin, *World cancer report 2008*, IARC Press, International Agency for Research on Cancer, 2008.
- 3 F. Bray, et al., Ca-Cancer J. Clin., 2018, 68(6), 394.
- 4 J. Ferlay, et al., Int. J. Cancer, 2015, 136(5), E359.
- 5 C. Mattiuzzi and G. Lippi, *J. Epidemiol. Glob Health*, 2019, 9(4), 217.
- 6 S. Senapati, et al., Signal Transduction Targeted Ther., 2018, 3(1), 7.
- 7 C. Xia, et al., Chin. Med. J., 2022, 135(5), 584.
- 8 R. F. Barth, et al., Cancer Commun., 2018, 38(1), 36.
- 9 F. M. Johnston and M. Beckman, *Curr. Oncol. Rep.*, 2019, **21**(8), 67.
- 10 A. Ku, et al., EJNMMI Radiopharm. Chem., 2019, 4(1), 27.
- 11 S. Rottenberg, et al., Nat. Rev. Cancer, 2021, 21(1), 37.
- 12 J. C. Coffey, et al., Lancet Oncol., 2003, 4(12), 760.
- 13 L. Wyld, et al., Nat. Rev. Clin. Oncol., 2015, 12(2), 115.
- 14 W. D. Joo, et al., Maturitas, 2013, 76(4), 308.
- 15 C. Y. Zhao, et al., Molecules, 2018, 23(4), 826.
- 16 D. Schaue and W. H. McBride, Nat. Rev. Clin. Oncol., 2015, 12(9), 527.
- 17 J. Thariat, et al., Nat. Rev. Clin. Oncol., 2013, 10(1), 52.
- 18 L. A. Emens, et al., Eur. J. Cancer, 2017, 81, 116.
- 19 C. L. Ventola, P T, 2017, 42(6), 375.
- 20 N. Shreyash, et al., ACS Appl. Bio Mater., 2021, 4(3), 2307.
- 21 S. Uthaman, et al., Biomater. Res., 2018, 22(1), 22.
- 22 C. Roma-Rodrigues, et al., Pharmaceutics, 2020, 12(3), 233.
- 23 C. C. Ma, et al., Biotechnol. Adv., 2020, 40, 107502.
- 24 D. Liu, et al., Theranostics, 2016, 6(9), 1306.
- 25 V. K. Devi, et al., Pharmacogn. Rev., 2010, 4(7), 27.
- 26 P. Kumari, et al., J. Drug Target., 2016, 24(3), 179.
- 27 W. Liu, et al., Sci. Rep., 2021, 11(1), 199.
- 28 K. Elkhoury, et al., Pharmaceutics, 2020, 12(9), 849.
- 29 S. Huang, et al., Bioeng. Transl. Med., 2022, 7(3), e10315.
- 30 K. Panduranga Rao, J. Biomater. Sci., Polym. Ed., 1996, 7(7), 623.
- 31 M. Norouzi, et al., Drug Discovery Today, 2016, 21(11), 1835.
- 32 M. Aquib, et al., J. Mater. Chem. B, 2020, 8(37), 8507.
- 33 Z. Sun, et al., Mol. Pharm., 2019, 17(2), 373.
- 34 B. Taghizadeh, et al., Drug Delivery, 2015, 22(2), 145.
- 35 M. Sepantafar, *et al.*, *Trends Biotechnol.*, 2017, 35(11), 1074.
- 36 Q. He, et al., Asian J. Pharm. Sci., 2020, 15(4), 416.
- 37 Z. K. Huang, et al., Matter, 2021, 4(2), 461.
- 38 H. Xiong, et al., Small, 2022, **18**(4), e2104341.
- 39 F. Danhier, et al., J. Controlled Release, 2010, 148(2), 135.
- 40 T. Frenz, et al., Eur. J. Pharm. Biopharm., 2015, **95**(Pt A), 13.
- 41 J. Ghitman, et al., Mater. Design., 2020, 193, 108805.

- 42 S. Laurent, et al., Expert Opin. Drug Delivery, 2014, 11(9), 1449.
- 43 J. M. Korde and B. Kandasubramanian, *Chem. Eng. J.*, 2020, **379**, 122430.
- 44 Q. V. Nguyen, et al., Eur. Polym. J., 2015, 72, 602.
- 45 P. Gupta, et al., Drug Discovery Today, 2002, 7(10), 569.
- 46 A. Matsumoto, et al., Biomacromolecules, 2003, 4(5), 1410.
- 47 C. Peng, et al., J. Controlled Release, 2022, 345, 625.
- 48 J. Li and D. J. Mooney, Nat. Rev. Mater., 2016, 1(12), 1.
- 49 A. Chyzy, et al., Materials, 2020, 13(1), 188.
- 50 E. Caló and V. V. Khutoryanskiy, *Eur. Polym. J.*, 2015, 65, 252.
- 51 J. Kopeček and J. Yang, Polym. Int., 2007, 56(9), 1078.
- 52 M. W. Tibbitt and K. S. Anseth, *Biotechnol. Bioeng.*, 2009, 103(4), 655.
- 53 Q. Chai, et al., Gels, 2017, 3(1), 6.
- 54 A. M. Jonker, et al., Chem. Mater., 2012, 24(5), 759.
- 55 M. Mahinroosta, et al., Mater. Today Chem., 2018, 8, 42.
- 56 N. A. Peppas, et al., Eur. J. Pharm. Biopharm., 2000, 50(1), 27.
- 57 Y. Zhao, et al., Polymer, 2005, 46(14), 5368.
- 58 Y. Zhou, et al., Carbohydr. Polym., 2013, 97(2), 429.
- 59 A. H. Karoyo and L. D. Wilson, *Materials*, 2021, 14(5), 1095.
- 60 A. Bashari, et al., Polym. Adv. Technol., 2018, 29(12), 2853.
- 61 H. R. Culver, et al., Acc. Chem. Res., 2017, 50(2), 170.
- 62 E. C. Cho, et al., Macromolecules, 2003, 36(26), 9929.
- 63 B. Kaczmarek, et al., Hydrogels Based Nat. Polym., 2020, 151.
- 64 I. Gibas and H. Janik, Chem. Chem. Technol., 2010, 4(4), 297.
- 65 F. Ullah, et al., Mater. Sci. Eng., C, 2015, 57, 414.
- 66 T. Vermonden, et al., Chem. Rev., 2012, 112(5), 2853.
- 67 D. Buenger, et al., Prog. Polym. Sci., 2012, 37(12), 1678.
- 68 R. Wakabayashi, et al., Polym. J., 2020, 52(8), 899.
- 69 W. Deng, et al., Drug Delivery, 2022, 29(1), 399.
- 70 F. Khan, et al., J. Mater. Chem. B, 2022, 10(2), 170.
- 71 Y. Tang, et al., Expert Opin. Drug Delivery, 2011, 8(9), 1141.
- 72 W. Hu, et al., Biomater. Sci., 2019, 7(3), 843.
- 73 J. Q. Zhu, et al., Adv. Mater., 2022, 34(38), e2201651.
- 74 F. Zhao, et al., Nanomaterials, 2015, 5(4), 2054.
- 75 D. Schmaljohann, Adv. Drug Delivery Rev., 2006, 58(15), 1655.
- 76 S. Maya, et al., Curr. Pharm. Des., 2013, 19(41), 7203.
- 77 J. George, et al., Biotechnol. Adv., 2020, 42, 107370.
- 78 K. Y. Lee and D. J. Mooney, Chem. Rev., 2001, 101(7), 1869.
- 79 K. T. Nguyen and J. L. West, *Biomaterials*, 2002, 23(22), 4307.
- 80 J. L. Drury and D. J. Mooney, *Biomaterials*, 2003, 24(24), 4337.
- 81 X. Wang, et al., Polymers, 2017, 9(9), 401.
- 82 L. R. Nih, et al., Curr. Opin. Biotechnol., 2016, 40, 155.
- 83 R. A. Stile and K. E. Healy, *Biomacromolecules*, 2001, 2(1), 185.
- 84 N. A. Peppas, *Biomedical applications of hydrogels handbook*, Springer Science & Business Media, 2010.
- 85 T. D. Sargeant, et al., Acta Biomater., 2012, 8(1), 124.

- 86 E. A. Kamoun, et al., Arab. J. Chem., 2015, 8(1), 1.
- 87 Y. Liang, et al., ACS Nano, 2021, 15(8), 12687.
- 88 M. T. Khorasani, et al., Int. J. Biol. Macromol., 2018, 114, 1203.
- 89 A. Fakhari and C. Berkland, *Acta Biomater.*, 2013, **9**(7), 7081.
- 90 P. Corkhill, et al., Proc. Inst. Mech. Eng., Part C, 1990, 204(3), 147.
- 91 P. C. Nicolson and J. Vogt, Biomaterials, 2001, 22(24), 3273.
- 92 N. Annabi, et al., Adv. Mater., 2014, 26(1), 85.
- 93 E. Hoch, et al., Eur. J. Cardiothorac. Surg., 2014, 46(5), 767.
- 94 J. Deng, et al., Polym. Chem., 2017, 8(14), 2266.
- 95 H. F. Darge, et al., Int. J. Biol. Macromol., 2019, 133, 545.
- 96 E. M. Ahmed, J. Adv. Res., 2015, 6(2), 105.
- 97 M. M. Khansari, et al., Jom, 2017, 69(8), 1340.
- 98 S. H. Aswathy, et al., Heliyon, 2020, 6(4), e03719.
- 99 C. H. Xian, et al., Chin. Chem. Lett., 2020, 31(1), 19.
- 100 K. Saini, PharmaTutor, 2017, 5(1), 27.
- 101 J. Hoque, et al., Macromol. Biosci., 2019, 19(1), e1800259.
- 102 A. da Silva Morais, *et al.*, *Adv. Healthcare Mater.*, 2020, 9(5), e1901435.
- 103 L. Altomare, et al., Int. J. Artif. Organs, 2018, 41(6), 337.
- 104 C. D. Spicer, Polym. Chem., 2020, 11(2), 184.
- 105 A. Asti and L. Gioglio, Int. J. Artif. Organs, 2014, 37(3), 187.
- 106 R. Song, et al., Drug Des., Dev. Ther., 2018, 12, 3117.
- 107 E. Chiellini, et al., Prog. Polym. Sci., 2003, 28(6), 963.
- 108 S. Tabasum, *et al.*, *Int. J. Biol. Macromol.*, 2018, **120**(Pt A), 603.
- 109 R. A. Abd Alsaheb, et al., J. Chem. Pharm. Res., 2015, 7(12), 51.
- 110 A. D. Lynn, et al., J. Biomed. Mater. Res., Part A, 2010, 93(3), 941.
- 111 D. Seliktar, Science, 2012, 336(6085), 1124.
- 112 D. F. Al Husaeni and A. B. D. Nandiyanto, *ASEAN J. Sci.* Eng., 2022, 2(1), 19.
- 113 N. J. van Eck and L. Waltman, *Scientometrics*, 2017, **111**(2), 1053.
- 114 B. George, et al., Eur. Polym. J., 2021, 157, 110640.
- 115 C. Biscaro and C. Giupponi, PLoS One, 2014, 9(6), e99502.
- 116 F. Andrade, et al., Cancers, 2021, 13(5), 1164.
- 117 C. C. Lin and K. S. Anseth, Pharm. Res., 2009, 26(3), 631.
- 118 R. Dimatteo, et al., Adv. Drug Delivery Rev., 2018, 127, 167.
- 119 J. Omar, et al., Chem. Asian J., 2022, 17(9), e202200081.
- 120 A. Pourjavadi, et al., New J. Chem., 2021, 45(35), 15705.
- 121 G. Saravanakumar, et al., Adv. Sci., 2017, 4(1), 1600124.
- 122 K. S. Soppimath, et al., Drug. Dev. Ind. Pharm., 2002, 28(8), 957.
- 123 A. Kasiński, et al., Int. J. Nanomed., 2020, 15, 4541.
- 124 A. K. Bajpai, et al., Prog. Polym. Sci., 2008, 33(11), 1088.
- 125 M. A. H. Badsha, et al., J. Hazard Mater., 2021, 408, 124463.
- 126 J. F. Mano, Adv. Eng. Mater., 2008, 10(6), 515.
- 127 E. S. Gil and S. M. Hudson, *Prog. Polym. Sci.*, 2004, **29**(12), 1173.
- 128 J. H. Lee, Biomater. Res., 2018, 22(1), 27.
- 129 L. J. Chen and H. B. Yang, Acc. Chem. Res., 2018, 51(11), 2699.

- 130 M. A. Stuart, et al., Nat. Mater., 2010, 9(2), 101.
- 131 C. de Las Heras Alarcon, *et al.*, *Chem. Soc. Rev.*, 2005, 34(3), 276.
- 132 B. Guo, et al., J. Am. Chem. Soc., 2020, 142(41), 17318.
- 133 J. Hu, et al., J. Polym. Res., 2012, 19(11), 1.
- 134 H. Gupta, et al., Drug Delivery, 2007, 14(8), 507.
- 135 T. M. Aminabhavi, et al., J. Appl. Polym. Sci., 2004, 94(5), 2057.
- 136 L. L. Li, et al., J. Appl. Polym. Sci., 2012, 124(2), 1128.
- 137 S. J. Buwalda, et al., J. Controlled Release, 2014, 190, 254.
- 138 M. R. Matanović, et al., Int. J. Pharm., 2014, 472(1-2), 262.
- 139 S. Wong, et al., J. Mater. Chem. B, 2014, 2(6), 595.
- 140 Y. Kaneko, et al., J. Membr. Sci., 1995, 101(1-2), 13.
- 141 F. M. Goycoolea, et al., Polym. Bull., 2007, 58(1), 225.
- 142 M. Constantin, et al., Express Polym. Lett., 2011, 5(10), 839.
- 143 Y. Chen, et al., Sci. Rep., 2016, 6(1), 31593.
- 144 L. Klouda and A. G. Mikos, *Eur. J. Pharm. Biopharm.*, 2008, **68**(1), 34.
- 145 H. Huang, et al., Saudi Pharm. J., 2019, 27(7), 990.
- 146 E. Ruel-Gariepy and J. C. Leroux, *Eur. J. Pharm. Biopharm.*, 2004, 58(2), 409.
- 147 Y. Kotsuchibashi, Polym. J., 2020, 52(7), 681.
- 148 Y. J. Kim and Y. T. Matsunaga, J. Mater. Chem. B, 2017, 5(23), 4307.
- 149 J. Seuring and S. Agarwal, *Macromol. Rapid Commun.*, 2012, 33(22), 1898.
- 150 Y. Huang, et al., RSC Adv., 2017, 7(46), 28711.
- 151 Y. L. Ding, et al., ACS Appl. Polym. Mater., 2020, 2(8), 3259.
- 152 M. Najafi, et al., Soft Matter, 2021, 17(8), 2132.
- 153 Y. Biswas, et al., Polym. Chem., 2016, 7(4), 867.
- 154 M. Sponchioni, et al., Mater. Sci. Eng., C, 2019, 102, 589.
- 155 J. A. McCune, et al., Adv. Mater., 2020, 32(20), e1906890.
- 156 M. J. Taylor, et al., Gels, 2017, 3(1), 4.
- 157 S. Zhuo, et al., Polymers, 2022, 14(15), 3155.
- 158 A. Gandhi, et al., Asian J. Pharm. Sci., 2015, 10(2), 99.
- 159 J. Omar, et al., Chem. Asian J., 2022, 17(9), e202200081.
- 160 J. Maitra and V. K. Shukla, Am. J. Polym. Sci., 2014, 4(2), 25.
- 161 U. S. Madduma-Bandarage and S. V. Madihally, J. Appl. Polym. Sci., 2021, 138(19), 50376.
- 162 S. G. Roy and P. De, Polymer, 2014, 55(21), 5425.
- 163 E. M. Ahmed, J. Adv. Res., 2015, 6(2), 105.
- 164 S. H. Zainal, et al., J. Mater. Res. Technol., 2021, 10, 935.
- 165 A. Pourjavadi, et al., Eur. Polym. J., 2004, 40(7), 1363.
- 166 K. Vats, et al., J. Biomed. Mater. Res., Part A, 2017, 105(4), 1112.
- 167 M. M. Elsayed, J. Polym. Environ., 2019, 27(4), 871.
- 168 Y. Gao, et al., Adv. Mater., 2021, 33(25), 2006362.
- 169 H. Mittal, et al., Macromol. Mater. Eng., 2016, 301(5), 496.
- 170 D. Rana, et al., Gels, 2023, 9(8), 643.
- 171 P. Matricardi, et al., Adv. Drug Delivery Rev., 2013, 65(9), 1172.
- 172 M. Rahimi and M. Nasiri, Eur. Polym. J., 2020, 125, 109536.
- 173 A. Saeed, et al., React. Funct. Polym., 2010, 70(4), 230.
- 174 Y. Xiao, et al., Colloids Surf., B, 2021, 200, 111581.
- 175 Z. J. Wang, et al., J. Cleaner Prod., 2018, 176, 1292.
- 176 A. Kumar, et al., Prog. Polym. Sci., 2007, 32(10), 1205.

- 177 B. Strachota, et al., J. Mater. Res. Technol., 2021, 15, 6079.
- 178 L. Liang, et al., Langmuir, 2000, 16(21), 8016.
- 179 A. Aghabegi Moghanjoughi, et al., Drug Delivery Transl. Res., 2016, 6(3), 333.
- 180 C. Tsitsilianis, Soft Matter, 2010, 6(11), 2372.
- 181 M. Karimi, et al., ACS Appl. Mater. Interfaces, 2016, 8(33), 21107.
- 182 D. J. Overstreet, et al., Soft Mater., 2013, 11(3), 294.
- 183 R. X. Liu, et al., Colloid Polym. Sci., 2009, 287(6), 627.
- 184 M. J. Ansari, et al., Gels, 2022, 8(7), 454.
- 185 H. A. Nair *et al.*, Stimuli-responsive micelles: a nanoplatform for therapeutic and diagnostic applications, *Drug Targeting and Stimuli Sensitive Drug Delivery Systems*, Elsevier, 2018, pp. 303.
- 186 F. Doberenz, et al., J. Mater. Chem. B, 2020, 8(4), 607.
- 187 L.-W. Xia, et al., Nat. Commun., 2013, 4(1), 2226.
- 188 Y. Yang, et al., View, 2021, 2(2), 20200042.
- 189 A. S. Patil, et al., Top. Catal., 2022, 65(19-20), 2005.
- 190 J. Ma, et al., Drug Delivery, 2022, 29(1), 1457.
- 191 E. Askari, et al., Gels, 2020, 6(2), 14.
- 192 D. Lin, et al., Macromol. Biosci., 2019, 19(6), e1900001.
- 193 H. Qiu, et al., Trends Biotechnol., 2020, 38(6), 579.
- 194 Y. Li, et al., Chem. Rev., 2015, 115(16), 8564.
- 195 S. M. Cuya, et al., Cancer Chemother. Pharmacol., 2017, 80(1), 1.
- 196 G. Capranico, et al., J. Med. Chem., 2017, 60(6), 2169.
- 197 A. A. Alghorabi, et al., J. Cancer Res., 2019, 7, 17.
- 198 E. I. Vrettos, et al., Beilstein J. Org. Chem., 2018, 14(1), 930.
- 199 A. Pourjavadi, et al., New J. Chem., 2020, 44(40), 17302.
- 200 S. Havanur, et al., Mater. Sci. Eng., C, 2019, 105, 110094.
- 201 Y. Yang, et al., J. Controlled Release, 2009, 135(2), 175.
- 202 S. Khan, et al., AAPS PharmSciTech, 2019, 20(3), 119.
- 203 H. Bera, et al., Mater. Sci. Eng., C, 2020, 110, 110628.
- 204 C. Gomez, et al., J. Microencapsul., 2012, 29(7), 626.
- 205 F. Andrade, et al., Carbohydr. Polym., 2022, 295, 119859.
- 206 M. Fathi, et al., Int. J. Biol. Macromol., 2019, 128, 957.
- 207 F. Salimi, et al., Artif. Cells, Nanomed., Biotechnol., 2018, 46(5), 949.
- 208 R. P. Johnson, et al., Biomacromolecules, 2013, 14(5), 1434.
- 209 C. Cheng, et al., J. Mater. Sci., 2015, 50(14), 4914.
- 210 G. Bonacucina, et al., Polymers, 2011, 3(2), 779.
- 211 Le, T. V. Vo, et al., Int. J. Polym. Anal. Charact., 2022, 27(3), 205.
- 212 M. Gou, et al., Int. J. Pharm., 2008, 359(1-2), 228.
- 213 Z. He and P. Alexandridis, Polymers, 2017, 10(1), 32.
- 214 S. Peng, et al., Mater. Sci. Eng., C, 2016, 69, 421.
- 215 M. Perez-Page, et al., Adv. Colloid Interface Sci., 2016, 234, 51.
- 216 S. Y. Lee, et al., Macromol. Chem. Phys., 2010, 211(6), 692.
- 217 P. Alexandridis, et al., Macromolecules, 1994, 27(9), 2414.
- 218 N. J. Jain, et al., Colloids Surf., A, 2000, 173(1-3), 85.
- 219 K. Nakashima and P. Bahadur, *Adv. Colloid Interface Sci.*, 2006, **123–126**, 75.
- 220 M. McKenzie, et al., Molecules, 2015, 20(11), 20397.
- 221 X. Guo, et al., J. Polym. Sci., Polm. Chem., 2016, 54(22), 3525.
- 222 A. V. Kabanov and V. Y. Alakhov, *Crit. Rev. Ther. Drug Carrier Syst.*, 2002, **19**(1), 1.

- 223 A. Naharros-Molinero, *et al.*, *Pharmaceutics*, 2022, 14(12), 2628.
- 224 A. Hatefi and B. Amsden, *J. Controlled Release*, 2002, **80**(1-3), 9.
- 225 T. Betancourt, et al., J. Biomed. Mater. Res., Part A, 2009, 91(1), 263.
- 226 P. Zarrintaj, et al., Acta Biomater., 2020, 110, 37.
- 227 R. Parhi, Adv. Pharm. Bull., 2017, 7(4), 515.
- 228 B. D. Ulery, et al., J. Polym. Sci., Part B: Polym. Phys., 2011, 49(12), 832.
- 229 J. H. Ryu, et al., Biomacromolecules, 2011, 12(7), 2653.
- 230 Z. Li and J. Guan, *Expert Opin. Drug Delivery*, 2011, **8**(8), 991.
- 231 P. Singla, et al., Adv. Colloid Interface Sci., 2022, 299, 102563.
- 232 H. J. Yoon and W. D. Jang, J. Mater. Chem., 2010, 20(2), 211.
- 233 T. Coviello, et al., J. Controlled Release, 2007, 119(1), 5.
- 234 A. Sosnik and K. P. Seremeta, Gels, 2017, 3(3), 25.
- 235 M. Saeedi, et al., J. Controlled Release, 2022, 350, 175.
- 236 H. Abdeltawab, et al., Expert Opin. Drug Delivery, 2020, 17(4), 495.
- 237 M. Salem, et al., RSC Adv., 2014, 4(21), 10815.
- 238 L. Bromberg, *Expert Opin. Drug Delivery*, 2005, 2(6), 1003.
- 239 S. Nie, et al., Int. J. Nanomed., 2011, 6, 151.
- 240 I. Dimitrov, et al., Prog. Polym. Sci., 2007, 32(11), 1275.
- 241 B. Sun, et al., Curr. Med. Chem., 2019, 26(14), 2485.
- 242 C. Y. Ting, et al., Biomaterials, 2012, 33(2), 704.
- 243 K. Mitusova, et al., J. Nanobiotechnol., 2022, 20(1), 412.
- 244 L. C. S. Erthal, et al., Acta Biomater., 2021, 121, 89.
- 245 M. H. Turabee, et al., Carbohydr. Polym., 2019, 203, 302.
- 246 M. Norouzi, et al., Int. J. Pharm., 2021, 598, 120316.
- 247 B. de Melo Santana, *et al.*, *Pharmaceutics*, 2022, **14**(12), 2837.
- 248 D. S. Shaker, et al., J. Drug Delivery Sci. Technol., 2016, 35, 155.
- 249 W. K. Bae, et al., Biomaterials, 2013, 34(4), 1433.
- 250 Q. Wen, et al., Int. J. Pharm., 2020, 582, 119334.
- 251 H. Sadeghi-Abandansari, *et al.*, *Eur. Polym. J.*, 2021, 157, 110646.
- 252 M. Kiseleva, et al., ACS Biomater. Sci. Eng., 2022, 8(3), 1200.
- 253 J. Li, et al., Int. J. Biol. Macromol., 2019, 134, 63.
- 254 D. Y. Kim, et al., Biomaterials, 2016, 85, 232.
- 255 T. Zambanini, et al., Materials, 2021, 14(6), 1459.
- 256 T. T. Hoang Thi, et al., Polymers, 2020, 12(2), 298.
- 257 P. F. Fuchs, et al., J. Chem. Theory Comput., 2012, 8(10), 3943.
- 258 H. Ishihara, Biol. Pharm. Bull., 2013, 36(6), 883.
- 259 H. Akhdar, et al., Nucl. Eng. Technol., 2022, 54(2), 701.
- 260 J. Li, et al., Cancer Sci., 2018, 109(6), 1958.
- 261 P. Caliceti and F. M. Veronese, *Adv. Drug Delivery Rev.*, 2003, 55(10), 1261.
- 262 K. Knop, et al., Angew. Chem., Int. Ed., 2010, 49(36), 6288.
- 263 B. Tyler, et al., Adv. Drug Delivery Rev., 2016, 107, 163.
- 264 W. E. Hennink and C. F. van Nostrum, *Adv. Drug Delivery Rev.*, 2012, **64**, 223.
- 265 A. D'Souza A and R. Shegokar, *Expert Opin. Drug Delivery*, 2016, **13**(9), 1257.

- 266 J. A. Barreto, et al., Adv. Mater., 2011, 23(12), H18.
- 267 N. A. Peppas, et al., J. Controlled Release, 1999, 62(1-2), 81.
- 268 Y. Li, et al., Chem. Soc. Rev., 2012, 41(6), 2193.
- 269 S. S. Liow, et al., MRS Bull., 2016, 41(7), 557.
- 270 T. K. Endres, et al., Biomaterials, 2011, 32(30), 7721.
- 271 X. J. Loh, et al., J. Controlled Release, 2010, 143(2), 175.
- 272 H. F. Darge, et al., Chem. Eng. J., 2021, 406, 126879.
- 273 A. Teotia *et al.*, Thermo-responsive polymers: structure and design of smart materials, *Switchable and responsive surfaces and materials for biomedical applications*, Elsevier, 2015, p. 3.
- 274 K. Nagahama, et al., Adv. Funct. Mater., 2008, 18(8), 1220.
- 275 J. Shi, et al., Acta Biomater., 2021, **128**, 42.
- 276 I. Gibas and H. Janik, (2010).
- 277 A. Kumari, et al., Colloids Surf., B, 2010, 75(1), 1.
- 278 A. Alexander, et al., Eur. J. Pharm. Biopharm., 2014, 88(3), 575.
- 279 Q. Yang, et al., J. Mater. Chem., 2011, 21(9), 2783.
- 280 N. K. Singh and D. S. Lee, J. Controlled Release, 2014, 193, 214.
- 281 P. K. Sharma, et al., ACS Appl. Mater. Interfaces, 2018, 10(37), 30936.
- 282 X. Wu, et al., Biomaterials, 2016, 75, 148.
- 283 X. Sui, et al., PLoS One, 2014, 9(5), e97781.
- 284 S. Ling, et al., Mol. Med. Rep., 2014, 10(6), 2891.
- 285 A. Paone, et al., Cell Death Dis., 2014, 5(11), e1525.
- 286 H. F. Darge, et al., Int. J. Pharm., 2019, 572, 118799.
- 287 P. K. Sharma, et al., ACS Appl. Mater. Interfaces, 2018, 10(37), 30936.
- 288 F. P. Seib, et al., ACS Biomater. Sci. Eng., 2016, 2(12), 2287.
- 289 C. T. Tsao, et al., Biomacromolecules, 2014, 15(7), 2656.
- 290 A. D. Guerra, et al., Theranostics, 2017, 7(15), 3732.
- 291 S. A. Meenach, et al., Acta Biomater., 2010, 6(3), 1039.
- 292 V. H. G. Phan, et al., RSC Adv., 2016, 6(47), 41644.
- 293 B. S. Makhmalzadeh, et al., J. Pharm. Pharm. Sci., 2018, 21(1), 143.
- 294 M. Si, et al., Int. J. Nanomed., 2022, 17, 1309.
- 295 V. L. Truong, et al., Biofactors, 2018, 44(1), 36.
- 296 D. A. Wink, et al., J. Leukoc. Biol., 2011, 89(6), 873.
- 297 H. Xie, et al., J. Dermatol. Sci., 2016, 81(1), 3.
- 298 L. I. Leichert and U. Jakob, PLoS Biol., 2004, 2(11), e333.
- 299 I. Hanukoglu, Drug Metab. Rev., 2006, 38(1-2), 171.
- 300 P. Guerin, et al., Hum. Reprod. Update, 2001, 7(2), 175.
- 301 C. A. Juan, et al., Int. J. Mol. Sci., 2021, 22(9), 4642.
- 302 Q. Kang and C. Yang, *Redox Biol.*, 2020, 37, 101799.
- 303 A. H. Bhat, et al., Biomed. Pharmacother., 2015, 74, 101.
- 304 M. Delfi, et al., Nano Today, 2021, **38**, 101119.
- 305 I. Kareva, Transl. Oncol., 2011, 4(5), 266.
- 306 M. A. Feitelson *et al.*, Sustained proliferation in cancer: Mechanisms and novel therapeutic targets, *Seminars in cancer biology*, Elsevier, 2015, vol. 35, p. S25.
- 307 P. T. Schumacker, Cancer Cell, 2006, 10(3), 175.
- 308 S. Galadari, et al., Free Radical Biol. Med., 2017, 104, 144.
- 309 R. Li, et al., React. Oxygen Species, 2016, 1(1), 9.
- 310 B. Niu, et al., Biomaterials, 2021, 277, 121110.
- 311 L. L. Policastro, et al., Antioxid. Redox Signaling, 2013, 19(8), 854.

- 312 R. Van Wijk and W. W. Van Solinge, *Blood*, 2005, **106**(13), 4034.
- 313 S. Singh, et al., Int. J. Plant Physiol. Biochem., 2012, 4(1), 1.
- 314 N. Koju, et al., Acta Pharm. Sin., 2022, 43(8), 1889.
- 315 H. Y. Tang, et al., Antioxid. Redox Signaling, 2015, 22(9), 744.
- 316 M. Farina and M. Aschner, *Biochim. Biophys. Acta, Gen. Subj.*, 2019, **1863**(12), 129285.
- 317 R. van Zwieten, et al., Free Radical Biol. Med., 2014, 67, 377.
- 318 C. S. Cho, et al., Antioxid. Redox Signal, 2010, 12(11), 1235.
- 319 M. M. Al-Gayyar, et al., J. Pharm. Pharmacol., 2007, 59(3), 409.
- 320 H. Pelicano, et al., Drug Resistance Updates, 2004, 7(2), 97.
- 321 J. Song, et al., Life, 2022, 12(2), 271.
- 322 S. Verma, et al., World J. Biol. Chem., 2014, 5(3), 355.
- 323 C. J. Hsieh, et al., Free Radical Biol. Med., 2014, 67, 159.
- 324 V. Okoh, et al., Biochim. Biophys. Acta, 2011, 1815(1), 115.
- 325 P. Storz, Front. Biosci., 2005, 10(2), 1881.
- 326 G. Zhang, et al., Cell Death Disease, 2019, 10(4), 255.
- 327 D. Chen, et al., Oncol. Rep., 2011, 26(5), 1287.
- 328 A. M. Knaapen, et al., Int. J. Cancer, 2004, 109(6), 799.
- 329 E. Bishop and T. D. Bradshaw, *Cancer Chemother. Pharma*col., 2018, **82**(6), 913.
- 330 I. Mfouo-Tynga and H. Abrahamse, Int. J. Mol. Sci., 2015, 16(5), 10228.
- 331 L. B. Sullivan and N. S. Chandel, Cancer Metab., 2014, 2, 17.
- 332 G. Y. Liou and P. Storz, Free Radical Res., 2010, 44(5), 479.
- 333 H. Yang, et al., J. Exp. Clin. Cancer Res., 2018, 37(1), 266.
- 334 D. Trachootham, et al., Nat. Rev. Drug Discovery, 2009, 8(7), 579.
- 335 Q. Tang, et al., Curr. Med. Chem., 2018, 25(16), 1837.
- 336 H. S. El-Sawy, et al., ACS Nano, 2018, 12(11), 10636.
- 337 C. Ding, et al., Molecules, 2016, 21(12), 1715.
- 338 H. Ye, et al., Biomacromolecules, 2019, 20(7), 2441.
- 339 C. Tapeinos and A. Pandit, Adv. Mater., 2016, 28(27), 5553.
- 340 Z. Cao, et al., Acta Biomater., 2021, 130, 17.
- 341 W. Tao and Z. He, Asian J. Pharm. Sci., 2018, 13(2), 101.
- 342 F. Gao and Z. Xiong, Front. Chem., 2021, 9, 649048.
- 343 Y. Teng, et al., Crit. Rev. Environm. Sci. Technol., 2019, 49(24), 2314.
- 344 S. Shankar, et al., Crit. Rev. Environm. Sci. Technol., 2021, 51(20), 2329.
- 345 B. D. Fairbanks, et al., Macromolecules, 2011, 44(8), 2444.
- 346 P. Hu and N. Tirelli, Bioconjugate Chem., 2012, 23(3), 438.
- 347 A. Napoli, et al., Nat. Mater., 2004, 3(3), 183.
- 348 J. Liang and B. Liu, *Bioeng. Transl. Med.*, 2016, 1(3), 239.
- 349 S. Aksakal, et al., Sulfur-Containing Polym., 2021, 235.
- 350 M. Criado-Gonzalez and D. Mecerreyes, J. Mater. Chem. B, 2022, 10(37), 7206.
- 351 Z. Zhou, et al., Angew. Chem., Int. Ed., 2018, 57(28), 8463.
- 352 M. C. Branco and J. P. Schneider, *Acta Biomater.*, 2009, 5(3), 817.
- 353 J. Zhou, et al., Smart Mater. Med., 2023, DOI: 10.1002/ SMMD.20220026.
- 354 M. S. Shim and Y. Xia, Angew. Chem., Int. Ed., 2013, 52(27), 6926.

- 355 N. Yang, et al., Nanomicro. Lett., 2020, 12(1), 15.
- 356 N. Ma, et al., J. Am. Chem. Soc., 2010, 132(2), 442.
- 357 N. Ma, et al., Polym. Chem., 2010, 1(10), 1609.
- 358 R. R. Ramoutar and J. L. Brumaghim, *Cell Biochem. Biophys.*, 2010, **58**(1), 1.
- 359 F. Maiyo and M. Singh, Nanomedicine, 2017, 12(9), 1075.
- 360 S. H. Lee, et al., Adv. Healthcare Mater., 2013, 2(6), 908.
- 361 W. Cao, et al., Angew. Chem., Int. Ed., 2013, 52(24), 6233.
- 362 W. Cao, et al., Nano Today, 2015, 10(6), 717.
- 363 L. Wang, et al., ACS Appl. Mater. Interfaces, 2015, 7(29), 16054.
- 364 F. Li, et al., Biomaterials, 2017, 133, 208.
- 365 S. Obuobi, et al., Adv. Healthcare Mater., 2018, 7(13), e1701388.
- 366 C. Ruan, et al., ACS Appl. Mater. Interfaces, 2018, 10(12), 10398.
- 367 J. Lu, et al., ACS Appl. Mater. Interfaces, 2019, 11(10), 10337.
- 368 F. El-Mohtadi, et al., Macromol. Rapid Commun., 2019, 40(1), e1800699.
- 369 Y. Xue, et al., Chem. Soc. Rev., 2021, 50(8), 4872.
- 370 M. Mazurowski, et al., Macromolecules, 2012, 45(22), 8970.
- 371 C. G. Hardy, et al., J. Polym. Sci. Pol. Chem., 2011, 49(6), 1409.
- 372 D. Astruc, Eur. J. Inorg. Chem., 2017, (1), 6.
- 373 Y. Na, et al., J. Mater. Chem. B, 2020, 8(9), 1906.

- 374 D. Li, et al., Adv. Healthcare Mater., 2020, 9(20), e2000605.
- 375 F. Xu, et al., ACS Appl. Mater. Interfaces, 2017, 9(6), 5181.
- 376 J. Tan, et al., Chem, 2019, 5(7), 1775.
- 377 C. Wang, et al., Sci. Transl. Med., 2018, 10(429), eaan3682.
- 378 V. Pulko, et al., J. Immunol., 2011, 187(11), 5606.
- 379 X. Zhang, et al., Gels, 2021, 7(4), 224.
- 380 J. Zang, et al., Chem. Eng. J., 2022, 434, 134585.
- 381 J. Huang, et al., Adv. Funct. Mater., 2021, 31(21), 2011171.
- 382 G. M. Cramer, et al., Photochem. Photobiol., 2020, 96(5), 954.
- 383 Y. Zhang, et al., Nat. Commun., 2022, 13(1), 4553.
- 384 Z. Cao, et al., Acta Biomater., 2021, 130, 17.
- 385 F. Danhier, et al., J. Controlled Release, 2010, 148(2), 135.
- 386 D. Chen, et al., Small, 2021, 17(31), 2006742.
- 387 S. Uthaman, et al., Biomaterials, 2020, 232, 119702.
- 388 Q.-q Wang, et al., Technol. Cancer Res. Treat., 2023, 22, 15330338221150322.
- 389 D. G. Leach, et al., Acta Biomater., 2019, 88, 15.
- 390 L. P. Ganipineni, et al., J. Controlled Release, 2018, 281, 42.
- 391 J. I. Hare, et al., Adv. Drug Delivery Rev., 2017, 108, 25.
- 392 G. Agrawal, et al., Biotechnol. Prog., 2021, 37(3), e3126.
- 393 M. Sonker, et al., ACS Appl. Bio Mater., 2021, 4(12), 8080.
- 394 S. Correa, et al., Chem. Rev., 2021, 121(18), 11385.
- 395 A. Mandal, et al., Bioeng. Transl. Med., 2020, 5(2), e10158.