Nanoscale Advances



MINIREVIEW

View Article Online
View Journal | View Issue



Cite this: Nanoscale Adv., 2023, 5,

Recent strategies for constructing hierarchical multicomponent nanoparticles/metal-organic framework hybrids and their applications

Ngoc Minh Tran, Anh Ngoc Nguyen, Jungeun Bae, Jinhee Kim, Dahae Kim and Hyojong Yoo *

Hybrid nanoparticles with unique tailored morphologies and compositions can be utilized for numerous applications owing to their combination of inherent properties as well as the structural and supportive functions of each component. Controlled encapsulation of nanoparticles within nanospaces (NPNSs) of metal—organic frameworks (MOFs) (denoted as NPNS@MOF) can generate a large number of hybrid nanomaterials, facilitating superior activity in targeted applications. In this review, recent strategies for the fabrication of NPNS@MOFs with a hierarchical architecture, tailorability, unique intrinsic properties, and superior catalytic performance are summarized. In addition, the latest and most important examples in this sector are emphasized since they are more conducive to the practical applicability of NPNS@MOF nanohybrids.

Received 3rd April 2023 Accepted 25th May 2023

DOI: 10.1039/d3na00213f

rsc.li/nanoscale-advances

1. Introduction

Metal-organic frameworks (MOFs), new types of porous hybrid materials generated by the self-assembly of metal ions and/or metal clusters and multitopic organic ligands, are emerging as versatile precursors or templates for constructing numerous advanced functional nanomaterials.1-3 Owing to their unique characteristics such as a high degree of porosity, well-defined pore size, and structural tailorability, MOFs have been utilized for diverse applications.4-6 Particularly, the main advantages of MOFs in catalytic processes and related applications⁷⁻⁹ are summarized as follows: (i) the well-designed framework contains different types of active moieties, including metal ions and/or metal clusters combined with functional groups of the organic linkers;10,11 (ii) the uniform dispersion and high density of active sites can significantly improve the catalytic activity; 12,13 (iii) the high degree of porous structures allows each active species to be exposed, while the channel system provides a favorable environment for the diffusion and transportation of both reactants and products;14-16 (iv) the suitable hydrophilic and hydrophobic properties of MOFs can control the interactions of reactants with the framework to enhance the catalytic performances, including efficiency and selectivity.^{17,18} With all the above advantages, the role of MOFs in the development of advanced nanomaterials is immensely crucial. 19,20

Hybrid nanostructures with unique tailored morphologies and compositions can be utilized for diversified and targeted applications, ^{21–23} owing to the inherent properties as well as the

Department of Materials Science and Chemical Engineering, Hanyang University, Ansan, Gyeonggi-do, 15588, Republic of Korea. E-mail: hjhaha73@hanyang.ac.kr

synergistic effects of each component.24-26 Nanoparticles in this study refer to particles with at least one nanoscale dimension, exhibiting distinctive physical and chemical properties that differ from those of their bulk counterparts.27-29 The controllable encapsulation of nanoparticles, such as metal and/or metal oxide nanoparticles into MOFs, can generate numerous hybrid nanomaterials.30-32 More importantly, by manipulating the sizes, shapes, and compositions of the nanoparticles within nanospaces (denoted as NPNSs) of MOFs33-35 (NPNS@MOF), the resulting NPNS@MOF products show superior activity in targeted applications. It should be noted that the term NPNS@MOF nanohybrids in this review refers to nanospaceconfinement structures containing nanoparticles (e.g., metals, metal oxides, or inorganic-based compounds) dispersed within the nanospace generated by the MOF shell or between the core and the MOF shell, in which the nanoparticles can move freely. The importance of NPNS@MOF hybrid nanomaterials obtained through nanospace engineering, particularly with hollow structures, is due to the following advantages: (i) the welldefined and inherent structural features of individual components, including the exposed crystal facet, diameter, and uniformity of NPNSs, and the structural tailorability, micropores, and channel system of MOFs, can be simultaneously controlled; (ii) the abundant porosity and high surface area of MOFs, which are highly desirable for hosting guest species, can maximize the integration and controllable growth of NPNSs with size-, shape-, and morphological-dependent properties; (iii) the catalytically active sites can be protected via the stabilization of NPNSs against agglomeration and growth, poisoning, and/or calcination, and solution-based chemical etching, enhancing the performance and stability of active

components; (iv) the pore size and channel architecture of the MOF component are precisely controlled, and therefore, NPNS@MOF nanohybrids can provide various efficient diffusion pathways and improve the selectivity of catalytic processes through molecular sieving capability; (v) the modifiability and tunability of the MOF shell have benefits in regulating the microenvironment around the active sites of NPNSs and their interactions with substrates, thereby improving catalytic selectivity; (vi) the nanospace generated between the NPNS and the MOF can facilitate not only the diffusion of substrates to the catalytically active species but also the release of products from the active surface, as well as offering sufficient spaces for the nanoparticles to access the substrates.

Herein, recent important strategies for the preparation of NPNS@MOF hybrid nanomaterials are summarized, and representative examples in this area are emphasized since they are more conducive to the practical applications of NPNS@MOFs. Altogether, this review provides a preliminary database for the fabrication of NPNS@MOFs and their applications. It is expected to direct the design of NPNS@MOF by providing details on synthetic strategies, structural features, and related applications, thereby potentially paving the way for the development of advanced multi-functional materials in relevant disciplines.

Recent strategies for the preparation of NPNS@MOF hybrid nanomaterials

In this section, we summarize the recently developed synthetic strategies that integrate nanoparticles within the nanospace of MOFs to generate NPNS@MOF hybrid nanomaterials with hollow architectures.36 The synthesis and applications of five categories of NPNS@MOF hybrid nanomaterials are discussed in sequence, including metal nanoparticles encapsulated in




Fig. 1 Schematic illustration of different NPNS@MOF hybrid nanomaterials: (a) yolk-shell, (b) multiyolk-shell, (c) yolk-multishell, (d) rattle-type, and (e) dot-in-shell NPNS@MOF nanoarchitectures.

yolk-shell, multiyolk-shell, yolk-multishell, rattle-type, and dot-in-shell NPNS@MOF nanohybrids (Fig. 1 and Scheme 1).37 Notably, examples of nanoparticle-integrated MOFs and/or other supports without possessing hollow architectures (e.g., core-shell and composites) and nanoparticle-integrated MOFderived hollow nanohybrids, which have been well-reviewed elsewhere,38-45 are outside the scope of this review.

2.1. Yolk-shell NPNS@MOF nanohybrids

Currently, the template approach is one of the most straightforward and useful routes for the fabrication of yolk-shell NPNS@MOF nanohybrids. The shape, size, and nanospace within the structure of the obtained nanohybrids can be precisely controlled using the as-synthesized templates. The yolk-shell nanoarchitecture can be obtained by introducing nanoparticles for the subsequent MOF construction, involving a metal oxide (e.g., Cu₂O) as an intermediate and nanospace creator, leading to the generation of core@nanospace@shell systems.46 The very early example of yolk-shell Pd-NPNS@MOF nanohybrids was reported by Tsung et al.47 In the synthesis, the as-prepared Pd nanoparticles were coated with a Cu₂O layer as a sacrificial template to construct an outer shell ZIF-8 (Fig. 2).


The Cu₂O layer was then simultaneously etched off by the protons formed during the generation of ZIF-8. The trace amount of Cu₂O residue was removed by reacting with 3% NH₄OH in methanolic solution. Using this strategy, a series of NPNS@ZIF-8 with yolk-shell architectures were fabricated. Importantly, the morphology and size of the as-prepared Pd nanoparticles were maintained during the loading of ZIF-8. Sindoro et al. investigated the evolution of core-shell NPNS@ZIF-8 nanoparticles into yolk-shell nanosystems along with the recrystallization of ZIF-8 (Fig. 3).48 The formation pathway of yolk-shell NPNS@ZIF-8 could be monitored from TEM images (Fig. 3b-d). The ZIF-8 shell nucleated directly on the surface of the hematite core, generating a continuous crystalline coverage. The nanospaces between the core and shell were formed over time owing to the polycrystallinity of the ZIF-8 shell. The average shell thickness was preserved after encapsulation to yield the final yolk-shell architecture. The TEM images shown in Fig. 3e confirm that the yolk-shell NPNS@ZIF-8 nanostructures could be observed using the cores with different shapes through geometrical frustration. Another strategy to prepare yolk-shell NPNS@ZIF-8 nanostructures was reported by Li et al. (Fig. 4).49 By using the selftemplate approach, the yolk-shell Pd-NPNS@ZIF-8 nanoparticle was successfully synthesized by reactions of the asprepared core-shell Pd@ZnO nanostructure with 2-methylimidazole in methanolic solution. In this encapsulation strategy, ZnO served as a dual-functional species, as the selftemplate and Zn²⁺ source for the construction of the ZIF-8 shell. Yang et al. demonstrated the fabrication of yolk-shell Pd-NPNS@ZIF-8 nanosystems via the emulsion-based interfacial process. 50 The abovementioned examples suggest that the self-sacrificial template route looks capable and sustainable for the synthesis of yolk-shell NPNS@MOF nanoparticles.

NPNS@MOF hybrid nanomaterials Yolk-shell Multiyolk-shell Yolk-multishell Rattle-typed Dot-in-shell NPNS@MOF NPNS@MOF NPNS@MOF NPNS@MOF NPNS@MOF · Multi-NPs, one shell One yolk • One yolk NP, one shell Multivolk NPs, Multi-NPs, one shell NPs embedded within shell MOF Nanospace between the shell Nanospace between Nanospace between Nanospace between NP and MOF. NPs and MOF Nanospace between NP and MOF between MOF shells NPs and MOF Synthetic procedure Structural property Characterization (Self-)template and/or sacrificial-template Maximized integration of NPNS Abundant porosity and high surface area Selective etching and/or dissolution-• Stabilization of NPNS against agglomeration Controlled pore size and channel architecture precipitation Regulation of the microenvironment around the · NPNS with size-, shape-, and morphological-· Bottle-around-the-ship and/or ship-around-the-

Nanospace generated between NPNS and MOF

Scheme 1 Summary of the classification and characterization of NPNS@MOF hybrid nanomaterials.

dependent features




Laver-by-laver approach

Fig. 2 Schematic growth procedure for the yolk-shell NPNS@ZIF-8 nanostructure (Copyright 2012, American Chemical Society). 47

During the process, the initial shells not only can serve as the template for the construction of new shells but are also subsequently dissolved to provide the metal ion source for the new shells, requiring no additional removal of the template.

Yolk-shell NPNS@MOF nanohybrids have also been prepared without employing sacrificial templates. 51-53 For example, rationally designed and fabricated remotecontrollable and stimuli-responsive yolk-shell Au-NPNS@ZIF-8 nanosystems for drug carriers were demonstrated.54 Gold star nanoparticles were selected as the second-near-infrared photothermal conversion agents due to their strong absorption capacity in the second-near-infrared region. The synthetic procedure is illustrated in Fig. 5. In this process, star-shaped Au nanoparticles were first synthesized by reduction of the gold precursor using a mixture of polyvinylpyrrolidone and DMF without additional reducing agents. Next, ZIF-8 was loaded onto



active sites

· Sufficient spaces for mass and/or charger

Fig. 3 (a) Schematic concept of yolk-shell NPNS@ZIF-8 generation with a cubic hematite crystal as the core and ZIF-8 as the shell, (b-d) TEM images of the growth pathway, and (e) schematic illustrations of the dominant deformation directions during shell growth (top) and yolk-shell architecture generation (middle), accompanied by TEM images (bottom). Scale bars: 500 nm (Copyright 2014, American Chemical Society).48




Fig. 4 (a) Schematic illustration of the fabrication of yolk-shell Pd-NPNS@ZIF-8 nanoparticles via the self-template approach, (b) TEM image of core-shell Pd@ZnO nanoparticles, and (c-i) time-resolved TEM images illustrating the structural evolution of yolk-shell Pd-NPNS@ZIF-8 nanoparticles as a function of reaction time: (c) 5 min, (d) 10 min, (e) 20 min, (f) 30 min, (g) 60 min, (h) 120 min, and (i) 240 min (Copyright 2016, Royal Society of Chemistry).45




Fig. 5 (a) Schematic illustration for the fabrication of yolk-shell Au-NPNS@ZIF-8 nanosystems; (b-d) TEM images of (b) Au star nanoparticles, (c) Au@ZIF-8, and (d) yolk-shell Au-NPNS@ZIF-8 nanostructures; (e and f) SEM images of (e) Au@ZIF-8 and (f) yolk-shell Au-NPNS@ZIF-8 nanostructures; (g-i) TEM image and EDS elemental mapping of one single Au-NPNS@ZIF-8 nanoparticle (Copyright 2019, American Chemical Society).54

the surface of the Au stars. Yolk-shell Au-NPNS@ZIF-8 nanostructures were then prepared via selective etching using tannic acid. The nanospace formed between the yolk and shell acted as a storage vessel for chemotherapeutic drug delivery. This study is a good example of multi-functional yolk-shell NPNS@ZIF-8 nanohybrids applied for theranostic research.




Fig. 6 (a) Synthetic strategy for yolk-shell Co₃O₄-NPNS@MOF nanostructures; TEM images of (b) Co₃O₄ nanoparticles and (c) yolkshell Co₃O₄-NPNS@MOF nanostructures; (d) SEM image, (e) HAADF-STEM image, (f) elemental mapping, and (g) EDX spectra of yolk-shell Co₃O₄-NPNS@MOF nanostructures. The insets in (c) show the closer TEM observation (Copyright 2015, American Chemical Society).⁵⁶

abovementioned examples indicated that the surfactant, polyvinylpyrrolidone (PVP), plays a vital role in the hierarchical construction and morphology regulation of NPNS@MOF nanohybrids.55 Particularly, PVP can simultaneously serve as a dispersing agent, structure-directing agent, and capping agent; therefore, PVP can control the growth of NPNS.

Metallic nanoparticles can be used as nanoparticle species and metal oxides can be employed for the preparation of NPNS@MOF nanohybrids. However, a few studies have focused on the synthesis of metal oxide-NPNS@MOF nanosystems even though these materials are believed to extend the manipulation of MOFs for efficient catalysis, as well as utilizing magnetically induced heating for controllable drug delivery and release. For instance, Zeng et al. investigated the encapsulation of Co₃O₄ in a suitable hollow nanoarchitecture, yielding typical yolk-shell Co₃O₄-NPNS@MOF nanostructures (Fig. 6).56 Importantly, the high degree of porosity of the MOF shell in the hollow nanoarchitecture can impede the aggregation of the Co₃O₄ moieties. Moreover, under a harsh external environment, the porous MOF prevents the encapsulated catalyst from being influenced without affecting the diffusion of both the reactants and products. Simultaneously, the exposed Co₃O₄ catalytically active sites are maintained and accessible to reactants in the interior nanospace of the Co₃O₄-NPNS@MOF nanoreactor, offering a microenvironment for the oxidization of SO4. -. 57

2.2. Multiyolk-shell NPNS@MOF nanohybrids

Multiyolk-shell NPNS@MOF nanoarchitectures, contain both a multi-metal core and nanospaces within a single-shell MOF, have also received considerable attention because of their complex and hierarchical nanostructures. For




Fig. 7 (a) Schematic illustration of the fabrication of multiyolk–shell Au-NPNS@ZIF-8 nanohybrids; (b) TEM image of Au nanoparticles; (c–f) SEM images of (c) core–shell Au@silica nanoparticles, (d) core–shell–shell Au@silica@ZIF-8 nanoparticles, (e) yolk–shell Au-NPNS@ZIF-8 nanohybrids, and (f) cracked yolk–shell Au-NPNS@ZIF-8 nanostructures; the insets in (c–e) show the corresponding TEM images; (g) HAADF-STEM and EDX elemental mapping images of a multiyolk–shell Au-NPNS@ZIF-8 nanohybrid (Copyright 2016, Wiley-VCH).58

example, a sacrificial-template strategy was used to synthesize multiyolk-shell Au-NPNS@ZIF-8 nanohybrids composed of a single-crystal ZIF-8 shell with introduced macropores, each of which contained multiple Au nanoparticles (Fig. 7).58 To achieve the multivolk-shell Au-NPNS@ZIF-8 architecture, a multi-step synthetic procedure was employed, including the first growth of core-shell Au@silica nanoparticles, followed by encapsulation of the obtained product in a single crystal ZIF-8 shell, and then etching of silica layers, in which the silica served as a sacrificial template, with an aqueous NaOH solution to generate the final nanohybrids. Unlike yolk-shell NPNS@MOF nanohybrids, which include a one-yolk moiety in the structure, the multiyolk-shell Au-NPNS@ZIF-8 nanohybrids contain up to 15 yolk units in each shell MOF. The quantity of yolk moieties per ZIF-8 shell can be readily controlled by the volume of the Au@silica nanoparticle solution employed for the preparation of coreshell-shell Au@silica@ZIF-8 nanosystems. The multiyolkshell Au-NPNS@ZIF-8 nanoreactors not only increased the accessibility of Au nanoparticles to reactants but also enhanced the mass transfer kinetics of both substrates and products through their molecular sieving capability.

Another exciting example of the preparation of multiyolk-shell NPNS@MOF nanohybrids was demonstrated using a similar strategy to the aforementioned through the sacrificial-template method (Fig. 8). 59 Multiyolk-shell Cu₂O-NPNS@ZIF-8 was hierarchically fabricated by a four-step synthetic procedure. First, uniform Cu₂O nanocubes were prepared by an




Fig. 8 (a) Schematic illustration for the preparation of the multiyolk–shell Au-NPNS@ZIF-8 nanoreactors; (b) TEM image and the HAADF-STEM image from (c); (c-f) elemental mapping of (c) carbon (in red), (d) oxygen (in orange), (e) copper (in green), and (f) zinc (in blue) (Copyright 2018, Wiley-VCH).⁵⁹

ultrasound-assisted method. It should be emphasized that Cu₂O shows high activity and diverse applications; however, its intrinsic poor stability is the main drawback, especially in solution. Next, the surface of Cu₂O nanocubes was protected by a layer of the SiO2 shell using tetraethoxysilane as the silica source. In this step, an aqueous NaOH solution was employed instead of an ammonia solution to catalyze the hydrolysis of silica because the unstable Cu₂O nanocubes could be etched by ammonia solution. The obtained core-shell Cu2O@SiO2 nanostructures were then integrated into ZIF-8 nanocrystals through the "bottle around the ship" approach. Finally, the SiO₂ layer in the core-shell-shell Cu2O@SiO2@ZIF-8 nanoparticle was selectively etched with an aqueous NaOH solution to afford multiyolk-shell Cu2O-NPNS@ZIF-8 nanohybrids with an average nanospace size of approximately 40 nm, generated between the Cu₂O nanocube and ZIF-8 shell. A similar strategy has also been applied to synthesize multiyolk-shell NPNS@metal oxide nanoparticles.40 However, it is believed that this is the first example of a multiyolk-shell NPNS@MOF nanosystem with metastable nanoparticle integration.

Compared to other hybrid nanocatalysts (*e.g.*, zeolites and core–shell architectures), multiyolk–shell NPNS@MOFs exhibit some benefits. The diffusion length of the substrates can be effectively shortened by the thin wall of the shell, ensuring fast diffusion for both reactants and products, while retaining the protective functions and molecular sieving properties. Moreover, the large nanospace generated between the yolks and shell guarantees full preservation of the catalytically active sites on the surfaces of the nanohybrids, leading to maximum catalytic activity. Recently, Luo *et al.* reported a new strategy (oxidative linker cleaving) to construct multiyolk–shell NPNS@MOF nanohybrids (Fig. 9).⁶⁰ In the synthesis, 2,5-dihydroxyterephthalic acid was used as a sacrificial organic linker, which can generate small molecular fragments through selective cleavage by the oxidative ring-opening process. By controlling the




Fig. 9 (a) Schematic illustration for the localized oxidative linker cleaving process; (b and c) TEM images of (b) core-shell Pd@UiO-66-(OH)₂ and (c) multiyolk-shell NPNS@MOF nanostructures; (d) schematic illustration of the oxidative linker cleaving process catalyzed by Pd nanoparticles in core-shell Pd@UiO-66-(OH)₂ nanoparticles (abbreviations: PMS = peroxymonosulfate; DOBDC = 2,5-dihydroxyterephthalic acid) (Copyright 2019, American Chemical Society).⁶⁰

Fig. 10 (a and b) Models of yolk—multishell NPNS@ZIFs and the guest-to-host and guest-to-guest energy transfer: (a) energy transfer between guest C-151 and guest R6G (left) and prohibited energy transfer between guests (right); (b) energy transfer between guest Pd nanoparticles and guest R6G (left) and prohibited energy transfer (right). (c) Hollow R6G&Pd@ZIF-8 and (d) yolk—multishell Pd-NPNS@ZIF-8@R6G@ZIF-8 nanohybrids (abbreviations: C-151 = 7-amino-4-(trifluoromethyl)coumarin; R6G = rhodamine 6G) (Copyright 2018, Wiley-VCH).61

C-151 Metal NP

(c)

formation of oxidative species, UiO-66- $(OH)_2$ can be directionally engraved from outside to inside or reversibly, generating hollow UiO-66- $(OH)_2$ nanostructures. Interestingly, by employing the preformed Pd@UiO-66- $(OH)_2$ nanoparticles, the oxidative linker cleaving process could initially occur and localize around the Pd moiety, resulting in the formation of multiyolk-shell Pd-NPNS@UiO-66- $(OH)_2$ nanostructures.

2.3. Yolk-multishell NPNS@MOF nanohybrids

In addition to using single-phase MOFs for encapsulating nanoparticles to construct the aforementioned NPNS@MOF nanohybrids, multiple-phase MOFs with hierarchical architectures could be employed as host templates to encapsulate nanoparticles to achieve yolk-multishell NPNS@MOF nanohybrids. This strategy is inspired by biological systems, in which intricate functions often rely on the precise positions of multiple species in the multi-shelled architectures. Interactions between the components of biological systems are wellregulated. For example, mitochondria, one of the main regulators of cellular functions, have a multi-shelled hollow structure, in which the functional moieties with different roles are wandered in the intermembrane space or integrated into the membrane shells. To investigate this strategy, Liu et al. introduced Pd nanoparticles as the heterogeneous nanoparticles, as well as rhodamine 6G and 7-amino-4-(trifluoromethyl)coumarin as the molecular nanoparticles into the multi-shelled hollow ZIF-8 to afford a series of yolkmultishell NPNS@ZIFs nanohybrids (Fig. 10).61 During this process, the nanoparticles were first encapsulated within different layers of the multi-layered ZIF nanocrystal via epitaxial layer-by-layer growth reactions. The multi-layered ZIFs, including ZIF-8 and ZIF-67, exhibited a well-defined onion configuration since ZIF-8 and ZIF-67 possess the same topology but different metal nodes, i.e., Zn and Co, respectively. Next, the ZIF-67 parts were dissociated to generate the nanospace layers between the ZIF-8 counterparts. Therefore, the nanoparticles initially embedded in ZIF-8 layers were still embedded in the ZIF-8 shells, while the entities initially loaded in the ZIF-67 layers were released and encapsulated in the nanospace between ZIF-8 shells. Finally, the yolk-multishell NPNS@ZIF nanohybrids were obtained. By precisely embedding the nanoparticles within the ZIF shells or encapsulating them in the nanospaces between the ZIF shells, the energy transfer interactions between distinct nanoparticles can be regulated.

2.4. Rattle-type NPNS@MOF nanohybrids

Rattle-type nanohybrids with multiple nanoparticles as the cores inside a hollow shell have attracted significant attention among the complex hollow nanoarchitecture owing to their various advantages, including quicker mass transfer than that of their solid counterparts, appealing architectures, and tunable chemical and physical properties. An early example of rattle-type NPNS@MOF nanohybrids was reported

CPS/Pd@ZIF-8 Pd-NPNS@ZIF-8

Fig. 11 (a) Schematic illustration for the preparation of rattle-type Pd-NPNS@ZIF-8 nanohybrids; (b-f) TEM images of (b) CPS, (c) Pd/CPS, (d) Pd/CPS@ZIF-8, (e and f) rattle-type Pd-NPNS@ZIF-8 nanohybrids; (g) HR-TEM images of rattle-type Pd-NPNS@ZIF-8 nanoparticles; (h-m) TEM image and elemental mapping of rattle-type Pd-NPNS@ZIF-8 nanohybrids, including (i) carbon (in orange), (j) zinc (in green), (k) nitrogen (in red), (l) palladium (in yellow), and (m) tin (in blue) (Copyright 2016, Wiley-VCH).69

by Wang et al., in which the "ship-around-the-bottle" approach was employed through self-assembly of the Pd precursor and ZIF-8 with the help of a PS template to construct the rattle-type Pd-NPNS@MOF nanostructures (Fig. 11).69,70 In this process, carboxylate-terminated polystyrene spheres (CPSs) were first used as the template for embedding Pd nanoparticles via in situ reduction with Sn(II) ions to afford CPS/Pd. Next, ZIF-8 nanocrystals were grown on the surface of CPS/Pd to generate core-shell CPS/Pd@ZIF-8 nanosystems. Finally, the CPS cores were etched with DMF to obtain the rattle-type Pd-NPNS@ZIF-8 nanoarchitectures. As shown in Fig. 11f and g, the Pd nanoparticles were well-dispersed inside the ZIF-8 shell with an average particle size of approximately 5 nm, and no free-Pd nanoparticle on the external surface of nanohybrids was observed. Moreover, one of the interesting points of this study is the use of CPS as a sacrificial polymeric support, which offers an environment to load Pd nanoparticles and can be removed by simple washing with DMF at the end of the process. The resulting rattle-type Pd-NPNS@ZIF-8 nanoparticles showed high catalytic performance for size-selective catalysis of linear alkenes in liquid-phase solutions. A similar strategy was also used to prepare the rattle-type Pd-NPNS@ZIF-8 nanoarchitecture (Fig. 12).71 The main difference in the process compared with previous investigation⁶⁹ is the use of polyvinylpyrrolidone-stabilized polystyrene microspheres instead of carboxylate-terminated polystyrene spheres.

To extend the utilization of polystyrene spheres in the preparation of rattle-type NPNS@MOF nanohybrids, Zhong et al. demonstrated the hierarchical fabrication of a rattle-type Fe₃O₄@Pd-NPNS@ZIF-8 nanoarchitecture through a layer-bylayer synthetic procedure (Fig. 13).72 In the process, polystyrene spheres were first functionalized using acrylic acid, and




Fig. 12 (a) Schematic representation of the synthetic protocol for the preparation of rattle-type Pd-NPNS@ZIF-8 nanostructures; (b-j) SEM and TEM images of (b, e, and h) PS/Pd, (c, f, and i) core-shell PS/ Pd@ZIF-8 particles, and (d, g, and j) rattle-type Pd-NPNS@ZIF-8 nanohybrids (Copyright 2020, American Chemical Society).71

then Fe₃O₄/PS was obtained by integrating Fe₃O₄ nanoparticles onto the surface of carboxylate-terminated polystyrene spheres. Next, ZIF-8 nanocrystals were grown on Fe₃O₄/PS to obtain coreshell Fe₃O₄/PS@ZIF-8. Then, Pd nanoparticles were encapsulated into the ZIF-8 shell via an incipient wetness impregnation process to achieve Fe₃O₄/PS@Pd/ZIF-8 nanosystems. The outer ZIF-8 shell was coated onto the surface of the as-prepared coreshell Fe₃O₄/PS@ZIF-8 via the same solution self-assembly approach, generating the Fe3O4/PS@Pd/ZIF-8@ZIF-8 nanoarchitectures. Finally, the rattle-type Fe₃O₄@Pd-NPNS@ZIF-8 nanoarchitecture was fabricated by dissolving polystyrene templates in DMF. The layer-by-layer configurations of the obtained composites are shown in microscopy images (Fig. 14), confirming the successful synthesis of rattle-type NPNS@MOF nanosystems.72

Another interesting strategy to prepare rattle-type NPNS@MOF nanohybrids was investigated by Yoo et al. using a porous silica-assisted approach (Fig. 15).73 In this study, to construct the rattle-type Au-NPNS@Zn-MOF nanohybrids, the Au nanoparticles were first integrated into the dendritic fibrous nanosilica (DFNS) template, which has a high surface area and porosity, generating DFNS/Au nanoparticles. Compared to previous hybrid nanostructures, the Au nanoparticles were welldispersed within the nanospace of DFNS, increasing the number of exposed catalytic sites and the diffusion rate of both reactants and products in the resulting nanohybrids, even though the Au nanoparticles could not migrate freely. Zn-MOF




Fig. 13 (a) Schematic illustration for the fabrication and (b) structural compositions of rattle-type Fe_3O_4 @Pd-NPNS@ZIF-8 nanoarchitectures (Copyright 2019, American Chemical Society).⁷²




Fig. 14 Photographic images of (a1–f1, top row), TEM images (a2–f2, second row), and SEM images (a3–f3, third row) of (a) PS, (b) Fe_3O_4/PS , (c) Fe_3O_4/PS @ZIF-8, (d) Fe_3O_4/PS @ZIF-8, and (f) rattle-type Fe_3O_4 @Pd-NPNS@ZIF-8 nanoarchitectures, respectively; and the EDS elemental mapping data of rattle-type Fe_3O_4 @Pd-NPNS@ZIF-8 nanoarchitectures (a4–f4, bottom row). The scale bars indicate 100 nm for TEM images and 200 nm for SEM images, respectively (Copyright 2019, American Chemical Society).⁷²

nanocrystals were then grown on the surface of the DFNS/Au nanoparticles to afford rattle-type Au-NPNS@Zn-MOF nanohybrids. The obtained rattle-type Au-NPNS@Zn-MOF nanohybrids not only exhibit the well-defined and inherent structural features of the DFNS core and Zn-NMOF shells but also provide plentiful nanospaces, especially in the region between the DFNS template and Zn-NMOF for maximized incorporation of guest species without blocking the pores. In addition, to validate the feasibility of the synthesis paradigm, distinct Au nanoparticles or MOFs (e.g., ZIF-8) were employed for the growth of Zn-NMOF or ZIF-8 to generate rattle-type Au-NPNS@MOF and Au-NPNS@ZIF-8 nanohybrids, respectively

(Fig. 16). A novel synthetic protocol to fabricate rattle-type Ni-NPNS@MOF nanohybrids was investigated using a carbox-ylate-based Ni-MOF-74 shell loaded onto Ni-NPNS-loaded ${\rm SiO_2}$ hollow nanospheres. ⁷⁴

2.5. Dot-in-shell NPNS@MOF nanohybrids

Dot-in-shell NPNS@MOF nanohybrids refer to nanoparticles dispersed within a single or multiple shells of hollow nanostructures.^{75–78} In the case of multiple shells, the nanoparticles can be confined between the two shells⁷⁹ or within the first shell from the inside (Fig. 17a).^{80,81} The nanospace in the structure can improve mass transfer for both reactants and




Fig. 15 (a) Structural compositions, (b) SEM images, (c) TEM image, and (d) TEM image and EDX elemental mapping data of rattle-type Au-NPNS@Zn-MOF nanohybrids, showing gold (in yellow), silica (in purple), and zinc (in red). Scale bars in (b) and (c and d) are 500 nm and 250 nm, respectively (Copyright 2020, Springer Nature).73




Fig. 16 TEM image and the corresponding EDX elemental mapping data for (a) rattle-type Au-NPNS@Zn-MOF nanohybrids, and (b and c) rattle-type Au-NPNS@ZIF-8 nanohybrids with different particle sizes of Au nanoparticles, showing gold (in yellow), silica (in purple), zinc (in red), carbon (in green), and nitrogen (in blue). Scale bar: 500 nm, (Copyright 2020, Springer Nature).73

products. The inner MOF shell was adjacent to the nanospace and acted as a scaffold for the encapsulation of nanoparticles with or without being functionalized with a capping agent.




Fig. 17 (a) Schematic illustration for the compositional structure of the dot-in-shell Pd-NPNS@HKUST-1@ZIF-8 nanohybrids and (b) schematic representation for the synthetic procedure of dot-in-shell Pd-NPNS@HKUST-1@ZIF-8 nanoarchitectures (Copyright 2017, Wiley-VCH).80

Meanwhile, the outer MOF shell can serve not only as a protective layer but also as a size-selective sieve. An interesting example of using this strategy to prepare dot-in-shell NPNS@MOF nanohybrids was reported by Wan et al. (Fig. 17b), 80 in which sulfonated polystyrene spheres (SPSs) were used as the template for loading an inner HKUST-1 shell by the layer-by-layer method to generate SPS@HKUST-1. Next, Pd nanoparticles were integrated into the HKUST-1 via solution impregnation to yield SPS@HKUST-1/Pd. ZIF-8 was then grown on the outer surface of HKUST-1 to obtain the SPS@HKUST-1/ Pd@ZIF-8 nanosystems. Finally, the SPS template was removed by dissolving to afford dot-in-shell Pd-NPNS@HKUST-1@ZIF-8 nanohybrids (Fig. 18).80

Liu et al. demonstrated a simpler strategy for preparing dotin-shell Au-NPNS@HKUST-1 nanostructures comprising Au nanoparticles dispersed within the HKUST-1 shell (Fig. 19).82 The synthesis protocol included the generation of Au nanoparticles on the surface of the Cu2O template, and then partially converting Cu₂O to HKUST-1 to form core-shell Cu₂O/ Au@HKUST-1 nanoparticles via a coordination replication reaction. Finally, residual Cu₂O was removed by acid etching with acetic acid in ethanolic solution to afford dot-in-shell Au-NPNS@HKUST-1 nanohybrids. During the synthesis, the Cu₂O template not only acted as a redox agent for the generation of Au nanoparticles on its surface but also converted them into a HKUST-1 nanoarchitecture through a coordination replication reaction to encapsulate the preformed Au NPs. Moreover, it is important to note that the volume ratio of ethanol to N,Ndimethylacetamide played a vital role in the growth of welldefined dot-in-shell Au-NPNS@HKUST-1 nanohybrids because




Fig. 18 The photographic (top row), TEM (middle row), and SEM (bottom row) images for (a) SPS, (b) SPS@HKUST-1, (c) SPS@HKUST-1/Pd, (d) SPS@HKUST-1/Pd@ZIF-8, and (e) Pd-NPNS@HKUST-1@ZIF-8 nanohybrids. The scale bars are 200 nm for TEM and 100 nm for SEM images, respectively (Copyright 2017, Wiley-VCH).80




Fig. 19 (a) Schematic illustration for the preparation of dot-in-shell Au-NPNS@HKUST-1 nanostructures; (b and c) TEM images, (d) HR-TEM image, (e) HAADF-STEM image, and (f) EDX elemental mapping of the dot-in-shell Au-NPNS@HKUST-1 nanohybrids (Copyright 2016, American Chemical Society).⁸²

the kinetic coupling between the coordination rate of Cu(n) ions with BTC^{3-} ions and the oxidative dissolution rate of Cu_2O was affected by mixed solvent use. This controllable coordination replication strategy is promising for the fabrication of other types of dot-in-shell NPNS@MOF nanohybrids.

NPNS@MOF hybrid nanomaterials, consisting of five categories including yolk-shell, multiyolk-shell, yolk-multishell, rattle-type, and dot-in-shell nanohybrids, can be prepared using various methods (Table 1). These methods include self-template or sacrificial-template methods, selective etching or dissolution-precipitation processes, bottle-around-the-shop or shiparound-the-bottle techniques, and layer-by-layer approaches. Compared to different structures, such as core-shell systems, NPNS@MOF hybrids possess a hierarchical architecture with unique features and tunable physical and chemical properties. Notably, they contain nanospace with multiple advantageous properties. In the NPNS@MOF structure, nanoparticles serve as the cores and can freely move within the nanospace. They function as active sites and are protected by the MOF shell, preventing aggregation and allowing more active sites to be exposed during processes. The outer MOF shell not only safeguards the cores but also facilitates mass transport and exchange due to its inherent high specific surface area and porosity. By adjusting the structure of the core and the shell, the diffusion rates of substrates can be controlled. The nanospace provides a homogeneous microenvironment and enhances accessibility to active sites, playing a crucial role in the improved activities of NPNS@MOF compared to other hybrid systems. However, the construction of NPNS@MOF hybrids often requires complicated and highly desirable synthesis procedures. Additionally, precise control over the morphology and composition of the inner NPNS and the outer MOF is critical for the practical applications of NPNS@MOF nanohybrids.

 Table 1
 Summary of the preparation of NPNS@MOF hybrid nanomaterials with various synthetic strategies and structural features

NPNS@MOF hybrid nanomaterials	Synthesis strategies	Structural features	Applications	Ref
Yolk-shell Pd-NPNS@ZIF-8	Cu ₂ O sacrificial template	Uniform and well-defined pore size serves as	Size-selectivity hydrogenation catalysis	47
		a molecular sieve	ny arogenación catalyon	
Yolk–shell hematite-	PVP assisted-hematite or	Yolk-shell converted from	N/A	48
NPNS@ZIF-8, yolk–shell	silica self-template	core-shell together with		
silica-NPNS@ZIF-8		recrystallization of ZIF-8		
Yolk–shell Pd-NPNS@ZIF-8	ZnO self-template	Molecular sieve yolk–shell	Size-selectivity	49
Yolk–shell Au-NPNS@ZIF-8	70 11 d 1 H	converted from core-shell	hydrogenation catalysis	
	Etching the core–shell Au@ZIF-8 with tannic acid	Uniform and monodisperse	Drug carrier for chemo-	54
	Au(a)ZIF-8 with tannic acid	of Au@ZIF-8 nanoparticles	photothermal synergistic therapy	
Yolk–shell Co ₃ O ₄ -	Sulfate radical-based	Combination of mesoporous	Degradation of organic	56
NPNS@MOFs	advanced-oxidation	and adsorptive bimetallic	pollutants	30
	processes in the nanospace,	MOFs and the unique	ponutures	
	PVP as the stabilizer	nanospace		
Multiyolk-shell Au-	SiO ₂ sacrificial template.	Multiple Au yolks in a one	Size-selectivity aerobic	58
NPNS@ZIF-8	PVP as the surfactant	shell ZIF-8 nanostructure	oxidation of alcohols with various molecular sizes	
Multiyolk-shell	Ultrasound-assisted Cu ₂ O	SiO ₂ served as a sacrificial	High activity and excellent	59
Cu ₂ ONPNS@ZIF-8	nanocube preparation,	template and a protective	stability for the reduction of	
	template protection– sacrifice method to	shell for Cu ₂ O	4-nitrophenol	
	encapsulate metastable			
	Cu ₂ O nanoparticles			
Multiyolk–shell Pd-	Oxidative linker cleaving	UiO-66- $(OH)_2$ shell was	Molecular-size selectivity for	60
NPNS@UiO-66-(OH) ₂	method through oxidative	directionally engraved to	the conversion of	
	ring-opening reactions, 2,5-	generate the multiyolk–shell	cycloalkanes	
	dihydroxyterephthalic acid	structure		
11 11 11 1	as a sacrificial linker	11 1 0 1 1		
Yolk-multishell Pd- NPNS@ZIF-8@R6G@ZIF-8	Multi-layered ZIF	Well-defined onion	Biomimetic cascade	61
	nanocrystal <i>via</i> epitaxial	configuration, energy transfer interactions were	catalysis and drug delivery	
	layer-by-layer growth processes	controllably regulated		
Rattle-type Pd-NPNS@ZIF-8	Carboxylate-terminated	Unprotected Pd	Size-selective liquid-phase	69
Rattle-type Pd-NPNS@ZIF-8	polystyrene as the sacrificial	nanoparticles dispersed in	hydrogenation of olefins	09
	template	ZIF-8 hollow nanospheres	nyurogenation of olemis	
	PVP-stabilizer polystyrene as	Pd nanoparticles	Size-selective hydrogenation	71
J. F. C.	the sacrificial template	encapsulated in ZIF-8 hollow nanospheres	of alkenes	
Rattle-type Fe ₃ O ₄ -@Pd-	Polystyrene-co-acrylic acid as	Fe ₃ O ₄ and Pd nanoparticles	Size selectivity and high	72
NPNS@ZIF-8	the sacrificial template	encapsulated within the ZIF-	reusability for styrene	
	-	8 hollow sphere	hydrogenation	
Rattle-type Au-NPNS@Zn-	Amine functionalized DFNS	DFNS/Au nanoparticles were	Knoevenagel condensation	73
MOF	as the support	uniformly encapsulated within Zn-NMOF	reaction	
Dot-in-shell Pd-	Sulfonated-polystyrene	Inner HKUST-1 shell hosted	Size-selective liquid-phase	80
NPNS@HKUST-1@ZIF-8	microsphere as the	the well dispersed Pd	hydrogenation reaction	00
	sacrificial template	nanoparticles, outer ZIF-8	nyurogenation reaction	
	sacrificial template	shell acted as the protective		
		layer		
Dot-in-shell Au-	Coordination replication	Ethanol/DMA ratio	Good durability and	82
NPNS@HKUST-1	strategy using a Cu ₂ O redox-	influenced the kinetic	recyclability for the CO	
	template	coupling between the	oxidation reaction	
	-	oxidative dissolution rate of		
		Cu ₂ O and coordination rate		
		of Cu ²⁺ with the organic		
		ligand		

Applications of NPNS@MOF hybrid nanomaterials

3.1. Catalysis

In a given NPNS@MOF nanohybrid, the nanoparticles provide catalytically active sites for the reactants, whereas, the MOF shell acts as a barrier layer to prevent the agglomeration of the active sites with neighboring nanoparticles during the reaction. In addition, compared with the corresponding core-shell nanocatalyst, in which the shell is directly grown on the surface of nanoparticles, the nanospace generated between the nanoparticles and the MOF shell in the NPNS@MOF nanohybrids can not only serve larger exposed catalytic sites for the reactants but also lead to more homogeneous interactions between the reactants and nanoparticles. Moreover, the MOF counterpart in NPNS@MOF nanohybrids can also exhibit multiple functions in the catalytic process, such as size selectivity catalysis and regulation of mass transfer. For example, in yolk-shell Pd-NPNS@ZIF-8 nanohybrids,47 the uniform and well-defined pore size of the ZIF-8 shell could serve as a molecular sieve for the size-selectivity hydrogenation catalysis of cyclooctene (5.5 Å), cyclohexene (4.2 Å), and ethylene (2.5 Å) (Fig. 20a). Because the pore aperture of ZIF-8 is 3.4 Å, the ZIF-8 shell could




Fig. 20 (a) Molecular-size-selective catalysis of yolk-shell Pd-NPNS@MOF⁴⁷ and (b) chemoselective hydrogenation of *para*-nitro-styrene over PdAg-NPNS@ZIF-8 and different catalysts⁴⁶ (Copyright 2012 and copyright 2022, American Chemical Society).

selectively allow ethylene and cyclohexane, which are smaller than the size of ZIF-8 pore aperture, to pass through and access the Pd-NPNS, while blocking cyclooctene molecules. In addition, compared to core-shell Pd@ZIF-8 nanostructures, yolkshell Pd-NPNS@ZIF-8 nanohybrids showed different catalytic performances for cyclohexene hydrogenation with higher activation energy (40.1 kJ mol⁻¹), demonstrating the influence of nanospace in the yolk-shell Pd-NPNS@ZIF-8 structure. It was reasoned that the diffusion through the yolk-shell Pd-NPNS@ZIF-8 catalyst was configurational diffusion combined with Knudsen diffusion, whereas only configurational diffusion occurred in the case of the core-shell nanostructure. Another example demonstrated the critical role of the nanospace in the yolk-shell PdAg-NPNS@ZIF-8 nanocomposite in preferentially adsorbing the -NO₂ group rather than the -C=C group under light irradiation, which was not possible with the core-shell PdAg@ZIF-8. Interestingly, the yolk-shell PdAg-NPNS@ZIF-8 exhibited outstanding catalytic performance in the hydrogenation of nitrostyrene to vinylaniline, achieving a conversion rate of greater than 99% and a selectivity of 97.5% (Fig. 20b).46 Similar catalytic data, including the molecular size selectively and reaction yield, were also achieved for aerobic oxidation reactions using multiyolk-shell NPNS@MOF nanocatalysts (Fig. 21).⁵⁸ The conversion of 1-butanol (2.9 \times 7.1 Å), 1-hexanol $(3.1 \times 9.6 \text{ Å})$, and 3-phenylpropanol $(6.3 \times 11.9 \text{ Å})$ was 50.0%, 40.2%, and approximately 0%, respectively, indicating the excellent molecular-size selectivity of the multiyolk-shell Au-NPNS@ZIF-8 nanoreactor (Fig. 21a). Moreover, the catalytic performance of the multiyolk-shell Au-NPNS@ZIF-8 nanohybrids was higher than that of the core-shell Au@ZIF-8 nanostructures. The analysis data further confirmed the benefits of the nanospace region, which significantly facilitated the diffusion of reactants to the catalytically active sites, and offered sufficient space for the nanoparticles to be accessible to substrates. The multivolk-shell Au-NPNS@ZIF-8 nanohybrids also exhibited good cycling stability under the investigated conditions (Fig. 21b).

Both the free NPNS and the immobilized NPNS showed good catalytic performance. The incorporation of the Au nanoparticles within the nanospace between the DFNS and Zn-NMOFs to yield the rattle-type Au-NPNSs@Zn-NMOF nanohybrids led to a remarkable increase in the catalytic




Fig. 21 Catalytic activities of multiyolk—shell Au-NPNS@ZIF-8 nanohybrids in the aerobic oxidation of alcohols: (a) conversion of 1-butanol, 1-hexanol, and 3-phenylpropanol over different catalysts and (b) catalytic stability of multiyolk—shell Au-NPNS@ZIF-8 nanohybrids (Copyright 2016, Wiley-VCH).58

(a) 1.7 mol% catalyst 2.0 eq. CH₂(CN)₂ toluene RT (b) 75 **DFNS** 70 DFNS/Au dots DFNS@Zn-NMOF Rattle-typed Au-NENS@Zn-NMOF DFNS@ZIF-8 Rattle-typed Au-NENS@ZIF-8 1.5 0.5 1.0 2.0

Fig. 22 (a) Knoevenagel condensation reaction scheme and (b) the conversion of benzaldehyde *versus* reaction time, using DFNS (in pink), DFNS/Au dots (in navy), DFNS@Zn-NMOF (blue), rattle-type Au-NPNS@Zn-NMOF (red), DFNS@ZIF-8 (in black), and rattle-type Au-NPNS@ZIF-8 (in dark green) as catalysts. The catalyst quantity is 1.7 mol% (Copyright 2020, Springer Nature).⁷³

Time (h)

performance for the Knoevenagel condensation reaction (Fig. 22).⁷³ After 30 min of reaction, 88% conversion of benzal-dehyde was achieved with the rattle-type Au-NPNSs@Zn-NMOF nanohybrids, which was considerably higher than those of the investigated catalysts. Moreover, compared to the rattle-type Au-NPNSs@ZIF-8 nanohybrids, the rattle-type Au-NPNSs@Zn-NMOF nanohybrids showed higher catalytic performance owing to the presence of the ligand [N3] in the structure. It was proposed that the presence of the [N3] ligand in Zn-NMOF not only increased the number of active nitrogen species but also promoted the generation of additional beneficial defects in the resulting nanocatalysts.

3.2. Biomedical applications

Recently, in the field of biomedical applications, NPNS@MOF nanohybrids have received increasing attention since they are suitable for integrating distinct compositional moieties and functionalities to afford an effective "all-in-one" therapeutic process. More importantly, the nanospace within the structure of NPNS@MOF nanohybrids can act as a reservoir for filling more cargo than that of core-shell nanosystems. The MOF shell not only preserves the protective function but also allows the guest species to diffuse in and out. For instance, yolk-shell Au-NPNS@ZIF-8 nanohybrids54 were used for encapsulating doxorubicin hydrochloride (DOX), a type of chemotherapy medicine, into its nanospace to yield yolk-shell Au-NPNS@ZIF-8-DOX nanostructures. In the resulting nanosystem, Au-NPNS could be simultaneously utilized for photothermal therapy, infrared photothermal imaging, and photoacoustic imaging due to its intense NIR-II (1000-1350 nm) absorption ability, whereas the




Fig. 23 In vivo DOX, Au@MOF, and yolk—shell Au-NPNS@ZIF-8-DOX were injected intravenously into tumor-bearing mice and treated with or without 1064 nm laser irradiation. (a) The average body weight of tumor-bearing mice in each group during the treatment periods. (b) The relative tumor volumes (normalized) of tumor-bearing mice in each group. (c) The representative photographs of tumor-bearing mice after different treatments. (d) H&E staining images of tumor sections in each group. (e) H&E stained sections of the main mice organs after treatment with PBS and yolk—shell Au-NPNS@ZIF-8-DOX with NIR irradiation (Copyright 2019, American Chemical Society).54

nanospace was employed for DOX delivery as a storage vessel (Fig. 23). As shown in Fig. 23a and b, the obtained data indicated that a certain inhibitory effect on the tumor was achieved through the yolk-shell NPNS@MOF-induced photothermal effect. The group treated with yolk-shell Au-NPNS@ZIF-8-DOX showed better tumor suppression activity than those treated with DOX or DOX combined with 1064 nm laser irradiation DOX, suggesting a more effective tumor enrichment effect of yolk-shell Au-NPNS@ZIF-8-DOX than free DOX. With the help of Au-NPNS@MOF-DOX nanohybrids combined with 1064 nm laser irradiation, the investigated tumor size was significantly inhibited (Fig. 23c). The tumor section results (Fig. 23d) confirmed the synergistic effect of chemotherapy and photothermal therapy over yolk-shell Au-NPNS@ZIF-8-DOX nanohybrids combined with a NIR laser. The pathomorphological data of the important visceral organs indicated that no significant apparent lesion of tissue sections was achieved in the therapeutic groups (Fig. 23e).

3.3. Energy-related applications

Unlike the aforementioned applications, the direct use of NPNS@MOFs for energy-related applications is still limited owing to the low electrical conductivity of MOFs.^{83–85} Nevertheless, NPNS@MOF modified by post-treatments such as pyrolysis,^{86–88} doping active elemental species (metal or non-metal),^{89–91} and incorporating conductive materials (such as




Fig. 24 (a) Schematic illustration of the formation process of CoP@-FeCoP/NC YSMPs. (b-d) SEM images of (b) ZIF-67 MPs, (c) CoP/NC NPs, and (d) ZIF-67@Co-Fe PBA YSMPs. Insets of (b-d) show the corresponding TEM images. (e) SEM, (f and g) TEM and (h) HR-TEM images of CoP@FeCoP/NC YSMPs. (i) HAADF-STEM and elemental mapping images for Co, Fe, P, N, and C of CoP@FeCoP/NC YSMPs (Copyright 2021, Elsevier).98

graphene),⁹²⁻⁹⁴ also known as NPNS@MOF-derived materials, are widely applied for energy-related applications. The NPNS@MOF-derived nanostructure obtained after post treatments not only inherits the porous templates of NPNS@MOF but also exhibits excellent electrical conductivity.^{95,96} Moreover, owing to the uniquely designed structure and the interaction between the yolk and the shell, NPNS@MOF-derived materials have proven to be the most promising catalysts for energy conversion applications.^{95,97} For instance, nitrogen-doped carbon-decorated CoP@FeCoP yolk-shelled micro-polyhedra (CoP@FeCoP/NC) were used as a dual-catalyst for the hydrogen evolution reaction (HER) and oxygen evolution reaction (OER) of the water splitting process (Fig. 24).⁹⁸ Their superior electrocatalytic performance stems from the

interaction between the yolk CoP/NC and the shell FeCoP/NC. During the operation, FeCoP/NC prevented the aggregation of CoP/NC, and therefore, more catalytically active sites could be exposed. Furthermore, the yolk-shell structure also affects the electronic interaction of the material. In Fig. 25, FeCoP/NC and CoP/NC had excited energy band gaps of 2.26 eV and 2.05 eV, and the conductive band of -2.26 eV and -2.05 eV, respectively. Therefore, the electrons can migrate from the shell FeCoP/NC to the core CoP/NC, creating more effective electron transitions and an enormous number of active sites on CoP/NC. To confirm the superior electrocatalytic performance of the yolk-shell architecture compared with the hollow structure counterpart, Sun et al. investigated the OER activity of Zn_xCo_{3-x}O₄ yolk-shell particles (Zn_xCo_{3-x}O₄ YSP) and Zn_xCo_{3-x}O₄ hollow particles (Zn_xCo_{3-x}O₄ HP).99 The obtained data indicate the stronger catalytic activity of the yolk-shell particle than the hollow counterpart (Fig. 26). The overpotential at 10 mA cm⁻² of Zn_x- $Co_{3-x}O_4$ YSP was 337 mV with a Tafel slope of 59.3 mV dec^{-1} , while the overpotential at 10 mA cm⁻² and Tafel slope of Zn_x-Co_{3-x}O₄ HP were higher with the corresponding values of 360 mV and 73.5 mV dec^{-1} (Fig. 26a, b). For further comparison, the charge transfer resistance of Zn_rCo_{3-r}O₄ YSP and Zn_r-Co_{3-x}O₄ HP was determined by electrochemical impedance spectroscopy (Fig. 26c). The R_{ct} value of $Zn_xCo_{3-x}O_4$ YSP was 2.2 Ω , smaller than that of $Zn_xCo_{3-x}O_4$ HP (5.0 Ω), indicating the better electronic transportation of Zn_xCo_{3-x}O₄ YSP. The durability of Zn_xCo_{3-x}O₄ YSP was also better than that of its hollow structure counterpart with the current density nearly unchanged after 12 h of continuous operation; in the case of $Zn_xCo_{3-x}O_4$ HP, a rapid current loss of 35% was recorded (Fig. 26d). The durable activity of Zn_xCo_{3-x}O₄ YSP is related to its unique yolk-shell structure.

In addition, the charge interaction between the yolk and shell of the NPNS@MOF-derived material also benefits the electron transfer ability of the catalyst. Zhou *et al.* reported the synergetic effects of electrical interaction between the yolk




Fig. 25 (a) Schematic energy band diagram of CoP@FeCoP/NC YSMPs. (b) UV absorption spectra of FeCoP/NC HMPs and CoP/NC NPs. The Tauc-Mott plots of (c) FeCoP/NC HMPs and (d) CoP/NC NPs (Copyright 2021, Elsevier).98




Fig. 26 (a) Linear sweep voltammetry curves and (b) Tafel plots of $Zn_xCo_{3-x}O_4$ YSP and $Zn_xCo_{3-x}O_4$ HP in an O_2 -saturated 1 M KOH electrolyte. (c) Nyquist plots of $Zn_xCo_{3-x}O_x$ YSP and $Zn_xCo_{3-x}O_4$ HP. (d) Time-dependent current densities of $Zn_xCo_{3-x}O_4$ YSP and $Zn_x-Co_{3-x}O_4$ HP (Copyright 2017, American Chemical Society).⁹⁹

Fig. 27 (a) Cyclic voltammetry (CV) curves of the NiCo₂S₄-Ni₉S₈-C DYM electrode at different scan rates, (b) CV curves of NiCo₂S₄-Ni₉S₈-C DYM, NiCo₂S₄ and Ni₉S₈ electrodes at a scan rate of 10 mV s⁻¹, (c) the log *I versus* log *v* at cathodic and anodic peak current densities of the NiCo₂S₄-Ni₉S₈-C DYM electrode, (d) galvanostatic charge-discharge (GCD) curves of the NiCo₂S₄-Ni₉S₈-C DYM electrode at various current densities, (e) GCD curves of NiCo₂S₄-Ni₉S₈-C DYM, NiCo₂S₄ and Ni₉S₈ electrodes at a current density of 10 mV s⁻¹, (f) specific capacities of the NiCo₂S₄-Ni₉S₈-C DYM electrode at different current densities, (g) illustration of electron transfer at heterointerfaces within one NiCo₂S₄-Ni₉S₈ NP, and (h) schematic illustration of the structural advantages of the NiCo₂S₄-Ni₉S₈-C DYM electrode (Copyright 2020, Elsevier).¹⁰⁰

NiCo₂S₄ and the shell Ni₉S₈ on the charge capacity of NiCo₂S₄-Ni₉S₈-C double-layer yolk-shell microspheres (NiCo₂S₄-Ni₉S₈-C DYMs) derived from bimetallic Co/Ni-MOF. 100 The NiCo₂S₄-Ni₉S₈-C DYMs exhibited a high specific capacity of 293.6 mA h g^{-1} at 1.0 A g^{-1} , and excellent rate capacity with a value of 81.1% from 1.0 A g^{-1} to 20 A g^{-1} (Fig. 27a-f). For a deeper understanding, the work functions $(E_{\rm w})$ and Fermi level were used to estimate the charge carrier transport ability in the materials (E_f) and the vacuum layer levels of NiCo₂S₉ and Ni₉S₈ were determined. By using density functional theory calculation, the Ew value of the yolk NiCo2S9 and the shell Ni9S8 was 6.17 eV and 6.81 eV, and therefore, the free electron could flow from NiCo₂S₉ to Ni₉S₈ through the interfaces to balance the $E_{\rm f}$ (Fig. 27g). The charge interaction generated at the interface between NiCo₂S₉ and Ni₉S₈ can improve charge diffusion and electron transfer during the charge/discharge process (Fig. 27h).

4. Conclusion and outlook

Significant progress has been made in the design and development of NPNS@MOF hybrid nanomaterials composed of nanoparticles, MOFs, and nanospace within their architectures over the past few decades. NPNS@MOF exhibits excellent intrinsic properties, including desired compositions, distinct morphologies, and unique structural characteristics, setting them apart from other hybrid structures. These advantageous

features make them highly promising for a wide range of applications. This review provides a comprehensive description of the main synthetic strategies used to produce NPNS@MOF hybrids, such as yolk-shell, multiyolk-shell, yolk-multishell, rattle-type, and dot-in-shell nanohybrids. Additionally, the structure-property-activity relationship within the NPNS@MOF architectures is thoroughly summarized. For example, the regulation of the microenvironment surrounding catalytically active sites in the yolk-shell PdAg-NPNS@MOF results in excellent selectivity and recyclability for the hydrogenation of nitrostyrene. Importantly, the synergistic effect of the exceptional structural advantages offered by nanoparticles as cores and MOFs as shells, along with the nanospace generated within the structure, significantly enhances the performance of NPNS@MOF in targeted processes, including activity, durability, and recyclability. In this context, the nanospace enables (i) greater accessibility to exposed catalytically active sites, (ii) regulation of the microenvironment and interactions of active species, (iii) sufficient space for mass and/or charge transfer, and (iv) stabilization of active species to prevent agglomeration.

Despite the aforementioned achievements in this field, the development of NPNS@MOF hybrid nanomaterials is still in its infancy. The design and regulation face plentiful obstacles, especially, their applicability is far from practical requirements. (1) The main drawback is the weak stability of MOFs in terms of chemical and thermal characteristics, resulting from the inherent coordination bonding and organic components. Additionally, the current reported MOFs' pore size and/or aperture are suitable for size-selective reagents, but there is a high demand for size selectivity in targeted product formation in technological processes. (2) The growth of nanoparticles in terms of size, shape, and composition within NPNS@MOF is still uncertain. The arrangement of nanoparticles within the MOF shell is currently limited to random placement. Moreover, the interaction of nanoparticles with the MOF substrate lacks detailed structural information, thereby impacting the understanding of the structure-activity relationship. (3) Complicated and expensive synthesis procedures, as well as issues of scalability and universality, pose additional barriers to the practical utilization of NPNS@MOF.

As NPNS@MOF research progresses, attention has gradually shifted from synthesis, including morphology, structure, and activity measurements, to the demonstration of multifunctional properties and capabilities in industrial applications. However, challenges persist due to the aforementioned drawbacks, necessitating significant efforts for further development in this area. This review aims to provide a comprehensive understanding and insightful perspectives on NPNS@MOF hybrid nanomaterials by offering detailed information on their synthetic methods, structures, and corresponding applications, and ultimately facilitate the design and development of novel NPNS@MOF materials for future use.

Conflicts of interest

There are no conflicts to declare.

Nanoscale Advances Minireview

Acknowledgements

This work was supported by the Korea Institute for Advancement of Technology (KIAT) grant funded by the Korea Government (Ministry of Trade, Industry and Energy, MOTIE) (P0008425, The Competency Development Program for Industry Specialist). This work was also supported by the National Research Foundation of Korea (NRF) grant funded by the Korea government (Ministry of Science and ICT, MSIT) (the Bio & Medical Technology Development Program (No. RS-2023-00223501) and NRF-2020R1A2C1004006).

References

- 1 L. Chen and Q. Xu, Matter, 2019, 1, 57-89.
- 2 Q. Wang and D. Astruc, Chem. Rev., 2020, 120, 1438-1511.
- 3 Q.-L. Zhu and Q. Xu, Chem. Soc. Rev., 2014, 43, 5468-5512.
- 4 X. Cai, Z. Xie, D. Li, M. Kassymova, S.-Q. Zang and H.-L. Jiang, *Coord. Chem. Rev.*, 2020, 417, 213366.
- 5 H. Furukawa, K. E. Cordova, M. O'Keeffe and O. M. Yaghi, *Science*, 2013, **341**, 1230444.
- 6 H.-L. Jiang and Q. Xu, Chem. Commun., 2011, 47, 3351-3370.
- 7 T. A. Goetjen, J. Liu, Y. Wu, J. Sui, X. Zhang, J. T. Hupp and O. K. Farha, *Chem. Commun.*, 2020, 56, 10409–10418.
- 8 R. Freund, O. Zaremba, G. Arnauts, R. Ameloot, G. Skorupskii, M. Dincă, A. Bavykina, J. Gascon, A. Ejsmont, J. Goscianska, M. Kalmutzki, U. Lächelt, E. Ploetz, C. S. Diercks and S. Wuttke, *Angew. Chem., Int. Ed.*, 2021, **60**, 23975–24001.
- 9 Y.-N. Gong, L. Jiao, Y. Qian, C.-Y. Pan, L. Zheng, X. Cai, B. Liu, S.-H. Yu and H.-L. Jiang, *Angew. Chem., Int. Ed.*, 2020, **59**, 2705–2709.
- 10 T. Islamoglu, S. Goswami, Z. Li, A. J. Howarth, O. K. Farha and J. T. Hupp, *Acc. Chem. Res.*, 2017, **50**, 805–813.
- 11 W. Lu, Z. Wei, Z.-Y. Gu, T.-F. Liu, J. Park, J. Park, J. Tian, M. Zhang, Q. Zhang, T. Gentle III, M. Bosch and H.-C. Zhou, *Chem. Soc. Rev.*, 2014, 43, 5561–5593.
- 12 J. Lee, O. K. Farha, J. Roberts, K. A. Scheidt, S. T. Nguyen and J. T. Hupp, *Chem. Soc. Rev.*, 2009, **38**, 1450–1459.
- 13 Q.-L. Zhu, W. Xia, T. Akita, R. Zou and Q. Xu, *Adv. Mater.*, 2016, **28**, 6391–6398.
- 14 R. E. Morris and L. Brammer, Chem. Soc. Rev., 2017, 46, 5444–5462.
- 15 H. Xu, H. Shang, C. Wang, L. Jin, C. Chen, C. Wang and Y. Du, *Appl. Catal.*, *B*, 2020, **265**, 118605.
- 16 L. Li, Z. Li, W. Yang, Y. Huang, G. Huang, Q. Guan, Y. Dong, J. Lu, S.-H. Yu and H.-L. Jiang, *Chem*, 2021, 7, 686–698.
- 17 B. Li, J.-G. Ma and P. Cheng, Small, 2019, 15, 1804849.
- 18 C.-D. Wu and M. Zhao, Adv. Mater., 2017, 29, 1605446.
- 19 G. Cai, M. Ding, Q. Wu and H.-L. Jiang, *Natl. Sci. Rev.*, 2020, 7, 37–45.
- 20 L. Jiao, J. Wang and H.-L. Jiang, Acc. Mater. Res., 2021, 2, 327–339.
- 21 R. Ghosh Chaudhuri and S. Paria, *Chem. Rev.*, 2012, **112**, 2373–2433.
- 22 H.-F. Wang, L. Chen, H. Pang, S. Kaskel and Q. Xu, *Chem. Soc. Rev.*, 2020, **49**, 1414–1448.

- 23 A. L. M. Reddy, S. R. Gowda, M. M. Shaijumon and P. M. Ajayan, *Adv. Mater.*, 2012, 24, 5045–5064.
- 24 Y. Liu, Z. Liu, D. Huang, M. Cheng, G. Zeng, C. Lai, C. Zhang, C. Zhou, W. Wang, D. Jiang, H. Wang and B. Shao, *Coord. Chem. Rev.*, 2019, 388, 63–78.
- 25 Y. Shan, L. Chen, H. Pang and Q. Xu, Small Struct., 2021, 2, 2000078.
- 26 F.-X. Xiao, J. Miao, H. B. Tao, S.-F. Hung, H.-Y. Wang, H. B. Yang, J. Chen, R. Chen and B. Liu, *Small*, 2015, 11, 2115–2131.
- 27 L. Chen, R. Luque and Y. Li, *Chem. Soc. Rev.*, 2017, **46**, 4614–4630.
- 28 E. Antolini, Appl. Catal., B, 2016, 181, 298-313.
- 29 Z. Zhao, X. Wang, X. Jing, Y. Zhao, K. Lan, W. Zhang, L. Duan, D. Guo, C. Wang, L. Peng, X. Zhang, Z. An, W. Li, Z. Nie, C. Fan and D. Zhao, Adv. Mater., 2021, 33, 2100820.
- 30 G. Li, S. Zhao, Y. Zhang and Z. Tang, Adv. Mater., 2018, 30, 1800702.
- 31 S. Subudhi, S. P. Tripathy and K. Parida, *Inorg. Chem. Front.*, 2021, **8**, 1619–1636.
- 32 C. S. L. Koh, H. Y. F. Sim, S. X. Leong, S. K. Boong, C. Chong and X. Y. Ling, *ACS Mater. Lett.*, 2021, 3, 557–573.
- 33 Y. Liang, E. Li, K. Wang, Z.-J. Guan, H.-h. He, L. Zhang, H.-C. Zhou, F. Huang and Y. Fang, *Chem. Soc. Rev.*, 2022, **51**, 8378–8405.
- 34 L.-W. Chen, Y.-C. Hao, Y. Guo, Q. Zhang, J. Li, W.-Y. Gao, L. Ren, X. Su, L. Hu, N. Zhang, S. Li, X. Feng, L. Gu, Y.-W. Zhang, A.-X. Yin and B. Wang, *J. Am. Chem. Soc.*, 2021, 143, 5727–5736.
- 35 A. Bavykina, N. Kolobov, I. S. Khan, J. A. Bau, A. Ramirez and J. Gascon, *Chem. Rev.*, 2020, **120**, 8468–8535.
- 36 T. Qiu, S. Gao, Z. Liang, D.-G. Wang, H. Tabassum, R. Zhong and R. Zou, *Angew. Chem., Int. Ed.*, 2021, **60**, 17314–17336.
- 37 G. Prieto, H. Tüysüz, N. Duyckaerts, J. Knossalla, G.-H. Wang and F. Schüth, *Chem. Rev.*, 2016, **116**, 14056– 14119.
- 38 B. Li and H. C. Zeng, Adv. Mater., 2019, 31, 1801104.
- 39 Z.-X. Cai, Z.-L. Wang, J. Kim and Y. Yamauchi, *Adv. Mater.*, 2019, 31, 1804903.
- 40 C. Gao, F. Lyu and Y. Yin, Chem. Rev., 2021, 121, 834-881.
- 41 Q. Yang, Q. Xu and H.-L. Jiang, *Chem. Soc. Rev.*, 2017, 46, 4774–4808.
- 42 H. Yang and X. Wang, Adv. Mater., 2019, 31, 1800743.
- 43 B. Cui and G. Fu, Nanoscale, 2022, 14, 1679-1699.
- 44 Y. Qian, F. Zhang, S. Zhao, C. Bian, H. Mao, D. J. Kang and H. Pang, *Nano Energy*, 2023, **111**, 108415.
- 45 J.-D. Xiao, R. Li and H.-L. Jiang, *Small Methods*, 2023, 7, 2201258.
- 46 L. Li, Y. Li, L. Jiao, X. Liu, Z. Ma, Y.-J. Zeng, X. Zheng and H.-L. Jiang, *J. Am. Chem. Soc.*, 2022, **144**, 17075–17085.
- 47 C.-H. Kuo, Y. Tang, L.-Y. Chou, B. T. Sneed, C. N. Brodsky, Z. Zhao and C.-K. Tsung, *J. Am. Chem. Soc.*, 2012, **134**, 14345–14348.
- 48 M. Sindoro and S. Granick, *J. Am. Chem. Soc.*, 2014, **136**, 13471–13473.

49 F.-L. Li, H.-X. Li and J.-P. Lang, *CrystEngComm*, 2016, **18**, 1760–1767.

- 50 Y. Yang, F. Wang, Q. Yang, Y. Hu, H. Yan, Y.-Z. Chen, H. Liu, G. Zhang, J. Lu, H.-L. Jiang and H. Xu, ACS Appl. Mater. Interfaces, 2014, 6, 18163–18171.
- 51 Y. Liu, W. Zhang, S. Li, C. Cui, J. Wu, H. Chen and F. Huo, *Chem. Mater.*, 2014, **26**, 1119–1125.
- 52 Z. Zhang, Y. Chen, X. Xu, J. Zhang, G. Xiang, W. He and X. Wang, *Angew. Chem., Int. Ed.*, 2014, 53, 429–433.
- 53 S. Zhang, Y. Fan, L. Luo, C. Li, Y. Ma and T. Li, *Chem. Commun.*, 2021, 57, 3415–3418.
- 54 X. Deng, S. Liang, X. Cai, S. Huang, Z. Cheng, Y. Shi, M. Pang, P. a. Ma and J. Lin, *Nano Lett.*, 2019, 19, 6772–6780.
- 55 T. Song, F. Gao, S. Guo, Y. Zhang, S. Li, H. You and Y. Du, *Nanoscale*, 2021, **13**, 3895–3910.
- 56 T. Zeng, X. Zhang, S. Wang, H. Niu and Y. Cai, *Environ. Sci. Technol.*, 2015, **49**, 2350–2357.
- 57 Y. Xue, S. Zheng, H. Xue and H. Pang, *J. Mater. Chem. A*, 2019, 7, 7301–7327.
- 58 S. Wang, Y. Fan, J. Teng, Y.-Z. Fan, J.-J. Jiang, H.-P. Wang, H. Grützmacher, D. Wang and C.-Y. Su, *Small*, 2016, 12, 5702–5709.
- 59 B. Li, J.-G. Ma and P. Cheng, Angew. Chem., Int. Ed., 2018, 57, 6834–6837.
- 60 L. Luo, W.-S. Lo, X. Si, H. Li, Y. Wu, Y. An, Q. Zhu, L.-Y. Chou, T. Li and C.-K. Tsung, *J. Am. Chem. Soc.*, 2019, 141, 20365–20370.
- 61 X.-Y. Liu, F. Zhang, T.-W. Goh, Y. Li, Y.-C. Shao, L. Luo, W. Huang, Y.-T. Long, L.-Y. Chou and C.-K. Tsung, *Angew. Chem.*, *Int. Ed.*, 2018, 57, 2110–2114.
- 62 J. Liu, S. Z. Qiao, J. S. Chen, X. W. Lou, X. Xing and G. Q. Lu, *Chem. Commun.*, 2011, 47, 12578–12591.
- 63 L. Lin, H. Liu and X. Zhang, *Chem. Eng. J.*, 2017, **328**, 124–132.
- 64 N. Qin, A. Pan, J. Yuan, F. Ke, X. Wu, J. Zhu, J. Liu and J. Zhu, *ACS Appl. Mater. Interfaces*, 2021, 13, 12463–12471.
- 65 S. Shi, Y. Yu, B. Zhang, Y. Zhong, L. Wang, S. Wang, S. Ding and C. Chen, *Front. Chem.*, 2021, **9**, 738736.
- 66 N. Qin, X. Wu, X. Liu, Z.-H. Xue, M. Muddassir, H. Sakiyama, C. Xia, C. Zhang, L. Zhu and F. Ke, ACS Sustainable Chem. Eng., 2022, 10, 5396–5403.
- 67 C. Wu, X. Zhao, D. Wang, X. Si and T. Li, *Chem. Sci.*, 2022, 13, 13338–13346.
- 68 S. Shi, Y. Zhong, Z. Hu, L. Wang, M. Yuan, S. Ding, S. Wang and C. Chen, *Inorg. Chem.*, 2021, **60**, 12714–12718.
- 69 X. Wang, M. Li, C. Cao, C. Liu, J. Liu, Y. Zhu, S. Zhang and W. Song, *ChemCatChem*, 2016, 8, 3224–3228.
- 70 A. Zanon and F. Verpoort, *Coord. Chem. Rev.*, 2017, 353, 201–222.
- 71 Y. Zhao, X. Ni, S. Ye, Z.-G. Gu, Y. Li and T. Ngai, *Langmuir*, 2020, 36, 2037–2043.
- 72 Y. Zhong, Y. Mao, S. Shi, M. Wan, C. Ma, S. Wang, C. Chen, D. Zhao and N. Zhang, *ACS Appl. Mater. Interfaces*, 2019, **11**, 32251–32260.
- 73 N. M. Tran, S. Jung and H. Yoo, *Nano Res.*, 2020, **13**, 775–784.

- 74 B. Li and H. C. Zeng, Chem. Mater., 2019, 31, 5320-5330.
- 75 B. Sun and H. C. Zeng, *Part. Part. Syst. Charact.*, 2020, 37, 2000101.
- 76 H. Niu, Y. Zheng, S. Wang, L. Zhao, S. Yang and Y. Cai, J. Hazard. Mater., 2018, 346, 174–183.
- 77 S. Choi and M. Oh, Angew. Chem., Int. Ed., 2019, 58, 866-871.
- 78 J. Zhu, H. Chen, L. Wang, E. Fu, J. Wu, Q. Zhang, L. Yang and G. Xu, *Microporous Mesoporous Mater.*, 2022, 329, 111490.
- 79 X. Wang, Y. Hou, X. Wang, Y. Guo and X. Zhang, *Appl. Surf. Sci.*, 2023, **608**, 155123.
- 80 M. Wan, X. Zhang, M. Li, B. Chen, J. Yin, H. Jin, L. Lin, C. Chen and N. Zhang, *Small*, 2017, 13, 1701395.
- 81 B. Zhang, M. Li, H. Lei, J. Chen, S. Wang and C. Chen, *Appl. Surf. Sci.*, 2022, **599**, 153899.
- 82 Y. Liu, J. Zhang, L. Song, W. Xu, Z. Guo, X. Yang, X. Wu and X. Chen, *ACS Appl. Mater. Interfaces*, 2016, **8**, 22745–22750.
- 83 X. F. Lu, B. Y. Xia, S.-Q. Zang and X. W. Lou, *Angew. Chem., Int. Ed.*, 2020, **59**, 4634–4650.
- 84 R. Zhu, J. Ding, Y. Xu, J. Yang, Q. Xu and H. Pang, *Small*, 2018, **14**, 1803576.
- 85 Y. Wang, B. Liu, X. Shen, H. Arandiyan, T. Zhao, Y. Li, M. Garbrecht, Z. Su, L. Han, A. Tricoli and C. Zhao, Adv. Energy Mater., 2021, 11, 2003759.
- 86 T. Huang, Y. Chen and J.-M. Lee, Small, 2017, 13, 1702753.
- 87 X. Liu, Y. Liu and L.-Z. Fan, *J. Mater. Chem. A*, 2017, 5, 15310–15314.
- 88 T. Wang, X. Cao and L. Jiao, Small, 2021, 17, 2004398.
- 89 Y.-Z. Chen, C. Wang, Z.-Y. Wu, Y. Xiong, Q. Xu, S.-H. Yu and H.-L. Jiang, *Adv. Mater.*, 2015, 27, 5010–5016.
- 90 H. He, Q.-Q. Zhu, Y. Yan, H.-W. Zhang, Z.-Y. Han, H. Sun, J. Chen, C.-P. Li, Z. Zhang and M. Du, *Appl. Catal.*, B, 2022, 302, 120840.
- 91 Y. He, S. Yang, Y. Fu, F. Wang, J. Ma, G. Wang, G. Chen, M. Wang, R. Dong, P. Zhang and X. Feng, *Small Struct.*, 2021, 2, 2000095.
- 92 P. Pachfule, D. Shinde, M. Majumder and Q. Xu, *Nat. Chem.*, 2016, **8**, 718–724.
- 93 H. Tang, H. Yin, J. Wang, N. Yang, D. Wang and Z. Tang, *Angew. Chem., Int. Ed.*, 2013, **52**, 5585–5589.
- 94 H. Saini, N. Srinivasan, V. Sedajová, M. Majumder, D. P. Dubal, M. Otyepka, R. Zbořil, N. Kurra, R. A. Fischer and K. Jayaramulu, *ACS Nano*, 2021, **15**, 18742–18776.
- 95 X. Cao, C. Tan, M. Sindoro and H. Zhang, *Chem. Soc. Rev.*, 2017, 46, 2660–2677.
- 96 S.-H. Chae, A. Muthurasu, T. Kim, J. S. Kim, M.-S. Khil, M. Lee, H. Kim, J. Y. Lee and H. Y. Kim, *Appl. Catal.*, B, 2021, 293, 120209.
- 97 A. Radwan, H. Jin, D. He and S. Mu, *Nano-Micro Lett.*, 2021, 13, 132.
- 98 J. Shi, F. Qiu, W. Yuan, M. Guo and Z.-H. Lu, *Chem. Eng. J.*, 2021, **403**, 126312.
- 99 Z. Yu, Y. Bai, Y. Liu, S. Zhang, D. Chen, N. Zhang and K. Sun, *ACS Appl. Mater. Interfaces*, 2017, **9**, 31777–31785.
- 100 Y. Yan, A. Li, C. Lu, T. Zhai, S. Lu, W. Li and W. Zhou, *Chem. Eng. J.*, 2020, **396**, 125316.