INORGANIC CHEMISTRY

FRONTIERS

RESEARCH ARTICLE

Cite this: Inorg. Chem. Front., 2023, 10, 7343

From $CdPb_8(SeO_3)_4Br_{10}$ to $Pb_3(TeO_3)Br_4$: the first tellurite bromide exhibiting an SHG response and mid-IR transparency†

Peng-Fei L[i,](http://orcid.org/0000-0001-8538-5226) $\mathbf{D}^{a,b}$ Chun-Li Hu,^a Bing-Xuan Li,^a Jiang-Gao Mao $\mathbf{D}^{a,b}$ and Fang Kong D^{*a,b}

Herein, we report two new selenite/tellurite bromide compounds, namely, $CdPb_8(SeO_3)_4Br_{10}$ and Pb₃(TeO₃)Br₄. The former crystallized in a centrosymmetric space group, while the latter is a non-centrosymmetric compound. Specifically, CdPb₈(SeO₃)₄Br₁₀ demonstrates high thermal stability (425 °C) and a wide optical transparency window (0.33–6.5 μ m), while Pb₃(TeO₃)Br₄ exhibits an second harmonic generation response approximately equivalent to that of KDP, appropriate birefringence (0.095@532 nm and 0.066@1064 nm), wide optical transparency window (0.33–6.5 μm) and high thermal stability (522 °C). These results indicated that lead tellurite bromides could be promising nonlinear optical material systems in the mid-IR wavelength. **RESEARCH ARTICLE**
 Solution Comparison **From CdPb₈(SeO₃)_aBr₁₀ to Pb₃(TeO₃)Br₄: the first

Consider from Comparison From CdPb₈(SeO₃)_aBr₁₀ to Pb₃(TeO₃)Br₄: the first

Consider from Comparison**

Received 22nd September 2023, Accepted 25th October 2023 DOI: 10.1039/d3qi01937c

rsc.li/frontiers-inorganic

Introduction

Nonlinear optical (NLO) crystals are widely used in various fields such as frequency conversion, optical modulation, optical switching and limiting, optical sensing, remote sensing, environmental monitoring, and free-space communications.1–⁶ Second-order nonlinear optical materials require compounds to crystallize in non-centrosymmetric (NCS) space groups.^{7–10} According to the ICSD database, the probability of obtaining a non-centrosymmetric structure is less than 20% .¹¹⁻¹³ So, the rational design of inorganic compounds with non-centrosymmetric symmetry remains a challenging but beneficial task for researchers in chemical and materials science.

Selenite and tellurite compounds are important systems for exploring NLO materials.¹⁴ The coordination environment of $Se⁴⁺$ and Te⁴⁺ is inherently polar due to the presence of stereochemically active lone pairs (SALP) of electrons, with oxygen ligands being located on one side of the cations.^{15,16} Researchers have made significant efforts to enhance the probability of obtaining NCS selenite and tellurite crystals. In this

endeavor, one effective strategy employed is to combine different nonlinear active groups within a single structure.¹⁷ Known nonlinear active units include, but are not limited to, $d⁰$ transition metal octahedra (TiO₆, MoO₆, WO₆, VO₆, NbO₆, *etc.*)^{11,18} and their derivatives (GaO₆, GaO₃F₃, *etc.*),^{19–21} d¹⁰ transition metals with large polar displacement $(Zn^{2+}, Cd^{2+},$ Hg^{2+} ,^{22,23} and SALP cations (Pb²⁺, Bi³⁺, Sn²⁺, Sb³⁺, etc.).^{24,25} Some high-performance NLO materials have been explored, such as $Pb_2(SeO_3)(NO_3)_2$ (2 × KDP),²⁶ NaNbO(SeO₃)₂ (7.8 × KDP),¹⁸ LiNbTeO₅ (17 × KDP),²⁷ Cd₂Nb₂Te₄O₁₅ (31 × KDP),²⁸ β-BaTeW₂O₉ (1.5 × KTP)²⁹ and TlSb₃Te₂O₁₂ (37.2 × KDP).³⁰ Furthermore, replacing the oxygen atoms in the coordination with VIIA anions is another effective approach for obtaining NCS compounds.^{31,32} For example, the first UV NLO selenite, Y_3F $(SeO₃)₄$ (5.5 × KDP), was created through a fluorination control strategy.³³ Ba(MoO₂F)₂(TeO₃)₂, containing partially fluorinated MoO6 octahedra, can demonstrate a large second harmonic generation (SHG) intensity (7.8 \times KDP).³⁴ Additionally, some halogenated selenite/tellurite compounds, such as $Pb_2GaF_2(SeO_3)_2Cl$ $(4.5 \times KDP),^{35} Pb_2 Bi(SeO_3)_2 Cl_3 (13.5 \times KDP),^{36} Cs(TiOF)_3(SeO_3)_2 (5$ \times KDP),³⁷ RbGa₃F₆(SeO₃)₂ (5.6 \times KDP),³⁸ BaF₂TeF₂(OH)₂ (3 \times KDP)³⁹ and RbTeMo₂O₈F (27 × KDP),⁴⁰ also exhibit excellent SHG effects. Based on literature research, it can be observed that most of the research on halogenated selenite/tellurite NLO materials focuses on F[−] and Cl[−] , while there is relatively less research on Br[−] and I[−]. Only the following selenites, Pb₂NbO₂(SeO₃)₂Br (1.4 × KDP),⁴¹ Pb₂GaF₂(SeO₃)₂Br (4.5 × KDP),⁴¹ Pb₂Cd(SeO₃)₂Br₂ (1.4 × KDP),¹⁷ and Pb₃(SeO₃)Br₄ (1 × KDP),⁴² have been reported to exhibit SHG effects.

Generally, Br[−] and I[−] anions have higher polarizability and lower electronegativity compared to F[−] and Cl[−] anions.43 This

^aState Key Laboratory of Structural Chemistry, Fujian Institute of Research on the Structure of Matter, Chinese Academy of Sciences, Fuzhou 350002, P. R. China. E-mail: kongfang@fjirsm.ac.cn

 b University of Chinese Academy of Sciences, Beijing 100049, P. R. China

[†]Electronic supplementary information (ESI) available: Detailed synthesis, PXRD patterns, crystal data, TG curves, UV-vis-NIR diffuse-reflectance spectra, IR spectra, and computational method. CCDC 2278543 for CdPb₈(SeO₃)₄Br₁₀ and 2278544 for $Pb_3(TeO_3)Br_4$. For ESI and crystallographic data in CIF or other electronic format see DOI: <https://doi.org/10.1039/d3qi01937c>

leads to more favorable effects of Br[−] and I[−] anions on the SHG efficency.^{42,44,45} Additionally, heavier elements such as Br[−] and I[−] are more helpful for transparency in the mid-infrared (MIR) range.⁴⁶ Based on this, we conducted research on halide selenite/tellurite compounds. To achieve high transparency in the MIR spectrum and increase the probability of obtaining NCS compounds, we have chosen the heavy element Pb(π) and d^{10} TM Cd(π) as counter cations. After numerous attempts, we have synthesized a new compound of $CdPb_8(SeO_3)_4Br_{10}$ through mild hydrothermal reactions. Unfortunately, $CdPb_8(SeO_3)_4Br_{10}$ crystallized in a centrosymmetric (CS) space group. Through structural analysis, we found that the cadmium is surrounded by four $SeO₃$ groups and the polarity of the SALP Se^{4+} was almost cancelled out in the $[\text{Cd}(\text{SeO}_3)_4]^{6-}$ unit. In order to achieve the structural transformation from CS to NCS, such an unfavourable arrangement should be changed.⁴⁷ We attempted to remove the CdO₆ groups from the structure, and introduce larger Te^{4+} cations to support the framework. Ultimately, we successfully obtained the compound $Pb_3(TeO_3)Br_4$, which crystallized in an NCS space group. It is worth noting that $Pb_3(TeO_3)Br_4$ is the first reported NLO material with SHG activity and exhibits good transparency in the MIR region. Here, we provide a detailed description of their synthesis, crystal structures, thermal stability, and optical properties. Research Article

leads to more favorible effects of B" and T noisins on the west constant and the subset of the subset of the subset of the distribution and such additional has easy of the subset of the subset of the sub

Results and discussion

 $CdPb_8(SeO_3)_4Br_{10}$ and $Pb_3(TeO_3)Br_4$ were synthesized using a mild hydrothermal synthesis method. Details of the synthesis can be found in the ESI (ESI Experimental section†). Additionally, their powder X-ray diffraction (PXRD) patterns were recorded and found to perfectly match those of simulated data, indicating that the obtained samples are produced in pure phases (Fig. S1†). The crystallographic data of CdPb₈(SeO₃)₄Br₁₀ and Pb₃(TeO₃)Br₄ are listed in ESI Table S1.[†]

 $CdPb_8(SeO_3)_4Br_{10}$ crystallizes in the $C2/c$ (No. 15) space group with a CS structure. Its asymmetric unit contains one Cd, four Pb, two Se, five Br, and six O atoms, totalling eighteen atoms. Only Cd(1) occupies a special position with an occupancy of 0.5. In the structure, $Cd(1)$ is coordinated with six O atoms forming a $CdO₆$ octahedron with Cd–O bond lengths in the range of 2.263–2.617 Å. The Se atoms are connected with three O atoms forming $SeO₃$ trigonal pyramids with Se-O bond lengths ranging from 1.692 to 1.736 Å. The Pb atoms are connected with O and Br atoms, with Pb–Br and Pb–O bond lengths in the range of 3.022–3.193 Å and 2.435–2.734 Å, respectively. Bond valence calculations revealed that $Cd(1)$, Pb (1) –Pb (4) , and Se (1) –Se (2) exhibit bond valences of 1.744, 1.492–2.039, and 3.922–4.036, respectively. The deviation of Pb (1), Pb(2) and Pb(4) from their ideal oxidation states can be attributed to their fewer primary coordination bonds and longer secondary coordination bonds that are often overlooked in calculations. This phenomenon is a common occurrence in lead-containing compounds, as evidenced by some previously reported compounds.⁴⁸ If longer Pb…Br distances were considered, the BVS of Pb(1)–Pb(4) can be raised to 1.885–2.039.

 $CdPb_8(SeO_3)_4Br_{10}$ features a novel three-dimensional (3D) network structure composed of a lead oxybromide framework decorated with $CdO₆$ octahedra and $SeO₃$ trigonal pyramids (Fig. 1). One CdO_6 octahedron is connected with four SeO_3 groups via edge- and corner-sharing to form a $[\text{Cd}(\text{SeO}_3)_4]^{6-}$ unit (Fig. S2a†). Two Pb(1)O₅Br₁ and two Pb(2)O₅Br₁ units are connected *via* oxygen atoms to form $Pb_4O_{12}Br_4$ tetramers (Fig. S2b†). The Pb(3) O_2Br_6 and Pb(4) O_2Br_3 units share bromine atoms to

Fig. 1 The 3D network structure (a) and the 1D chain component (b) of $CdPb_8(SeO_3)_4Br_{10}$.

form a 3D network with four-membered polyhedral ring (4-MR) tunnels (Fig. S2c†). The $[\text{Cd}(\text{SeO}_3)_4]^{6-}$ units and $\text{Pb}_4\text{O}_{12}\text{Br}_4$ tetramers are interconnected into one-dimensional (1D) chains along the b-axis (Fig. 1b and S2d†), which are located in the center of the 4-MR tunnels to support the framework.

 $Pb_3(TeO_3)Br_4$ crystallizes in the NCS space group $Pna2_1$ (No. 33), isostructural with $\mathrm{Pb}_3(\mathrm{TeO}_3)\mathrm{Cl}_4^{-49}$ and $\mathrm{Pb}_3(\mathrm{SeO}_3)\mathrm{Br}_4.^{42}$ The asymmetric unit of the compound consists of a total of 11 atoms, which include three Pb, one Te, four Br, and three O atoms. All these atoms are located in general positions. The Te (1) atom adopts a TeO₃ trigonal pyramid coordination mode with Te–O bond lengths of 1.860–1.891 Å. The Pb atoms are coordinated with Br and O atoms with Pb–O and Pb–Br bond lengths in the range of 2.373–2.581 Å and 2.938–3.230 Å, respectively. Based on valence bond analysis, the oxidation states of lead and tellurium atoms are +2 and +4, respectively. The calculated values for $Pb(1)$, $Pb(2)$, $Pb(3)$, and $Te(1)$ are 1.797, 1.844, 1.640, and 3.984, respectively. Similarly, due to the neglect of longer secondary bonds involving Pb^{2+} cations, the calculated oxidation states tend to be underestimated.⁵⁰ If longer Pb⋯Br and Pb⋯O distances were to be considered, the BVS of Pb(1)–Pb(3) can be raised to 1.943–1.967. It or published on 1990 and 2023. Downloaded on 1990 and 2023. Downloaded on 1990 and 2023. The College Common and 2023. The College Common and 2023. The Common and 2023. Downloaded the Creation of the Common and 2023. Th

 $Pb_3(TeO_3)Br_4$ exhibits a 3D framework composed of Pb–O– Br skeletons modified by TeO₃ groups (Fig. 2). The Pb(1)O₂Br₃, $Pb(2)O_1Br_5$, and $Pb(3)O_3Br_3$ polyhedra are connected via shared Br(1), Br(3), O(2) and O(3) atoms to form $Pb_3O_4Br_9$ trimers. These $Pb_3O_4Br_9$ trimers are interconnected through Pb–Br bonds to form a 1D chain with 4-MR tunnels along the c -axis. The TeO₃ groups are embedded in the center of the tunnels and connected to Pb atoms through bridging O atoms. The 1D chains are further interconnected via Pb–Br bonds to form the 3D framework structure (Fig. S3†).

To figure out the relationships between the macroscopic symmetries and the arrangements of building blocks, the local dipole

moments of CdPb₈(SeO₃)₄Br₁₀ and Pb₃(TeO₃)Br₄ have been calculated. As shown in Table S3,† the polarity of the four selenite groups around the $CdO₆$ octahedron is almost cancelled out. Three quarters of the polarity of $Pb(3)_2Pb(4)_2$ 4-MR has been counteracted by the CdO₆ octahedron and $Pb_4O_{12}Br_4$ tetramer. Although the 1D chain component of $CdPb_8(SeO_3)_4Br_{10}$ is polar, the polarities of two neighbouring chains have been cancelled out completely. As for $Pb_3(TeO_3)Br_4$, the polarities of TeO_3 groups can be superimposed at z-components. Although the polarities of Te and Pb polyhedra are opposite, the 1D chain component is also polar. Furthermore, the polarities of the neighboring chains have been superimposed too, which leads to the NCS and polar space group of $Pb_3(TeO_3)Br_4$.

The thermal stability of CdPb₈(SeO₃)₄Br₁₀ and Pb₃(TeO₃)Br₄ was investigated through thermogravimetric analysis (TGA) in the temperature range of 25-1200 °C under an N_2 atmosphere. As shown in Fig. S4,† CdPb₈(SeO₃)₄Br₁₀ and Pb₃(TeO₃)Br₄ can remain stable up to 425 °C and 522 °C, respectively. After reaching these temperatures, both compounds began to experience weight loss. At 1200 °C, CdPb₈(SeO₃)₄Br₁₀ exhibited a total weight loss of 88.95%, corresponding to the loss of all $SeO₂$ and bromides of Cd and Pb, and partial loss of Pb oxides. $Pb_3(TeO_3)Br_4$ showed a weight loss of 80.13% (calculated value: 80.02%), equivalent to the loss of one molecule of TeO₂ and two molecules of PbBr₂.

The UV-vis-NIR diffuse-reflectance spectra reveal that $CdPb_8(SeO_3)_4Br_{10}$ and $Pb_3(TeO_3)Br_4$ are nearly transparent between 500 and 2000 nm. The UV absorption cutoff edges for these two compounds are 326 nm and 328 nm, respectively. Their band gaps were determined to be 3.32 eV and 3.31 eV, respectively (Fig. S5†), which are comparable to previously reported compounds, such as $Pb_2NbO_2(SeO_3)_2Br$ (3.17 eV),⁴¹ $Ba(Moo_2F)_2(Seo_3)_2$ (3.23 eV),³⁴ Lu₃F(SeO₃)₄ (3.57 eV),⁵¹ Ag₂(TeO₂F₂) (3.22 eV)⁵² and Hg₃(Te₃O₈)(SO₄) (3.36 eV).²²

Fig. 2 The 3D network structure (a) and the 1D chain component (b) of $Pb_3(TeO_3)Br_4$.

The infrared spectra (IR) demonstrate that $CdPb_8(SeO_3)_4Br_{10}$ and $Pb_3(TeO_3)Br_4$ exhibit good transparency in the range of 4000–775 cm⁻¹ (Fig. S6†). In particular, the absorption peaks at 400–455 cm⁻¹ can be attributed to the vibration of the Pb–O and Cd–O bonds. The prominent absorption peaks at $605-775$ cm⁻¹ correspond to the bending and stretching vibrations of the Se–O and Te–O bonds, which are consistent with previous literature reports.^{17,50} In summary, $CdPb_8(SeO_3)_4Br_{10}$ and $Pb_3(TeO_3)Br_4$ exhibit a wide transparency range of 0.33–12.96 μm and 0.33–12.95 μm, respectively. Considering the deviation of the IR cutoff edge for powder and crystal measurements due to multiphonon absorption, 50% eliminations were made.^{53,54} So, the transparency range of $CdPb_8(SeO_3)_4Br_{10}$ and $Pb_3(TeO_3)Br_4$ should be 0.33–6.5 μ m, covering an important atmospheric transparency window (3-5 μ m) in the MIR region^{28,55} (Fig. 3). This indicates that lead tellurite bromides could be potential NLO material systems in the MIR wavelength. Research Article

The information spectra (and production spectra charactery (Table Self). This are disposition and the first information of the first information in the material of the state of the common in the material

 $Pb_3(TeO_3)Br_4$ possesses a large bandgap (3.31 eV), which tends to result in a high laser-induced damage threshold (LIDT). We measured the LIDT of $Pb_3(TeO_3)Br_4$ using the reported powder method. The LIDT of $Pb_3(TeO_3)Br_4$ is 21.5 MW $\rm cm^{-2},$ which is significantly higher than that of AgGaS $_2$ $(2.6$ MW cm⁻²).

Since the structure of $Pb_3(TeO_3)Br_4$ crystallizes in an NCS space group and contains two different nonlinear active units, it is necessary to detect its second-order nonlinear-optical response. A Q-switched Nd:YAG 1064 nm laser was chosen as the fundamental radiation, and the SHG signal was measured using the Kurtz–Perry method (ESI Experimental section†).⁵⁶ The SHG measurement indicates that $Pb_3(TeO_3)Br_4$ exhibits a frequency-doubling efficiency comparable to that of the commercial KDP (Fig. 4a). Compared with the SHG-inactive isomorphic compound $Pb_3(TeO_3)Cl_4^{49} Pb_3(TeO_3)Br_4$ shows a stronger SHG response, primarily attributed to the more polarizable property of the Br[−] anion compared with the Cl[−] anion.⁴² In order to better understand the difference in the SHG effects between $Pb_3(TeO_3)Cl_4$ and $Pb_3(TeO_3)Br_4$, we compared the local dipole moments of the TeO₃ groups and PbO_nX_m (X = Cl, Br) polyhedra, as well as the net dipole

moments of these two compounds in their unit cells (Table S4†). The net dipole moment in the unit cell of $Pb_3(TeO_3)Cl_4$ is 8.68 D, while the net dipole moment in the unit cell of $Pb_3(TeO_3)Br_4$ is 10.062 D. The larger net dipole moment in $Pb_3(TeO_3)Br_4$ results in a larger SHG response compared to $Pb_3(TeO_3)Cl_4$. It is worth noting that $Pb_3(TeO_3)Br_4$ is the first example of tellurite bromide that has been detected to exhibit the SHG effect.

To investigate the electronic structures and optical properties of CdPb₈(SeO₃)₄Br₁₀ and Pb₃(TeO₃)Br₄, theoretical calculations based on the density functional theory (DFT) method were performed. The state energies of the lowest conduction band and the highest valence band are listed in Table S4.† As shown in Fig. S7,† CdPb₈(SeO₃)₄Br₁₀ is an indirect bandgap compound with a calculated bandgap of 2.955 eV, while $Pb_3(TeO_3)Br_4$ is a direct bandgap compound with a calculated bandgap of 3.134 eV. Due to the limitations of the DFT-GGA-PBE (GGA = generalized gradient approximation and PBE = Perdew–Burke–Ernzerhof) exchange–correlation functional, the calculated bandgaps are underestimated compared to the experimental values. Therefore, in the subsequent calculations, we employed a scissor operator with energy offsets of 0.365 eV and 0.176 eV, respectively.

The linear optical response characteristics of compounds $CdPb_8(SeO_3)_4Br_{10}$ and $Pb_3(TeO_3)Br_4$ were calculated based on the complex dielectric function $\varepsilon(\omega) = \varepsilon_1(\omega) + i\varepsilon_2(\omega)$. Both compounds belong to biaxial crystals, where the three principal permittivity coefficients are unequal, $\varepsilon_1 \neq \varepsilon_2 \neq \varepsilon_3$, and the refractive indices are also different, $n_1 \neq n_2 \neq n_3$. For CdPb₈(SeO₃)₄Br₁₀, the refractive index order is $n_{001} > n_{100} >$ n_{010} . The calculated birefringence (Δn) values are 0.028@532 nm and 0.014@1064 nm (Fig. S8†), which are similar to those previously reported for compounds $La_2Hg_3(SeO_3)_4(SO_4)_2(H_2O)_2$ $(0.013@532$ nm and 0.008@1064 nm) and $Ag_2Cd(Se_2O_5)(Se_{0.3}S_{0.7}O_4)$ $(0.026@532$ nm and $0.022@1064$ nm) by our group.⁵⁷ For $Pb_3(TeO_3)Br_4$, the refractive index order is $n_{100} > n_{010} > n_{001}$. The calculated birefringence (Δn) values are 0.095@532 nm and 0.066@1064 nm (Fig. 4b). It is worth noting that $Pb_3(TeO_3)Br_4$ exhibits a similar birefringence to those of pre-

Fig. 3 UV-vis-NIR diffuse reflectance and IR transmittance spectra of CdPb₈(SeO₃)₄Br₁₀ (a) and Pb₃(TeO₃)Br₄ (b).

Fig. 4 The oscilloscope traces of the SHG signals for the powder crystals (150–210 µm) of Pb₃(TeO₃)Br₄ and KDP under laser irradiation at 1064 nm (a). The total and partial density of states (b), the calculated refractive indices and birefringence (c) and the electron density difference (EDD) maps (d) of $Pb_3(TeO_3)Br_4$.

viously reported Te oxides, such as $Y_3(TeO_3)_2(SO_4)_2(OH)(H_2O)$ $(0.092@532 \text{ nm})$,¹⁵ AgAl(Te₄O₁₀) $(0.104@532 \text{ nm})$,¹⁹ BaF₂TeF₂(OH)₂ (~0.078@300–700 nm),³⁹ Rb[Te₂O₄(OH)₅] $(0.0545@1064 \text{ nm})$ ⁵⁸ Li₂ZrTeO₆ $(0.064@1064 \text{ nm})$ ⁵⁹ and AgTeO₂F $(0.078@1064$ nm).⁵²

Partial density of states (PDOS) and total density of states (TDOS) calculations were performed for $CdPb_8(SeO_3)_4Br_{10}$ and $Pb_3(TeO_3)Br_4$. As shown in Fig. 4c, the lowest conduction bands of $Pb_3(TeO_3)Br_4$ mainly originate from the unoccupied Pb-6p orbitals and Te-5p orbitals, while the highest valence bands are mainly contributed by the Br-4p and O-2p nonbonding states. As for $CdPb_8(SeO_3)_4Br_{10}$, the lowest conduction bands are mainly from the unoccupied Pb-6p orbitals while the highest valence bands are mainly contributed by the Br-4p non-bonding states (Fig. S9†). Therefore, the band gap of $Pb_3(TeO_3)Br_4$ is mainly determined by the Pb and Te polyhedra, while the band gap of CdPb₈(SeO₃)₄Br₁₀ is mainly determined by the Pb–Br bonds.

It is worth noting that the states near the Fermi level have a significant impact on the linear and nonlinear properties of $Pb_3(TeO_3)Br_4$. The main influencing factors are Pb-6p, Te-5p, O-2p, and Br-4p orbitals in this compound. This indicates that the optical properties of $Pb_3(TeO_3)Br_4$ primarily originate from the synergistic interaction between the $TeO₃$ groups and the lead oxybromide polyhedra. To further support this inference, we have studied the electron density difference (EDD) map of $Pb_3(TeO_3)Br_4$. Fig. 4d shows that Te^{4+} possesses stereo-chemically active lone pair electrons and there is charge transfer from Pb atoms to O/Br atoms.

Conclusions

In summary, two new bromine-containing selenite/tellurite compounds, namely, $CdPb_8(SeO_3)_4Br_{10}$ and $Pb_3(TeO_3)Br_4$, were obtained by a mild hydrothermal method in the Pb^{2+} -Se⁴⁺O₃/ $Te^{4+}O_3$ -Br[−] system. Interestingly, due to the difference in the arrangement of the polar building blocks, these two compounds exhibit two different lead oxybromide 3D structures. $CdPb_8(SeO_3)_4Br_{10}$ is crystallized in a CS space group of $C2/c$ while $Pb_3(TeO_3)Br_4$ is crystallized in an NCS space group of Pna2₁. Importantly, $Pb_3(TeO_3)Br_4$ is the first reported tellurite bromide compound that exhibits SHG activity. It demonstrates an SHG intensity comparable to that of KDP, high thermal stability (522 °C), wide optical transparency window $(0.33-6.5 \mu m)$ and appropriate birefringence $(0.095@532 \mu m)$ and 0.066@1064 nm). This work proved that lead tellurite bromides can be promising NLO material systems in the mid-IR wavelength.

Conflicts of interest

There are no conflicts to declare.

Acknowledgements

This work was supported by the National Natural Science Foundation of China (Grant No. 22031009, 22375201, 21921001 and 91963105) and the NSF of Fujian Province (Grant No. 2023J01216).

References

- 1 L. Luo, L. Wang, J. Chen, J. Zhou, Z. Yang, S. Pan and J. Li, $A^{I}B_{3}{}^{II}C_{3}{}^{III}Q_{8}{}^{VI}$: A New Family for the Design of Infrared Nonlinear Optical Materials by Coupling Octahedra and Tetrahedra Units, J. Am. Chem. Soc., 2022, 144, 21916– 21925.
- 2 P. F. Li, J. G. Mao and F. Kong, A survey of stereoactive oxysalts for linear and nonlinear optical applications, Mater. Today Phys., 2023, 37, 101197.
- 3 C. Yang, X. Liu, C. Teng, X. Cheng, F. Liang and Q. Wu, Hierarchical molecular design of high-performance infrared nonlinear $Ag₂HgI₄$ material by defect engineering strategy, Mater. Today Phys., 2021, 19, 100432.
- 4 M. Mutailipu, J. Han, Z. Li, F. Li, J. Li, F. Zhang, X. Long, Z. Yang and S. Pan, Achieving the full-wavelength phasematching for efficient nonlinear optical frequency conversion in C(NH₂)₃BF₄, Nat. Photonics, 2023, 17, 694-701.
- 5 P. F. Li, Y. P. Gong, C. L. Hu, B. Zhang, J. G. Mao and F. Kong, Four UV Transparent Linear and Nonlinear Optical Materials Explored from Pure Selenite Compounds, Adv. Opt. Mater., 2023, 2301426, DOI: [10.1002/](https://doi.org/10.1002/adom.202301426) [adom.202301426](https://doi.org/10.1002/adom.202301426). Research Article
 Commons Unported Commons Article

This vooling the same and Commons Commons and Commons are the commons and the same and the same and the same and the same of the same state of the same of the same stat
	- 6 H. Wang, Y. Chu, X. Pan, Z. Yang, S. Pan and J. Li, Double alkaline earth metals sulfide $SrMgGeS₄$ with high laserinduced damage threshold and strong second-harmonic generation, Mater. Today Phys., 2023, 38, 101243.
	- 7 A. Tudi, C. W. Xie, S. L. Pan and Z. H. Yang, Design of novel deep-UV nonlinear optical materials with one-dimensional functional module $[BO_2]_{\infty}$ chain by fluorine-driven short phase-matching, Mater. Today Phys., 2022, 28, 100852.
	- 8 H. Y. Wu, C. L. Hu, M. B. Xu, Q. Q. Chen, N. Ma, X. Y. Huang, K. Du and J. Chen, From $H_{12}C_4N_2CdI_4$ to $H_{11}C_4N_2CdI_3$: highly polarizable CdNI₃ tetrahedron induced a shape enhancement of second harmonic generation response and birefringence, Chem. Sci., 2023, 14, 9533–9542.
	- 9 Y. Chu, H. Wang, T. Abutukadi, Z. Li, M. Mutailipu, X. Su, Z. Yang, J. Li and S. Pan, $\text{Zn}_2\text{HgP}_2\text{S}_8$: A Wide Bandgap Hg-Based Infrared Nonlinear Optical Material with Large Second-Harmonic Generation Response, Small, 2023, 2305074, DOI: [10.1002/smll.202305074](https://doi.org/10.1002/smll.202305074).
	- 10 H. Chen, M. Y. Ran, S. H. Zhou, X. T. Wu, H. Lin and Q. L. Zhu, Simple yet extraordinary: super-polyhedra-built 3D chalcogenide framework of $Cs_5Ga_9S_{16}$ with excellent infrared nonlinear optical performance, Chin. Chem. Lett., 2023, 34, 107838.
- 11 J. H. Wu, B. Zhang, T. K. Jiang, F. Kong and J. G. Mao, From $Cs_8Sb_4Nb_5O_5F_{35}$ to $Cs_6Sb_4Mo_3O_5F_{26}$: the first noncentrosymmetric fluoroantimonite with $d⁰$ transition metal, Chin. J. Struct. Chem., 2023, 42, 100016.
- 12 M. Y. Ran, S. H. Zhou, W. B. Wei, B. X. Li, X. T. Wu, H. Lin and Q. L. Zhu, Rational Design of a Rare-Earth Oxychalcogenide $Nd_3[Ga_3O_3S_3][Ge_2O_7]$ with Superior Infrared Nonlinear Optical Performance, Small, 2023, 19, 2300248.
- 13 L. Wang, D. Chu, D. Yin, C. Xie, Z. Yang, J. Li and S. Pan, Theoretical investigations on ternary defective diamondlike infrared nonlinear optical materials in Be-Ga-Se system, Mater. Today Phys., 2023, 38, 101245.
- 14 P. F. Li, C. L. Hu, B. X. Li, F. Kong and J. G. Mao, Y(HSeO₃) $(SeO_3)(H_2O)(H_2O)$ and $Y_2(SeO_3)(SeO_4)(H_2O)_2·(H_2O)_{0.75}$ Two yttrium selenites with a short UV cut-off edge explored from pure selenite compounds, J. Alloys Compd., 2023, 959, 170570.
- 15 P. F. Li, C. L. Hu, F. Kong, S. M. Ying and J. G. Mao, $Y_2(Te_4O_{10})$ (SO₄): a new sulfate tellurite with a unique Te₄O₁₀ polyanion and large birefringence, Inorg. Chem. Front., 2021, 8, 164–172.
- 16 S. Cho, S. Park, Y. Kuk and K. M. Ok, Elucidating the structure-nonlinear optical property relationship of $Te_2O_4(OH)_2$, Mater. Today Phys., 2023, 34, 101075.
- 17 Y. P. Gong, C. L. Hu, Y. X. Ma, J. G. Mao and F. Kong, $Pb_2Cd(SeO_3)_2X_2$ (X = Cl and Br): two halogenated selenites with phase matchable second harmonic generation, *Inorg.* Chem. Front., 2019, 6, 3133–3139.
- 18 X. L. Cao, C. L. Hu, F. Kong and J. G. Mao, Explorations of New SHG Materials in the Alkali-Metal-Nb⁵⁺-Selenite System, Inorg. Chem., 2015, 54, 10978–10984.
- 19 P. F. Li, C. L. Hu, F. Kong and J. G. Mao, $AAI(Te_4O_{10})$ (A = Na, Ag) and $K_2Ga_2(HTe_6O_{16})(HTeO_3)$: Three Aluminum/ Gallium Tellurites with Large Birefringence and Wide Band Gap, Inorg. Chem., 2023, 62, 8494–8499.
- 20 J. Li, W. D. Yao, J. N. Li, X. H. Li, W. Liu and S. P. Guo, Partial substitution induced structural transformation and enhanced nonlinear optical properties of $\text{Na}_2\text{Ga}_x\text{In}_{6-x}\text{Se}_{10}$ (x = 3, 3.76), Mater. Today Phys., 2023, 32, 101007.
- 21 P. Wang, Y. Chu, A. Tudi, C. Xie, Z. Yang, S. Pan and J. Li, The Combination of Structure Prediction and Experiment for the Exploration of Alkali-Earth Metal-Contained Chalcopyrite-Like IR Nonlinear Optical Material, Adv. Sci., 2022, 9, 2106120.
- 22 P. F. Li, C. L. Hu, Y. P. Gong, F. Kong and J. G. Mao, $Hg_3(Te_3O_8)(SO_4)$: a new sulfate tellurite with a novel structure and large birefringence explored from d^{10} metal compounds, Chem. Commun., 2021, 57, 7039–7042.
- 23 J. Zhou, Z. Fan, K. Zhang, Z. Yang, S. Pan and J. Li, $Rb_2CdSi_4S_{10}$: novel $[Si_4S_{10}]$ T2- supertetrahedra-contained infrared nonlinear optical material with large band gap, Mater. Horiz., 2022, 10, 619–624.
- 24 S. Han, A. Tudi, W. Zhang, X. Hou, Z. Yang and S. Pan, Recent Development of $Sn(\Pi)$, $Sb(\Pi)$ -based Birefringent Material: Crystal Chemistry and Investigation of Birefringence, Angew. Chem., Int. Ed., 2023, 62, e202302025.
- 25 Y. Long, X. Dong, L. Huang, H. Zeng, Z. Lin, L. Zhou and G. Zou, $BaSb(H_2PO_2)_3Cl_2$: An Excellent UV Nonlinear Optical Hypophosphite Exhibiting Strong Second-Harmonic Generation Response, Mater. Today Phys., 2022, 28, 100876.
- 26 C. Y. Meng, L. Geng, W. T. Chen, M. F. Wei, K. Dai, H. Y. Lu and W. D. Cheng, Syntheses, structures, and characterizations of a new second-order nonlinear optical material: $Pb_2(SeO_3)(NO_3)_2$, J. Alloys Compd., 2015, 640, 39-44.
- 27 K. C. Chen, C. S. Lin, G. Peng, Y. Chen, H. Z. Huang, E. Z. Chen, Y. X. Min, T. Yan, M. Luo and N. Ye, LiNbTe $O₅$: A High-Performance Multifunctional Crystal Material with a Very Large Second-Harmonic Generation Response and Piezoelectric Coefficient, Chem. Mater., 2022, 34, 399–404.
- 28 Q. Wang, X. H. Dong, L. Huang, K. M. Ok, Z. E. Lin and G. H. Zou, $Cd_2Nb_2Te_4O_{15}$: A Novel Pseudo-Aurivillius-Type Tellurite with Unprecedented Nonlinear Optical Properties and Excellent Stability, Small, 2023, 19, 2302797.
- 29 C. Li, Z. Gao, P. Zhao, X. Tian, H. Wang, Q. Wu, W. Lu, Y. Sun, D. Cui and X. Tao, Crystallographic Investigations into the Polar Polymorphism of BaTeW₂O₉: Phase Transformation, Controlled Crystallization, and Linear and Nonlinear Optical Properties, Cryst. Growth Des., 2019, 19, 1767–1777. Ironganic Chemistry Frontiers

25 Y. Long, M. Morg, H. Zong A. Lin, L. Zhou and

6. Zong Massifikano, Morg, Commons Article is article. And Core (18), A. However, 2013. A. 14-1538-1553-1658.

26 C. Y. Mong, L. Geng, W. F.
	- 30 R. Robert, V. Balisetty, K. Mohanrao, M. Mannamala, S. Mangalassery, D. N. Rao and K. Vidyasagar, Syntheses, Crystal Structure, and Second Harmonic Generation Response of Noncentrosymmetric Layered Selenites and Tellurites of Antimony(v), $ASb_3Se_2O_{12}$ (A = K, Rb, Cs, Tl; X = Se, Te), Inorg. Chem., 2023, 62, 7890–7897.
	- 31 J. Y. Chung, H. Jo, S. Yeon, H. R. Byun, T. S. You, J. I. Jang and K. M. Ok, $Bi_3(SeO_3)_3(Se_2O_5)F$: A Polar Bismuth Selenite Fluoride with Polyhedra of Highly Distortive Lone Pair Cations and Strong Second-Harmonic Generation Response, Chem. Mater., 2020, 32, 7318–7326.
	- 32 X. Chen, Q. Jing and K. M. Ok, $Pb_{18}O_8Cl_{15}I_5$: A Polar Lead Mixed Oxyhalide with Unprecedented Architecture and Excellent Infrared Nonlinear Optical Properties, Angew. Chem., Int. Ed., 2020, 59, 20323–20327.
	- 33 P. F. Li, C. L. Hu, F. Kong and J. G. Mao, The First UV Nonlinear Optical Selenite Material: Fluorination Control in CaYF(SeO₃)₂ and Y₃F(SeO₃)₄, Angew. Chem., Int. Ed., 2023, 62, e202301420.
	- 34 M. L. Liang, Y. X. Ma, C. L. Hu, F. Kong and J. G. Mao, Ba $(Moo_2F)_2(QO_3)_2$ (Q = Se, Te): Partial Fluorination of MoO₆ Octahedra Enabling Two Polar Solids with Strong and Phase Matchable SHG Response, Chem. Mater., 2020, 32, 9688–9695.
	- 35 F. G. You, F. Liang, Q. Huang, Z. G. Hu, Y. C. Wu and Z. S. Lin, $Pb_2GaF_2(SeO_3)_2Cl$: Band Engineering Strategy by Aliovalent Substitution for Enlarging Bandgap while Keeping Strong Second Harmonic Generation Response, J. Am. Chem. Soc., 2019, 141, 748–752.
	- 36 Y. J. Jia, X. Y. Zhang, Y. G. Chen, X. X. Jiang, J. N. Song, Z. S. Lin and X. M. Zhang, $PbBi(SeO₃)₂F$ and $Pb₂Bi$ $(SeO₃)₂Cl₃$: Coexistence of Three Kinds of Stereochemically

Active Lone-Pair Cations Exhibiting Excellent Nonlinear Optical Properties, Inorg. Chem., 2022, 61, 15368–15376.

- 37 X. L. Cao, C. L. Hu, F. Kong and J. G. Mao, $\text{Cs(TaO}_2)_3\text{(SeO}_3)_2$ and $Cs(TiOF)_{3}(SeO_{3})_{2}$: structural and second harmonic generation changes induced by the different d^0 -TM coordination octahedra, Inorg. Chem., 2015, 54, 3875–3882.
- 38 C. Wu, X. X. Jiang, L. Lin, Z. S. Lin, Z. P. Huang, M. G. Humphrey and C. Zhang, $AGa_3F_6(SeO_3)_2$ (A = Rb, Cs): A New Type of Phase-Matchable Hexagonal Tungsten Oxide Material with Strong Second-Harmonic Generation Responses, Chem. Mater., 2020, 32, 6906–6915.
- 39 J. J. Zhou, H. P. Wu, H. W. Yu, S. T. Jiang, Z. G. Hu, J. Y. Wang, Y. C. Wu and P. S. Halasyamani, $BaF₂TeF₂(OH)₂$: A UV Nonlinear Optical Fluorotellurite Material Designed by Band-Gap Engineering, J. Am. Chem. Soc., 2020, 142, 4616–4620.
- 40 Y. L. Hu, C. Wu, X. X. Jiang, Z. J. Wang, Z. P. Huang, Z. S. Lin, X. F. Long, M. G. Humphrey and C. Zhang, Giant Second-Harmonic Generation Response and Large Band Gap in the Partially Fluorinated Mid-Infrared Oxide RbTeMo2O8F, J. Am. Chem. Soc., 2021, 143, 12455–12459.
- 41 H. Zhao, P. Gong, X. Zhang, Z. Lin, Z. Hu and Y. Wu, Selenite bromide nonlinear optical materials $Pb_2GaF_2(SeO_3)_2Br$ and $Pb_2NbO_2(SeO_3)_2Br$: synthesis and characterization, Dalton Trans., 2020, 49, 14046–14051.
- 42 X. X. Wang, X. X. Jiang, H. M. Liu, L. Yang, Z. S. Lin, Z. G. Hu, X. G. Meng, X. G. Chen and J. G. Qin, $Pb_3(SeO_3)$ Br4: a new nonlinear optical material with enhanced SHG response designed via an ion-substitution strategy, Dalton Trans., 2018, 47, 1911–1917.
- 43 C. Shen, D. Sun, Y. Dang, K. Wu, T. Xu, R. Hou, H. Chen, J. Wang and D. Wang, $(C_4H_{10}NO)PbX_3$ (X = Cl, Br): Design of Two Lead Halide Perovskite Crystals with Moderate Nonlinear Optical Properties, Inorg. Chem., 2022, 61, 16936–16943.
- 44 T. Wang, Y. G. Chen, Y. Guo, F. Wang, Q. Song, Y. J. Jia and X. M. Zhang, BaLiTe₂O₅X (X = Cl, Br): mixed alkali/alkalineearth metal tellurite halides with $[Te₂O₅]_{\infty}$ chains, *Dalton* Trans., 2020, 49, 4914–4919.
- 45 X. H. Li, Z. H. Shi, M. Yang, W. Liu and S. P. Guo, $Sn_7Br_{10}S_2$: The First Ternary Halogen-Rich Chalcohalide Exhibiting a Chiral Structure and Pronounced Nonlinear Optical Properties, Angew. Chem., Int. Ed., 2022, 61, e202115871.
- 46 D. Wang, Y. Zhang, Q. Shi, Q. Liu, D. Yang, B. Zhang and Y. Wang, Tellurate polymorphs with high-performance nonlinear optical switch property and wide mid-IR transparency, Inorg. Chem. Front., 2022, 9, 1708–1713.
- 47 S. M. Pei, B. W. Liu, W. F. Chen, X. M. Jiang and G. C. Guo, Breaking the Bottleneck of Simultaneously Wide Band Gap and Large Nonlinear Optical Coefficient by "Pore Reconstruction" Strategy in Salt-inclusion Chalcogenide, Mater. Horiz., 2023, 10, 2921–2926.
- 48 P. F. Li, F. Kong and J. G. Mao, $M_2^{\rm{II}}M_3^{\rm{III}}F_3^{}(Te_6^{}F_2^{}O_{16}^{})$ $(M^{\rm II}$ = Pb, Ba; $M^{III} = Al$, Ga): New mixed anionic tellurites with isolated Te₆ coplanar rings, *J. Solid State Chem.*, 2020, 286, 121288.
- 49 S. Y. Zhang, C. L. Hu, P. X. Li, H. L. Jiang and J. G. Mao, Syntheses, crystal structures and properties of new lead(π) or bismuth(III) selenites and tellurite, Dalton Trans., 2012, 41, 9532–9542.
- 50 C. Bai, Y. Chu, J. Zhou, L. Wang, L. Luo, S. Pan and J. Li, Two new tellurite halides with cationic layers: syntheses, structures, and characterizations of $CdPb₂Te₃O₈Cl₂$ and $Cd_{13}Pb_8Te_{14}O_{42}Cl_{14}$, *Inorg. Chem. Front.*, 2022, 9, 1023– 1030. Procedure Article

2023. The consistent article is article in the consistent and input is consistent and input is consistent and input is consistent and input is licensed under the base are shown than α is licensed unde
	- 51 C. Wu, L. H. Li, L. Lin, Z. P. Huang, M. G. Humphrey and C. Zhang, Enhancement of Second-Order Optical Nonlinearity in a Lutetium Selenite by Monodentate Anion Partial Substitution, Chem. Mater., 2020, 32, 3043–3053.
	- 52 B. Zhang, J. H. Wu, C. L. Hu, Y. F. Li, F. Kong and J. G. Mao, From AgTeO₂F and Ag₂(TeO₂F₂) to Ag₃F₃(TeF₆) $(TeO₂)₁₂$: the first silver tellurite oxyfluorides with linear and nonlinear optical properties, Inorg. Chem. Front., 2023, 10, 1328–1337.
	- 53 Z. Yang, C. Hu, M. Mutailipu, Y. Sun, K. Wu, M. Zhang and S. Pan, Oxyhalides: prospecting ore for optical functional materials with large laser damage thresholds, J. Mater. Chem. C, 2018, 6, 2435–2442.
	- 54 G. M. Li, Q. Liu, K. Wu, Z. H. Yang and S. L. Pan, $Na₂CdGe₂Q₆(Q = S, Se):$ two metal-mixed chalcogenides

with phase-matching abilities and large second-harmonic generation responses, Dalton Trans., 2017, 46, 2778–2784.

- 55 M. Y. Ran, A. Y. Wang, W. B. Wei, X. T. Wu, H. Lin and Q. L. Zhu, Recent progress in the design of IR nonlinear optical materials by partial chemical substitution: Structural evolution and performance optimization, Coord. Chem. Rev., 2023, 481, 215059.
- 56 S. K. Kurtz and T. T. Perry, A Powder Technique for the Evaluation of Nonlinear Optical Materials., J. Appl. Phys., 1968, 39, 3798–3813.
- 57 P. F. Li, C. L. Hu, F. Kong and J. G. Mao, $Hg_2(SeO_3)(SO_4)$: the first sulfate selenite with large birefringence explored from d^{10} transition metal compounds, Mater. Chem. Front., 2022, 6, 3567–3576.
- 58 D. Wang, P. Gong, X. Zhang, Z. Lin, Z. Hu and Y. Wu, Centrosymmetric Rb[Te₂O₄(OH)₅] and noncentrosymmetric K_2 [Te₃O₈(OH)₄]: metal tellurates with corner and edgesharing $(Te_4O_{18})^{12}$ anion groups, *Inorg. Chem. Front.*, 2022, 9, 2628–2636.
- 59 W. Lu, Z. Gao, X. Liu, X. Tian, Q. Wu, C. Li, Y. Sun, Y. Liu and X. Tao, Rational Design of a LiNbO₃-like Nonlinear Optical Crystal, $Li₂ZrTeO₆$, with High Laser-Damage Threshold and Wide Mid-IR Transparency Window, J. Am. Chem. Soc., 2018, 140, 13089–13096.