




Cite this: *RSC Adv.*, 2023, 13, 17222

MXene-based $\text{Ti}_2\text{C}/\text{Ta}_2\text{C}$ lateral heterostructure: an intrinsic room temperature ferromagnetic material with large magnetic anisotropy†

S. Özcan ^{*a} and B. Biel ^b

Two-dimensional (2D) lateral heterostructures (LH) combining Ti_2C and Ta_2C MXenes were investigated by means of first-principles calculations. Our structural and elastic properties calculations show that the lateral $\text{Ti}_2\text{C}/\text{Ta}_2\text{C}$ heterostructure results in a 2D material that is stronger than the original isolated MXenes and other 2D monolayers such as germanene or MoS_2 . The analysis of the evolution of the charge distribution with the size of the LH shows that, for small systems, it tends to distribute homogeneously between the two monolayers, whereas for larger systems electrons tend to accumulate in a region of ~ 6 Å around the interface. The work function of the heterostructure, one crucial parameter in the design of electronic nanodevices, is found to be lower than that of some conventional 2D LH. Remarkably, all the heterostructures studied show a very high Curie temperature (between 696 K and 1082 K), high magnetic moments and high magnetic anisotropy energies. These features make $(\text{Ti}_2\text{C})/(\text{Ta}_2\text{C})$ lateral heterostructures very suitable candidates for spintronic, photocatalysis, and data storage applications based upon 2D magnetic materials.

Received 19th May 2023

Accepted 30th May 2023

DOI: 10.1039/d3ra03343k

rsc.li/rsc-advances

1 Introduction

Over the past few years, two-dimensional (2D) materials have experienced a major research effort in materials science. Due to their superb electronic and mechanical properties,^{1–4} many 2D materials such as graphene, black phosphorus, transition metal thin films, hexagonal boron nitride (h-BN), and molybdenum disulfide (MoS_2) have been obtained in experiments and predicted by theory.^{5–11} However, the fulfillment of the applications of 2D materials is often limited by some inherent difficulties, *e.g.*, such as the zero gap in graphene, the low carrier mobility in MoS_2 , or the instability of phosphorene upon oxidation, among others.¹²

2D materials might show, however, distinct physical and chemical properties when two or more of them are combined into a heterostructure.^{13–16} The formation of heterostructures thus determines in those cases the overall performance of the hybrid material,^{17–20} leading to a new area to study interfaces and device applications.^{21,22} Generally, two types of 2D heterostructures can be considered: vertical heterostructures (VH) and lateral heterostructures (LH). In the vertical heterostructures,²³

the 2D monolayers are vertically stacked layer-by-layer, bonded by weak van der Waals (vdW) forces. LH, in contrast, are built by seamless in-plane, side-by-side growth of the 2D monolayers, bonded together by covalent bonds. Since the LH are connected by chemical bonds in the “interline”, they can potentially show enormous epitaxial quality and stability, and exhibit physico-chemical properties that might immensely differ from those of the original 2D materials that form the LH.^{24–26} Moreover, LH have twice the surface and simpler band alignment compared with the VH.^{27,28} All of this makes LH with well-controlled domain sizes and atomic sharp interface equally or even more promising than their vertical counterparts.²⁹ Finding suitable candidate materials to build a LH with the desired properties has some difficulties due to structural limitations, such as the need for a small lattice mismatch of materials in order to make the interface between the two monolayers as seamless as possible. Hence, a theoretical exploration of the LH structural and electronic properties has been essential to overcome these issues prior to the experimental work.^{30–35}

In 2012, Levendorf *et al.*³⁶ developed a patterned regrowth method for the synthesis of lateral graphene/h-BN heterostructures on Cu foil. Following this result, several groups^{37–39} reported the fabrication of LH for transition metal dichalcogenides (TMDs), and since then several experimental reports on the synthesis of various TMD-based LH have been published. Recently, Zeng *et al.*⁴⁰ prepared 2D lateral WC-graphene heterostructures with excellent chemical stability and reactivity, thus triggering a renewed attention to this field. In particular, unusual electronic and magnetic properties such as the giant

^aDepartment of Physics, Aksaray University, 68100 Aksaray, Turkey. E-mail: sozkaya@aksaray.edu.tr

^bDepartment of Atomic, Molecular and Nuclear Physics, Instituto Carlos I de Física Teórica y Computacional, Faculty of Science, Campus de Fuente Nueva, University of Granada, 18071 Granada, Spain

† Electronic supplementary information (ESI) available. See DOI: <https://doi.org/10.1039/d3ra03343k>



magnetocrystalline anisotropy energy (MAE) were demonstrated at the interface as the phosphorene/WSe₂ interface,⁴¹ which shows the abundant opportunities of LH for applications in spintronics. However, much more work needs still to be done in order to fully exploit the extraordinary potential of magnetic LH.

In this context, 2D MXenes have attracted increasing attention in recent years due to their significant potential applications in electronic devices, sensors, catalysis, energy conversion, and storage systems.^{42–47} After the synthesis of Ti₃C₂,⁴⁸ many MXenes have since then been experimentally discovered^{49,50} or theoretically predicted.^{51,52} As a typical metallic group of MXenes, M₂C (M = Ti, Ta) have also been widely studied, both in experiments and theory.^{48,50,53–55} The Ti₂C and its derivatives, the Ti₂CC₂, Ti₂CO₂, and Ti₂CS₂ MXenes, exhibit good stability and have excellent potential for their use as anode materials due to their strong adsorptions and low diffusion energy barriers, which suggest fast charge–discharge rates.^{54,56,57} Besides, although the majority of the functionalized MXene systems are nonmagnetic, the Ti_{n+1}X_n (X = C, N) monolayers are magnetic due to the 3d electrons of the surface Ti atoms.⁵⁸ On the other hand, Ta₂C is stable, has high thermal stability, and provides good electronic conductivity, hence becoming a candidate as an anode material.⁵⁵ While the Ta₂C is nonmagnetic (NM), its magnetic properties can be tuned by applying mechanical strain.⁵⁹ Considering that both materials share the same structural features and present a small lattice mismatch, Ti₂C and Ta₂C should thus be excellent candidate materials to build magnetic LH. At this point, the critical issue arises of whether LH composed of Ti₂C and Ta₂C will be stable, and what the actual structural, electronic, and magnetic properties of such LH would be.

Inspired by the aforementioned questions, in this work we provide a comprehensive investigation, based on Density Functional Theory (DFT), into various lateral heterostructures composed by the Ti₂C and Ta₂C MXene monolayers.

2 Method

All the calculations were carried out using the Vienna Ab initio Simulation Package (VASP),^{60–63} based on DFT. In this method, the Kohn–Sham single-particle functions are expanded based on plane waves up to a cut-off energy of 450 eV,⁶⁴ found to provide good convergence of the total energy. We have given the convergence results in ESI (see Table S1†) for spin-polarized calculation. The electron–ion interactions were described by using the projector augmented-wave (PAW) method.^{62,65} For the electron exchange and correlation terms, the Perdew–Zunger-type functional^{66,67} was used within the generalized gradient approximation (GGA)⁶⁵ in both the PBE parameterization⁶⁸ and the hybrid exchange–correlation functional (HSE06).^{69–71} Additionally, our calculations were refined using the optimized functional optB86b-vdW⁷² to take into account the van der Waals interactions. Calculations were then carried out self-consistently using the VASP implementation⁷³ within the Roman-Perez and Soler⁷⁴ scheme. The self-consistent solutions were obtained by employing the (13 × 21 × 1), (9 × 21 × 1), (7

× 21 × 1), and (4 × 21 × 1) Monkhorst–Pack⁷⁵ grid of *k*-points for the integration over the Brillouin zone for (Ti₂C)_p/(Ta₂C)_q (with *p* = *q* = 3, 4, 5, 10, where *p* and *q* are the numbers of unit cells of each 2D material repeated to form the LH unit cell), respectively. To prevent spurious interaction between isolated layers, a vacuum layer of at least 15 Å was included along the normal direction to the surface. The elastic tensor of each system is derived from the stress–strain approach.⁷⁶

3 Results and discussions

Ti₂C and Ta₂C have a trigonal crystal structure (space group *P* $\bar{3}m1$). The calculated lattice constants of the isolated monolayers Ti₂C and Ta₂C are 3.05 Å and 3.12 Å, respectively, agreeing well with previous theoretical studies, where a lattice constant of 3.04 Å (ref. 42) and 3.14 Å (ref. 43) was found. The lattice mismatch of Ti₂C and Ta₂C is then merely 2.2%, implying that both materials are very suitable to build LH with coherent interfaces. Fig. 1(a) shows the typical structures of our atomic model of the LH. Along the *x*-direction of the LH in Fig. 1(a), single layer Ti₂C and Ta₂C repeat alternating and periodically, whereas along the *y*-direction the two different stripes extend to infinity (without any edge). We have named these heterostructures as (Ti₂C)_p/(Ta₂C)_q. To investigate the impact of the LH lateral size we have investigated several LH, for *p* = *q* = (2,2), (3,3), (4,4), (5,5), and (10,10). The lateral size of each one of these LH unit cells is then 12.15, 18.25, 24.35, 30.44, and 60.94 Å, respectively.

We first evaluated the stability of all the structures by analyzing the formation energy (*E_f*), following the equation

$$E_f = (E_{\text{total}} - E_{\text{tot}}(\text{Ti}_2\text{C}) - E_{\text{tot}}(\text{Ta}_2\text{C}))/N \quad (1)$$

where *E_{total}*, *E_{tot}*(Ti₂C), and *E_{tot}*(Ta₂C) represent the total energy of (Ti₂C)_p/(Ta₂C)_q LH, total energies of Ti₂C and Ta₂C monolayers, respectively, and *N* is the total number of atoms in the LH. We summarize the optimized values of the formation energy and lattice constants in Table 1. According to our notation, a more negative formation energy indicates a more stable structure. The negative formation energies indicate that the synthesis of all the studied LH (from *p* = *q* = 3 to 10) is highly possible and most likely to be achieved experimentally than that




Fig. 1 (a) Top and (b) side views of the atomic model of the (Ti₂C)_p/(Ta₂C)_q lateral heterostructure with *p* = 3 and *q* = 3. Two-dimensional unit cell with lattice parameters and Bravais lattice vectors **a** and **b** are also indicated. *l*₁ and *l*₂ are interline (or boundaries, interfaces) between different constituent MXene stripes. (c and d) Side views of the (Ti₂C)₃/(Ta₂C)₃ showing the ferromagnetic (FM) and antiferromagnetic (AFM) states, respectively.



Table 1 Optimized values of the lateral heterostructures $(\text{Ti}_2\text{C})_p/(\text{Ta}_2\text{C})_q$ for $p = q$ (2, 3, 4, 5, 10), lattice constants a and b (in Å), and formation energy E_f (in eV)

Composite (p/q)	a	b	E_f
(2/2)	12.15	6.08	0.29
(3/3)	18.25	6.08	−0.67
(4/4)	24.35	6.09	−0.51
(5/5)	30.44	6.085	−0.41
(10/10)	60.94	6.09	−0.20

of those structures with positive formation energies. As seen in Table 1, as the value of $p = q$ increases the absolute value of the formation energy decreases. Similar behavior has also been found for other LH, such as the LH based on boron phosphide (BP) and GaN monolayers.⁷⁷

To explore the mechanical stability and the potential performance under different stress conditions, we investigated the mechanical properties of Ti_2C , Ta_2C , and $(\text{Ti}_2\text{C})_3/(\text{Ta}_2\text{C})_3$ LH using the stress-strain approach.⁷⁶ According to the Born stability criteria,⁷⁸ 2D hexagonal crystals should obey the following conditions:

$$C_{11} > 0, C_{66} > 0, 2 \times C_{66} = C_{11} - C_{12}, \text{ and } C_{11} > |C_{12}| \quad (2)$$

The calculated in-plane elastic constants for $(\text{Ti}_2\text{C})_3/(\text{Ta}_2\text{C})_3$ LH is listed in Table 2. For comparison, we also show the results obtained for the Ti_2C and Ta_2C MXenes. Our results demonstrate that all the calculated heterostructures satisfy the mechanical stability criteria, and they are thus mechanically stable. The in-plane stiffness (C) can be calculated as

$$C = C_{11} \times (1 - (C_{12}/C_{11})^2) \quad (3)$$

and it is a measure of the monolayer's mechanical strength. Here, the two independent elastic constants, C_{11} and C_{12} , can also be used to evaluate the elastic properties of homogeneous and isotropic materials. The in-plane stiffness of $(\text{Ti}_2\text{C})_3/(\text{Ta}_2\text{C})_3$ LH is 179 N m^{-1} , which is higher than the values of both isolated Ti_2C (138 N m^{-1}) and Ta_2C (156 N m^{-1}). This result implies that the lateral combination of two monolayers leads to a stronger 2D material. To put this value in context, we note that, according to our results, the mechanical strength of $(\text{Ti}_2\text{C})_3/(\text{Ta}_2\text{C})_3$ LH is smaller than that of graphene (340.8 N m^{-1})⁷⁹ but higher than that of MoS_2 (120.1 N m^{-1}),⁷⁹ WS_2 (106.4 N m^{-1}),⁸⁰ silicene (61.34 N m^{-1}),⁸¹ or germanene (42.05 N m^{-1}).⁸¹

Bulk modulus and shear modulus describe, respectively, the resistance of a material to volume and shape change. To obtain these values, the Voigt (upper bound of elastic properties in terms of uniform strain),⁸² Reuss (lower bound in terms of uniform stress),⁸³ and Hill (the average between Voigt and Reuss)⁸⁴ approximations are mainly used. The ratio of shear to bulk modulus (G/K) roughly reflects the ductility of the material. If the G/K value is less than 0.5, then the material is expected to be ductile.⁸⁵ From our results we infer, then, that all the calculated MXenes exhibit ductility, a behavior also shown by some 2D materials such as germanene and stanene,^{81,86} in contrast to, for instance, graphene and silicene, which are known to be brittle.⁸¹ Besides the G/K ratio, Poisson's ratio also gives an idea of the brittle/ductile behavior of materials. The bigger the Poisson's ratio, the better the material plasticity. For example, while $\nu \sim 0.1$ indicates more brittleness (such as for pure covalent materials, as is the case of graphene), a typical metallic behavior with $\nu = 0.33$ exhibits ductility, as the aforementioned example of germanene.⁸¹ As shown in Table 2, the Poisson's ratio of all calculated MXenes is larger than 0.33, indicating the ductility of these materials.

In order to get some insight into the electronic properties, we have analyzed the charge redistribution across the LH. For the smallest LH studied here, *i.e.* (3,3) and (4,4), the charge density redistributes homogeneously in the Ti_2C side and there is no accumulation of charge at the interface (see Fig. S1 in the ESI†). We have thus focused on the largest structure $((\text{Ti}_2\text{C})_{10}/(\text{Ta}_2\text{C})_{10})$ to obtain a better understanding of the charge density evolution away from the boundaries. The charge density difference $\Delta\rho(\mathbf{r})$ is obtained as:

$$\Delta\rho(\mathbf{r}) = \rho_{(\text{Ti}_2\text{C})_{10}/(\text{Ta}_2\text{C})_{10}}(\mathbf{r}) - [\rho_{(\text{Ti}_2\text{C})_{10}}(\mathbf{r}) + \rho_{(\text{Ta}_2\text{C})_{10}}(\mathbf{r})] \quad (4)$$

where $\rho_{(\text{Ti}_2\text{C})_{10}/(\text{Ta}_2\text{C})_{10}}(\mathbf{r})$ represents the total charge density of $(\text{Ti}_2\text{C})_{10}/(\text{Ta}_2\text{C})_{10}$ LH, and $\rho_{(\text{Ti}_2\text{C})_{10}}(\mathbf{r})$ and $\rho_{(\text{Ta}_2\text{C})_{10}}(\mathbf{r})$ are the charge densities of the isolated $(\text{Ti}_2\text{C})_{10}$ and $(\text{Ta}_2\text{C})_{10}$ monolayers, respectively. The three-dimensional charge density difference of $(\text{Ti}_2\text{C})_{10}/(\text{Ta}_2\text{C})_{10}$ LH is plotted in Fig. 2(a) and (b), where the yellow and cyan regions indicate accumulation and depletion of charge, respectively. As it can be seen, the charge accumulates in the interline region of the heterostructure over an area of approximately 6 Å , while there is almost no charge transfer at either Ti_2C or Ta_2C far away from the interline because of the weak interaction between the Ti_2C and Ta_2C monolayers. This interface charge rearrangement is due to the electronegativity difference between the interface atoms. Since the Ti atom is more electronegative (1.54) than the Ta atom (1.50), some electrons flow from the Ti_2C monolayer to the Ta_2C monolayer

Table 2 Calculated elastic constants: elastic constants (C_{ij} in N m^{-1}), Hill shear modulus (G in N m^{-1}), Hill bulk modulus (K) (N m^{-1}), G/K ratio, and Poisson's ratios (ν) of Ti_2C , Ta_2C , and $(\text{Ti}_2\text{C})_3/(\text{Ta}_2\text{C})_3$ LH

Structure	C_{11}	C_{12}	C_{66}	G	K	G/K	ν
Ti_2C	160	59	50.74	50.74	109.22	0.46	0.37
Ta_2C	235	136	50	49.55	185.20	0.27	0.57
$(\text{Ti}_2\text{C})_3/(\text{Ta}_2\text{C})_3$	217	91	64	63.31	154.07	0.41	0.40 (Min)/0.43 (Max)






Fig. 2 (a) Side and (b) top views of the charge density difference for the $(\text{Ti}_2\text{C})_{10}/(\text{Ta}_2\text{C})_{10}$ LH. The value of the depicted isosurfaces is $0.008e/\text{\AA}^3$. The yellow and cyan regions indicate accumulation and depletion of charge, respectively. Electron localization functions of the $(\text{Ti}_2\text{C})_{10}/(\text{Ta}_2\text{C})_{10}$ LH along the (c) (010) plane and (d) (001) plane. The (010) and (001) planes are shown in the bottom right corner. (e) Planar averaged electrostatic potential energy and its average along the y -direction, $\bar{V}(y)$.

when the two materials are brought together, leading to a charge accumulation in the region near the interline. To provide a more quantitative insight and determine the amount of charge transfer between Ti_2C and Ta_2C we have employed the Bader charge analysis, which gives the result of a charge transfer of $3.7e$ for the $(\text{Ti}_2\text{C})_{10}/(\text{Ta}_2\text{C})_{10}$ LH.

The electron distribution can be further analyzed by looking at the electron localization functions (ELF).⁸⁷ Theoretically, an ELF value of 0.5 indicates that the Pauli repulsion has the same value as that in a uniform electron gas of the same density,⁸⁸ whereas $\text{ELF} = 1$ (0) corresponds to perfect localization (delocalization), where the bonding would have a covalent (metallic) character.^{89,90} From the ELF map in Fig. 2(c) and (d), we can see that the $(\text{Ti}_2\text{C})_{10}/(\text{Ta}_2\text{C})_{10}$ LH surface shows a cloud of lone-pair electrons, the density of electrons at the Ta_2C side being higher than at the Ti_2C side. The substantial concentration of electrons is mostly located around the C atoms, which implies the presence of a covalent bond between the C–C atoms. Similar behavior was also found for Ti_4C_3 and Ti_4N_3 .⁹¹

Fig. 2(e) shows as well that both the planar average electrostatic potential and its average value $\bar{V}(y)$ changes at the boundaries of LH, which can be explained in terms of the difference in the electrostatic potentials of the isolated monolayers. The Ti_2C monolayer has a higher electrostatic potential than the Ta_2C , with a potential difference calculated to be 0.76 eV. This potential energy difference will induce a built-in electric field, which results in a band bending near the boundaries of the $(\text{Ti}_2\text{C})_p/(\text{Ta}_2\text{C})_q$ LH. The workfunction (WF, or ϕ) is an important physical parameter of materials, and it is defined as the energy required to remove an electron from the Fermi level to vacuum. Low WFs material can thus improve the power efficiency of a device. We have calculated the WF of Ti_2C , Ta_2C , and $(\text{Ti}_2\text{C})_{10}/(\text{Ta}_2\text{C})_{10}$ LH as 4.67 eV, 4.97 eV, and 4.80 eV, respectively. The values found for the WF of Ti_2C and Ta_2C are

in good agreement with other theoretical calculations (Ti_2C (4.53 eV)⁹² and Ta_2C (4.77 eV)⁹³). Hence, the $(\text{Ti}_2\text{C})_{10}/(\text{Ta}_2\text{C})_{10}$ LH presents a lower WF than that of graphene/black phosphorene bilayer (5.38 eV)⁹⁴ and Ti_2CO_2 (5.90 eV),⁹⁵ making it potentially more promising to improve the performance of nanoelectronic devices. The WF can also explain the origin of the charge accumulation at the interface. It is known that when two metals are brought into contact no energy barrier will arise at the interface, even if their workfunctions are different.⁹⁶ If the electrons flow from a small (big) workfunction metal to another, there will be a positive (negative) charge space in the second metal near the interface with the first one.⁹⁶ In our case, the charge transfer occurs from the Ti_2C (small workfunction side) to the Ta_2C monolayer, and hence electrons accumulate at the interface region of the $(\text{Ti}_2\text{C})_{10}/(\text{Ta}_2\text{C})_{10}$ LH on the Ta_2C side, while there is a charge depletion on the Ti_2C side of the LH, which is consistent with Fig. 2(a) and (b).

Finally, we have explored the magnetic properties of these LH. Ongoing research in spintronics is focused on developing new materials and devices that can better harness the spin of electrons and exploring new physical phenomena that arise from spin transport and manipulation. In particular, finding novel 2D materials with high Curie temperatures is essential to bring spintronics from the laboratory to commercial applications. We start our investigation by performing a spin-polarized geometry optimization of the isolated 2D MXenes, Ti_2C and Ta_2C , and the LH. The spin-polarized optimized lattice parameters of Ti_2C and Ta_2C are 3.086 Å and, 3.081 Å, respectively. Ti_2C presents an interesting magnetic ground state, with a non-zero magnetic moment in the ferromagnetic (FM) but whose ground state is antiferromagnetic (AFM) (magnetic moment zero), while Ta_2C is non-magnetic. Their respective magnetic moments are 1.90 μ_B for Ti_2C and 0.00 μ_B for Ta_2C . These results are in good agreement with previous studies, which found 3.083 Å and 1.91 μ_B for Ti_2C (ref. 97 and 98) and 3.083 Å and 0.00 μ_B for Ta_2C .⁵⁹ The optimized lattice constants for the $(\text{Ti}_2\text{C})_p/(\text{Ta}_2\text{C})_q$ LH were obtained by relaxing both the lattices and the atomic positions for the magnetic ground state, and are given in Table 3.

The next step is to determine the magnetic ground state of each LH $(\text{Ti}_2\text{C})_p/(\text{Ta}_2\text{C})_q$ for $(p = q = 3, 4, 5, 10)$, considering the FM, AFM, and nonmagnetic (NM) states, as showcased in Fig. 1. Table 3 displays the values obtained for the total energy for the three possible configurations for all the studied LH. The FM state has the lowest total energy compared to the NM and the AFM states for all structures, and it is thus the magnetic ground state. The band structure of the $(\text{Ti}_2\text{C})_3/(\text{Ta}_2\text{C})_3$ (Fig. S2 in ESI†) shows dispersive metallic bands crossing the Fermi level (E_F). Such bands are actually the signature of a ferromagnetic metal behavior, according to the Stoner theory.⁹⁹ The analysis of the energy bands and the density of states (DOS) of the $(\text{Ti}_2\text{C})_3/(\text{Ta}_2\text{C})_3$ that are depicted in Fig. 3 shows that the predominant contribution to the dispersing bands that cross the E_F comes the Ti d-orbitals. This means that the Ti d electronic states around the E_F are indeed itinerant, thus favoring ferromagnetism according to the Stoner theory. This behavior is also found for other 2D MXenes such as Cr_2C (ref. 64) and Ti_2C .¹⁰⁰



Table 3 The optimized lattice constants a_0 (in Å) with the FM state, the total (M_{tot}) magnetic moments (in μB) at equilibrium lattices, the total energy differences of FM with NM (EFM – ENM) and FM with AFM (EFM – EAFM) states (in eV), and the Curie temperatures (K) and Magnetic Anisotropy Energy (MAE) (μeV per (Ti + Ta) atom) for the high symmetry directions for $(\text{Ti}_2\text{C})_p/(\text{Ta}_2\text{C})_q$ for $p = q$ (3, 4, 5, 10)

Composite (p/q)	a	M_{tot}	$E_{\text{FM-NM}}$	$E_{\text{FM-AFM}}$	T_{C}	(100)	(010)	(110)	(001)	(111)
(3/3)	18.34	10.22	−0.39	−0.09	696	19	6	0.00	58	32
(4/4)	24.47	13.67	−0.54	−0.14	1082	20	5	0.00	104	38
(5/5)	30.58	17.85	−0.69	−0.11	850	21	6	0.00	106	38
(10/10)	61.21	36.18	−1.40	−0.09	696	9	3	0.00	25	9




Fig. 3 Projected density of states (PDOS) of the (a) Ti_2C , (b) Ta_2C , (c) spin-resolved density of states of the $(\text{Ti}_2\text{C})_3/(\text{Ta}_2\text{C})_3$ LH for the p and d orbitals of the Ti and Ta atoms. The Fermi level is set at 0 eV.

The spin-resolved (DOS) of the FM state for the $(\text{Ti}_2\text{C})_3/(\text{Ta}_2\text{C})_3$ LH provides further insight into the magnetic nature of the LH. As can be seen in Fig. 3, the heterostructure remains metallic, the metallicity mainly originating from the d orbital of the Ti and Ta atom in $(\text{Ti}_2\text{C})_3/(\text{Ta}_2\text{C})_3$ LH, as it happens for the isolated structures.

As we discussed, the Curie or Néel temperature (T_{C} or T_{N}) is an essential parameter to assess realistically the possibility of using a material in future nanoelectronic devices. A T_{C} beyond room temperature is a highly demanded characteristic, and there has been much research^{101,102} trying to find materials with high enough T_{C} . We have then calculated the T_{C} for all the $(\text{Ti}_2\text{C})_p/(\text{Ta}_2\text{C})_q$ ($p = q = 3, 4, 5, 10$) LH by means of the mean-field theory approximation (MFA), which estimates it as $k_{\text{B}}T_{\text{C}} = (2/3) \Delta(E)$.¹⁰³ Here, k_{B} is the Boltzmann constant, and $\Delta(E)$ is the energy difference between FM and the AFM states. The results are summarized in Table 3. The T_{C} of $(\text{Ti}_2\text{C})_p/(\text{Ta}_2\text{C})_q$ for $p = q$ (3, 4, 5, 10) LH are as high as 696 K, 1082 K, 850 K, and 696 K, respectively, thus well above room temperature (RT). Even though considering the possible overestimation of MFA, it is widely accepted that it provides a good qualitative variation trend of the T_{C} ,^{104–106,109} and the estimated values in our case clearly indicate a highly likely high Curie temperature for $(\text{Ti}_2\text{C})_p/(\text{Ta}_2\text{C})_q$. For comparison, our calculation of the Néel temperature of Ti_2C is 247 K, in agreement with previous studies.⁹⁸ While 2D ferromagnetism has been experimentally demonstrated for the $\text{Cr}_2\text{Ge}_2\text{Te}_6$ bilayer and the CrI_3 monolayer,^{107,108} the T_{C} s are that 30 and 45 K, respectively, far below room temperature. Our results, however, corroborate the suitability of other 2D materials for spintronic devices operating at

room temperature: Yang *et al.* found that both $\text{Cr}_2\text{VC}_2\text{F}_2$ and $\text{Cr}_2\text{VC}_2(\text{OH})_2$ present Curie temperature values of 695.65 K and 618.36 K, respectively.¹⁰⁹ Such high Curie temperatures (1877–566 K) were also found for other 2D MXenes such as Mn_2NT_x with different surface terminations ($T = \text{O}, \text{OH}, \text{and F}$),¹¹⁰ showing the great potential of MXene-based devices for spintronics.

Lastly, we will discuss the magnetic anisotropy energy (MAE) to further explore the FM character of $(\text{Ti}_2\text{C})_p/(\text{Ta}_2\text{C})_q$ LH. A large MAE implies, in principle, a better resistance of the magnetic ordering against heat fluctuations at the operating temperatures of commercial devices, and many efforts are nowadays devoted to improving the values of MAE in potentially magnetic 2D materials. The MAE in FM 2D materials emerges mostly from the spin–orbit coupling (SOC) interactions, and as such is examined by considering the spin–orbit coupling (SOC) along five magnetization directions in the *ab*-plane, *i.e.*, the (100), (010), and (110) directions, and out of the *ab*-plane, *i.e.* the (001) and (111) directions. The difference in energy between the system with a given spin orientation and the energy of the most stable spin orientation (easy axis) defines the MAE. As seen in Table 3, $(\text{Ti}_2\text{C})_p/(\text{Ta}_2\text{C})_q$ for ($p = q = 3, 4, 5, 10$) LH exhibit an in-plane easy axis, which is the (110). The values of the MAEs for the other SOC orientations are also shown in Table 3 for comparison. The large MAE mainly originates from the strong Ti–Ti and Ta–Ta coupling in the *ab*-plane of $(\text{Ti}_2\text{C})_p/(\text{Ta}_2\text{C})_q$ ($p = q = 3, 4, 5, 10$) LH. Our results are similar to previous results found for MnP ,¹¹¹ VS_2 ,¹¹² and Mn_2C ,¹¹³ but larger than those found for Fe (1.4 μeV per Fe atom) and Ni (2.7 μeV per Ni atom) bulks.¹¹⁴ The high T_{C} (and also high magnetic moments), and high MAE of $(\text{Ti}_2\text{C})_p/(\text{Ta}_2\text{C})_q$ make them promising 2D magnetic materials for spintronic, photocatalysis, and data storage applications at room temperature.

4 Summary

Using DFT based-simulations, we have illustrated the prospective mechanical, electronic, and magnetic properties of the $(\text{Ti}_2\text{C})_p/(\text{Ta}_2\text{C})_q$ LH. The formation energies of the $(\text{Ti}_2\text{C})_p/(\text{Ta}_2\text{C})_q$ LH confirm the energetic stability of this 2D material. The investigation of their mechanical properties shows that the lateral combination of two monolayers results in a stronger 2D material than the isolated monolayers. For wide enough LH, most electrons tend to accumulate at the interface, with a spatial charge extension of ~ 6 Å. All the studied LH show high



Curie temperatures, well beyond room temperature, and high magnetic anisotropy energies. Our findings show the need to reinforce further exploration of MXene-based 2D heterostructures to exploit their elevated capabilities for magnetic storage and spintronic devices.

Author contributions

Sibel Özcan: conceptualization (lead); formal analysis (lead); writing – original draft (lead); writing – review and editing (equal). Blanca Biel: conceptualization (supporting); writing – review and editing (equal); funding acquisition (lead).

Conflicts of interest

There are no conflicts to declare.

Acknowledgements

B. B. kindly acknowledges financial support from Programa Operativo FEDER B.FQM.272.UGR20 and AEI under project PID2021-125604NB-I00. S. Ö. and B. B. also acknowledge financial support by the Junta de Andalucía under the Programa Operativo FEDER P18-FR-4834. The Albaicín supercomputer of the University of Granada and TUBITAK ULAKBIM, High Performance and Grid Computing Center (TRUBA resources) are also acknowledged for providing computational time and facilities.

References

- 1 K. F. Chen, S. Y. Song, F. Liu and D. F. Xue, *Chem. Soc. Rev.*, 2015, **44**, 6230–6257.
- 2 W. Jin, Z. Wang and Y. Q. Fu, *J. Mater. Sci.*, 2016, **51**, 7355–7360.
- 3 K. F. Mak, C. Lee, J. Hone, J. Shan and T. F. Heinz, *Phys. Rev. Lett.*, 2010, **105**, 136805.
- 4 Y. Jing, Z. Zhou, C. R. Cabrera and Z. Chen, *J. Phys. Chem. C*, 2013, **117**, 25409–25413.
- 5 V. Nicolosi, M. Chhowalla, M. G. Kanatzidis, *et al.*, *Science*, 2013, **340**(6139), 1226419.
- 6 S. Z. Butler, S. M. Hollen, L. Cao, *et al.*, *ACS Nano*, 2013, **7**(4), 2898–2926.
- 7 S. Chen and G. Shi, *Adv. Mater.*, 2017, **29**(24), 1605448.
- 8 M. Pumera and Z. Sofer, *Adv. Mater.*, 2017, **29**(21), 1605299.
- 9 X. Kong, Q. Liu, C. Zhang, *et al.*, *Chem. Soc. Rev.*, 2017, **46**(8), 2127–2157.
- 10 A. J. Mannix, B. Kiraly, M. C. Hersam, *et al.*, *Nat. Rev. Chem.*, 2017, **1**(2), 1–14.
- 11 C. Tan, X. Cao, X.-J. Wu, *et al.*, *Chem. Rev.*, 2017, **117**(9), 6225–6331.
- 12 S. H. Mir, V. K. Yadav and J. K. Singh, *ACS Omega*, 2020, **5**, 14203–14211.
- 13 N. Muhammad, M. U. Muzaffar and Z. J. Ding, *Phys. Chem. Chem. Phys.*, 2021, **23**, 17392–17401.
- 14 H. Zhang, M. Pei, B. Liu, Z. Wang and X. Zhao, *Phys. Chem. Chem. Phys.*, 2022, **24**, 19853–19864.
- 15 X. Bao, T. Sun, Y. Liu and C. Xu, *et al.*, *Phys. Chem. Chem. Phys.*, 2021, **23**, 23024–23031.
- 16 X. Cui, G.-H. Lee, Y. D. Kim, *et al.*, *Nat. Nanotechnol.*, 2015, **10**(16), 534–540.
- 17 Y. Liu, Y. Huang and X. Duan, *Nature*, 2019, **567**, 323.
- 18 M. Gibertini, M. Koperski, A. F. Morpurgo and K. S. Novoselov, *Nat. Nanotechnol.*, 2019, **14**, 408.
- 19 C. Jin, E. Y. Ma, O. Karni, E. C. Regan, F. Wang and T. F. Heinz, *Nat. Nanotechnol.*, 2018, **13**, 994.
- 20 K. S. Novoselov, A. Mishchenko, A. Carvalho and A. H. C. Neto, *Science*, 2016, **353**, aac9439.
- 21 X. Liu and M. C. Hersam, *Adv. Mater.*, 2018, **30**, 1801586.
- 22 E. Pomerantseva and Y. Gogotsi, *Nat. Energy*, 2017, **2**, 17089.
- 23 A. K. Geim and I. V. Grigorieva, *Nature*, 2013, **499**, 419–425.
- 24 G. Eda, T. Fujita, H. Yamaguchi, D. Voiry, M. Chen and M. Chhowalla, *ACS Nano*, 2012, **6**(8), 7311.
- 25 Y. C. Lin, D. O. Dumcenco, Y. S. Huang and K. Suenaga, *Nat. Nanotechnol.*, 2014, **9**(5), 391.
- 26 C. H. Naylor, W. M. Parkin and Z. L. Gao, *et al.*, *ACS Nano*, 2017, **11**(9), 8619.
- 27 M.-Y. Li, Y. Shi, C.-C. Cheng, L.-S. Lu, Y.-C. Lin, H.-L. Tang, M.-L. Tsai, C.-W. Chu, K.-H. Wei, J.-H. He, *et al.*, *Science*, 2015, **349**, 524–528.
- 28 J. Zhang, W. Xie, J. Zhao and S. Zhang, *2D Mater.*, 2016, **4**, 015038.
- 29 J. Zhao, K. Cheng, N. Han and J. Zhang, *Wiley Interdiscip. Rev.: Comput. Mol. Sci.*, 2018, **8**(e1353), 1–19.
- 30 Q. Sun, Y. Dai, Y. Ma, *et al.*, *2D Mater.*, 2016, **3**(3), 035017.
- 31 G. Fiori, A. Betti, S. Bruzzone, *et al.*, *ACS Nano*, 2012, **6**(3), 2642–2648.
- 32 G.-X. Chen, X.-G. Li, Y.-P. Wang, *et al.*, *Phys. Rev. B*, 2017, **95**(4), 045302.
- 33 Z. Yang, J. Pan, Q. Liu, *et al.*, *Phys. Chem. Chem. Phys.*, 2017, **19**(2), 1303–1310.
- 34 K. Cheng, Y. Guo, N. Han, *et al.*, *J. Mater. Chem. C*, 2017, **5**(15), 3788–3795.
- 35 H. Jin, J. Li, B. Wang, *et al.*, *J. Mater. Chem. C*, 2016, **4**(47), 11253–11260.
- 36 M. P. Levendorf, C. J. Kim, L. Brown, P. Y. Huang, R. W. Havener, D. A. Muller and J. Park, *Nature*, 2012, **488**, 627–632.
- 37 Y. Gong, J. Lin, X. Wang, G. Shi, S. Lei, Z. Lin, X. Zou, G. Ye, R. Vajtai, B. I. Yakobson, *et al.*, *Nat. Mater.*, 2014, **13**, 1135–1142.
- 38 C. Huang, S. Wu, A. M. Sanchez, J. J. P. Peters, R. Beanland, J. S. Ross, P. Rivera, W. Yao, D. H. Cobden and X. Xu, *Nat. Mater.*, 2014, **13**, 1096–1101.
- 39 X. Duan, C. Wang, J. C. Shaw, *et al.*, *Nat. Nanotechnol.*, 2014, **9**, 1024–1030.
- 40 M. Q. Zeng, Y. X. Chen, J. X. Li, H. F. Xue, R. G. Mendes, J. X. Liu, T. Zhang, M. H. Rummeli and L. Fu, *Nano Energy*, 2017, **33**, 356–362.
- 41 X.-Q. Tian, L. Liu, Z.-R. Gong, a Y. Du, J. Gu, B. I. Yakobson and J.-B. Xu, *J. Mater. Chem. C*, 2016, **4**, 6657.
- 42 I. R. Shein and A. L. Ivanovskii, *Comput. Mater. Sci.*, 2012, **65**, 104–114.



- 43 M. Kurtoglu, M. Naguib, Y. Gogotsi and M. W. Barsoum, *MRS Commun.*, 2012, **2**, 133–137.
- 44 G. Gao, G. Ding, J. Li, K. Yao, M. Wu and M. Qian, *Nanoscale*, 2016, **8**, 8986–8994.
- 45 X. H. Zha, J. Zhou, Y. Zhou, Q. Huang, J. He, J. S. Francisco, K. Luo and S. Du, *Nanoscale*, 2016, **8**, 6110–6117.
- 46 M. Pandey and K. S. Thygesen, *J. Phys. Chem. C*, 2017, **121**, 13593–13598.
- 47 C. F. Fu, X. Li, Q. Luo and J. Yang, *J. Mater. Chem. A*, 2017, **5**, 24972–24980.
- 48 M. Naguib, M. Kurtoglu, V. Presser, J. Lu, J. Niu, M. Heon, L. Hultman, Y. Gogotsi and M. W. Barsoum, *Adv. Mater.*, 2011, **23**, 4248.
- 49 K. Hantanasirisakul and Y. Gogotsi, *Adv. Mater.*, 2018, **30**, 1804779.
- 50 M. Naguib, O. Mashtalir, J. Carle, V. Presser, J. Lu, L. Hultman, Y. Gogotsi and M. W. Barsoum, *ACS Nano*, 2012, **6**, 1322.
- 51 L. Wang, P. Hu, Y. Long, Z. Liu and X. He, *J. Mater. Chem. A*, 2017, **5**, 22855.
- 52 B. Anasori, M. R. Lukatskaya and Y. Gogotsi, *Nat. Rev. Mater.*, 2017, **2**, 16098.
- 53 M. Naguib, J. Halim, J. Lu, K. M. Cook, L. Hultman, Y. Gogotsi and M. W. Barsoum, *J. Am. Chem. Soc.*, 2013, **135**, 15966.
- 54 S. Wang, *et al.*, *Comput. Mater. Sci.*, 2014, **83**, 290–293.
- 55 T. Yu, S. Zhang and G. Yang, *J. Mater. Chem. A*, 2017, **5**, 18698.
- 56 Y. Xiao, Y. Ding, H. Cheng and Z. Lu, *Comput. Mater. Sci.*, 2019, **163**, 267–277.
- 57 M. Faraji, A. Bafekry, M. M. Fadlallah, F. Molaei, N. N. Hieu, P. Qian, M. Ghergherehchi and D. Gogova, *Phys. Chem. Chem. Phys.*, 2021, **23**, 15319–15328.
- 58 M. Sternik and U. D. Wdowik, *Phys. Chem. Chem. Phys.*, 2018, **20**, 7754.
- 59 S. Zhao, W. Kang and J. Xue, *Appl. Phys. Lett.*, 2014, **104**, 133106.
- 60 (a) G. Kresse and J. Hafner, *Phys. Rev. B: Condens. Matter Mater. Phys.*, 1993, **47**, 558; (b) G. Kresse and J. Hafner, *Phys. Rev. B: Condens. Matter Mater. Phys.*, 1994, **49**, 14251.
- 61 G. Kresse and J. Furthmüller, *Comput. Mater. Sci.*, 1996, **6**, 15.
- 62 G. Kresse and D. Joubert, *Phys. Rev. B: Condens. Matter Mater. Phys.*, 1999, **59**, 1758.
- 63 G. Kresse and J. Furthmüller, *Phys. Rev. B: Condens. Matter Mater. Phys.*, 1996, **54**, 11169.
- 64 C. Si, J. Zhou and Z. Sun, *ACS Appl. Mater. Interfaces*, 2015, **7**, 17510.
- 65 P. E. Blochl, *Phys. Rev. B: Condens. Matter Mater. Phys.*, 1994, **50**, 17953.
- 66 J. P. Perdew, J. A. Chevary, S. H. Vosko, A. Jackson, K. M. R. Pederson, D. J. Singh and C. Fiolhais, *Phys. Rev. B: Condens. Matter Mater. Phys.*, 1992, **46**, 6671.
- 67 J. P. Perdew and A. Zunger, *Phys. Rev. B: Condens. Matter Mater. Phys.*, 1981, **23**, 5048.
- 68 J. P. Perdew, K. Burke and M. Ernzerhof, *Phys. Rev. Lett.*, 1996, **77**, 3865–3868.
- 69 J. Heyd, G. E. Scuseria and M. Ernzerhof, *J. Chem. Phys.*, 2003, **118**, 8207.
- 70 J. Heyd, G. E. Scuseria and M. Ernzerhof, *J. Chem. Phys.*, 2006, **124**, 219906.
- 71 A. V. Krukau, O. A. Vydrov, A. F. Izmaylov and G. E. Scuseria, *J. Chem. Phys.*, 2006, **125**, 224106.
- 72 J. Klimes, D. R. Bowler and A. Michaelides, *J. Phys.: Condens. Matter*, 2010, **22**, 022201.
- 73 J. Klimes, D. R. Bowler and A. Michaelides, *Phys. Rev. B: Condens. Matter Mater. Phys.*, 2011, **83**, 195131.
- 74 G. Roman-Perez and J. M. Soler, *Phys. Rev. Lett.*, 2009, **103**, 096102.
- 75 H. Monkhorst and J. Pack, *Phys. Rev. B: Condens. Matter Mater. Phys.*, 1976, **13**, 5188.
- 76 Y. Le Page and P. Saxe, *Phys. Rev. B: Condens. Matter Mater. Phys.*, 2002, **65**, 104104.
- 77 Y. Wang, X. Wu, N. Song, X. Yang, Y. Zheng and F. Wang, *J. Mater. Sci.*, 2021, **56**, 7451–7463.
- 78 M. Born, *Math. Proc. Cambridge Philos. Soc.*, 2008, **36**, 160–172.
- 79 Q. Peng and S. De, *Phys. Chem. Chem. Phys.*, 2013, **15**, 19427.
- 80 M. Zhang, C. Tang, W. Cheng and L. Fu, *J. Alloys Compd.*, 2021, **855**, 157432.
- 81 R. John and B. Merlin, *Cryst. Struct. Theory Appl.*, 2016, **5**, 43–55.
- 82 W. Voigt, *Lehrbuch der Kristallphysik (mit Ausschluss der Kristalloptik)*, Teubner, Leipzig, 1928.
- 83 A. Reuss, *J. Appl. Math. Mech.*, 1929, **9**(1), 49–58.
- 84 R. Hill, *Proc. Phys. Soc., Sect. A*, 1952, **65**, 349.
- 85 C. L. Li, B. Wang, Y. S. Li and R. Wang, *J. Phys. D: Appl. Phys.*, 2009, **42**, 065407.
- 86 C. Lee, X. Wei, J. W. Kysar and J. Hone, *Science*, 2008, **321**, 385–388.
- 87 B. Silvi and A. Savin, *Nature*, 1994, **371**, 683.
- 88 M. Kohout, F. R. Wagner and Y. Grin, *Theor. Chem. Acc.*, 2002, **108**, 150–156.
- 89 S. Shi, L. Zhu, H. Zhang and Z. Sun, *J. Alloys Compd.*, 2017, **711**, 637–642.
- 90 W. Liu, X.-G. Lu, Q.-M. Hu, H. Wang, Y. Liu, P. Boulet and M.-C. Record, *J. Alloys Compd.*, 2019, **811**, 152053.
- 91 N. Zhang, Y. Hong, S. Yazdanparast and M. Zaeem, *2D Mater.*, 2018, **5**, 045004.
- 92 S. Thomas and M. A. Zaeem, *Adv. Theory Simul.*, 2021, **4**, 2000250.
- 93 Y. Liu, H. Xiao and W. A. Goddard, *J. Am. Chem. Soc.*, 2016, **138**, 1585315856.
- 94 Y. Cai, G. Zhang and Y.-W. Zhang, *J. Phys. Chem. C*, 2015, **119**, 13929.
- 95 X.-H. Li, R.-Z. Zhang and H.-L. Cui, *ACS Omega*, 2020, **5**, 18403.
- 96 F. Giubileo and A. D. Bartolomeo, *Prog. Surf. Sci.*, 2017, **92**, 143–175.
- 97 G. Gao, G. Ding, J. Li, K. Yao, M. Wua and M. Qianb, *Nanoscale*, 2016, **8**, 8986–8994.
- 98 N. G. Romeral and A. M. Garcia, *et. al.*, *J. Phys. Chem. C*, 2023, **127**, 3706.
- 99 H. Capellmann, *Z. Phys. B: Condens. Matter*, 1979, **34**, 29.



- 100 B. Akgenc, A. Mogulkoc and E. Durgun, *J. Appl. Phys.*, 2020, **127**, 084302.
- 101 J.-Y. You, Z. Zhang, B. Gu and G. Su, *Phys. Rev. Appl.*, 2019, **12**, 024063.
- 102 J.-Y. You, Z. Zhang, X.-J. Dong, B. Gu and G. Su, *Phys. Rev. Res.*, 2020, **2**, 013002.
- 103 H. Jin, Y. Dai, B. Huang and M. H. Whangbo, *Appl. Phys. Lett.*, 2009, **94**, 162505.
- 104 N. Tandon, G. P. Das and A. Kshirsagar, *Phys. Rev. B: Condens. Matter Mater. Phys.*, 2008, **77**, 205206.
- 105 Y. Zhang, B. Sa, N. Miao, J. Zhou and Z. Sun, *J. Mater. Chem. A*, 2021, **9**, 10882.
- 106 Z.-H. Li, J. Wang and J.-H. Yuan, *Comput. Mater. Sci.*, 2021, **200**, 110838.
- 107 C. Gong, L. Li, Z. Li, H. Ji, A. Stern, Y. Xia, T. Cao, W. Bao, C. Wang, Y. Wang, Z. Q. Qiu, R. J. Cava, S. G. Louie, J. Xia and X. Zhang, *Nature*, 2017, **546**(7657), 265–269.
- 108 B. Huang, G. Clark, E. Navarro-Moratalla, D. R. Klein, R. Cheng, K. L. Seyler, D. Zhong, E. Schmidgall, M. A. McGuire, D. H. Cobden, W. Yao, D. i. Xiao, P. JarilloHerrero and X. Xu, *Nature*, 2017, **546**(7657), 270–273.
- 109 J. Yang, X. Zhou, X. Luo, S. Zhang and L. Chen, *Appl. Phys. Lett.*, 2016, **109**, 203109.
- 110 H. Kumar, N. C. Frey, L. Dong, B. Anasori, Y. Gogotsi and V. B. Shenoy, *ACS Nano*, 2017, **11**, 7648–7655.
- 111 B. Wang, Y. Zhang, L. Ma, Q. Wu, Y. Guo, X. Zhang and J. Wang, *Nanoscale*, 2019, **11**(10), 4204–4209.
- 112 Y. Yue, *J. Supercond. Novel Magn.*, 2017, **30**(5), 1201–1206.
- 113 L. Hu, X. Wua and J. Yang, *Nanoscale*, 2016, **8**, 12939–12945.
- 114 G. H. O. Daalderop, P. J. Kelly and M. F. H. Schuurmans, *Phys. Rev. B: Condens. Matter Mater. Phys.*, 1990, **41**, 11919.

