

Cite this: *J. Mater. Chem. A*, 2023, **11**, 10720

The RuO₂/NiRu heterogeneous interface optimizes the d-band center of the Ni–Ru catalyst for high-performance alkaline hydrogen evolution reaction†

Yitian Zhou, Yifan Liu, Hehua Tang and Bo-Lin Lin *

Controlling the binding energy of hydrogen by introducing a secondary metal is an effective approach to design Ru-based electrocatalysts for improving the hydrogen evolution reaction (HER) performance. Here, we construct a series of multi-active site NiRu bimetallic materials with improved HER catalytic performance through a facile microwave synthesis method. Upon varying the Ni/Ru feeding ratio, the prepared Ni1Ru1/C sample was found to have the RuO₂/NiRu heterogeneous interface and showed the best HER performance. Only a 13 mV overpotential was observed at 10 mA cm⁻² in 1.0 M KOH solution, which is comparable to that of commercial Pt/C. Remarkably, lower overpotentials were achieved for the Ni1Ru1/C sample under industrially relevant current density conditions (higher than 500 mA cm⁻²) than commercial Pt/C. The HER activity for the Ni1Ru1/C sample can also be sustained at 400 mA cm⁻² for over 80 h with negligible degradation. The characterization and electrochemical experiment results illustrate that the excellent HER catalytic performance might be attributable to the enhancement of electrochemically active surface areas and the formation of the RuO₂/NiRu heterogeneous interface. DFT calculations further reveal a downshifted d-band center due to the presence of the RuO₂/NiRu heterogeneous interface, which appropriately weakens the too-strong adsorption of H* and thus improves the HER performance.

Received 12th December 2022
Accepted 8th March 2023

DOI: 10.1039/d2ta09660a

rsc.li/materials-a

1 Introduction

Electrochemical water splitting (WS) for hydrogen production driven by green and renewable energy provides a promising path to mitigate the aggravated energy crisis and realize large-scale storage of intermittent energy in chemical bonds.^{1,2} Developing effective electrocatalysts with high activity and stability for the hydrogen evolution reaction (HER) is crucial to hydrogen production during the electrochemical water splitting process. In general, platinum (Pt)-based electrocatalysts serve as the benchmark for the design of new catalysts.^{3–6} However, Pt-based electrocatalysts were not conducive to large-scale commercial applications due to its extremely high price and low earth abundance. Within this context, intensive attention has been drawn to highly active but less expensive transition metals with higher abundance. According to previous studies, the bond strength of Ru–H (about 65 kcal mol⁻¹) was close to that of Pt–H,^{7,8} indicating that Ru-based materials presumably possess electrocatalytic performance for the HER comparable to that of Pt. In addition, the price of Ru is merely 1/3 that of Pt.⁹ However, relatively inappropriate hydrogen chemical

adsorption/desorption on Ru still limits the HER performance.⁸ Thus, further development and designing the structures of Ru-based catalysts to moderate the binding energy of Ru–H and improving HER catalytic performance are of great importance.

In order to optimize the catalytic activity of Ru-based catalysts for the HER, numerous studies have been carried out on the modification of Ru-based materials and further regulating the electronic structure to optimize hydrogen adsorption and desorption processes during the HER.^{10–17} Among them, introducing a secondary metal is an attractive approach to realize modifications of both electronic structures and morphology of the catalyst.^{8,18–20} The introduction of Ni to Ru-based catalysts has been proved to be an effective way to facilitate the catalytic performance of the HER, as the modification of Ni could weaken the too-strong Ru–H bond strength.^{1,21–26} In addition, adding cheaper Ni into Ru-based catalysts can reduce the amount of precious metals to lower the cost. The excellent HER activity of NiRu catalysts has been mainly attributed to the formation of heteroatomic bonds, the changes of lattice parameters, and the modifications of charge distributions after Ni incorporation.^{8,23} In previous work, the existence of lattice strain induced by NiRu alloying was demonstrated by TEM and XRD characterization.²⁷ DFT calculations further demonstrate that the Ni–Ru alloying effect is able to tune the adsorption and desorption of H during the process of the HER under alkaline conditions, hence improving the HER performance.^{8,18,28}

School of Physical Science and Technology, ShanghaiTech University, Shanghai 201210, China. E-mail: linbl@shanghaitech.edu.cn

† Electronic supplementary information (ESI) available. See DOI: <https://doi.org/10.1039/d2ta09660a>



Herein, we reasoned that excessive amounts of a secondary element doping may lead to its accumulation and phase separation, affording abundant heterogeneous interfaces.^{29,30} The strain regions arising from heterogeneous interfaces can regulate the conductivity, mechanical strength, plasticity, charge transfer properties and electron density of the catalysts, which could further affect the behaviors of electrochemical redox processes.³⁰ Based on this hypothesis, we fabricated a series of NiRu-based electrocatalysts with multi-active sites through a convenient and rapid microwave method. Among them, the Ni1Ru1/C sample featuring RuO₂/NiRu heterogeneous interfaces showed outstanding catalytic performance for the HER. Only 13 mV overpotential at a current density of 10 mA cm⁻² was observed using 1 M KOH aqueous solution as the electrolyte. In addition, the catalytic activity for the HER was even better than that of commercial Pt/C (40 wt%) at high current density. Remarkably, Ni1Ru1/C displayed negligible catalytic activity degradation of the HER for more than 80 h at a current density of 400 mA cm⁻². The measured double layer capacitance of the Ni1Ru1/C sample was 23.9 mF cm⁻² and the high electrochemically active surface areas made an important contribution to the improved HER activity. Moreover, density functional theory (DFT) calculations suggested that the Gibbs free energy of adsorbed H (H*) formation could be regulated by the introduction of Ni, thus favoring hydrogen formation. More importantly, the Gibbs free energy of H* formation could be further optimized upon the introduction of the RuO₂/NiRu heterogeneous interface, rationalizing the superior catalytic performance for the HER on the Ni1Ru1/C sample.

2 Experimental details

2.1 Materials synthesis

Synthesis and characterization of NixRuy/C: by varying the Ni/Ru metal molar ratio, Ni1Ru0/C, Ni2Ru1/C, Ni1Ru1/C Ni1Ru2/C and Ni0Ru1/C were synthesized at Ni/Ru ratios of 1 : 0, 2 : 1, 1 : 1, 1 : 2 and 0 : 1, respectively (Table S2†). As shown in Fig. 1, NixRuy/C samples were prepared through a two-step procedure (*x* and *y* represent the fed molar ratios of Ni and Ru metals, respectively). First of all, ball-milling was used to mix RuCl₃·3H₂O, Ni(acac)₂ and carbon black well for 3 hours to get the powder precursors. Secondly, 300.0 mg of the mixture should be

placed in a microwave reactor and then heated for 3 minutes with a power of 900 W in air, after which multi-active site NixRuy/C was successfully obtained. The HER property measurement showed that the optimal ratio of Ni/Ru is 1 : 1 in NixRuy/C (denoted as Ni1Ru1/C). The ink was prepared by ultrasonically mixing 2.0 mg of NixRuy/C, 0.1 mL of ethylene glycol and 15 μL Nafion, which was then dropped onto carbon paper and dried overnight to get the NixRuy/C electrode for electrochemical measurements. The details of the main reagents and instruments are listed in Table S3.†

2.2 Characterization

Scanning electron microscopy (SEM) was performed on a JSM-IT500HR/LA. Transmission electron microscopy (TEM) and scanning transmission electron microscopy (STEM) measurements were performed on a JEM-F200 and JEM-1400plus. X-ray powder diffraction (XRD) patterns were acquired using a D8 Advance. X-ray photoelectron spectroscopy (XPS) measurements were conducted on an ESCALAB 250Xi. The contact angle analysis was performed with a KRUSS DSA25. ICP-OES was conducted on an ICP-OES Icap7400.

2.3 Electrochemical measurements

All HER tests were performed at room temperature with a conventional three-electrode system which employed a Hg/HgO reference electrode and a platinum net counter electrode, and an electrolyte of 1.0 M KOH. The NixRuy/C electrode was used as the working electrode with the area immersed in the electrolyte being 1 cm × 1 cm. The loading of the Ni1Ru1/C catalyst was 1.86 mg cm⁻². The potential in this work was referenced to a reversible hydrogen electrode (RHE) scale according to the Nernst equation in 1.0 M KOH ($E_{vs. RHE} = E_{vs. Hg/HgO} + 0.098 + 0.05916 \text{ pH}$). Linear sweep voltammetry (LSV) with auto *iR* correction and electrochemical impedance spectroscopy (EIS) with a frequency range from 100 kHz to 0.1 Hz were performed using a Gamry electrochemical workstation. Electrochemically active surface areas (ECSAs) of the NixRuy/C electrodes were measured using a CHI 660E electrochemical workstation and were determined using double-layer capacitance (*C_{dl}*), which can be determined by calculating the slope in the linear relationship of current density with a scan rate increase.

2.4 DFT calculations

DFT calculations were performed with the Vienna *ab initio* simulation package (VASP), with the projector augmented wave (PAW) potentials to describe the electron-ion interactions. The generalized gradient approximation (GGA) with the Perdew-Burke-Ernzerhof (PBE) functional was used for the exchange-correlation potentials. The cutoff energy for the plane-wave basis set was 450 eV. The long-range dispersion interactions between the adsorbates and catalyst surface were illustrated by the D3 correction method.³¹ The Brillouin zone was sampled with 3 × 3 × 1 gamma-centered *k*-mesh for metal oxide slabs and 2 × 2 × 1 *k*-mesh for the alloy/oxide interface. Geometries of all the structures were optimized with the conjugate gradient




Fig. 1 Schematic illustration of the preparation process of the RuO₂/NiRu.



algorithm and the convergence tolerances for residual energy and force were 10^{-4} eV and 0.02 eV \AA^{-1} .

$\text{RuO}_2(110)$ and $\text{NiO}(100)$ were modeled as a periodic four-layer $p(3 \times 3)$ model with the 2 lower layers fixed and 2 upper layers relaxed. $\text{NiRu}(101)$ was modeled as the 2×3 supercell of $c(\sqrt{2} \times \sqrt{2}) - 45$. To simulate the RuO_2/NiRu interface, the NiRu cluster containing 4 Ni and 4 Ru atoms was placed on $\text{RuO}_2(110)$. The simulation of the Ru/NiRu interface was the same as that of the RuO_2/NiRu interface, except for replacing $\text{RuO}_2(110)$ with $\text{Ru}(101)$. A vacuum space of 15 \AA perpendicular to the surface was applied to separate the interaction between the neighboring slabs.

The adsorption free energies of hydrogen were defined as:

$$\Delta E_{\text{H}} = E_{\text{H}^*} - (E^* + 1/2E_{\text{H}_2})$$

where E_{H^*} , E^* and E_{H_2} are the total energies of the H adsorbed system, a clean substrate and molecular H_2 . The Gibbs free energy of the adsorbed state was computed as:

$$\Delta G = \Delta E_{\text{H}} + \Delta \text{ZPE} - T\Delta S$$

where ΔZPE and ΔS represent the zero-point energy and entropy, respectively; temperature T was set to 298.15 K. ΔZPE and ΔS were derived from the calculated vibrational frequencies with the harmonic approximation.³² The Ru 3d band center was defined as the weighted average energy of the projected density of 3d states of Ru relative to the Fermi level.

3 Results and discussion

3.1 Characterization of $\text{Ni}_x\text{Ru}_y/\text{C}$

As depicted in Fig. 1, the $\text{Ni}_x\text{Ru}_y/\text{C}$ samples were prepared through a facile microwave method; the carbon black substrate was mixed with Ni and Ru precursors with grinding treatment, followed by microwave irradiation, and then the targeted carbon supported NiRu composite material was obtained. The scanning electron microscope (SEM) image (Fig. 2a) indicated that the $\text{Ni}_1\text{Ru}_1/\text{C}$ sample was composed of small nanoparticles anchored on the carbon substrate. Further transmission electron microscopy (TEM) characterization and size distribution analysis (Fig. 2b and c) suggested that the particle size mainly ranged from 1.8 to 20 nm and the average particle size was 6.98 nm. The smaller nanoparticles should be more favorable for the exposure of active sites.^{5,33,34} As depicted in Fig. 2e, a heterogeneous interface (denoted as RuO_2/NiRu) was observed on the $\text{Ni}_1\text{Ru}_1/\text{C}$ sample. High-resolution TEM (HRTEM) showed lattice fringe distances of 0.228 and 0.206 nm, ascribed to the (200) facets of RuO_2 and the (0002) facets of the NiRu alloy, respectively. Moreover, NiO , RuO_2 , and NiRu alloy species were observed on the $\text{Ni}_1\text{Ru}_1/\text{C}$ sample from HRTEM (Fig. S3 and S4[†]), and the selected-area electron diffraction (SAED, Fig. S5[†]) pattern further confirmed the existence of the as-mentioned species. Fig. 2g–j display scanning transmission electron microscopy (STEM) images and the corresponding energy-dispersive spectrometry (EDS) mappings; the results suggested that Ni and Ru were homogeneously distributed on




Fig. 2 (a) SEM images of $\text{Ni}_1\text{Ru}_1/\text{C}$. (b–e) TEM images of $\text{Ni}_1\text{Ru}_1/\text{C}$. (d and f) The enlarged images of the yellow part (d) and green part (f) in (e), respectively. (g–j) STEM/EDS image with elemental mapping images for C, Ni and Ru.

the nanoparticles supported by carbon black. These data confirmed that the multi-active site catalyst of $\text{Ni}_1\text{Ru}_1/\text{C}$ with the RuO_2/NiRu heterogeneous interface was successfully fabricated.

3.2 HER performance of $\text{Ni}_x\text{Ru}_y/\text{C}$

The effect of the metal ratio of Ni/Ru on the electrochemical performance of multi-active site $\text{Ni}_x\text{Ru}_y/\text{C}$ catalysts was studied. The electrochemical performance was evaluated in a N_2 -saturated 1 M KOH aqueous solution with a classical three-electrode system. From the linear sweep voltammetry polarization curves (LSV, Fig. 3a), we found that the HER catalytic performance was significantly improved after the introduction of Ni, indicating the importance of Ni in improving the catalytic performance of the HER. The catalytic performance could be further optimized through regulating the ratio of Ni/Ru, and the best HER catalytic performance was achieved when the Ni/Ru ratio was $1:1$. It was worth noting that the overpotential on the $\text{Ni}_1\text{Ru}_1/\text{C}$ sample was only 13 mV at a current density of 10 mA cm^{-2} , which was close to that of commercial Pt/C (11 mV) and smaller than those on $\text{Ni}_2\text{Ru}_1/\text{C}$ (16 mV) and $\text{Ni}_1\text{Ru}_2/\text{C}$ (15 mV), respectively (Fig. 3c). Thus, the amounts of Ni in $\text{Ni}_x\text{Ru}_y/\text{C}$ composite catalysts had a great influence on the catalytic performance of alkaline HER, and the $\text{Ni}_1\text{Ru}_1/\text{C}$ sample possessed a more optimized Ni/Ru molar ratio to achieve a higher apparent current density than samples with other ratios with the same overpotential. Surprisingly, the $\text{Ni}_1\text{Ru}_1/\text{C}$ sample even exhibited better HER activity than the Pt/C sample at large current densities (greater than 500 mA cm^{-2}). By converting the apparent current density into mass current density, the mass activity could be compared more intuitively (Fig. S14 and Table S6[†]). At an overpotential of 10 mV, the mass current density of






Fig. 3 (a) Polarization curves (with iR correction) for various electrodes recorded in 1.0 M KOH with a scan rate of 5 mV s^{-1} . (b) Tafel plots obtained from the corresponding polarization curves in (a). (c) Comparison of the required overpotentials at 10, 100 and 500 mA cm^{-2} for various electrodes. (d) Comparison of NixRuy/C and other NiRu catalysts reported in previous literature based on the potential at 10 mA cm^{-2} and Tafel slope.

Ni1Ru1 was about 22.7, 18.7 and 14.2 times higher than those of Ni2Ru1/C, Ni1Ru2/C and Pt/C, respectively, which indicated higher intrinsic activity of Ni1Ru1/C.

The Tafel slope plots were extracted from the linear portions of the LSV curves in order to study the reaction kinetics of the HER process. As depicted in Fig. 3b, the Tafel slope of the Ni1Ru1/C sample was 33 mV dec^{-1} , which was almost the same as the 30 mV dec^{-1} of the Pt/C sample and smaller than 44 mV dec^{-1} of the Ni1Ru2/C sample and 56 mV dec^{-1} of the Ni2Ru1/C sample. The Tafel slope suggested that the HER on the Ni1Ru1/C sample might be processed *via* the Volmer-Tafel mechanism.^{28,35,36} The improvement of the kinetic process might originate from the synergic catalytic effect of Ni and Ru,²⁸ and the optimized molar ratio of Ni and Ru on the Ni1Ru1/C sample might further promote such a reaction process compared to Ni2Ru1/C or Ni1Ru2/C. From the perspective of overpotential at a current density of 10 mA cm^{-2} and the Tafel slope, our Ni1Ru1/C sample showed better catalytic performance than relevant NiRu-based HER catalysts reported in the literature previously (Fig. 3d and Table S1†).

To further understand the origin of the excellent catalytic performance of the NixRuy/C composite samples, electrochemical impedance spectroscopy (EIS) and electrochemically active surface area (ECSA) analyses of several multi-active site NixRuy/C samples were carried out. EIS was used to evaluate the charge transfer resistance of the electrodes during the electrocatalytic reaction process. The corresponding equivalent circuit is shown in the inset, which was composed of R_s (the ohmic resistance of the electrolyte), R_{ct} (charge transfer resistance) and Y_0 (constant phase elements).¹⁸ The diameter of the half cycle shown in Fig. 4a of Ni1Ru1/C (0.651 ohm) was obviously smaller




Fig. 4 (a) Fitting Nyquist plots for various electrodes measured at an overpotential of -74 mV . (b) CV curve tested at different scan rates (varying from 10 mV s^{-1} to 70 mV s^{-1}) of Ni1Ru1/C. (c) Plots of the current density difference (Δj) against the scan rate for calculation of double-layer capacitance (C_{dl}). (d) Chronopotentiometric ($V-t$) curve of Ni1Ru1/C with a constant current density of -400 mA cm^{-2} (a certain amount of pure water was added at the point indicated by the arrow to compensate for the consumption of water due to electrolysis after 30 hours in experiments).

than that of Ni0Ru1/C (1.938 ohm), Ni1Ru2/C (0.933 ohm), and Ni2Ru1/C (1.372 ohm), indicating that the Ni1Ru1/C sample should have a lower contact resistance and a faster electron transfer process during the HER than the control samples.³⁷ The R_{ct} of catalysts was significantly reduced due to the introduction of Ni, and thus the corresponding kinetic process of the HER was greatly promoted.²³ Fig. 4b and S7† present the cyclic voltammetry (CV) curves of NixRuy/C electrodes at different scan rates. As shown in Fig. 4c, the calculated double-layer capacitance (C_{dl}) of Ni1Ru1/C was 23.9 mF cm^{-2} , which was larger than 20.2 mF cm^{-2} of Ni2Ru1/C, 13.2 mF cm^{-2} of Ni0Ru1/C, 11.8 mF cm^{-2} of Ni1Ru2/C, and 6.5 mF cm^{-2} of Ni1Ru0/C, suggesting an exposure of more abundant active sites on Ni1Ru1/C than the control samples. When the Ni/Ru ratio is 1, the number of active sites might increase, which leads to the largest ECSA of the Ni1Ru1/C sample. And the higher ECSA of the Ni1Ru1/C was one of the important causes of enhanced HER activity. These results seem to support our initial hypothesis that the introduction of RuO₂/NiRu heterogeneous interfaces might serve as an effective strategy to improve the catalytic activity.

In order to evaluate the stability and durability of the Ni1Ru1/C catalyst and its application potential in industrial water electrolysis, the Ni1Ru1/C electrode was tested in 1 M KOH electrolyte at a current density of 400 mA cm^{-2} for over 80 hours (Fig. 4d). After 80 hours of galvanostatic testing, the increase in overpotential appeared negligible, indicating that the Ni1Ru1/C electrode was able to maintain satisfactory durability in the alkaline HER catalysis process. Though there was a slightly reduced signal for the decreased amount of



RuO₂(211), no obvious Ru⁰ signal was presented in the XRD spectrum shown in Fig. S9.† The ratio of Ru⁴⁺ to Ru⁰ on the post-electrode surface did not change significantly in XPS patterns (Fig. S13 and Table S5†). The XRD and XPS results indicated that most RuO₂ had not been reduced. And the SEM images and contact angle results of the electrode surface before and after the HER measurement showed that the morphology of the electrode surface remained basically unchanged (Fig. S8 and S11†). Therefore, the morphology of the electrode surface remained basically unchanged during the 80 h HER test, which suggested its application potential in industrial WS.

3.3 The study of local electron modulation for the RuO₂/NiRu heterogeneous interface

In order to further study the localized electron modulation in the multi-active sites of Ni1Ru1/C and rationalize the improved alkaline HER activity, we carried out XRD and XPS characterization tests on the synthesized catalysts. As shown in the XRD pattern (Fig. 5a), Ni1Ru1/C was mainly composed of a NiRu alloy, RuO₂ and NiO, which was consistent with XPS characterization. As shown in Fig. 5c, 280.6 and 281.3 eV in Ni0Ru1/C correspond to the Ru⁰ of Ru metal and Ru⁴⁺ of RuO₂, respectively. As shown in Fig. 5d, Ni1Ru0/C shows two signals at 854.7 and 856.5 eV corresponding to Ni⁰ of Ni metal and Ni²⁺ of NiO, respectively. When the corresponding peaks were compared with those of Ni1Ru1/C, it could be seen that when Ni was introduced to form the NiRu alloy, the binding energy of Ru⁰ shifted negatively while positive shifts occurred on Ni⁰ peaks. This indicated that electrons were transferred from Ni to Ru in NiRu alloys due to the smaller electronegativity of Ni relative to that of Ru, leading to the interatomic charge polarization in the NiRu alloys.²⁸ In addition, the results of XPS peak analysis indicated that feeding different metal ratios of Ni to Ru can

change the ratio of Ru⁰ to Ru⁴⁺ on the surface of the synthesized material. Thus, the introduction of Ni can influence the formation of the NiRu alloy. The difference in the positional shift of the binding energy of Ni⁰ in Ni2Ru1/C, Ni1Ru2/C and Ni1Ru1/C suggested a difference in the degree of electronic coupling between Ni and Ru.³⁸ Among them, the deviation degree of Ni⁰ in Ni1Ru1/C was the largest, suggesting that there was a stronger local electronic modulation on the surface of the catalyst. Furthermore, compared with Ni2Ru1/C and Ni1Ru2/C, the peak of Ru⁰ in Ni1Ru1/C had a positive shift of 0.1 eV and a negative shift of 0.1 eV also occurred to the Ru⁴⁺ peak, which might be caused by electron transfer from NiRu to RuO₂ at the interface of RuO₂/NiRu. Such an electron effect may also be one of the reasons for the aforementioned deviation enhancement of the Ni⁰ peak. The results showed that there might be a stronger local electron modulation at the RuO₂/NiRu heterogeneous interface, thus speeding up the electron transfer and charge transfer in the catalytic reaction for alkaline HER.

3.4 The DFT calculation study for the RuO₂/NiRu heterogeneous interface

It was accepted that the alkaline HER followed the Volmer–Heyrovsky or Volmer–Tafel mechanism.^{39,40} The H–O–H bond of water molecules first needed to break to form H* and OH⁻, and the Volmer step (eqn (1.1)) involved the adsorption and dissociation of water molecules on the catalyst surface.⁴¹ Next, a hydrogen generation step occurred on the surface with the Heyrovsky step (eqn (1.2)) or Tafel step (eqn (1.3)).³⁶






Fig. 5 (a) XRD pattern of Ni1Ru1/C. (b) XPS survey of NiRu/C. (c) C 1s + Ru 3d. (d) Ni 2p.





Though the Tafel slope could not be used to determine the specific mechanism of the HER, the value of the Tafel slope has been generally used to analyze the rate-determination steps in the reaction process according to the Butler–Volmer equation.^{28,35,36} Combined with research studies on Ru-based catalysts^{1,9,42} and Tafel slope,^{43,44} the HER on the Ni1Ru1/C might be processed *via* the Volmer–Tafel mechanism.

To probe the potential effect of the RuO₂/NiRu interface, the Gibbs free energy of hydrogen adsorption (ΔG_{H^*}), a good descriptor that may partially rationalize HER catalytic activity, was calculated using DFT. It indicated optimal hydrogen adsorption and release when ΔG_{H^*} was close to zero.^{45,46} The RuO₂/NiRu interface model was constructed for DFT calculations. Given the partial reduction of RuO₂ of RuO₂/NiRu after the HER test, a Ru/NiRu model was also simulated. Fig. 6a shows the optimized NiO, RuO₂, NiRu alloys, RuO₂/NiRu interface and Ru/NiRu interface for the hydrogen atom adsorption model, respectively. Our DFT calculation results showed that ΔG_{H^*} on the RuO₂/NiRu heterogeneous interface (−0.240 eV) was much closer to zero than those of NiO (1.047 eV), RuO₂ (−0.772 eV) and NiRu alloy (−0.422 eV), indicating that the formation of the RuO₂/NiRu heterogeneous interface was able to modulate the hydrogen adsorption strength thereby improving the HER performance of Ni1Ru1/C (Fig. 6b). And the ΔG_{H^*} of RuO₂/NiRu interface was also closer to zero than ΔG_{H^*} of the Ru/NiRu interface, suggesting that the former has higher HER activity than the latter. Since no significant increase in overpotential was observed in the 80 h CP test of Ni1Ru1/C, it should be reasonable to propose that RuO₂/NiRu should be the most active component of Ni1Ru1/C. The analysis of PDOS

illustrated that the RuO₂/NiRu interface presented a down-shifted d-band center and a trend away from the Fermi level, which is consistent with the weakening of the H adsorption energy (Fig. 6c). As the Sabatier principle described, an active catalyst binds reaction intermediate(s) neither too strongly nor too weakly.^{45,47} Thus, the computational results also support our original speculation that the formation of the RuO₂/NiRu heterogeneous interface can weaken the too-strong adsorption of H*,⁴⁷ leading to the corresponding ΔG_{H^*} being close to a desirable value (Fig. 6d). Additionally, RuO₂ might play the important role of strengthening *OH adsorption, which was beneficial for the promotion of the Volmer step.⁴⁸ By combining the weakened *H adsorption and enhanced *OH adsorption,^{48,49} a reasonable hypothesis can be made that the interfacial synergy between NiRu and RuO₂ might boost the HER activities.

4 Conclusions

In summary, we prepared a series of multi-active site NiRu bimetallic materials through a facile microwave synthesis method. The introduction of Ni to form NiRu bimetallic electrocatalysts has led to significantly improved HER catalytic performance; furthermore, the NiRu/RuO₂ heterogeneous interface was successfully constructed on the Ni1Ru1/C sample to further improve the HER catalytic performance. The optimized Ni1Ru1/C sample exhibited an overpotential of only 13 mV at a current density of 10 mA cm^{−2} under alkaline conditions, outperforming state-of-the-art results reported in the previous literature; moreover, excellent stability for more than 80 h at 400 mA cm^{−2} was achieved. A combination of experimental and computational studies suggested that a faster electron transfer process, higher ECSA, and the presence of the NiRu/RuO₂ heterogeneous interface jointly contributed to the observed improvement in HER catalytic activity.

Conflicts of interest

There are no conflicts to declare.

Acknowledgements

We would like to acknowledge the support from the Analytical Instrumentation Center of the Schools of Physical Science and Technology (SPST), ShanghaiTech University.

Notes and references

- 1 Y. Xu, S. S. Yu, T. L. Ren, S. L. Liu, Z. Q. Wang, X. N. Li, L. Wang and H. J. Wang, *ACS Appl. Mater. Interfaces*, 2020, **12**, 34728.
- 2 T. Lim and S. K. Kim, *Chem. Eng. J.*, 2022, **433**, 1385–8947.
- 3 W. H. Zhang, B. Q. Zhang, Y. A. Li, E. Z. Zhang, Y. Zhang, Q. Wang and Y. Q. Cong, *Int. J. Hydrogen Energy*, 2022, **47**, 1633.
- 4 J. He, X. Zhou, P. Xu and J. M. Sun, *Adv. Energy Mater.*, 2021, 2102883.




Fig. 6 (a) Schematic illustration of the adsorption model. (b) Gibbs free energy diagram for hydrogen evolution at equilibrium ($U = 0$ V) in NiO, RuO₂, NiRu, and RuO₂/NiRu interface. (c) PDOS and d-band centers of RuO₂, NiRu, and RuO₂/NiRu interface. (d) Gibbs free energy changes of hydrogen adsorption as a function of d-band centers of RuO₂, NiRu, and RuO₂/NiRu interface.



- 5 T. T. Gao, X. Q. Li, X. J. Chen, C. X. Zhou, Q. Yue, H. Y. Yuan and D. Xiao, *Chem. Eng. J.*, 2021, **424**, 130416.
- 6 Y. Lu, D. Guo, Y. F. Zhao, Y. J. Zhao, S. P. Wang and X. B. Ma, *Appl. Catal., B*, 2021, **291**, 120075.
- 7 Y. Ishikawa, J. J. Mateo, D. A. Tryk and C. R. Cabrera, *J. Electroanal. Chem.*, 2007, **607**, 37.
- 8 C. Cai, K. Liu, Y. M. Zhu, P. C. Li, Q. Y. Wang, B. Liu, S. Y. Chen, H. J. W. Li, L. Zhu, H. M. Li, J. W. Fu, Y. Chen, E. Pensa, J. H. Hu, Y. R. Lu, T. S. Chan, E. Cortes and M. Liu, *Angew. Chem., Int. Ed.*, 2022, **61**, e202113664.
- 9 C. Yang, Z. Wu, Z. Zhao, Y. Gao, T. Ma, C. He, C. Wu, X. Liu, X. Luo, S. Li, C. Cheng and C. Zhao, *Small*, 2023, 2206949.
- 10 X. K. Wu, Z. C. Wang, D. Zhang, Y. N. Qin, M. H. Wang, Y. Han, T. R. Zhan, B. Yang, S. X. Li, J. P. Lai and L. Wang, *Nat. Commun.*, 2021, **12**, 4018.
- 11 Y. X. Fan, X. D. Zhang, Y. J. Zhang, X. Xie, J. Ding, J. L. Cai, B. J. Li, H. L. Lv, L. Y. Liu, M. M. Zhu, X. C. Zheng, Q. Cai, Y. S. Liu and S. Y. Lu, *J. Colloid Interface Sci.*, 2021, **604**, 508.
- 12 J. T. Zhang, X. N. Mao, S. L. Wang, L. L. Liang, M. F. Cao, L. Wang, G. Li, Y. Xu and X. Q. Huang, *Angew. Chem., Int. Ed.*, 2022, **134**, e202116867.
- 13 P. P. Su, W. Pei, X. W. Wang, Y. F. Ma, Q. K. Jiang, J. Liang, S. Zhou, J. J. Zhao, J. Liu and G. Q. Lu, *Angew. Chem., Int. Ed.*, 2021, **60**, 16044.
- 14 J. Q. Jiao, N. N. Zhang, C. Zhang, N. Sun, Y. Pan, C. Chen, J. Li, M. J. Tan, R. X. Cui, Z. L. Shi, J. W. Zhang, H. Xiao and T. B. Lu, *Adv. Sci.*, 2022, **9**, 2200010.
- 15 J. Yu, Q. J. He, G. M. Yang, W. Zhou, Z. P. Shao and M. Ni, *ACS Catal.*, 2019, **9**, 9973.
- 16 B. Z. Lu, L. Guo, F. Wu, Y. Peng, J. E. Lu, T. J. Smart, N. Wang, Y. Z. Finckel, D. Morris, P. Zhang, N. Li, P. Gao, Y. Ping and S. W. Chen, *Nat. Commun.*, 2019, **10**, 631.
- 17 J. L. Cai, J. Ding, D. H. Wei, X. Xie, B. J. Li, S. Y. Lu, J. M. Zhang, Y. S. Liu, Q. Cai and S. Q. Zhang, *Adv. Energy Mater.*, 2021, **11**, 2100141.
- 18 Q. F. Yang, P. Jin, B. Liu, L. Zhao, J. H. Cai, Z. Wei, S. W. Zuo, J. Zhang and L. Feng, *J Mater Chem A*, 2020, **8**, 9049.
- 19 Z. Zhao, X. Wang, J. Si, C. Yue, C. Xia and F. Li, *Green Chem.*, 2018, **20**, 832.
- 20 Y. Y. Liu, H. Wen, D. J. Zhou, X. Y. Huang, X. L. Wu, J. C. Jiang, X. J. Guo and B. J. Li, *Appl. Catal., B*, 2021, **291**, 120094.
- 21 Z. K. Peng, J. M. Liu, B. Hu, Y. P. Yang, Y. Q. Guo, B. J. Li, L. Li, Z. H. Zhang, B. B. Cui, L. H. He and M. Du, *ACS Appl. Mater. Interfaces*, 2020, **12**, 13842.
- 22 A. Q. Kong, M. Peng, H. Z. Gu, S. C. Zhao, Y. Lv, M. H. Liu, Y. W. Sun, S. D. Dai, Y. Fu, J. L. Zhang and W. Li, *Chem. Eng. J.*, 2021, **426**, 131234.
- 23 S. K. Xu, Z. Q. Li, K. N. Chu, G. Yao, Y. Xu, P. Niu and F. C. Zheng, *Dalton Trans.*, 2020, **49**, 13647.
- 24 X. Han, T. Q. Si, Q. N. Liu, F. F. Zhu, R. J. Li, X. Y. Chen, J. C. Liu, H. Sun, J. G. Zhao, H. Ling, Q. H. Zhang and H. Z. Wang, *Chem. Eng. J.*, 2021, **426**, 130824.
- 25 M. Sarno, E. Ponticorvo and D. Scarpa, *Electrochem. Commun.*, 2020, **111**, 106647.
- 26 M. X. Li, H. Y. Wang, W. D. Zhu, W. M. Li, C. Wang and X. F. Lu, *Adv. Sci.*, 2020, **7**, 1901833.
- 27 P. Z. Yang, C. Q. Ma and Q. W. Tang, *Electrochim. Acta*, 2015, **184**, 226.
- 28 G. G. Liu, W. Zhou, B. Chen, Q. H. Zhang, X. Y. Cui, B. Li, Z. C. Lai, Y. Chen, Z. C. Zhang, L. Gu and H. Zhang, *Nano Energy*, 2019, **66**, 104173.
- 29 T. Lian, X. Y. Li, Y. L. Wang, S. J. Zhu, X. Y. Yang, Z. Liu, C. F. Ye, J. P. Liu, Y. Li, B. L. Su and L. H. Chen, *ACS Appl. Mater. Interfaces*, 2022, **14**, 30746.
- 30 R. Majee, S. Parvin, Q. A. Islam, A. Kumar, B. Debnath, S. Mondal, S. Bhattacharjee, S. Das, A. Kumar and S. Bhattacharyya, *Chem. Rec.*, 2022, **22**, e202200070.
- 31 S. Grimme, J. Antony, S. Ehrlich and H. Krieg, *J. Chem. Phys.*, 2010, **132**, 154104.
- 32 V. Wang, N. Xu, J. C. Liu, G. Tang and W. T. Geng, *Comput. Phys. Commun.*, 2021, **267**, 108033.
- 33 H. Wang, M. Ming, M. Hu, C. L. Xu, Y. Wang, Y. Zhang, D. J. Gao, J. Bi, G. Y. Fan and J. S. Hu, *ACS Appl. Mater. Interfaces*, 2018, **10**, 22340.
- 34 T. T. Gao, C. X. Zhou, X. J. Chen, Z. H. Huang, H. Y. Yuan and D. Xiao, *J Mater Chem A*, 2020, **8**, 18367.
- 35 L. S. Zhang, J. J. Lu, S. B. Yin, L. Luo, S. Y. Jing, A. Brouzgou, J. H. Chen, P. K. Shen and P. Tsiakaras, *Appl. Catal., B*, 2018, **230**, 58.
- 36 S. Y. Jing, L. S. Zhang, L. Luo, J. J. Lu, S. B. Yin, P. K. Shen and P. Tsiakaras, *Appl. Catal., B*, 2018, **224**, 533.
- 37 X. Y. Chen, J. W. Wan, J. Wang, Q. H. Zhang, L. Gu, L. R. Zheng, N. Wang and R. B. Yu, *Adv. Mater.*, 2021, **33**, 2104764.
- 38 D. Yang, P. Li, X. Y. Gao, J. L. Han, Z. Y. Liu, Y. P. Yang and J. H. Yang, *Chem. Eng. J.*, 2022, **432**, 134422.
- 39 J. D. Benck, T. R. Hellstern, J. Kibsgaard, P. Chakthranont and T. F. Jaramillo, *ACS Catal.*, 2014, **4**, 3957.
- 40 Y. Jiao, Y. Zheng, M. T. Jaroniec and S. Z. Qiao, *Chem. Soc. Rev.*, 2015, **44**, 2060.
- 41 M. Gong, D. Y. Wang, C. C. Chen, B. J. Hwang and H. J. Dai, *Nano Res.*, 2016, **9**, 28.
- 42 Y. Xu, S. L. Yin, C. J. Li, K. Deng, H. R. Xue, X. N. Li, H. J. Wang and L. Wang, *J Mater Chem A*, 2018, **6**, 1376.
- 43 Y. M. Shi and B. Zhang, *Chem. Soc. Rev.*, 2016, **45**, 1781.
- 44 T. Shinagawa, A. T. Garcia-Esparza and K. Takanebe, *Sci. Rep.*, 2020, **10**, 13801.
- 45 Z. W. Seh, J. Kibsgaard, C. F. Dickens, I. B. Chorkendorff, J. K. Nørskov and T. F. Jaramillo, *Science*, 2017, **355**, 6321.
- 46 N. Wang, S. L. Ning, X. L. Yu, D. Chen, Z. L. Li, J. C. Xu, H. Meng, D. K. Zhao, L. G. Li, Q. M. Liu, B. Z. Lu and S. W. Chen, *Appl. Catal., B*, 2022, **302**, 120838.
- 47 M. Kim, J. Park, H. Ju, J. Y. Kim, H. S. Cho, C. H. Kim, B. H. Kim and S. W. Lee, *Energy Environ. Sci.*, 2021, **14**, 3053.
- 48 G. Q. Zhao, Y. Z. Jiang, S. X. Dou, W. P. Sun and H. G. Pan, *Sci. Bull.*, 2021, **66**, 85.
- 49 B. Hammer and J. K. Nørskov, *Nature*, 1995, **376**, 238.

