PCCP

PAPER

Check for updates

Cite this: Phys. Chem. Chem. Phys., 2024, 26, 1000

Received 18th October 2023, Accepted 4th December 2023

DOI: 10.1039/d3cp05061k

rsc.li/pccp

Introduction

Lead halide perovskites have gained great interest in the scientific community due to their useful properties in multiple applications, including photovoltaics, light emitting diodes (LEDs), photodetectors, and more recently, their use in batteries and hydrogen production.¹⁻⁴ The general chemical formula for these materials is ABX₃, where A represents a monovalent cation (*e.g.*, methylammonium (MA⁺), CH₃NH₃⁺; formamidinium (FA⁺), CH(NH₂)₂⁺; Cs⁺), B is a divalent cation (*e.g.*, Pb²⁺) and X is typically a halide (*e.g.*, Br⁻, I⁻, Cl⁻).

Containing heavy elements, such as lead, iodide, or bromide, enables lead halide perovskites to detect high energy radiation (*e.g.*, X-rays or γ -rays) with high sensitivity and low detection limits.⁵ Therefore, perovskites have been suggested



Alberto García-Fernández, (D‡ª Birgit Kammlander, ‡^{ab} Stefania Riva, ^b Håkan Rensmo^b and Ute B. Cappel (D*^{abc})

The multiple applications of lead halide perovskite materials and the extensive use of X-ray based techniques to characterize them highlight a need to understand their stability under X-ray irradiation. Here, we present a study where the X-ray stability of five different lead halide perovskite compositions (MAPbI₃, MAPbCl₃, MAPbBr₃, FAPbBr₃, CsPbBr₃) was investigated using photoelectron spectroscopy. To exclude effects of thin film formation on the observed degradation behaviors, we studied clean surfaces of single crystals. Different X-ray resistance and degradation mechanisms were observed depending on the crystal composition. Overall, perovskites based on the MA⁺ cation were found to be less stable than those based on FA⁺ or Cs⁺. Metallic lead formed most easily in the chloride perovskite, followed by bromide, and only very little metallic lead formation was observed for MAPbI₃. MAPbI₃ showed one main degradation process, which was the radiolysis of MAI. Multiple simultaneous degradation towards the perovskite surface and the formation of volatile and solid products in addition to metallic lead. Lastly, CsBr formed as a solid degradation product on the surface of CsPbBr₃.

as the active material in photodetection applications, such as medical imaging, where studies indicate comparable performance to currently used materials.⁵ Additionally, they have been tested as extra-terrestrial solar cells for spacecraft power systems.⁶ Their performance under these conditions, such as absence of atmosphere (lack of moisture or oxygen) and extreme temperature fluctuations, has been tested on lead halide perovskite solar cells for a period of 10 months and shown potential.⁶

Despite their potential, their stability remains a challenge to address. Exposure to humidity, oxygen, illumination, and heat can all contribute to material deterioration.³ Particularly in their applications as photodetector or outer space solar cell, commercial implementation requires stability against high energy radiation.^{7,8} For this purpose, the X-ray stability of different perovskite compositions has to be assessed.

In addition to the previously mentioned applications, various characterization techniques which are extensively used for the study of lead halide perovskites rely on X-rays, such as powder and single crystalline X-ray diffraction (XRD), scanning X-ray fluorescence (XRF), energy dispersive X-ray analysis (EDX) and photoelectron spectroscopy (PES). To obtain reliable results, it is crucial to identify and minimize any degradation from the measurement process itself. For example, PES is extensively used to study surfaces and interfaces of lead halide



View Article Online

View Journal | View Issue

^a Division of Applied Physical Chemistry, Department of Chemistry, KTH – Royal Institute of Technology, 100 44 Stockholm, Sweden. E-mail: ute.cappel@physics.uu.se

E-mail: ule.cuppel@physics.uu.se

^b Division of X-ray Photon Science, Department of Physics and Astronomy, Uppsala University, Box 516, 751 20 Uppsala, Sweden

^c Wallenberg Initiative Materials Science for Sustainability, Department of Physics and Astronomy, Uppsala University, 751 20 Uppsala, Sweden

 $[\]dagger$ Electronic supplementary information (ESI) available: [DETAILS]. See DOI: https://doi.org/10.1039/d3cp05061k

[‡] The authors contributed equally to the work.

Paper

Despite the high importance of understanding the degradation mechanisms caused by X-ray radiation, limited research has been done so far and most studies have focused on thin films. Considering the improving performance of perovskite single crystals in devices (*e.g.* solar cells or photodetectors),^{15–17} there is an interest to understand the stability behavior of single crystals both for single crystals devices and as a model system for thin films.

Some examples are a comparative X-ray stability study on CsPbBr₃, CsMAPbBr₃, and MAPbBr₃ thin films on top of a half solar cell structure (FTO/TiO2/Perovskite), where a stability dependence on the monovalent cation was found by PES characterization.¹⁸ Specifically, the purely inorganic CsPbBr₃ was found to be rather stable with no detection of metallic lead (Pb⁰), followed by CsMAPbBr₃ which contained a steady amount of Pb⁰ throughout the whole experiment. In contrast, metallic lead was detected after two hours of X-ray irradiation on the MAPbBr₃ thin film with the Pb⁰ concentration increasing over time. Density functional theory (DFT) calculations suggested that the metallic lead initiates MABr vacancies which then migrate towards the surface. Other studies in literature compared MAPbI₃, FAPbI₃, Cs_xMA_{1-x}PbI₃ and Cs_xMA_{v-} $FA_{1-x-\nu}PbI_3$ thin films after exposure to a controlled amount of γ radiation and observed a formation of Pb⁰ for all compositions except FAPbI₃.¹⁹ MAPbI₃ thin films were investigated via PES under ultrahigh vacuum conditions and it was reported that soft X-rays caused a rapid decomposition of the organic cation and, after long exposure, also the formation of metallic lead.²⁰ Furthermore, a comparative stability study on MAPbI₃, MAPbBr₃, Cs_{0.15}FA_{0.85}PbI₃, Cs_{0.1}MA_{0.15}FA_{0.75}PbI₃, CsPbI₃, and $CsPbBr_3$ thin films using PES and XRD has shown no $\gamma\text{-ray}$ radiation damage on most compositions, except MAPbI₃ and CsPbI₃.²¹ MAPbI₃ demonstrated degradation to PbI₂ and CsPbI₃ degraded to Pb⁰ at the surface. However, experiments on full solar cell stacks of these compositions showed that the performance of the MAPbI₃ solar cell was only slightly affected by γ -rays. These results together with DFT calculations suggested that the radiation-induced degradation was reversible in a full solar cell stack for MAPbI₃. Additionally, Milotti et al. investigated the X-ray stability of FAPbBr₃ thin films using PES and micro-photoluminescence recently.²² They observed the formation of metallic lead and the generation of Br₂ gas. However, prolonged irradiation led to re-oxidation of metallic lead and FA⁺ and Br⁻ ion migration, which was reported as selfhealing of the material. In our previous study, we compared the X-ray stability between CsPbBr3 and CsFAPbI3 thin films, where we reported a higher stability of CsPbBr₃²³ and identified a

distinct degradation path for each composition. In CsPbBr₃, X-ray exposure resulted in defect accumulation, eventually leading to the formation of Pb⁰. In contrast, we found degradation of the organic cation FA⁺ without the formation of Pb⁰ in CsFAPbI₃.

Polycrystalline thin films typically degrade initially at the grain boundaries under environmental stressors. In other words, variations in the film formation (and therefore grain structure) due to the preparation methods may significantly impact degradation processes.³ To avoid these external factors, single crystal surfaces instead of thin film surfaces can be studied. We have shown that clean surfaces of perovskite single crystals can be prepared in vacuum through cleaving,10,11,24 which enables us to study intrinsic behaviors of the material. Therefore, to take our previous study further and to gain insight into the behavior of lead halide perovskite surfaces with X-rays without the effects of grain boundaries, we decided to use perovskite single crystals in the work presented here. There are few studies on the X-ray stability of perovskite single crystals reported in literature, despite the implementation of single crystals in practical applications increasing considerably.²⁵ For instance, Motoki et al. studied the X-ray stability of MAPbI₃ single crystals using in-house PES.²⁶ They compared core levels of the perovskite after exposure to X-rays for durations from 0 to 200 hours and found minor oxygen contributions. The core level spectra N 1s, I 3d and Pb 4f showed a decrease and remained constant after 40 hours, indicating X-ray induced degradation and eventually stabilization. Other studies focused on X-ray and e-beam induced degradation of MAPbBr₃ single crystals using various techniques, such as surface photovoltage spectroscopy, XRD and PES. Exposing the crystals to X-rays under ambient conditions lead to quenching of free excitons into a new bound species, with the material recovering after one week under dark conditions and low humidity.²⁷ On the other hand, both X-ray and e-beam irradiation under ultra-high vacuum (UHV) conditions induced the formation of metallic lead^{28,29} and the release of MABr and Br₂.²⁸

In the study presented here, the X-ray stability of clean surfaces of different lead halide perovskite single crystals was investigated *via* synchrotron-based PES, as PES allows following the compositional (chemical) changes on the perovskite surface and therefore to identify degradation pathways. To observe general, composition-dependent trends and compare the effects of the halide and the A-site cation, five different perovskite single crystal compositions were analyzed, and the results were divided in two main groups. MAPbBr₃, MAPbI₃ and MAPbCl₃ were measured to study the impact of the halide on the X-ray stability (MA⁺-series) and MAPbBr₃, FAPbBr₃ and CsPbBr₃ (Br-series) were measured and compared to investigate the effect of the A-site cation.

Experimental methods

Synthesis of single crystals

Perovskite single crystals, including MAPbI₃, MAPbBr₃, MAPbCl₃, FAPbBr₃, and CsPbBr₃, with diameters ranging from 0.5 to 1 cm, were synthesized using the inverse temperature crystallization

(ITC) method. The starting materials were used as bought without further treatment. Methylammonium chloride (CH₃NH₃Cl₃, MACl), methylammonium iodide (CH₃NH₃I, MAI), methylammonium bromide (CH₃NH₃Br, MABr), formamidinium bromide (CH(NH₂)₂Br, FABr) and cesium bromide (CsBr) were purchased at Sigma Aldrich. Lead chloride (PbCl₂), lead iodide (PbI₂) and lead bromide (PbBr₂) were bought at TCI. To prepare the precursor solutions, 1 M solutions of 1:1 AX: PbX (A = MA/FA and X = I/Br/Cl) were made using different solvents such as γ butyrolactone (GBL) for MAPbI₃, dimethylformamide (DMF) for MAPbBr₃ and FAPbBr₃, dimethyl sulfoxide (DMSO) for MAPbCl₃. The solutions were stirred at room temperature until all the precursors were fully dissolved. For CsPbBr₃, CsBr and PbBr₂ (in a molar ratio of 1:2) were dissolved on DMSO to form a saturated perovskite precursor solution. After filtration through a 0.45 µm PTFE filter, each solution was transferred to an open glass vial and heated to specific temperatures: 100 °C for MAPbI₃, 80 °C for MAPbBr3 and FAPbBr3, 90 °C for MAPbCl3, and 120 °C for CsPbBr₃. Once the desired temperature was reached, selected seed crystals were introduced into a new solution and allowed to grow with the vial sealed until the desired crystal size was achieved.

The most promising crystals were chosen for characterization using photoelectron spectroscopy. The remaining crystals from the same batch were grounded using a mortar and pestle and characterized by powder X-ray diffraction analysis. Fig. S1 (ESI[†]) demonstrates that all the synthesized materials exhibit a single phase, free from any impurities, which is consistent with the results obtained from the single crystal XRD profiles from literature.

Photoelectron spectroscopy and beamline set-up

The PES measurements were carried out at the SMS-branch of the FlexPES³⁰ beamline at the MAX IV synchrotron source in Lund. To measure the single crystal surfaces, the single crystals were mounted on sample plates using a two-component epoxy (EPO-TEK H20E) and cured at 100 °C for one hour under ambient conditions. The single crystals were then transferred into a preparation chamber under ultra-high vacuum (UHV) conditions and cleaved at around 1×10^{-8} mbar to obtain a clean crystal surface for the PES measurements. Subsequently, they were measured at 10^{-9} – 10^{-10} mbar.

The X-rays for the measurements were generated using a linearly polarized undulator (period length = 54.4 mm) and monochromated *via* a plane grating (Zeiss SX700). To detect the ejected photoelectrons, a hemispherical spectrometer (Scienta DA30-L (W)) in normal emission mode was used. Relevant core level spectra (N 1s, C 1s, Cs 4d, Pb 4f, I 4d, Br 3d, Cl 2p, O 1s) were recorded in loops at 600 eV photon energy with a step size of 0.1 eV and a pass energy of 100 eV for each crystal composition.

All core levels were intensity normalized with respect to the Pb 4f intensity and energy calibrated against Pb $4f_{7/2}$ (Pb²⁺) = 138.54 eV binding energy,²⁴ unless otherwise mentioned. The quantification was done using peak fitting with the pseudo-Voigt function with a linear, or Shirley background. All N 1s

core levels were fitted using a single peak, I 4d, Cl 2p and FAbased Br 3d core levels were fitted using a single spin–orbit doublet. On the other hand, all Pb 4f core levels and Cs 4d and Br 3d core levels from CsPbBr₃ were fitted with 2 peaks to account for the different contributions. As single crystal surfaces were investigated, a homogeneous distribution of their surface was assumed. The inelastic mean free path (IMFP) was estimated using the TTP-2M method. The IMFP ranged between 0.71 and 1.56 nm depending on the core level and the crystal. Details of the calculation can be found in the ESI† in Tables S1 and S2.

The sample degradation varies depending on the X-ray intensity. To avoid instant degradation through beam damage and to facilitate the study of degradation over larger timescales the beam was defocused and had a fullwidth half maximum (FWHM) of 1 \times 0.4 (horizontal \times vertical) mm in normal incidence, and the incident beam intensity was regulated via the exit slit. Considering a Gaussian intensity distribution, the standard deviation was estimated to be 0.43 mm (horizontal) \times 0.17 mm (vertical) from the FWHM. Based on these values and assuming an elliptical beam, we estimate that 68% of the incident beam intensity fall in an area of 0.23 mm². The number of photons was calculated based on the time required to measure one loop of core levels and the number of photons per loop, considering the corresponding slit and beam size for each sample. The fluence (total number of photons per cm^2) was calculated by multiplying the number of photons with 0.68/ 0.0023 (see Table S3 in the ESI[†] to obtain all values per loop).

The exit slit was adjusted to 10 μ m (low flux, LF = 1.2 \times 10¹¹ photons per second) for the MAPbBr₃ and MAPbCl₃ single crystals, and to 30 μ m (high flux, HF = 3.6 \times 10¹¹ photons per second) for the more X-ray-stable MAPbI₃ and CsPbBr₃ compositions. FAPbBr3 was measured under both LF and HF. The flux values were theoretically estimated based on the used beamline settings as is described in the FlexPES beamline paper.30 These theoretical values are expected to be somewhat higher than the actual ones at the used photon energy, but give a good estimate, which is based on the beamline settings used in the experiment. The results presented for FAPbBr₃ throughout the paper were measured under high flux, as this allows us to follow the degradation quicker and, therefore, improves comparability to the measurements of the other compositions. The core levels of FAPbBr3 measured using low flux can be found in the ESI[†] in Fig. S2. It should be noted that the exposure time for the measurement under high flux of photons was reduced to achieve the same photon count.

Results and discussion

The work presented here studied five distinct lead halide perovskite single crystal compositions (MAPbI₃, MAPbBr₃, MAPbCl₃, FAPbBr₃, and CsPbBr₃), which can be categorized into two series. The first series consists of a constant cation (methylammonium) with varying halides (iodide, bromide, chloride) while the second series consists of a constant halide (bromide) with varying cations (methylammonium, formamidinium, cesium). Depending on the composition of the material, different degradation patterns were observed, including the formation of metallic lead (Pb^{0}) and/or the degradation of the organic cation.

Fig. 1 depicts the evolution of Pb 4f, N 1s, Cs 4d, and halide (I 4d, Br 3d, Cl 2p) core levels spectra for all the studied materials during irradiation. Fig. S3 in the ESI† provides additional core level spectra (C 1s and O 1s). All core level spectra presented in both figures were measured using a photon energy of 600 eV, intensity normalized to the total amount of Pb 4f (Pb⁰ + Pb²⁺), and energy calibrated against Pb 4f_{7/2} (Pb²⁺) at 138.54 eV binding energy. Fig. S4 in ESI† shows the same core level spectra as Fig. 1 but normalized to the perovskite contribution (Pb²⁺). All the measurements were

carried out in loops for each single crystal under constant irradiation with the initial spectrum shown in blue and the final in orange.

The beam flux was adjusted depending on the exact crystal composition to avoid immediate beam degradation and enable degradation processes to happen within a reasonable time-frame. Since MAPbI₃, FAPbBr₃ and CsPbBr₃ exhibit greater stability towards X-rays, they were exposed to a higher beam flux (HF = 3.6×10^{11} photons per second). Conversely, due to their lower stability towards X-rays, MAPbCl₃ and MAPbBr₃ were measured at a lower beam flux (LF = 1.2×10^{11} photons per second) to slow down the degradation processes.

We observe no oxygen contamination and a clear C 1s peak corresponding to the perovskite and no adventitious carbon, which usually appears lower binding energies



Fig. 1 Pb 4f, N 1s/Cs 4d and I 4d/Br 3d/Cl 2p core level spectra of clean surfaces of MAPbI₃, MAPbBr₃, MAPbCl₃, FAPbBr₃ and CsPbBr₃ single crystals, recorded using the FlexPES beamline (MAX IV) with a photon energy of 600 eV. The spectra are intensity normalized to the total amount of Pb 4f and energy calibrated against Pb $4f_{7/2}$ (Pb²⁺) = 138.54 eV binding energy. Low flux (LF = 1.2×10^{11} photons per second), high flux (HF = 3.6×10^{11} photons per second).

(around 284.8 eV)^{31,32} for all measured single crystals except for FAPbBr₃ and CsPbBr₃ which both present a small contribution of adventitious carbon and oxygen (Fig. S3, ESI†). Despite not having a perfectly clean surface for these two crystals, the small amounts of oxygen and adventitious carbon do not change during the experiments, and therefore do not take part in the degradation process and should not interfere with our results.

As can be seen in Fig. 1 and Fig. S4 (ESI⁺), all measured single crystals present a similar shape of their Pb 4f core level corresponding to Pb^{2+} with the Pb $4f_{7/2}$ peak calibrated at 138.54 eV. A metallic lead (Pb⁰) contribution appears during X-ray irradiation at a binding energy of 137.0 eV³³ and will be discussed in detail in the following paragraphs. All Br-based compounds also present a similar shape and position of Br 3d doublet associated with Br⁻ (68.4 and 69.5 eV). The N 1s core level presents the same shape for all four hybrid materials with a clear difference in position for FA⁺-based (400.5 eV (Br)) and MA⁺-based (401.8 eV (Cl), 402.1 eV (Br) and 402.5 eV (I)) perovskites due to the different chemical environments of the elements in the organic cations. For MAPbI₃ and MAPbCl₃, the observation of a I 4d doublet with the I 4d_{5/2} at 49.4 eV and Cl 2p doublet with the Cl $2p_{3/2}$ at 197.9 eV confirms the presence of these anions. The detection of Cs 4d doublet with the Cs $4d_{5/}$ ₂ at 75.5 eV confirms the presence of Cs^+ in the CsPbBr₃ compound.

Analyzing Fig. 1, MAPbI₃ exhibited only small amounts of metallic lead during the experiment, while the organic cation (observed through nitrogen) and iodide intensities decreased significantly. In contrast, the other hybrid perovskite single crystals (MAPbBr₃, MAPbCl₃, and FAPbBr₃) formed significant amounts of metallic lead under irradiation accompanied by a decrease of the organic cation and halide content in the case of MAPbBr₃ and MAPbCl₃. On the other hand, FAPbBr₃ depicts only slight changes in the Br 3d spectra and an increase in the fully inorganic CsPbBr₃ perovskite single crystal demonstrated minimal metallic lead formation and peak broadening of the Br 3d and the Cs 4d core level spectra. Similar results were previously reported by our group for CsPbBr₃ thin films.²³

To gain quantitative information about these changes and therefore the mechanisms behind them, all core levels were curve fitted. Notably, the N 1s and halide core level spectra of all crystal compositions except CsPbBr₃ could be fitted well using the perovskite fit contributions. In other words, no additional non-perovskite contributions were found for those core levels for most compositions. Instead, we observed changes in peak intensities. For CsPbBr₃, however, additional, non-perovskite peak contributions were found at higher binding energy for the Cs 4d and Br 3d core levels. Fits of the first and last measurement can be found in Fig. S5 and S6 in the ESI† and fitting details are described in the experimental section.

The trends of the metallic lead formation for the different studied perovskite crystal compositions and their dependence on the fluence (photons cm^{-2}) were examined after careful curve fitting of all individual Pb 4f spectra. The contribution of metallic lead as a function of fluence (photons cm^{-2}) is



Fig. 2 Percentage Pb⁰ (Pb⁰ intensity/total Pb intensity) on the surface of each material (MAPbI₃, MAPbBr₃, MAPbCI₃, FAPbBr₃, CsPbBr₃) as a function of fluence (photons cm⁻²). Top panel: All compositions. Bottom panel: Zoom on MAPbI₃ and CsPbBr₃.

presented in Fig. 2, which clearly describes two trends. Firstly, focusing on the series with the same cation (MA⁺) at the A-site and varying X-site halides (I⁻, Br⁻, Cl⁻): a small amount of metallic lead was detected on the MAPbI3 crystal surface, which is consistent with the results presented in Fig. 1 and previous literature observations.34 About 1% of metallic lead was found after exposing the surface to a dose of 5×10^{17} photons cm⁻². After this point the amount of metallic lead decreased somewhat to stabilize at below 1% despite using the higher flux (HF) and exposing the material to 22.5×10^{17} photons cm⁻². However, the lower flux (LF) caused approximately 10% metallic lead on the MAPbBr₃ surface after receiving 2.4×10^{17} photons cm⁻² and 16% after receiving 5 \times 10¹⁷ photons cm⁻² and increased further until the end of the experiment (8.3 \times 10¹⁷ photons cm⁻²). In comparison, MAPbCl₃ formed 10% metallic lead after exposure to only half the fluence $(1.2 \times 10^{17} \text{ photons cm}^{-2})$ compared to MAPbBr₃.

In the series with a constant halide (Br⁻) and varying cations (Cs⁺, FA⁺, MA⁺), the MAPbBr₃ crystal was least stable. FAPbBr₃ formed 5% metallic lead after exposure to 5×10^{17} photons cm⁻² using the higher flux (HF) and the fully inorganic CsPbBr₃ demonstrated only a small amount of metallic lead formation. Approximately 1.6% metallic formed after receiving 5×10^{17} photons cm⁻² using the higher flux (HF), and this amount did not increase much more under continued irradiation. This is expected as CsPbBr₃ lacks the volatile organic cation.³⁵ Other studies have reported the presence metallic lead in all these compositions under environmental stressors such as light or X-rays.^{22,27,34,36,37} However, most studies focus on polycrystalline thin films, where degradation is different and facilitated by the

grain boundaries and vacancy formation. It is worth noting that exposing different spots on the same FAPbBr3 single crystal to an equal number of photons (e.g. 7.4×10^{17} photons cm⁻²) but with a different flux leads to different amounts of metallic lead formation: the spot measured with the high flux (HF) formed twice as much metallic lead as the spot measured with low flux (LF), as shown in Fig. S7 in the ESI.[†] Our previous study also presented a dependence on the flux and found that once Pb⁰ is detected, we observe an accelerated formation of Pb^{0,23} On the contrary, it is possible to prevent the formation of Pb⁰ by using a sufficiently low flux. Therefore, the choice of flux has a direct impact on the formation rate of Pb⁰ and, hence, on the degradation process of the single crystal surface. In the context of the FAPbBr₃ crystal examined in this experiment, the crystal has the capacity to absorb a greater quantity of photons when they are distributed over a longer period of time. In summary, both the organic cation and the halide anion impact the degradation mechanism and the kinetics of forming metallic lead.

We will now continue to discuss the degradation mechanisms for each compound in detail starting with the MA⁺-series. To be consistent with the results presented in Fig. 1, all core level intensities are divided by the total lead intensity $(Pb^{0} +$ Pb^{2+}) and initial ratios of nitrogen and halide were set to those expected from the perovskite stoichiometry (1 MA⁺ cation, represented by the nitrogen, and 3 halides). Fig. 3 depicts the evolution of core level intensities of the MA⁺-series crystals as a function of fluence, showing the lead and nitrogen on the left axis (black) and the halide on the right axis (blue). The axes are scaled in a 1:3 (left:right) ratio for MAPbBr₃ and MAPbCl₃. This means that the intensities of the perovskite components are scaled in relation to their abundance in the pristine perovskite crystal. For MAPbI₃ the axes are scaled in a 1:1 (left:right) ratio to be able to directly follow a radiolysis process expected for methylammonium iodide and how this develops during exposure. Overall, all materials, except MAPbI₃, show a notable decrease in their Pb2+ intensities which stems from the formation of metallic lead and is consistent with the findings reported in Fig. 2. Furthermore, a general reduction in the halide and organic cation contents is observed for all compositions.

Analyzing Fig. 3 in depth, different reaction mechanisms can be proposed. Starting with MAPbI₃, a significant and rapid decrease in the intensities of its N 1s core level, accompanied by a decrease in its I 4d core level, is observed. Previous studies have reported the formation of MAI and PbI₂, where PbI₂ subsequently decays to metallic lead and iodine.20,38 Here, the Pb²⁺ signal remains almost stable throughout our measurements, indicating only a small amount of metallic lead formation. However, a possible degradation to MAI and PbI₂ still holds and requires the simultaneous removal of one nitrogen and one iodide. With the scaling of the y-axis used here, this could have been observed through overlapping data points for N and I in Fig. 3. Considering the difference in IMFP of nitrogen and iodide (0.76 nm and 1.50 nm, respectively, further details in Table S1 in the ESI[†]), a stronger decrease of the N intensity would be expected if MAI is mainly removed in the surface region. However, here we observe that the I intensity decreases relatively more. This suggests that in addition to MAI removal from the perovskite surface, also some additional iodide is removed relative to the remaining perovskite components (Pb and organic cation). It is important to note that the PES measurements are carried out under UHV conditions. Hence, any gaseous degradation products are being quickly removed from the surface and any reversible reactions, as others have reported for MAPbI₃, ²¹ cannot be observed in this experiment.

Overall, the results indicate the simultaneous disappearance of (at least) one iodide per organic cation from the surface of the single crystal. Therefore, our results align best with the hypothesis of MAI radiolysis, accompanied by the generation of PbI₂:

$$MAPbI_3(s) \rightarrow PbI_2(s) + gaseous products$$
 (1)

Moving to the analysis of MAPbBr₃, the Pb²⁺ intensity decreases throughout the experiment, and is accompanied by the formation of metallic lead, a result that has been reported frequently in literature.^{27–29} Furthermore, in both nitrogen and bromide an overall intensity decrease is observed, suggesting a partial removal of the organic cation and the halide from the substrate. It is important to note, that the observed decrease of



Fig. 3 Core level intensity evolution for the crystal surfaces of MAPbI₃ (left), MAPbBr₃ (middle) and MAPbCl₃ (right) as a function of the fluence (photons cm^{-2}). Intensity normalized by the total amount of lead (Pb⁰ + Pb²⁺) and initial ratios set to those expected from the perovskite stoichiometry (1 nitrogen and 3 halides). The left axes (black) refer to Pb²⁺ and N, the right axes (blue) refer to the halide.

the bromide and nitrogen intensities is delayed relative to the decrease of Pb²⁺, *i.e.*, the cause of the initial decrease in the signals of the different components are different and thus originate from different reactions and kinetics. Furthermore, the N intensity initially increases followed by a decrease, and the Br intensity decreases more than the N intensity. This indicates that multiple processes are involved in the degradation, in contrast to the behavior observed for MAPbI₂ where the organic cation and the halide disappear together. Ion migration has been frequently reported for lead halide perovskites and could explain some of the observed behavior.³⁹⁻⁴² Specifically, the N intensity could increase initially due to ion migration and subsequently decrease due to radiolysis of MABr. The bromide intensity, on the other hand, may decrease faster than nitrogen due to a combination of MABr radiolysis and metallic lead formation. Overall, we propose that the degradation to MABr and Br2²⁸ is accompanied by ion migration of methylammonium ions from the bulk towards the surface as well as metallic lead formation:

 $MAPbBr_3 \rightarrow Pb^0(s) + MA^+ + Br^- + Br_2(g) \qquad (2.1)$

 $Br_{bulk}^{-} \rightarrow Br_{surface}^{-}$ (2.2)

 $MA_{bulk}^{+} \rightarrow MA_{surface}^{+}$ (2.3)

 $MA^+ + Br^- \rightarrow gaseous \ products$ (2.4)

In the case of MAPbCl₃, the intensity decreases of Pb^{2+} , nitrogen and chloride follow each other. Given the scaling of the *y*-axis, this means that we observe a simultaneous loss of all components in contrast to both MAPbI₃ and MAPbBr₃. Specifically, the formation of metallic lead and the loss of the organic cation and halide happen simultaneously, suggesting that radiolysis of MACl occurs simultaneously with metallic lead formation:

$$MAPbCl_3 \rightarrow Pb^0(s) + gaseous products$$
 (3)

In general, two different reactions have been discussed for removal of MAX from the perovskites in the scientific community:^{3,43} MAX can form NH₃ and CH₃X or CH₃NH₂ and HX. As an example, it was found that MAPbI₃ forms CH₃NH₂ and HI at lower temperatures and MAI and NH₃ at higher temperatures.⁴⁴ However, from our experiments it is not possible to distinguish which gaseous products are formed.

After discussing the trends for MA-series we will now focus on the trends for remaining perovskites containing the Br⁻ anion. Fig. 4 shows the core level intensities evolution of FAPbBr₃ as a function of fluence (photons cm⁻²) where the intensity relation between the left:right axis is 1:3. Similar to Fig. 3, all core level intensities were normalized by the total amount of lead (Pb⁰ + Pb²⁺) and initial ratios were set to those expected from the perovskite stoichiometry (1 FA⁺ cation and 3 Br⁻). While the lead content decreases continuously, the bromide and nitrogen intensities initially increase, followed by a subsequent decrease, similar to the observations made for MAPbBr₃. The bromide intensity returns close to its initial relative value of 3 Br⁻/ Σ Pb, while an excess of nitrogen



Fig. 4 Core level intensity evolution for the FAPbBr₃ crystal surface as a function of fluence (photons cm⁻²). Intensity normalized by the total amount of lead (Pb⁰ + Pb²⁺) and initial ratios set to those expected from the perovskite stoichiometry (1 cation represented by nitrogen and 3 bromide).

remains at the surface. This suggests that the metallic lead formation is also accompanied by other reactions. Previous studies have reported self-healing effects in FAPbBr3 thin films.²² However, we observe a concentration increase beyond expected levels, followed by a decline and no recovery of metallic lead to Pb²⁺. In contrast, self-healing implies an initial decrease followed by restoration of the original composition. Therefore, ion migration from the bulk to the surface seems more likely, as it would lead to higher concentrations of FA⁺ and Br⁻ at the surface but leave the bulk FABr-deficient. At the same time, the eventual decrease of nitrogen and bromide indicates a removal of the organic cation and bromide ions, most likely by radiolysis. Notably, the organic cation exhibits a stronger increase compared to the halide. Considering that the formation of metallic lead involves the loss of bromide ions, a decrease together with Pb2+ would be expected. However, this seems to be compensated by the bromide ion migration. Overall, similar reactions to MAPbBr₃ seem likely:

$$FAPbBr_3 \rightarrow FA^+ + Br^- + Pb^0(s) + Br_2(g) \qquad (4.1)$$

 $\mathrm{Br}_{\mathrm{bulk}}^{-} \to \mathrm{Br}_{\mathrm{surface}}^{-}$ (4.2)

$$\operatorname{FA}_{\operatorname{bulk}}^{+} \to \operatorname{FA}_{\operatorname{surface}}^{+}$$
 (4.3)

$$FA^+ + Br^- \rightarrow gaseous \text{ products}$$
 (4.4)

However, the formation of metallic lead occurs at a slower rate compared to MAPbBr₃ and ion migration leads to a temporary excess of FABr in the surface region.

Moving to the experiments on CsPbBr₃, an in-depth analysis of the core level spectra *via* curve fitting showed that the degradation process involves the formation of a secondary species at higher binding energy in the Cs 4d and Br 3d core level spectra (fits can be seen in Fig. S5 and S6 in the ESI†). In this context, it is important to note that minor C 1s and O 1s contributions were present (see Fig. S3, ESI†). However, given their consistent intensity levels throughout the experiment and considering their low overall intensities, no significant impact on the presented results is expected. Fig. 5A depicts the evolution of core level intensities of total Cs 4d and total Br 3d



Fig. 5 (A) Core level intensity evolution of total Cs⁺ (left, black axis) and total Br⁻ (right, blue axis) of the CsPbBr₃ surface as a function of fluence (photons cm⁻²). Intensity normalized by the total amount of lead (Pb⁰ + Pb²⁺) and initial ratios set to those expected from the perovskite stoichiometry (1 Cs⁺ and 3 Br⁻). The axes are scaled in a 1:1 ratio to one another. (B) Comparison of the percentage of decrease in perovskite Pb²⁺ and Cs⁺ contributions at the surface relative to total Pb 4f and total Cs 4d core level intensity, respectively.

normalized by total lead ($Pb^0 + Pb^{2+}$) as a function of fluence. The initial values were set to the expected $CsPbBr_3$ perovskite stoichiometry (1 Cs^+ and 3 Br^-). Cesium intensities are represented by the left axis (black), while bromide is represented by the right axis (blue) with a linear 1:1 scaling between the two axes. Both, the total amount of Cs and Br increase together in a 1:1 ratio relative to the total Pb 4f intensities, suggesting that the excess of Cs and Br forms in the same reaction. As the intensity increase is observed relative to the total lead intensity, we suggest that ion migration of Br^- and Cs^+ is responsible.

Fig. 5B shows the percentage of the perovskite Pb²⁺ and Cs⁺ core level intensities relative to the total amount of Pb and Cs, respectively. It can be seen in Fig. 5B that the perovskite Pb 4f contribution (Pb²⁺) presents an initial small decrease and then is almost constant throughout the entire experiment while the intensity of the perovskite Cs⁺ quickly decreases to 75% indicating a change in the surface composition. Considering that overall Cs⁺ and Br⁻ increase by the same amount (Fig. 5A), the formation of CsBr seems likely. This aligns with our previous study on thin films where CsBr was identified as a degradation product with the CsBr core levels appearing at higher binding energies than the perovskite Cs and Br.²³ Furthermore, PES experiments on (Cs_{0.06}FA_{0.79}MA_{0.15})P $b(I_{0.85}Br_{0.15})_3$ perovskite thin films with varying amounts of KBr as a passivator similarly showed a secondary Br 3d contribution at higher binding energy, which was assigned to KBr.45 Despite different cations, one would expect similar trends in the binding energy shift for KBr and CsBr. We therefore assign the new Cs and Br species to CsBr. However, higher quantities of CsBr are formed significantly quicker on the single crystal surface investigated here than on the thin film surface studied previously. In this context it is important to note that small, non-perovskite Cs 4d and Br 3d contributions were observed from the start, which contrasts our previous study. This initial CsBr presence could explain why the degradation is accelerated, as the initial CsBr may act as a catalyst for further degradation. The CsBr layer stabilizes after receiving around 5×10^{17} photons cm⁻² (Fig. 5B). Alongside CsBr, traces of metallic lead resulting from the degradation to PbBr₂ on the surface were detected. Overall, the following degradation reactions proposed:

$$CsPbBr_3 \rightarrow CsBr(s) + Pb^0(s) + Br^2(g)$$
 (5.1)

$$Cs_{bulk}^{+} + Br_{bulk}^{-} \rightarrow CsBr_{surface}$$
 (5.2)

Finally, our findings on the stability comparison of the MA⁺series are summarized in Fig. 6. Considering the different degradation mechanism of each perovskite composition, the predominant reaction was used to show the percentage of remaining perovskite as a function of X-ray fluence. For MAPbI₃, the percentage of N relative to total lead was used, while the percentage Pb²⁺ relative to total lead was used for MAPbBr₃ and MAPbCl₃. Given the complexity of the FAPbBr₃ and CsPbBr₃ degradation, selecting one core level as the main indicator of the remaining perovskite was not feasible. Consequently, these two compositions were excluded from this figure.

Comparing all investigated compositions in the MA⁺-series, MAPbCl₃ shows the quickest degradation, and therefore lowest stability against X-rays, even under low flux conditions (LF). However, the experiment was stopped early in comparison due to the rapid accumulation of metallic lead on the surface, limiting the discussion of long-term behavior. The potential for longer experiments to study the evolution of MAPbCl₃ remains open for exploration. Continuing with MAPbBr₃, a similar but slower behavior as for MAPbCl₃ under LF conditions can be found with the formation of metallic lead and a continuous decline in Pb²⁺ content. In comparison, MAPbBr₃



Fig. 6 Percentage of perovskite remaining at the surface as function of X-ray fluence (photons cm⁻²). Determined by the percentage of N⁺/ \sum Pb in MAPbI₃ and the percentage of Pb²⁺/ \sum Pb in MAPbBr₃ and MAPbCl₃.

retained 93% of its perovskite composition after exposure to 1.8×10^{17} photons cm⁻² while MAPbCl₃ retained only 89% after the same X-ray exposure.

In contrast, MAPbI₃ behaved differently, *i.e.* formation of only little metallic lead despite exposure to higher photon flux (HF). Furthermore, its degradation mechanism was characterized by a consistent loss of the organic cation together with iodide, suggesting MAI radiolysis as a main degradation reaction. In contrast, MAPbBr3 involved multiple processes, including significant formation of Pb⁰ and ion migration. Comparable amounts of N and Pb²⁺ disappear for MAPbI₃ and MAPbBr₃, respectively, after receiving 1.8×10^{17} photons cm⁻². Therefore, both compositions show similarly strong X-ray degradation but with different degradation paths. Radiolysis of MA⁺ is slowed down in MAPbBr₃ compared to MAPbI₃, while MAPbBr₃ forms significantly larger amounts of Pb⁰. The difference in radiolysis could be related to an enhanced stability of MABr compared to MAI.46,47 Ion migration is in general observed in different perovskite compositions.³⁹⁻⁴¹ McGovern et al. compared the halide migration ability of MAPbI3 and MAPbBr3 thin films and found similar activation energies for bromide migration in MAPbBr₃ as for iodide ions in MAPbI₃.⁴⁷ Furthermore, they found that MA⁺ ion migration is hindered in MAPbBr₃ but not in MAPbI₃.⁴⁷ In contrast, our experiments give direct evidence of ion migration in MAPbBr₃ induced by X-ray irradiation of both Br⁻ and MA⁺ through initial increase of both ion concentrations. On the other hand, ion migration is not directly observed for MAPbI₃, as the intensity decrease of the MA⁺ and I⁻ signals are most likely due to radiolysis. However, this does not exclude that ion migration also occurs in the MAPbI₃, but if so, it is a slower process than radiolysis. Finally, the degradation of MAPbBr₃ slowed down compared to MAPbI₃ after receiving 3 \times 10¹⁷ photons cm⁻² resulting in a reduction to 80% Pb²⁺ for MAPbBr₃ while the intensity of N in MAPbI3 decreased to 60% after receiving 8.2 \times 10¹⁷ photons cm⁻².

Conclusions

We successfully synthesized, in situ cleaved and characterized several lead halide perovskite single crystal compositions (MAPbI₃, MAPbCl₃, MAPbBr₃, FAPbBr₃, CsPbBr₃). The study focused on their X-ray stability and different degradation mechanisms have been found. Distinct degradation pathways were identified for each material. In this context, MAPbI₃ and CsPbBr₃ form only small amounts of metallic lead, which stabilized during further X-ray radiation. MAPbCl₃, MAPbBr₃, FAPbBr₃ formed substantial quantities of metallic lead, which continued to increase during the experiment. Additionally, our study revealed that while MAPbI₃ and MAPbCl₃ showed one main degradation pathway (radiolysis resulting in PbI_2 and Pb^0 formation, respectively), MAPbBr₃, FAPbBr₃ and CsPbBr₃ underwent multiple parallel degradation processes. These included the formation of metallic lead, the formation of volatile and solid degradation products and ion migration. Specifically, the degradation of MAPbBr₃, FAPbBr₃ and CsPbBr₃

involved the migration of both, the monovalent cation and the halide. Furthermore, our in-depth analysis revealed peak broadening in the cesium and bromide core levels of CsPbBr₃, which was attributed to the formation of CsBr, which was potentially catalyzed by the presence of CsBr on the cleaved surface. Lastly, the MA⁺-series was compared to one another regarding their remaining perovskite after X-ray exposure. Using our experimental settings and exposure time, MAPbCl₃ exhibited lowest stability against X-rays in the same fluence range compared to the other two crystals followed by MAPbI₃ and MAPbBr₃. Comparing MAPbI₃ and MAPbBr₃, both are similarly unstable under X-rays, but the dominating reactions are different. MAPbBr₃ is more resistant to MA⁺ radiolysis but presents an easier formation of Pb⁰. MAPbI₃, on the other hand, shows only little Pb⁰ formation and its degradation is dominated by MAI radiolysis.

Conflicts of interest

There are no conflicts to declare.

Acknowledgements

The authors acknowledge financial support from the Swedish Research Council (Grant no. VR 2018-04125, VR 2018-06465, VR 2018-04330 and 2022-03168), the Göran Gustafsson Foundation, the Swedish Energy Agency (Grant no. STEM P50626-1) and the Carl Tryggers Foundation (Grant no. CTS 18:59). This work was partially supported by the Wallenberg Initiative Materials Science for Sustainability (WISE) funded by the Knut and Alice Wallenberg Foundation. We acknowledge MAX IV Laboratory for time on Beamline FlexPES under Proposal 20220600. Research conducted at MAX IV, a Swedish national user facility, is supported by the Swedish Research council under contract 2018-07152, the Swedish Governmental Agency for Innovation Systems under contract 2018-04969, and Formas under contract 2019-02496. The authors also thank Alexei Preobrajenski, and Alexander Generalov for support during the FlexPES beamtime (proposal 20220600).

References

- S. Porwal, D. Kumar, S. Ghosh, S. Kansal, S. Priya, A. Chandra and T. Singh, in *Low-Dimensional Halide Perovskites*, Elsevier, 2023, pp. 301–333.
- 2 X. Shen, K. Kang, Z. Yu, W. H. Jeong, H. Choi, S. H. Park, S. D. Stranks, H. J. Snaith, R. H. Friend and B. R. Lee, *Joule*, 2023, 7, 272–308.
- 3 J. Zhuang, J. Wang and F. Yan, *Nano-Micro Lett.*, 2023, 15, 84.
- 4 Z.-Y. Chen, N.-Y. Huang and Q. Xu, *Coord. Chem. Rev.*, 2023, **481**, 215031.
- 5 S. Jia, Y. Xiao, M. Hu, X. He, N. Bu, N. Li, Y. Liu, Y. Zhang, J. Cui, X. Ren, K. Zhao, M. Liu, S. Wang, N. Yuan, J. Ding, Z. Yang and S. Liu, *Adv. Mater. Technol.*, 2022, 7, 2100908.

- 6 W. Delmas, S. Erickson, J. Arteaga, M. Woodall, M. Scheibner, T. S. Krause, K. Crowley, K. T. VanSant, J. M. Luther, J. N. Williams, J. McNatt, T. J. Peshek, L. McMillon-Brown and S. Ghosh, *Adv. Energy Mater.*, 2023, **13**, 2203920.
- 7 X. He, Y. Deng, D. Ouyang, N. Zhang, J. Wang, A. A. Murthy,
 I. Spanopoulos, S. M. Islam, Q. Tu, G. Xing, Y. Li,
 V. P. Dravid and T. Zhai, *Chem. Rev.*, 2023, 123, 1207–1261.
- 8 T. J. Jacobsson, S. Svanström, V. Andrei, J. P. H. Rivett, N. Kornienko, B. Philippe, U. B. Cappel, H. Rensmo, F. Deschler and G. Boschloo, *J. Phys. Chem. C*, 2018, 122, 13548–13557.
- 9 P. Schulz, D. Cahen and A. Kahn, *Chem. Rev.*, 2019, **119**, 3349–3417.
- A. García-Fernández, B. Kammlander, S. Riva, D. Kühn, S. Svanström, H. Rensmo and U. B. Cappel, *Inorg. Chem.*, 2023, 62, 15412–15420.
- B. Kammlander, S. Svanström, D. Kühn, F. O. L. Johansson, S. Sinha, H. Rensmo, A. G. Fernández and U. B. Cappel, *Chem. Commun.*, 2022, 58, 13523–13526.
- S. Svanström, A. García-Fernández, T. J. Jacobsson, I. Bidermane, T. Leitner, T. Sloboda, G. J. Man, G. Boschloo, E. M. J. Johansson, H. Rensmo and U. B. Cappel, ACS Mater. Au, 2022, 2, 301–312.
- 13 R. Larciprete, A. Agresti, S. Pescetelli, H. Pazniak, A. Liedl, P. Lacovig, D. Lizzit, E. Tosi, S. Lizzit and A. Di Carlo, *Materials*, 2021, 14, 3954.
- 14 J. Liang, X. Hu, C. Wang, C. Liang, C. Chen, M. Xiao, J. Li, C. Tao, G. Xing, R. Yu, W. Ke and G. Fang, *Joule*, 2022, 6, 816–833.
- 15 Y. Guan, C. Zhang, Z. Liu, Y. Zhao, A. Ren, J. Liang, F. Hu and Y. S. Zhao, *Adv. Mater.*, 2022, **34**, 2203201.
- 16 L. De Marco, G. Nasti, A. Abate and A. Rizzo, *Solar RRL*, 2022, **6**, 2101085.
- 17 Z. Chen, B. Turedi, A. Y. Alsalloum, C. Yang, X. Zheng, I. Gereige, A. AlSaggaf, O. F. Mohammed and O. M. Bakr, *ACS Energy Lett.*, 2019, 4, 1258–1259.
- 18 J. Hieulle, D. Son, A. Jamshaid, X. Meng, C. Stecker, R. Ohmann, Z. Liu, L. K. Ono and Y. Qi, *Adv. Funct. Mater.*, 2023, 33, 2211097.
- 19 V. V. Ozerova, N. A. Emelianov, D. P. Kiryukhin, P. P. Kushch, G. V. Shilov, G. A. Kichigina, S. M. Aldoshin, L. A. Frolova and P. A. Troshin, *J. Phys. Chem. Lett.*, 2023, 14, 743–749.
- 20 W.-C. Lin, W.-C. Lo, J.-X. Li, Y.-K. Wang, J.-F. Tang and Z.-Y. Fong, *npj Mater. Degrad.*, 2021, 5, 13.
- 21 A. G. Boldyreva, L. A. Frolova, I. S. Zhidkov, L. G. Gutsev,
 E. Z. Kurmaev, B. R. Ramachandran, V. G. Petrov,
 K. J. Stevenson, S. M. Aldoshin and P. A. Troshin, *J. Phys. Chem. Lett.*, 2020, 11, 2630–2636.
- V. Milotti, S. Cacovich, D. R. Ceratti, D. Ory, J. Barichello,
 F. Matteocci, A. Di Carlo, P. M. Sheverdyaeva, P. Schulz and
 P. Moras, *Small Methods*, 2023, 7, 2300222.
- S. Svanström, A. García Fernández, T. Sloboda, T. J. Jacobsson, H. Rensmo and U. B. Cappel, *Phys. Chem. Chem. Phys.*, 2021, 23, 12479–12489.
- 24 A. García-Fernández, S. Svanström, C. M. Sterling, A. Gangan, A. Erbing, C. Kamal, T. Sloboda, B. Kammlander, G. J. Man,

H. Rensmo, M. Odelius and U. B. Cappel, *Small*, 2022, **18**, 2106450.

- 25 M. Ghasemi, S. Yuan, J. Fan, B. Jia and X. Wen, *J. Mater. Chem. A*, 2023, **11**, 3822–3848.
- 26 K. Motoki, Y. Miyazawa, D. Kobayashi, M. Ikegami, T. Miyasaka, T. Yamamoto and K. Hirose, *J. Appl. Phys.*, 2017, **121**, 085501.
- 27 G. Armaroli, L. Ferlauto, F. Lédée, M. Lini, A. Ciavatti, A. Kovtun, F. Borgatti, G. Calabrese, S. Milita, B. Fraboni and D. Cavalcoli, ACS Appl. Mater. Interfaces, 2021, 13, 58301–58308.
- 28 H. Syafutra, J.-H. Yun, Y. Yoshie, M. Lyu, S. N. Takeda, M. Nakamura, L. Wang and M.-C. Jung, *Nanomaterials*, 2020, **10**, 1253.
- 29 C. Wang, B. R. Ecker, H. Wei, J. Huang and Y. Gao, *J. Phys. Chem. C*, 2018, **122**, 3513–3522.
- 30 A. Preobrajenski, A. Generalov, G. Öhrwall, M. Tchaplyguine,
 H. Tarawneh, S. Appelfeller, E. Frampton and N. Walsh,
 J. Synchrotron Radiat., 2023, 30, 831–840.
- 31 H. Xie, X. Liu, L. Lyu, D. Niu, Q. Wang, J. Huang and Y. Gao, J. Phys. Chem. C, 2016, 120, 215–220.
- 32 B. Conings, J. Drijkoningen, N. Gauquelin, A. Babayigit, J. D'Haen, L. D'Olieslaeger, A. Ethirajan, J. Verbeeck, J. Manca, E. Mosconi, F. De Angelis and H.-G. Boyen, *Adv. Energy Mater.*, 2015, 5, 1500477.
- 33 B. Philippe, B.-W. Park, R. Lindblad, J. Oscarsson, S. Ahmadi, E. M. J. Johansson and H. Rensmo, *Chem. Mater.*, 2015, 27, 1720–1731.
- J. Liang, X. Hu, C. Wang, C. Liang, C. Chen, M. Xiao, J. Li, C. Tao,
 G. Xing, R. Yu, W. Ke and G. Fang, *Joule*, 2022, 6, 816–833.
- 35 S. Ullah, J. Wang, P. Yang, L. Liu, S.-E. Yang, T. Xia, H. Guo and Y. Chen, *Mater. Adv.*, 2021, 2, 646–683.
- 36 J. D. McGettrick, K. Hooper, A. Pockett, J. Baker, J. Troughton, M. Carnie and T. Watson, *Mater. Lett.*, 2019, 251, 98–101.
- 37 X. Dai, C. Fei, P. Kandlakunta, L. Zhao, Z. Ni, L. R. Cao and J. Huang, *IEEE Trans. Nucl. Sci.*, 2022, **69**, 1850–1856.
- 38 B. Philippe, B.-W. Park, R. Lindblad, J. Oscarsson, S. Ahmadi, E. M. J. Johansson and H. Rensmo, *Chem. Mater.*, 2015, 27, 1720–1731.
- 39 E. J. Juarez-Perez, L. K. Ono, I. Uriarte, E. J. Cocinero and Y. Qi, ACS Appl. Mater. Interfaces, 2019, 11, 12586–12593.
- 40 E. Bi, Z. Song, C. Li, Z. Wu and Y. Yan, *Trends Chem.*, 2021, 3, 575–588.
- 41 L. Chen, H. Wang, W. Zhang, F. Li, Z. Wang, X. Wang, Y. Shao and J. Shao, *ACS Appl. Mater. Interfaces*, 2022, 14, 10917–10926.
- 42 L. McGovern, I. Koschany, G. Grimaldi, L. A. Muscarella and B. Ehrler, *J. Phys. Chem. Lett.*, 2021, 12, 2423–2428.
- 43 A. F. Akbulatov, L. A. Frolova, N. N. Dremova, I. Zhidkov,
 V. M. Martynenko, S. A. Tsarev, S. Yu. Luchkin,
 E. Z. Kurmaev, S. M. Aldoshin, K. J. Stevenson and
 P. A. Troshin, *J. Phys. Chem. Lett.*, 2020, 11, 333–339.
- 44 J. A. McLeod and L. Liu, J. Phys. Chem. Lett., 2018, 9, 2411–2417.
- 45 Z. Andaji-Garmaroudi, M. Abdi-Jalebi, F. U. Kosasih, T. Doherty, S. Macpherson, A. R. Bowman, G. J. Man,

U. B. Cappel, H. Rensmo, C. Ducati, R. H. Friend and S. D. Stranks, *Adv. Energy Mater.*, 2020, **10**, 2002676.

46 L. Shi, M. P. Bucknall, T. L. Young, M. Zhang, L. Hu, J. Bing, D. S. Lee, J. Kim, T. Wu, N. Takamure, D. R. McKenzie, S. Huang, M. A. Green and A. W. Y. Ho-Baillie, *Science*, 2020, **368**, eaba2412.

47 L. McGovern, M. H. Futscher, L. A. Muscarella and B. Ehrler, *J. Phys. Chem. Lett.*, 2020, **11**, 7127–7132.

PCCP