

Cite this: *Nanoscale Adv.*, 2024, 6, 1241Received 20th November 2023
Accepted 29th December 2023

DOI: 10.1039/d3na01024d

rsc.li/nanoscale-advances

Synthesis of polyoxometalate-pillared Zn–Cr layered double hydroxides for photocatalytic CO₂ reduction and H₂O oxidation†

Xiaotong Zhao, Haoyang Jiang,* Yongcheng Xiao and Miao Zhong *

Polyoxometalate (POM)-pillared Zn–Cr layered double hydroxides (LDHs) exhibited high photocatalytic activities in CO₂ reduction and H₂O oxidation reactions. For CO₂ reduction in pure water, the CO production was 1.17 μmol g⁻¹ after a 24 h reaction. For O₂ evolution in NaIO₃ solution, the O₂ production reached 148.1 μmol g⁻¹ after a 6 hour reaction. A mechanism study indicated that the electron transfer from Zn–Cr LDHs to POMs (SiW₁₂O₄₀⁴⁻) promoted photocatalytic activities.

Introduction

Layered double hydroxides (LDHs) constitute a class of multifunctional materials characterized by tunable chemical compositions, featuring cationic brucite host layers and anionic interlayer guests.¹ Owing to their favorable band positions, considerable attention has been directed towards their application in photocatalytic CO₂ reduction^{2–15} and oxygen evolution.^{16–18} Notably, within the realm of LDHs, Zn–Cr LDHs and their derivatives have demonstrated remarkable photocatalytic properties concerning CO₂ reduction and O₂ evolution in aqueous environments. For example, Jiang *et al.*⁶ observed that CO₃²⁻-type Zn–Cr LDHs grafted with Cu₂O nanoparticles could reduce CO₂ to CO and simultaneously oxidize water to O₂.

Similarly, Hwang *et al.*¹⁹ prepared mesoporous layer-by-layer ordered nanohybrids of Zn–Cr LDHs and layered titanate, showing improved photocatalytic O₂ generation activity. Polyoxometalates (POMs), also recognized as polyacids, represent a class of catalytically active inorganic compounds featuring highly symmetrical core assemblies of MO_{*n*} units (M = V, Mo, or W).¹⁷ Depending on the number of atoms and the combination mode, POMs exhibit diverse structures, including Keggin, Dawson, Anderson, Waugh, and Silver. Notably, Keggin-type POMs (XM₁₂O₄₀^{*n-*}, *e.g.*, H₃PMo₁₂O₄₀ and H₄SiMo₁₂O₄₀) demonstrate the ability to oxidize and reduce adsorbed substances through a multi-electronic process (ESI Fig. 1†). This rapid multi-electronic redox property provides POMs with an advantage in heterogeneous catalysis. The hybrid systems of immobilized POMs on semiconductors,

such as POM-TiO₂²⁰ and POM-WO₃,²¹ presented enhanced photocatalytic performance owing to the effective charge transfer between the two components.

The introduction of POM anions into the interlayer gallery proves to be a simple and effective means of immobilizing POMs. The combination of POM pillared LDHs offers several advantages, including expanded interlayer gallery heights, controlled component losses of POMs in polar solvents, improved specific surfaces of LDHs and POMs, and easy separation and recovery from the reaction.²¹ In previous studies, Mg–Al, Zn–Cr, and Zn–Al LDHs pillared by POMs including isopoly-type W₇O₆⁻, substituted Keggin-type SiW₁₁O₃₉Mn(H₂O)⁶⁻, and Preyssler-type NaP₅W₃₀O₁₁₀¹⁴⁻ demonstrated noteworthy photocatalytic activity for the degradation of aqueous hexachlorocyclohexane (HCH).^{21,22}

Gunjaker *et al.*²³ revealed the mechanism of electron transfer from LDHs to POMs by investigating photocatalytic O₂ generation using isopoly-type W₇O₂₄⁶⁻ and V₁₀O₂₈⁶⁻ pillared Zn–Cr LDHs in AgNO₃ aqueous solution.

Despite extensive studies on photocatalytic properties, the reliable synthesis of POM pillared LDHs remains a challenge due to the reactivity of some POMs, such as PW₁₂O₄₀³⁻ and SiW₁₂O₄₀⁴⁻, which react with alkaline LDHs in aqueous solutions instead of forming a hybrid POM/LDH structure. Zhu *et al.*²⁴ found that the stability of polytungstate increased in aqueous solutions of ethanol or acetone at pH < 8, inspiring our approach to preparing POM pillared LDHs *via* ion exchange in organic solvents at a similar pH to circumvent the reaction between POMs and LDHs.

In this work, we fabricated a Zn–Cr LDH photocatalyst with Keggin-type SiW₁₂O₄₀⁴⁻ or Keggin-type H₂W₁₂O₄₀⁶⁻ intercalated into the interlayer gallery *via* ion exchange in an ethanol–water mixed solvent. The photocatalytic activities of CO₂ reduction and O₂ evolution were systematically investigated.

College of Engineering and Applied Sciences, The Frontiers Science Center for Critical Earth Material Cycling, Nanjing University, Nanjing, China. E-mail: miaozhong@nju.edu.cn; jianghy91@nju.edu.cn

† Electronic supplementary information (ESI) available. See DOI: <https://doi.org/10.1039/d3na01024d>



POM-pillared LDHs, the structure of brucite-like host layers remained even after ion exchange. The schematic representations of the possible LDH structures before and after ion exchange are displayed in Fig. 1a.

Fig. 1c shows the FT-IR spectra of the as-prepared LDHs and the pristine POMs. In all LDHs, a prominent and broad band is observed around 3400 cm^{-1} , along with a weaker band at 1620 cm^{-1} . These bands correspond to the stretching and bending modes of hydroxyl groups in the LDH host layers and interlayer water molecules, respectively. The peaks in the range of $400\text{--}600\text{ cm}^{-1}$ are assigned to the lattice vibrations of Zn–O–Cr or Zn(Cr)–O. For ZCN, the band observed at 1401 cm^{-1} corresponds to the antisymmetric stretching mode of NO_3^- ions. Following ion exchange in ZCC, the vibration peak of NO_3^- was replaced by CO_3^{2-} , observed at 1356 cm^{-1} . In the spectra of ZCHW and ZCSW, the fingerprint peaks of Keggin-type polytungstate appearing at $700\text{--}1100\text{ cm}^{-1}$ proved the success of ion exchange, but their positions have been more or less shifted compared with pristine $\text{H}_2\text{W}_{12}\text{O}_{40}^{6-}$ and $\text{SiW}_{12}\text{O}_{40}^{4-}$, respectively (Table S1†). The position shifts of fingerprint peaks are common in POM-based hybrid composites, usually suggesting interaction between POM ions and other components.^{29,30} Here, the peak shifts can be ascribed to the intensive hydrogen-bond interaction and the reduced symmetry and freedom degrees in the interlayer gallery. However, the ion exchange with $\text{SiW}_{12}\text{O}_{40}^{4-}$ was not complete because the vibration peak of NO_3^- remains in the spectrum of ZCSW, although it is much weaker than that in the pristine NO_3^- -type LDH. It is probably because the charge densities of the LDH host layer and POM anion are inconsistent. NO_3^- may play an essential role in the accommodation of local charge imbalance by compensating for the excess cationic host layers. Note that although the ion exchange with $\text{H}_2\text{W}_{12}\text{O}_{40}^{6-}$ was processed completely, the presence of NH_4^+ , which was the counter-ion of $\text{H}_2\text{W}_{12}\text{O}_{40}^{6-}$ in the pristine polytungstate salt, has been confirmed. NH_4^+ is presumed to act as a compensation of excess POM anions *via* coordination interaction.

Fig. 2 and ESI 9† show the SEM images of all the samples and the EDS-mapping results of POM pillared LDHs. The SEM images displayed the retention of agglomerated, winding, and intertwined plate-like morphology after ion exchange, demonstrating that the introduction of acidic POM molecules did not cause any noticeable damage to the LDH frameworks. From the EDS-mapping analysis, besides the elements zinc and chrome attributed to the host layers, W derived from $\text{H}_2\text{W}_{12}\text{O}_{40}^{6-}$ and Si and W derived from $\text{SiW}_{12}\text{O}_{40}^{4-}$ are uniformly dispersed in the image regions of ZCHW and ZCSW, respectively, indicating a perfect bond between Zn–Cr host layers and polytungstate anions.

In the TEM images, as shown in ESI Fig. 9,† all the as-prepared LDHs show sheet-like morphologies. The brucite-like layers are preserved after ion exchange. POM clusters were highly dispersed in the interlayer galleries of LDHs. No agglomerated POMs were observed in ZCHW and ZCSW.

ESI Fig. 10† shows the UV-vis diffuse reflection spectra of the as-prepared LDHs. In the UV region, ZCN and ZCC show the




Fig. 2 SEM images of (a) ZCN, (b) ZCC, (c) ZCHW, and (d) ZCSW, and EDS mapping results of (e–h) ZCHW and (i–l) ZCSW.

intrinsic absorption bands of the ligand–metal charge transfer (LMCT) from the O 2p orbital to Zn 4s and Cr 3d orbitals. The absorption fringes at 260 and 318 nm correspond to the band gaps $E_g = 4.8\text{ eV}$ and 3.9 eV for ZCN and ZCC, respectively. The shoulder peak at 280–320 nm in the spectrum of ZCC is attributed to the metal–metal charge transfer (MMCT) from Cr 3d to Zn 4s,³¹ while the weak absorption around 300 nm in the spectrum of ZCN is attributed to the UV excitation of NO_3^- ions. For ZCHW and ZCSW, their intrinsic absorptions have been overlapped by the O 2p \rightarrow W 5d LMCT of POMs within 400 nm.³² In addition, the redshifts of Cr^{3+} d–d transition²⁷ are observed for all the ion-exchanged samples, indicating that interlayer anions influence the electronic structure of host layers.




Fig. 3 (a) Time course of CO evolution and (b) total amounts of CO generated after 24 hours for the photo-reduction of CO_2 in water using Zn–Cr LDHs intercalated with various inorganic anions.



Fig. 3 displays the temporal variation of CO generation and the final output in the photo-reduction of CO₂ in pure water using the as-prepared Zn-Cr LDHs intercalated with different kinds of inorganic anions. The CO production over ZCN was 0.92 μmol g⁻¹ after 24 hours of UV irradiation. The CO₃²⁻ ion-exchanged sample showed a slightly lower activity, of which the CO production was 0.88 μmol g⁻¹. The disparity in photocatalytic activity is probably owing to the different adsorption characteristics toward CO₂ of the two samples. After being ion-exchanged with H₂W₁₂O₄₀⁴⁻, the yield of CO dropped sharply to 0.25 μmol g⁻¹ after 24 hours, with only 27% of the activity exhibited using the pristine NO₃⁻-type LDH. This result suggests that the interlayer H₂W₁₂O₄₀⁴⁻ ions did not function as the reaction sites for the multi-electron reduction of CO₂. In contrast, ZCSW exhibited the highest CO production among all the as-prepared samples, which was 1.17 μmol g⁻¹ after 24 hours. Likely, the photo-reduction of CO₂ was promoted due to the host-guest synergistic effect involving charge transfer and the multi-electronic redox ability of SiW₁₂O₄₀⁴⁻.

For all the as-prepared samples, only trace amounts of CH₄ were detected, while the amount of H₂ generated from water splitting was below the detection limit of the GC-TCD. A blank test was carried out to verify whether CO is derived from CO₂ by repeating UV irradiation toward ZCSW in an Ar atmosphere. The result shows that <0.03 μmol g_{cat}⁻¹ of CO was generated after 24 hours, showing that CO was the reduction product of CO₂.

To further investigate the photocatalytic redox properties of POM-pillared LDHs, the photo-oxidation of water for O₂ generation over the as-prepared samples was carried out in a NaIO₃ solution. As shown in Fig. 4, ZCN, ZCC, ZCHW, and ZCSW exhibited 65.7, 81.1, 128.0, and 148.1 μmol g⁻¹ of O₂ after 6 hour irradiation. The solutions turned pale yellow after the photocatalytic reaction and turned blue after adding starch suspension, indicating the formation of I₂. The slight increase in photocatalytic activity with ZCC is attributed to the band-gap narrowing from the MMCT effect.³⁰ The enhanced photocatalytic activity with POM-pillared Zn-Cr LDHs toward water oxidation is likely owing to the effective electronic coupling between the semiconductor-like LDH host layers and the catalytically active interlayer species.




Fig. 4 Total amounts of O₂ generated after 6 hours in NaIO₃ aqueous solution for the photo-oxidation of water by using Zn-Cr LDHs intercalated with various inorganic anions.




Fig. 5 Possible mechanism and charge transfer route between LDH host layers and POM anions in the photo-reduction of CO₂ and photo-oxidation of water.

In previous work, Nakajima *et al.*³³ reported charge transfer in polytungstate-TiO₂ hybrids. The photo-generated electrons in the CB of anatase transferred to the LUMO and HOMO of polytungstate. Similar to anatase, Zn-Cr LDH host layers also inject the photo-generated electrons to the LUMO and HOMO of POMs to realize charge separation. In the case of ZCSW, the data of half-wave potentials for the 1-electron reduction reported indicated the LUMO of SiW₁₂O₄₀⁴⁻ lies at -0.6 eV (pH = 7), which can withstand the reduction of CO₂ and IO₃⁻.³⁴ However, SiW₁₂O₄₀⁴⁻ is likely more favorable to reduce IO₃⁻ than CO₂ because of the more significant potential drop between the LUMO energy and the reduction potential (Fig. 5). Due to the pseudo-liquid phase and multi-electron redox properties, IO₃⁻ can freely enter or leave the framework of POMs and be rapidly reduced without barriers in the reaction kinetics.

Conclusions

In this work, Zn-Cr LDH photocatalysts were prepared. Keggin-type polyanion SiW₁₂O₄₀⁴⁻ and H₂W₁₂O₄₀⁶⁻ pillared Zn-Cr LDHs (ZCHW and ZCSW) were synthesized through ion exchange using a NO₃⁻-type LDH (ZCN) as the raw material. In the photo-reduction of CO₂, ZCSW produced up to 1.17 μmol g⁻¹ CO after 24 hour UV irradiation, which was 1.2-fold higher than that of ZCN. In the photo-oxidation of water in the presence of IO₃⁻, ZCSW produced up to 148.1 μmol g⁻¹ O₂ after 6 hour irradiation, which was 2.2-fold higher than that of ZCN. The results of characterization and mechanistic investigations indicated that the electron transfer from the conduction band of the Zn-Cr LDH to the lowest unoccupied molecular orbital (LUMO) of SiW₁₂O₄₀⁴⁻ probably contributes to the enhanced photocatalytic activity in CO₂ reduction and water oxidation.

Conflicts of interest

There are no conflicts to declare.



Acknowledgements

This work was supported by the National Natural Science Foundation of China (grant number 22272078) and the Frontiers Science Center for Critical Earth Material Cycling of Nanjing University.

Notes and references

- G. Mishra, B. Dash and S. Pandey, *Appl. Clay Sci.*, 2018, **153**, 172–186.
- K. Teramura, S. Iguchi, Y. Mizuno, T. Shishido and T. Tanaka, *Angew. Chem., Int. Ed.*, 2012, **51**, 8008–8011.
- S. Iguchi, K. Teramura, S. Hosokawa and T. Tanaka, *Phys. Chem. Chem. Phys.*, 2015, **17**, 17995–18003.
- L. Li, Z. Liu, X. Yu and M. Zhong, *Angew. Chem., Int. Ed.*, 2023, **62**, e202300226.
- S. Iguchi, K. Teramura, S. Hosokawa and T. Tanaka, *Appl. Catal., A*, 2016, **521**, 160–167.
- H. Jiang, K. Katsumata, J. Hong, A. Yamaguchi, K. Nakata, C. Terashima, N. Matsushita, M. Miyauchi and A. Fujishima, *Appl. Catal., B*, 2018, **224**, 783–790.
- H. Jiang, L. Wang, H. Kaneko, R. Gu, G. Su, L. Li, J. Zhang, H. Song, F. Zhu, A. Yamaguchi, J. Xu, F. Liu, M. Miyauchi, W. Ding and M. Zhong, *Nat. Catal.*, 2023, **6**, 519–530.
- L. Li, A. Ozden, S. Guo, F. P. García de Arquer, C. Wang, M. Zhang, J. Zhang, H. Jiang, W. Wang, H. Dong, D. Sinton, E. H. Sargent and M. Zhong, *Nat. Commun.*, 2021, **12**, 5223.
- X. Xiong, Y. Zhao, R. Shi, W. Yin, Y. Zhao, G. I. N. Waterhouse and T. Zhang, *Sci. Bull.*, 2020, **65**(12), 987–994.
- X. Xiong, C. Mao, Z. Yang, Q. Zhang, G. I. N. Waterhouse, L. Gu and T. Zhang, *Adv. Energy Mater.*, 2020, **10**, 2002928.
- Y. Zhao, G. Chen, T. Bian, C. Zhou, G. I. N. Waterhouse, L.-Z. Wu, C.-H. Tung, L. J. Smith, D. O'Hare and T. Zhang, *Adv. Mater.*, 2015, **27**, 7824–7831.
- G. Huang, Q. Niu, J. Zhang, H. Huang, Q. Chen, J. Bi and L. Wu, *Chem. Eng. J.*, 2022, **427**, 131018.
- M. Liu, G. Zhang, X. Liang, Z. Pan, D. Zheng, S. Wang, Z. Yu, Y. Hou and X. Wang, *Angew. Chem., Int. Ed.*, 2023, **62**, e202304694.
- M. Hao, D. Wei and Z. Li, *Energy Fuels*, 2022, **36**(19), 11524–11531.
- B. Su, M. Zheng, W. Lin, X. F. Lu, D. Luan, S. Wang and X. W. D. Lou, *Adv. Energy Mater.*, 2023, **13**, 2203290.
- C. G. Silva, Y. Bouizi, V. Fornés and H. García, *J. Am. Chem. Soc.*, 2009, **131**, 13833–13839.
- Y. Zhao, B. Li, Q. Wang, W. Gao, C. J. Wang, M. Wei, D. G. Evans, X. Duan and D. O'Hare, *Chem. Sci.*, 2014, **5**, 951–958.
- Y. Wu, M. Song, Y.-C. Huang, C.-L. Dong, Y. Li, Y. Lu, B. Zhou, D. Wang, J. Jia, S. Wang and Y. Wang, *J. Energy Chem.*, 2022, **74**, 140–148.
- J. L. Gunjekar, T. W. Kim, H. N. Kim, I. Y. Kim and S.-J. Hwang, *J. Am. Chem. Soc.*, 2011, **133**, 14998–15007.
- Y. Guo, Y. Wang, C. Hu, Y. Wang, E. Wang, Y. Zhou and S. Feng, *Chem. Mater.*, 2000, **12**, 3501–3508.
- Y. Guo, D. Li, C. Hu, Y. Wang and E. Wang, *Int. J. Inorg. Mater.*, 2001, **3**, 347–355.
- A. Miyoshi, Y. Shimoyama, H. Mogi, H. Ubukata, N. Hirayama, A. Tanaka, K. Arai, S. Morita, T. Yui, S. Uchida, T. Motohashi, Y. Inaguma, H. Kageyama and K. Maeda, *Chem. Lett.*, 2022, **51**, 107–110.
- J. L. Gunjekar, T. W. Kim, I. Y. Kim, J. M. Lee and S.-J. Hwang, *Sci. Rep.*, 2013, **3**(1), 2080.
- Z. Zhu, R. Tain and C. Rhodes, *Can. J. Chem.*, 2003, **81**, 1044–1050.
- K. Parida and L. Mohapatra, *Dalton Trans.*, 2012, **41**, 1173–1178.
- S. Yanagida, A. Nakajima, Y. Kameshima and K. Okada, *J. Ion Exch.*, 2007, **18**(4), 270–275.
- T. Takei, A. Miura and N. Kumada, *J. Australas. Ceram. Soc.*, 2014, **2**, 289–296.
- Y. Israël, C. Taviot-Guého, J.-P. Besse, J.-P. Morel and N. Morel-Desrosiers, *J. Chem. Soc., Dalton Trans.*, 2000, 791–796.
- X. Jing, D. Zou, Q. Meng, W. Zhang, F. Zhang, W. Feng and X. Han, *Inorg. Chem. Commun.*, 2014, **46**, 149–154.
- A. Lesbani, A. Agnes, R. O. Saragih, M. Verawaty, R. Mohadi and H. Zulkifli, *Bull. Chem. React. Eng. Catal.*, 2015, **10**, 185–191.
- N. Baliarsingh, L. Mohapatra and K. Parida, *J. Mater. Chem. A*, 2013, **1**, 4236–4243.
- Y. Chen, G. Yu, F. Li, C. Xie and G. Tian, *J. Mater. Chem. C*, 2013, **1**, 3842–3850.
- K. Pruethiarenun and A. Nakajima, *J. Jpn. Soc. Colour Mater.*, 2014, **87**, 227–234.
- J. Zhang, C. Guo, S. Fang, X. Zhao, L. Li, H. Jiang, Z. Liu, Z. Fan, W. Xu, J. Xiao and M. Zhong, *Nat. Commun.*, 2023, **14**, 1298.

